

installActions2013-06-29_12-50-04AM.log

INFO: Using paramFile: /tmp/12c/database/install/oraparam.ini
INFO:
INFO:
INFO: Checking Temp space: must be greater than 500 MB. Actual 20624 MB
Passed
INFO: Checking swap space: must be greater than 150 MB. Actual 3327 MB
Passed
INFO: Checking monitor: must be configured to display at least 256 colors.
Actual 16777216 Passed
INFO:
INFO: The commandline for unzip:
INFO: /tmp/12c/database/install/unzip -qqqo
../stage/Components/oracle.jdk/1.6.0.37.0/1/DataFiles/*.jar -d
/tmp/OraInstall2013-06-29_12-50-04AM
INFO: Using the umask value '022' available from oraparam.ini
INFO:
INFO: Execvp of the child jre : the cmdline is
/tmp/OraInstall2013-06-29_12-50-04AM/jdk/jre/bin/java, and the argv is
INFO: /tmp/OraInstall2013-06-29_12-50-04AM/jdk/jre/bin/java
INFO:
-Doracle.installer.library_loc=/tmp/OraInstall2013-06-29_12-50-04AM/oui/lib/linu
x64
INFO: -Doracle.installer.oui_loc=/tmp/OraInstall2013-06-29_12-50-04AM/oui
INFO: -Doracle.installer.bootstrap=TRUE
INFO: -Doracle.installer.startup_location=/tmp/12c/database/install
INFO: -Doracle.installer.jre_loc=/tmp/OraInstall2013-06-29_12-50-04AM/jdk/jre
INFO: -Doracle.installer.nlsEnabled="TRUE"
INFO: -Doracle.installer.prereqConfigLoc=
INFO: -Doracle.installer.unixVersion=2.6.39-200.24.1.e16uek.x86_64
INFO: -Doracle.install.setup.workDir=/tmp/12c/database
INFO: -mx150m
INFO: -XX:MaxPermSize=128M
INFO: -cp
INFO:
/tmp/OraInstall2013-06-29_12-50-04AM::/tmp/OraInstall2013-06-29_12-50-04AM/ext/j
lib/orai18n-mapping.jar:/tmp/OraInstall2013-06-29_12-50-04AM/ext/jlib/entityMana
ger_proxy.jar:/tmp/OraInstall2013-06-29_12-50-04AM/ext/jlib/prov_fixup.jar:/tmp/
OraInstall2013-06-29_12-50-04AM/ext/jlib/installcommons_1.0.0b.jar:/tmp/OraInsta
ll2013-06-29_12-50-04AM/ext/jlib/ojdbc6.jar:/tmp/OraInstall2013-06-29_12-50-04AM
/ext/jlib/instdb.jar:/tmp/OraInstall2013-06-29_12-50-04AM/ext/jlib/emca.jar:/tmp
/OraInstall2013-06-29_12-50-04AM/ext/jlib/orai18n-utility.jar:/tmp/OraInstall201
3-06-29_12-50-04AM/ext/jlib/emCoreSDK.jar:/tmp/OraInstall2013-06-29_12-50-04AM/e
xt/jlib/adf-share-ca.jar:/tmp/OraInstall2013-06-29_12-50-04AM/ext/jlib/OraPrereq
.jar:/tmp/OraInstall2013-06-29_12-50-04AM/ext/jlib/wsclient_extended.jar:/tmp/O
raInstall2013-06-29_12-50-04AM/ext/jlib/emCoreConsole.jar:/tmp/OraInstall2013-06-
29_12-50-04AM/ext/jlib/instcommon.jar:/tmp/OraInstall2013-06-29_12-50-04AM/ext/j
lib/OraPrereqChecks.jar:/tmp/OraInstall2013-06-29_12-50-04AM/ext/jlib/javax.secu
rity.jacc_1.0.0.0_1-1.jar:/tmp/OraInstall2013-06-29_12-50-04AM/ext/jlib/cvu.jar:
/tmp/OraInstall2013-06-29_12-50-04AM/ext/jlib/jmxspi.jar:/tmp/OraInstall2013-06-
29_12-50-04AM/ext/jlib/jsch.jar:/tmp/OraInstall2013-06-29_12-50-04AM/ext/jlib/ss
h.jar:/tmp/OraInstall2013-06-29_12-50-04AM/ext/jlib/remoteinterfaces.jar:/tmp/O
raInstall2013-06-29_12-50-04AM/oui/jlib/OraInstaller.jar:/tmp/OraInstall2013-06-2
9_12-50-04AM/oui/jlib/oneclick.jar:/tmp/OraInstall2013-06-29_12-50-04AM/oui/jlib
/xmlparserv2.jar:/tmp/OraInstall2013-06-29_12-50-04AM/oui/jlib/share.jar:/tmp/O
raInstall2013-06-29_12-50-04AM/oui/jlib/OraInstallerNet.jar:/tmp/OraInstall2013-0
6-29_12-50-04AM/oui/jlib/emCfg.jar:/tmp/OraInstall2013-06-29_12-50-04AM/oui/jlib
/emocmutl.jar:/tmp/OraInstall2013-06-29_12-50-04AM/oui/jlib/OraPrereq.jar:/tmp/O
raInstall2013-06-29_12-50-04AM/oui/jlib/jsch.jar:/tmp/OraInstall2013-06-29_12-50
-04AM/oui/jlib/ssh.jar:/tmp/OraInstall2013-06-29_12-50-04AM/oui/jlib/remoteinter
faces.jar:/tmp/OraInstall2013-06-29_12-50-04AM/oui/jlib/http_client.jar:/tmp/O
raInstall2013-06-29_12-50-04AM/oui/jlib/OraSuiteInstaller.jar:../stage/Components/
oracle.swd.opatch/12.1.0.1.0/1/DataFiles/jlib/opatch.jar:../stage/Components/ora
cle.swd.opatch/12.1.0.1.0/1/DataFiles/jlib/opatchactions.jar:../stage/Components
/oracle.swd.opatch/12.1.0.1.0/1/DataFiles/jlib/opatchprereq.jar:../stage/Compone
nts/oracle.swd.opatch/12.1.0.1.0/1/DataFiles/jlib/opatchutil.jar:/tmp/OraInstall
2013-06-29_12-50-04AM/oui/jlib/OraCheckPoint.jar:/tmp/OraInstall2013-06-29_12-50
-04AM/oui/jlib/InstImages.jar:/tmp/OraInstall2013-06-29_12-50-04AM/oui/jlib/Inst
Help.jar:/tmp/OraInstall2013-06-29_12-50-04AM/oui/jlib/InstHelp_de.jar:/tmp/OraI

installActions2013-06-29_12-50-04AM.log

INFO: INFO: Loaded state UpdatesListUI
INFO: INFO: Loaded state finishupdates
INFO: INFO: Building the flow graph
INFO: INFO: Loaded state prepInstall
INFO: INFO: Loaded state decideOCMInstall
INFO: INFO: Loaded state getOCMDetails
INFO: INFO: Loaded state autoupdatesDecider
INFO: INFO: Loaded state preAutoUpdates
INFO: INFO: Loaded state AutoUpdatesOptionsUI
INFO: INFO: Loaded state UpdatesListUI
INFO: INFO: Loaded state supportedOSCheck
INFO: INFO: Loaded state installOptions
INFO: INFO: Loaded state getSystemClass
INFO: INFO: Loaded state DBTypeSelectionPage
INFO: INFO: Loaded state RACDBTypeSelectionPage
INFO: INFO: Loaded state nodeSelectionPage
INFO: INFO: Loaded state upgradeValidation
INFO: INFO: Loaded state installType
INFO: INFO: Loaded state quickInstallPage
INFO: INFO: Loaded state productLanguage
INFO: INFO: Loaded state inventoryPage
INFO: INFO: Loaded state getOracleHome
INFO: INFO: Loaded state dbEdition
INFO: INFO: Loaded state configurationType
INFO: INFO: Loaded state dbIdentifier
INFO: INFO: Loaded state configurationOption
INFO: INFO: Loaded state managementOption
INFO: INFO: Loaded state storageOption
INFO: INFO: Loaded state recoveryOption
INFO: INFO: Loaded state selectASMDiskGroups
INFO: INFO: Loaded state schemaPasswordDialog
INFO: INFO: Loaded state getPrivilegedOSGroups
INFO: INFO: Loaded state prereqExecutionDecider
INFO: INFO: Loaded state performChecks
INFO: INFO: Loaded state showSummary
INFO: INFO: Loaded state setup
INFO: INFO: Loaded state finish
INFO: INFO: Linking states
INFO: INFO: State[AutoUpdatesOptionsUI]: route=NO_AUTO_UPDATES;
to=supportedOSCheck
INFO: INFO: State[AutoUpdatesOptionsUI]: route=success; to=UpdatesListUI
INFO: INFO: State[DBTypeSelectionPage]: route=rac_dbcreate;
to=RACDBTypeSelectionPage
INFO: INFO: State[DBTypeSelectionPage]: route=rac_no_dbcreate;
to=nodeSelectionPage
INFO: INFO: State[DBTypeSelectionPage]: route=si_dbcreate; to=installType
INFO: INFO: State[DBTypeSelectionPage]: route=si_no_dbcreate; to=productLanguage
INFO: INFO: State[RACDBTypeSelectionPage]: route=admin; to=nodeSelectionPage
INFO: INFO: State[RACDBTypeSelectionPage]: route=policy; to=installType
INFO: INFO: State[UpdatesListUI]: route=success; to=supportedOSCheck
INFO: INFO: State[autoupdatesDecider]: route=AUTO_UPDATES_DISABLE;
to=supportedOSCheck
INFO: INFO: State[autoupdatesDecider]: route=AUTO_UPDATES_STATE_SKIP;
to=supportedOSCheck
INFO: INFO: State[autoupdatesDecider]: route=success; to=preAutoUpdates
INFO: INFO: State[configurationOption]: route=success; to=storageOption
INFO: INFO: State[configurationType]: route=success; to=dbIdentifier
INFO: INFO: State[dbEdition]: route=oraclehome_location; to=getOracleHome
INFO: INFO: State[dbIdentifier]: route=success; to=configurationOption
INFO: INFO: State[decideOCMInstall]: route=ignoreOCM; to=autoupdatesDecider
INFO: INFO: State[decideOCMInstall]: route=requireOCM; to=getOCMDetails
INFO: INFO: State[getOCMDetails]: route=success; to=autoupdatesDecider
INFO: INFO: State[getOracleHome]: route=advanced_yes_createdB_yes;
to=configurationType
INFO: INFO: State[getOracleHome]: route=advanced_yes_inventory_no;
to=inventoryPage
INFO: INFO: State[getOracleHome]: route=advanced_yes_softwareDB_yes;
to=getPrivilegedOSGroups

installActions2013-06-29_12-50-04AM.log

INFO: INFO: State[getOracleHome]: route=advanced_yes_upgrade_yes;
to=getPrivilegedOSGroups
INFO: INFO: State[getPrivilegedOSGroups]: route=success;
to=prereqExecutionDecider
INFO: INFO: State[getSystemClass]: route=desktop_class_yes; to=quickInstallPage
INFO: INFO: State[getSystemClass]: route=server_class_yes;
to=DBTypeSelectionPage
INFO: INFO: State[installOptions]: route=advanced_yes_softwareDB_yes;
to=DBTypeSelectionPage
INFO: INFO: State[installOptions]: route=migrate_yes_clusterware_no;
to=upgradeValidation
INFO: INFO: State[installOptions]: route=migrate_yes_clusterware_yes;
to=DBTypeSelectionPage
INFO: INFO: State[installOptions]: route=system_class; to=getSystemClass
INFO: INFO: State[installType]: route=advanced_yes; to=productLanguage
INFO: INFO: State[installType]: route=basic_yes; to=quickInstallPage
INFO: INFO: State[inventoryPage]: route=advanced_yes_createdB_yes;
to=configurationType
INFO: INFO: State[inventoryPage]: route=advanced_yes_softwareDB_yes;
to=getPrivilegedOSGroups
INFO: INFO: State[inventoryPage]: route=basic_yes; to=prereqExecutionDecider
INFO: INFO: Condition of state[inventoryPage]: route=advanced_yes_createdB_yes;
to=configurationType
INFO: INFO: Condition of state[inventoryPage]:
route=advanced_yes_softwareDB_yes; to=getPrivilegedOSGroups
INFO: INFO: Condition of state[inventoryPage]: route=basic_yes;
to=prereqExecutionDecider
INFO: INFO: State[managementOption]: route=success; to=recoveryOption
INFO: INFO: State[nodeSelectionPage]: route=create_and_configureDB;
to=installType
INFO: INFO: State[nodeSelectionPage]: route=software_onlyDB; to=productLanguage
INFO: INFO: State[nodeSelectionPage]: route=upgradeDB; to=upgradeValidation
INFO: INFO: State[performChecks]: route=success; to=showSummary
INFO: INFO: State[preAutoUpdates]: route=success; to=AutoUpdatesOptionsUI
INFO: INFO: State[prepInstall]: route=DOWNLOAD_UPDATES_ONLY;
to=AutoUpdatesOptionsUI
INFO: INFO: State[prepInstall]: route=success; to=decideOCMInstall
INFO: INFO: State[prereqExecutionDecider]: route=executeprereqs;
to=performChecks
INFO: INFO: State[prereqExecutionDecider]: route=ignoreprereqs; to=showSummary
INFO: INFO: State[productLanguage]: route=productlanguage_yes; to=dbEdition
INFO: INFO: State[quickInstallPage]: route=basic_yes_inventory_no;
to=inventoryPage
INFO: INFO: State[quickInstallPage]: route=basic_yes_inventory_yes;
to=prereqExecutionDecider
INFO: INFO: State[recoveryOption]: route=asm_chosen_asm_not_present;
to=schemaPasswordDialog
INFO: INFO: State[recoveryOption]: route=asm_chosen_asm_present;
to=selectASMDiskGroups
INFO: INFO: State[recoveryOption]: route=asm_not_chosen; to=schemaPasswordDialog
INFO: INFO: State[schemaPasswordDialog]: route=success; to=getPrivilegedOSGroups
INFO: INFO: State[selectASMDiskGroups]: route=success; to=schemaPasswordDialog
INFO: INFO: State[setup]: route=success; to=finish
INFO: INFO: State[showSummary]: route=success; to=setup
INFO: INFO: State[storageOption]: route=success; to=managementOption
INFO: INFO: State[supportedOSCheck]: route=success; to=installOptions
INFO: INFO: State[upgradeValidation]: route=success; to=productLanguage
INFO: INFO: State[AutoUpdatesOptionsUI]: route=NO_AUTO_UPDATES; to=finishupdates
INFO: INFO: State[AutoUpdatesOptionsUI]: route=success; to=UpdatesListUI
INFO: INFO: State[UpdatesListUI]: route=DOWNLOAD_UPDATES_FINISHED;
to=finishupdates
INFO: INFO: Successfully built the flow
INFO: INFO: Opening bean stores from which the beans can be loaded
INFO: INFO: Loading beanstore from a given input stream
INFO: INFO: Translating external format into raw format
INFO: INFO: Loading flow data beans
INFO: INFO: Loading beans from Properties Bean Store. [BeanStoreName:beanstore]
INFO: INFO: Setting value for the property:ORACLE_HOME in the

installActions2013-06-29_12-50-04AM.log

bean:DBInstallSettings
INFO: INFO: Setting value for the property:ORACLE_BASE in the
bean:DBInstallSettings
INFO: INFO: Setting value for the property:DBInstallSettings in the
bean:DBSetupBean
INFO: INFO: Setting value for the property:CentralInventorySettings in the
bean:DBSetupBean
INFO: INFO: Setting value for the
property:oracle_install_autoupdates_myOracleSupportCredentials in the
bean:AutoUpdatesInstallSettings
INFO: INFO: Setting value for the
property:oracle_install_autoupdates_httpProxySettings in the
bean:AutoUpdatesInstallSettings
INFO: INFO: Setting value for the property:AutoUpdatesInstallSettings in the
bean:DBSetupBean
INFO: INFO: Setting value for the property:OCMSettings in the bean:DBSetupBean
INFO: INFO: Setting value for the property:WindowsSecureOptionSettings in the
bean:DBSetupBean
INFO: INFO: Setting value for the property:ORACLE_HOSTNAME in the
bean:DBSetupBean
INFO: INFO: Setting value for the property:RootConfigurationSettings in the
bean:DBSetupBean
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:beanstore]
INFO: INFO: Setting value for the property:oracle_install_db_StorageType in the
bean:DBInstallSettings
INFO: INFO: Setting value for the
property:oracle_install_db_UseFileSystemForRecovery in the
bean:DBInstallSettings
INFO: INFO: Setting value for the property:oracle_install_db_UseSamePassword in
the bean:DBInstallSettings
INFO: INFO: Setting value for the property:oracle_install_db_ConfigTabSelected
in the bean:DBInstallSettings
INFO: INFO: Setting value for the property:oracle_install_db_CharSetOption in
the bean:DBInstallSettings
INFO: INFO: Setting value for the
property:oracle_install_db_InstallOptionSelected in the bean:DBInstallSettings
INFO: INFO: Setting value for the property:oracle_install_db_managementOption in
the bean:DBInstallSettings
INFO: INFO: Setting value for the property:oracle_install_db_SuperAdminPasswords
in the bean:DBInstallSettings
INFO: INFO: Setting value for the property:ORACLE_HOME in the
bean:DBInstallSettings
INFO: INFO: Setting value for the property:ORACLE_BASE in the
bean:DBInstallSettings
INFO: INFO: Setting value for the property:DBInstallSettings in the
bean:DBSetupBean
INFO: INFO: Setting value for the property:CentralInventorySettings in the
bean:DBSetupBean
INFO: INFO: Setting value for the
property:oracle_install_autoupdates_myOracleSupportCredentials in the
bean:AutoUpdatesInstallSettings
INFO: INFO: Setting value for the
property:oracle_install_autoupdates_httpProxySettings in the
bean:AutoUpdatesInstallSettings
INFO: INFO: Setting value for the property:AutoUpdatesInstallSettings in the
bean:DBSetupBean
INFO: INFO: Setting value for the property:OCMSettings in the bean:DBSetupBean
INFO: INFO: Setting value for the property:WindowsSecureOptionSettings in the
bean:DBSetupBean
INFO: INFO: Setting value for the property:ORACLE_HOSTNAME in the
bean:DBSetupBean
INFO: INFO: Set value for bean DBSetupBean
INFO: INFO: Loading beans from Properties Bean Store. [BeanStoreName:beanstore]
INFO: INFO: Setting value for the property:ORACLE_HOME in the
bean:DBInstallSettings
INFO: INFO: Setting value for the property:ORACLE_BASE in the
bean:DBInstallSettings
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:beanstore]

installActions2013-06-29_12-50-04AM.log

INFO: INFO: Loading beans from Properties Bean Store. [BeanStoreName:beanstore]
INFO: INFO: Setting value for the
property:oracle_install_autoupdates_myOracleSupportCredentials in the
bean:AutoUpdatesInstallSettings
INFO: INFO: Setting value for the
property:oracle_install_autoupdates_httpProxySettings in the
bean:AutoUpdatesInstallSettings
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:beanstore]
INFO: INFO: Loading beans from Properties Bean Store. [BeanStoreName:beanstore]
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:beanstore]
INFO: INFO: Loading beans from Properties Bean Store. [BeanStoreName:beanstore]
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:beanstore]
INFO: INFO: Closing bean stores from which the beans can be loaded
INFO: INFO: Registering the flow views
INFO: INFO: Adding View[type:
oracle.install.commons.base.interview.common.view.PrereqGUI viewId: null uiType:
null]
INFO: INFO: oracle.install.commons.base.interview.common.view.PrereqGUI added to
View Type Registry with the key as [PrereqUI]
INFO: INFO: Adding View[type:
oracle.install.commons.base.interview.common.view.SummaryGUI viewId: null
uiType: null]
INFO: INFO: oracle.install.commons.base.interview.common.view.SummaryGUI added
to View Type Registry with the key as [SummaryUI]
INFO: INFO: Adding View[type:
oracle.install.commons.base.interview.common.view.SetupGUI viewId: null uiType:
null]
INFO: INFO: oracle.install.commons.base.interview.common.view.SetupGUI added to
View Type Registry with the key as [SetupUI]
INFO: INFO: Adding View[type: oracle.install.ivw.common.view.InventoryUI viewId:
null uiType: null]
INFO: INFO: oracle.install.ivw.common.view.InventoryUI added to View Type
Registry with the key as [InventoryUI]
INFO: INFO: Adding View[type: oracle.install.ivw.common.view.ProductLanguageGUI
viewId: ProductLanguageUI uiType: null]
INFO: INFO: oracle.install.ivw.common.view.ProductLanguageGUI added to View Type
Registry with the key as [ProductLanguageUI]
INFO: INFO: Adding View[type: oracle.install.ivw.common.view.OCMDetailsGUI
viewId: OCMDetailsUI uiType: null]
INFO: INFO: oracle.install.ivw.common.view.OCMDetailsGUI added to View Type
Registry with the key as [OCMDetailsUI]
INFO: INFO: Adding View[type: oracle.install.ivw.db.view.ConfigurationTypeUI
viewId: null uiType: null]
INFO: INFO: oracle.install.ivw.db.view.ConfigurationTypeUI added to View Type
Registry with the key as [ConfigurationTypeUI]
INFO: INFO: Adding View[type: oracle.install.ivw.db.view.DBIdentifierUI viewId:
null uiType: null]
INFO: INFO: oracle.install.ivw.db.view.DBIdentifierUI added to View Type
Registry with the key as [DBIdentifierUI]
INFO: INFO: Adding View[type: oracle.install.ivw.db.view.ConfigurationOptionsUI
viewId: null uiType: null]
INFO: INFO: oracle.install.ivw.db.view.ConfigurationOptionsUI added to View Type
Registry with the key as [ConfigurationOptionsUI]
INFO: INFO: Adding View[type: oracle.install.ivw.db.view.ManagementOptionsUI
viewId: null uiType: null]
INFO: INFO: oracle.install.ivw.db.view.ManagementOptionsUI added to View Type
Registry with the key as [ManagementOptionsUI]
INFO: INFO: Adding View[type: oracle.install.ivw.db.view.StorageOptionsUI
viewId: null uiType: null]
INFO: INFO: oracle.install.ivw.db.view.StorageOptionsUI added to View Type
Registry with the key as [StorageOptionsUI]
INFO: INFO: Adding View[type: oracle.install.ivw.db.view.RecoveryBackupUI
viewId: null uiType: null]
INFO: INFO: oracle.install.ivw.db.view.RecoveryBackupUI added to View Type
Registry with the key as [RecoveryBackupUI]
INFO: INFO: Adding View[type:
oracle.install.ivw.db.view.ASMDiskGroupSelectionGUI viewId:
ASMDiskGroupSelectionUI uiType: null]

installActions2013-06-29_12-50-04AM.log

INFO: INFO: oracle.install.ivw.db.view.ASMDiskGroupSelectionGUI added to View Type Registry with the key as [ASMDiskGroupSelectionUI]
INFO: INFO: Adding View[type: oracle.install.ivw.db.view.SchemaPasswordUI viewId: null uiType: null]
INFO: INFO: oracle.install.ivw.db.view.SchemaPasswordUI added to View Type Registry with the key as [SchemaPasswordUI]
INFO: INFO: Adding View[type: oracle.install.ivw.db.view.QuickInstallUI viewId: null uiType: null]
INFO: INFO: oracle.install.ivw.db.view.QuickInstallUI added to View Type Registry with the key as [QuickInstallUI]
INFO: INFO: Adding View[type: oracle.install.ivw.db.view.InstallOptionsUI viewId: null uiType: null]
INFO: INFO: oracle.install.ivw.db.view.InstallOptionsUI added to View Type Registry with the key as [InstallOptionsUI]
INFO: INFO: Adding View[type: oracle.install.ivw.db.view.SystemClassUI viewId: SystemClassUI uiType: null]
INFO: INFO: oracle.install.ivw.db.view.SystemClassUI added to View Type Registry with the key as [SystemClassUI]
INFO: INFO: Adding View[type: oracle.install.ivw.db.view.InstallLocationUI viewId: null uiType: null]
INFO: INFO: oracle.install.ivw.db.view.InstallLocationUI added to View Type Registry with the key as [InstallLocationUI]
INFO: INFO: Adding View[type: oracle.install.ivw.db.view.DBEditionGUI viewId: null uiType: null]
INFO: INFO: oracle.install.ivw.db.view.DBEditionGUI added to View Type Registry with the key as [DBEditionUI]
INFO: INFO: Adding View[type: oracle.install.ivw.db.view.NodeSelectionUI viewId: null uiType: null]
INFO: INFO: oracle.install.ivw.db.view.NodeSelectionUI added to View Type Registry with the key as [NodeSelectionUI]
INFO: INFO: Adding View[type: oracle.install.ivw.db.view.DBTypeSelectionGUI viewId: DBTypeSelectionUI uiType: null]
INFO: INFO: oracle.install.ivw.db.view.DBTypeSelectionGUI added to View Type Registry with the key as [DBTypeSelectionUI]
INFO: INFO: Adding View[type: oracle.install.ivw.db.view.RACDBTypeSelectionGUI viewId: RACDBTypeSelectionUI uiType: null]
INFO: INFO: oracle.install.ivw.db.view.RACDBTypeSelectionGUI added to View Type Registry with the key as [RACDBTypeSelectionUI]
INFO: INFO: Adding View[type: oracle.install.ivw.db.view.FinishUI viewId: null uiType: null]
INFO: INFO: oracle.install.ivw.db.view.FinishUI added to View Type Registry with the key as [FinishUI]
INFO: INFO: Adding View[type: oracle.install.ivw.db.view.PrivilegedOSGroupsGUI viewId: null uiType: null]
INFO: INFO: oracle.install.ivw.db.view.PrivilegedOSGroupsGUI added to View Type Registry with the key as [PrivilegedOSGroupsUI]
INFO: INFO: Adding View[type: oracle.install.ivw.db.view.InstallTypeGUI viewId: installTypeUI uiType: null]
INFO: INFO: oracle.install.ivw.db.view.InstallTypeGUI added to View Type Registry with the key as [installTypeUI]
INFO: INFO: Adding View[type: oracle.install.ivw.common.view.AutoUpdatesOptionsUI viewId: AutoUpdatesOptionsUI uiType: null]
INFO: INFO: oracle.install.ivw.common.view.AutoUpdatesOptionsUI added to View Type Registry with the key as [AutoUpdatesOptionsUI]
INFO: INFO: Adding View[type: oracle.install.ivw.common.view.UpdatesListUI viewId: UpdatesListUI uiType: null]
INFO: INFO: oracle.install.ivw.common.view.UpdatesListUI added to View Type Registry with the key as [UpdatesListUI]
INFO: INFO: Adding View[type: oracle.install.ivw.common.view.FinishUpdatesUI viewId: FinishUpdatesUI uiType: null]
INFO: INFO: oracle.install.ivw.common.view.FinishUpdatesUI added to View Type Registry with the key as [FinishUpdatesUI]
INFO: INFO: Initial values of Setup Properties :
INFO:

INFO: PROPERTY

VALUE

installActions2013-06-29_12-50-04AM.log

INFO:

INFO: AutoUpdatesInstallSettings
oracle.install.ivw.common.bean.AutoUpdates
INFO:
InstallSettings@4f444356
INFO: CLUSTER_NODES {}

INFO: COLLECTOR_IGNORE_CONFIGURATION false

INFO: COLLECTOR_IGNORE_FAILURES false

INFO: COLLECTOR_RESPONSE_FILE

INFO: CentralInventorySettings
oracle.install.ivw.common.bean.CentralInve
INFO:
ntorySettings@9bed3d1
INFO: DBInstallSettings
oracle.install.ivw.db.bean.DBInstallSettin
INFO: gs@22f90137

INFO: DECLINE_SECURITY_UPDATES false

INFO: FROM_LOCATION
/tmp/12c/database/install/./stage/product
INFO: s.xml

INFO: INSTALL_TYPE EE

INFO: MYORACLESUPPORT_PASSWORD *Protected value,
not to be logged*
INFO: MYORACLESUPPORT_USERNAME

INFO: OCMSettings
oracle.install.ivw.common.bean.OCMSettings
INFO: @2c79cd09

INFO: ORACLE_BASE /u01/app/oracle

INFO: ORACLE_HOME
/u01/app/oracle/product/12.1.0/db_1
INFO: ORACLE_HOSTNAME oracle12c

INFO: PROXY_HOST

INFO: PROXY_PORT

INFO: PROXY_PWD *Protected value,
not to be logged*
INFO: PROXY_USER

INFO: RootConfigurationSettings
oracle.install.ivw.common.bean.RootConfigu
INFO:
rationSettings@727db937
INFO: SECURITY_UPDATES_VIA_MYORACLESUPPORT true

INFO: SELECTED_LANGUAGES {"en"}

INFO: WindowsSecureOptionSettings
oracle.install.ivw.common.bean.WindowsSecu
INFO:
reOptionSettings@708420ae
INFO: b_rdbmsInstall true


```

installActions2013-06-29_12-50-04AM.log
INFO: oracle.install.db.isCCRAuthenticationUsed false
INFO: oracle_install_IsBuiltInAccount false
INFO: oracle_install_IsOracleServiceUserExists false
INFO: oracle_install_LaunchNetCA false
INFO: oracle_install_NoMigration false
INFO: oracle_install_OCR_PartitionLocation
INFO: oracle_install_ProductName
INFO: oracle_install_RACInstall false
INFO: oracle_install_RDBMSInstalling true
INFO: oracle_install_autoupdates_httpProxyPort 0
INFO: oracle_install_autoupdates_httpProxySettings
oracle.install.ivw.common.bean.HttpProxySe
INFO: ttings@4ad61301
INFO: oracle_install_autoupdates_myOracleSupportCredentials
oracle.install.ivw.common.bean.MyOracleSup
INFO: portSettings@aa0ebc2
INFO: oracle_install_db_ASMSNMPUserPassword *Protected value,
not to be logged*
INFO: oracle_install_db_AutoMemoryOption false
INFO: oracle_install_db_CharSetOption 3
INFO: oracle_install_db_CharacterSet
INFO: oracle_install_db_ConfigTabSelected 0
INFO: oracle_install_db_ConfigurationType &General Purpose /
Transaction Processing
INFO: oracle_install_db_ConfigureAsContainerDB false
INFO: oracle_install_db_DiskGroupName
INFO: oracle_install_db_DiskGroupNameForASM
INFO: oracle_install_db_EnableAutoBackup false
INFO: oracle_install_db_InstallEdition EE
INFO: oracle_install_db_InstallOption
INSTALL_DB_AND_CONFIG
INFO: oracle_install_db_InstallOptionSelected 1
INFO: oracle_install_db_InstallType EE
INFO: oracle_install_db_LaunchDBCA false
INFO: oracle_install_db_LaunchODMA false
INFO: oracle_install_db_LoadExampleSchemas false
INFO: oracle_install_db_MountPointLocation
INFO: oracle_install_db_QuickInstallOption false
INFO: oracle_install_db_RecoveryBackupLocation

```

```

installActions2013-06-29_12-50-04AM.log
INFO: oracle_install_db_SID
INFO: oracle_install_db_ServerPoolCardinality 0
INFO: oracle_install_db_SetOracleBase false
INFO: oracle_install_db_SkipPHARegistration false
INFO: oracle_install_db_StarterDatabaseType GENERAL_PURPOSE
INFO: oracle_install_db_StorageType 0
INFO: oracle_install_db_SuperAdminPasswords *Protected value,
not to be logged*
INFO: oracle_install_db_SuperAdminSamePasswdForAll *Protected value,
not to be logged*
INFO: oracle_install_db_SystemClass DESKTOP_CLASS
INFO: oracle_install_db_Type 1
INFO: oracle_install_db_UseFileSystemForRecovery false
INFO: oracle_install_db_UseSamePassword false
INFO: oracle_install_db_isRACOneInstall false
INFO: oracle_install_db_managementOption DEFAULT
INFO: oracle_install_db_omsPort 0
INFO: oracle_install_db_racOneServiceName
INFO: oracle_install_rootConfiguration_ExecuterRootScript false

```

INFO:

```

-----
INFO:
INFO: INFO: Launching Oracle Database 12c Release 1 Installer
INFO: INFO: Started executing the flow in INTERACTIVE mode
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Finishing all forked tasks at state prepInstall
INFO: INFO: Waiting for completion all forked tasks at state prepInstall
INFO: INFO: All forked task are completed at state prepInstall
INFO: INFO: Completed background operations
INFO: INFO: Executing action at state prepInstall
INFO: INFO: Completed executing action at state <prepInstall>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Moved to state <prepInstall>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Validating view at state <prepInstall>
INFO: INFO: Completed validating view at state <prepInstall>
INFO: INFO: Validating state <prepInstall>
INFO: WARNING: Validation disabled for the state prepInstall
INFO: INFO: Completed validating state <prepInstall>
INFO: INFO: Verifying route success
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Executing action at state decideOCMInstall
INFO: INFO: Completed executing action at state <decideOCMInstall>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Moved to state <decideOCMInstall>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Validating view at state <decideOCMInstall>

```

installActions2013-06-29_12-50-04AM.log

INFO: INFO: Completed validating view at state <decideOCMInstall>
INFO: INFO: Validating state <decideOCMInstall>
INFO: WARNING: Validation disabled for the state decideOCMInstall
INFO: INFO: Completed validating state <decideOCMInstall>
INFO: INFO: Verifying route requireOCM
INFO: INFO: Get view named [OCMDetailsUI]
INFO: INFO: View for [OCMDetailsUI] is
oracle.install.ivw.common.view.OCMDetailsGUI@686c9f0f
INFO: INFO: Initializing view <OCMDetailsUI> at state <getOCMDetails>
INFO: INFO: Completed initializing view <OCMDetailsUI> at state <getOCMDetails>
INFO: INFO: Displaying view <OCMDetailsUI> at state <getOCMDetails>
INFO: INFO: Completed displaying view <OCMDetailsUI> at state <getOCMDetails>
INFO: INFO: Loading view <OCMDetailsUI> at state <getOCMDetails>
INFO: INFO: Completed loading view <OCMDetailsUI> at state <getOCMDetails>
INFO: INFO: Localizing view <OCMDetailsUI> at state <getOCMDetails>
INFO: INFO: Completed localizing view <OCMDetailsUI> at state <getOCMDetails>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Executing action at state getOCMDetails
INFO: INFO: Completed executing action at state <getOCMDetails>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Moved to state <getOCMDetails>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Validating view at state <getOCMDetails>
INFO: INFO: Completed validating view at state <getOCMDetails>
INFO: INFO: Validating state <getOCMDetails>
INFO: WARNING: You have not provided an email address.
INFO:
INFO: Do you wish to remain uninformed of critical security issues in your
configuration?
INFO: INFO: Completed validating state <getOCMDetails>
INFO: INFO: Verifying route success
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Executing action at state autoupdatesDecider
INFO: INFO: Completed executing action at state <autoupdatesDecider>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Moved to state <autoupdatesDecider>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Validating view at state <autoupdatesDecider>
INFO: INFO: Completed validating view at state <autoupdatesDecider>
INFO: INFO: Validating state <autoupdatesDecider>
INFO: WARNING: Validation disabled for the state autoupdatesDecider
INFO: INFO: Completed validating state <autoupdatesDecider>
INFO: INFO: Reading shiphome metadata from
/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beanstore from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Translating external format into raw format
INFO: INFO: Restoring class oracle.install.driver.oui.OUIMetadata from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:oui-metadata]
INFO: INFO: Setting value for the property:properties in the bean:oui-metadata
INFO: INFO: Verifying route success
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Executing action at state preAutoUpdates
INFO: INFO: Completed executing action at state <preAutoUpdates>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Moved to state <preAutoUpdates>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Validating view at state <preAutoUpdates>

installActions2013-06-29_12-50-04AM.log

INFO: INFO: Completed validating view at state <preAutoUpdates>
INFO: INFO: Validating state <preAutoUpdates>
INFO: WARNING: Validation disabled for the state preAutoUpdates
INFO: INFO: Completed validating state <preAutoUpdates>
INFO: INFO: Verifying route success
INFO: INFO: Get view named [AutoUpdatesOptionsUI]
INFO: INFO: View for [AutoUpdatesOptionsUI] is
oracle.install.iwv.common.view.AutoUpdatesOptionsUI[,0,0,0x0,invalid,layout=java
.awt.FlowLayout,alignmentX=0.0,alignmentY=0.0,border=,flags=9,maximumSize=,minimumSize=,preferredSize=]
INFO: INFO: Initializing view <AutoUpdatesOptionsUI> at state
<AutoUpdatesOptionsUI>
INFO: INFO: Completed initializing view <AutoUpdatesOptionsUI> at state
<AutoUpdatesOptionsUI>
INFO: INFO: Displaying view <AutoUpdatesOptionsUI> at state
<AutoUpdatesOptionsUI>
INFO: INFO: Completed displaying view <AutoUpdatesOptionsUI> at state
<AutoUpdatesOptionsUI>
INFO: INFO: Loading view <AutoUpdatesOptionsUI> at state <AutoUpdatesOptionsUI>
INFO: INFO: Completed loading view <AutoUpdatesOptionsUI> at state
<AutoUpdatesOptionsUI>
INFO: INFO: Localizing view <AutoUpdatesOptionsUI> at state
<AutoUpdatesOptionsUI>
INFO: INFO: Completed localizing view <AutoUpdatesOptionsUI> at state
<AutoUpdatesOptionsUI>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Executing action at state AutoUpdatesOptionsUI
INFO: INFO: Completed executing action at state <AutoUpdatesOptionsUI>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Moved to state <AutoUpdatesOptionsUI>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Validating view at state <AutoUpdatesOptionsUI>
INFO: INFO: Completed validating view at state <AutoUpdatesOptionsUI>
INFO: INFO: Validating state <AutoUpdatesOptionsUI>
INFO: INFO: Completed validating state <AutoUpdatesOptionsUI>
INFO: INFO: No updates will be downloaded or applied
INFO: INFO: Verifying route NO_AUTO_UPDATES
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Executing action at state supportedOSCheck
INFO: INFO: Completed executing action at state <supportedOSCheck>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Moved to state <supportedOSCheck>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Validating view at state <supportedOSCheck>
INFO: INFO: Completed validating view at state <supportedOSCheck>
INFO: INFO: Validating state <supportedOSCheck>
INFO: INFO: Verifying target environment...
INFO: INFO: Checking whether the IP address of the localhost could be
determined...
INFO: INFO: Completed verification of target environment.
INFO: INFO: Verifying setup for installer validations
INFO: INFO: Completed validating state <supportedOSCheck>
INFO: INFO: Verifying route success
INFO: INFO: Get view named [InstallOptionsUI]
INFO: INFO: InstallOptionsUI Entering Constructor
INFO: INFO: InstallOptionsUI Exiting Constructor
INFO: INFO: View for [InstallOptionsUI] is
oracle.install.iwv.db.view.InstallOptionsUI@397af435
INFO: INFO: Initializing view <InstallOptionsUI> at state <installOptions>
INFO: INFO: Completed initializing view <InstallOptionsUI> at state
<installOptions>
INFO: INFO: Displaying view <InstallOptionsUI> at state <installOptions>

installActions2013-06-29_12-50-04AM.log

INFO: INFO: Completed displaying view <InstallOptionsUI> at state <installOptions>
INFO: INFO: Loading view <InstallOptionsUI> at state <installOptions>
INFO: INFO: Completed loading view <InstallOptionsUI> at state <installOptions>
INFO: INFO: Localizing view <InstallOptionsUI> at state <installOptions>
INFO: INFO: Completed localizing view <InstallOptionsUI> at state <installOptions>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Executing action at state installOptions
INFO: INFO: Completed executing action at state <installOptions>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Moved to state <installOptions>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: InstallOptions UI Entering & Exiting processInput
INFO: INFO: Validating view at state <installOptions>
INFO: INFO: Completed validating view at state <installOptions>
INFO: INFO: Validating state <installOptions>
INFO: INFO: Completed validating state <installOptions>
INFO: INFO: InstallOptionsAction Actions.transition called
INFO: INFO: selectedInstallOption is :INSTALL_DB_AND_CONFIG
INFO: INFO: launchNETCA = true
INFO: INFO: Verifying route system_class
INFO: INFO: Get view named [SystemClassUI]
INFO: INFO: SystemClassUI Entering Constructor
INFO: INFO: SystemClassUI Exiting Constructor
INFO: INFO: View for [SystemClassUI] is
oracle.install.iwv.db.view.SystemClassUI@3157457b
INFO: INFO: Initializing view <SystemClassUI> at state <getSystemClass>
INFO: INFO: Completed initializing view <SystemClassUI> at state <getSystemClass>
INFO: INFO: Displaying view <SystemClassUI> at state <getSystemClass>
INFO: INFO: Completed displaying view <SystemClassUI> at state <getSystemClass>
INFO: INFO: Loading view <SystemClassUI> at state <getSystemClass>
INFO: INFO: Completed loading view <SystemClassUI> at state <getSystemClass>
INFO: INFO: Localizing view <SystemClassUI> at state <getSystemClass>
INFO: INFO: Completed localizing view <SystemClassUI> at state <getSystemClass>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Executing action at state getSystemClass
INFO: INFO: Completed executing action at state <getSystemClass>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Moved to state <getSystemClass>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: SystemClassUI Entering & Exiting processInput
INFO: INFO: Validating view at state <getSystemClass>
INFO: INFO: Completed validating view at state <getSystemClass>
INFO: INFO: Validating state <getSystemClass>
INFO: INFO: Completed validating state <getSystemClass>
INFO: INFO: selectedSystemClass is :SERVER_CLASS
INFO: INFO: Verifying route server_class_yes
INFO: INFO: Get view named [DBTypeSelectionUI]
INFO: INFO: View for [DBTypeSelectionUI] is
oracle.install.iwv.db.view.DBTypeSelectionGUI[,0,0,0x0,invalid,layout=java.awt.GridBagLayout,alignmentX=0.0,alignmentY=0.0,border=,flags=9,maximumSize=,minimumSize=,preferredSize=]
INFO: INFO: Initializing view <DBTypeSelectionUI> at state <DBTypeSelectionPage>
INFO: INFO: Completed initializing view <DBTypeSelectionUI> at state <DBTypeSelectionPage>
INFO: INFO: Displaying view <DBTypeSelectionUI> at state <DBTypeSelectionPage>
INFO: INFO: Completed displaying view <DBTypeSelectionUI> at state <DBTypeSelectionPage>
INFO: INFO: Loading view <DBTypeSelectionUI> at state <DBTypeSelectionPage>
INFO: INFO: Completed loading view <DBTypeSelectionUI> at state

installActions2013-06-29_12-50-04AM.log

```
<DBTypeSelectionPage>
INFO: INFO: Localizing view <DBTypeSelectionUI> at state <DBTypeSelectionPage>
INFO: INFO: Completed localizing view <DBTypeSelectionUI> at state
<DBTypeSelectionPage>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Executing action at state DBTypeSelectionPage
INFO: INFO: Completed executing action at state <DBTypeSelectionPage>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Moved to state <DBTypeSelectionPage>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Validating view at state <DBTypeSelectionPage>
INFO: INFO: Completed validating view at state <DBTypeSelectionPage>
INFO: INFO: Validating state <DBTypeSelectionPage>
INFO: INFO: Completed validating state <DBTypeSelectionPage>
INFO: INFO: Verifying route si_dbcreate
INFO: INFO: Get view named [installTypeUI]
INFO: INFO: View for [installTypeUI] is
oracle.install.iwv.db.view.InstallTypeGUI@69123787
INFO: INFO: Initializing view <installTypeUI> at state <installType>
INFO: INFO: Completed initializing view <installTypeUI> at state <installType>
INFO: INFO: Displaying view <installTypeUI> at state <installType>
INFO: INFO: Completed displaying view <installTypeUI> at state <installType>
INFO: INFO: Loading view <installTypeUI> at state <installType>
INFO: INFO: Completed loading view <installTypeUI> at state <installType>
INFO: INFO: Localizing view <installTypeUI> at state <installType>
INFO: INFO: Completed localizing view <installTypeUI> at state <installType>
INFO: INFO: waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Executing action at state installType
INFO: INFO: Completed executing action at state <installType>
INFO: INFO: waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Moved to state <installType>
INFO: INFO: waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Validating view at state <installType>
INFO: INFO: Completed validating view at state <installType>
INFO: INFO: Validating state <installType>
INFO: WARNING: Validation disabled for the state installType
INFO: INFO: Completed validating state <installType>
INFO: INFO: Verifying route basic_yes
INFO: INFO: Checking condition at state <inventoryPage>
INFO: INFO: Successfully checked condition at state <inventoryPage>
INFO: INFO: Get view named [QuickInstallUI]
INFO: WARNING: SRVCTL not found as there is no Grid Infrastructure home on the
box.
INFO: WARNING: KFOD not found at
INFO: INFO: Reading shiphome metadata from
/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beanstore from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Translating external format into raw format
INFO: INFO: Restoring class oracle.install.driver.oui.OUIMetadata from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:oui-metadata]
INFO: INFO: Setting value for the property:properties in the bean:oui-metadata
INFO: INFO: size estimation for SEinstall is 6246.39999961853
INFO: INFO: Reading shiphome metadata from
/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beanstore from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Translating external format into raw format
INFO: INFO: Restoring class oracle.install.driver.oui.OUIMetadata from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:oui-metadata]
```

installActions2013-06-29_12-50-04AM.log

INFO: INFO: Setting value for the property:properties in the bean:oui-metadata
INFO: INFO: size estimation for EEinstall is 6553.60000038147
INFO: INFO: View for [QuickInstallUI] is
oracle.install.ivw.db.view.QuickInstallUI@46c6c084
INFO: INFO: Initializing view <QuickInstallUI> at state <quickInstallPage>
INFO: INFO: Retrieving ASM Cluster File System information...
INFO: INFO: Gathering system details...
INFO: INFO: Gathering system details...
INFO: INFO: Completed initializing view <QuickInstallUI> at state
<quickInstallPage>
INFO: INFO: Displaying view <QuickInstallUI> at state <quickInstallPage>
INFO: INFO: Reading shiphome metadata from
/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beanstore from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Translating external format into raw format
INFO: INFO: Restoring class oracle.install.driver.oui.OUIMetadata from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:oui-metadata]
INFO: INFO: Setting value for the property:properties in the bean:oui-metadata
INFO: INFO: size estimation for SEinstall is 6246.39999961853
INFO: INFO: Reading shiphome metadata from
/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beanstore from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Translating external format into raw format
INFO: INFO: Restoring class oracle.install.driver.oui.OUIMetadata from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:oui-metadata]
INFO: INFO: Setting value for the property:properties in the bean:oui-metadata
INFO: INFO: size estimation for EEinstall is 6553.60000038147
INFO: INFO: Reading shiphome metadata from
/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beanstore from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Translating external format into raw format
INFO: INFO: Restoring class oracle.install.driver.oui.OUIMetadata from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:oui-metadata]
INFO: INFO: Setting value for the property:properties in the bean:oui-metadata
INFO: INFO: size estimation for SEinstall is 6246.39999961853
INFO: INFO: Reading shiphome metadata from
/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beanstore from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Translating external format into raw format
INFO: INFO: Restoring class oracle.install.driver.oui.OUIMetadata from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:oui-metadata]
INFO: INFO: Setting value for the property:properties in the bean:oui-metadata
INFO: INFO: size estimation for SEinstall is 6246.39999961853
INFO: INFO: Completed displaying view <QuickInstallUI> at state
<quickInstallPage>
INFO: INFO: Loading view <QuickInstallUI> at state <quickInstallPage>
INFO: INFO: Gathering system details...
INFO: INFO: Gathering system details...
INFO: INFO: Completed loading view <QuickInstallUI> at state <quickInstallPage>
INFO: INFO: Localizing view <QuickInstallUI> at state <quickInstallPage>
INFO: INFO: Completed localizing view <QuickInstallUI> at state
<quickInstallPage>
INFO: INFO: waiting for completion of background operations
INFO: INFO: Finishing all forked tasks at state quickInstallPage
INFO: INFO: waiting for completion all forked tasks at state quickInstallPage
INFO: INFO: All forked task are completed at state quickInstallPage
INFO: INFO: Completed background operations
INFO: INFO: Executing action at state quickInstallPage
INFO: INFO: Completed executing action at state <quickInstallPage>
INFO: INFO: waiting for completion of background operations

installActions2013-06-29_12-50-04AM.log

INFO: INFO: Completed background operations
INFO: INFO: Moved to state <quickInstallPage>
INFO: INFO: Reading shiphome metadata from
/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beanstore from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Translating external format into raw format
INFO: INFO: Restoring class oracle.install.driver.oui.OUIMetadata from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:oui-metadata]
INFO: INFO: Setting value for the property:properties in the bean:oui-metadata
INFO: INFO: size estimation for SEinstall is 6246.39999961853
INFO: INFO: Reading shiphome metadata from
/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beanstore from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Translating external format into raw format
INFO: INFO: Restoring class oracle.install.driver.oui.OUIMetadata from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:oui-metadata]
INFO: INFO: Setting value for the property:properties in the bean:oui-metadata
INFO: INFO: size estimation for EEinstall is 6553.60000038147
INFO: INFO: Reading shiphome metadata from
/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beanstore from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Translating external format into raw format
INFO: INFO: Restoring class oracle.install.driver.oui.OUIMetadata from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:oui-metadata]
INFO: INFO: Setting value for the property:properties in the bean:oui-metadata
INFO: INFO: size estimation for SEinstall is 6246.39999961853
INFO: INFO: Reading shiphome metadata from
/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beanstore from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Translating external format into raw format
INFO: INFO: Restoring class oracle.install.driver.oui.OUIMetadata from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:oui-metadata]
INFO: INFO: Setting value for the property:properties in the bean:oui-metadata
INFO: INFO: size estimation for EEinstall is 6553.60000038147
INFO: INFO: Reading shiphome metadata from
/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beanstore from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Translating external format into raw format
INFO: INFO: Restoring class oracle.install.driver.oui.OUIMetadata from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:oui-metadata]
INFO: INFO: Setting value for the property:properties in the bean:oui-metadata
INFO: INFO: size estimation for SEinstall is 6246.39999961853
INFO: INFO: Reading shiphome metadata from
/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beanstore from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Translating external format into raw format
INFO: INFO: Restoring class oracle.install.driver.oui.OUIMetadata from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:oui-metadata]
INFO: INFO: Setting value for the property:properties in the bean:oui-metadata
INFO: INFO: size estimation for EEinstall is 6553.60000038147
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Validating view at state <quickInstallPage>
INFO: INFO: Completed validating view at state <quickInstallPage>
INFO: INFO: Validating state <quickInstallPage>
INFO: INFO: Validating specified location...


```

installActions2013-06-29_12-50-04AM.log
INFO: INFO: custom prereq file name: oracle.server_NONE.xml
INFO: INFO: refDataFile: /tmp/12c/database/stage/cvu/oracle.server_NONE.xml
INFO: INFO: isCustomRefDataFilePresent: false
INFO: INFO: InstallAreaControl exists: false
INFO: INFO: Reading shiphome metadata from
/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beanstore from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Translating external format into raw format
INFO: INFO: Restoring class oracle.install.driver.oui.OUIMetadata from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:oui-metadata]
INFO: INFO: Setting value for the property:properties in the bean:oui-metadata
INFO: INFO: size estimation for SEinstall is 6246.39999961853
INFO: INFO: Reading shiphome metadata from
/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beanstore from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Translating external format into raw format
INFO: INFO: Checking:NEW_HOME
INFO: INFO: Restoring class oracle.install.driver.oui.OUIMetadata from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:oui-metadata]
INFO: INFO: Checking:COMP
INFO: INFO: Checking:COMP
INFO: INFO: Checking:COMP
INFO: INFO: Checking:COMP
INFO: INFO: Checking:COMP
INFO: INFO: Checking:COMP
INFO: INFO: Checking:COMP
INFO: INFO: Checking:COMP
INFO: INFO: Checking:COMP
INFO: INFO: Checking:COMP
INFO: INFO: Checking:ORCA_HOME
INFO: INFO: Reading shiphome metadata from
/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beanstore from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Translating external format into raw format
INFO: INFO: Setting value for the property:properties in the bean:oui-metadata
INFO: INFO: size estimation for EEinstall is 6553.60000038147
INFO: INFO: Restoring class oracle.install.driver.oui.OUIMetadata from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:oui-metadata]
INFO: INFO: Setting value for the property:properties in the bean:oui-metadata
INFO: INFO: Retrieving ASM Cluster File System information...
INFO: INFO: Retrieving ASM Cluster File System information...
INFO: INFO: Reading shiphome metadata from
/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beanstore from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Translating external format into raw format
INFO: INFO: Restoring class oracle.install.driver.oui.OUIMetadata from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:oui-metadata]
INFO: INFO: Reading shiphome metadata from
/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beanstore from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Translating external format into raw format
INFO: INFO: Setting value for the property:properties in the bean:oui-metadata
INFO: INFO: size estimation for EEinstall is 6553.60000038147
INFO: INFO: PATH has
==>/tmp/OraInstall2013-06-29_12-50-04AM/jdk/jre/lib/amd64/server:/tmp/OraInstal
l2013-06-29_12-50-04AM/jdk/jre/lib/amd64:/tmp/OraInstall2013-06-29_12-50-04AM/jd
k/jre/./lib/amd64:/tmp/OraInstall2013-06-29_12-50-04AM/ext/bin:/tmp/OraInstall12
013-06-29_12-50-04AM/ext/lib:/usr/java/packages/lib/amd64:/usr/lib64:/lib64:/lib
:/usr/lib

```

installActions2013-06-29_12-50-04AM.log

INFO: INFO: PATH has
:==>/tmp/OraInstall2013-06-29_12-50-04AM/jdk/jre/lib/amd64/server:/tmp/OraInstall
2013-06-29_12-50-04AM/jdk/jre/lib/amd64:/tmp/OraInstall2013-06-29_12-50-04AM/jd
k/jre/./lib/amd64:/tmp/OraInstall2013-06-29_12-50-04AM/ext/bin:/tmp/OraInstall2
013-06-29_12-50-04AM/ext/lib:/usr/java/packages/lib/amd64:/usr/lib64:/lib
:/usr/lib
INFO: INFO: Restoring class oracle.install.driver.oui.OUIMetadata from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:oui-metadata]
INFO: INFO: Setting value for the property:properties in the bean:oui-metadata
INFO: INFO: size estimation for SEinstall is 6246.39999961853
INFO: INFO: Reading shiphome metadata from
/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beanstore from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Translating external format into raw format
INFO: WARNING: [WARNING] [INS-30011] The ADMIN password entered does not conform
to the Oracle recommended standards.
INFO: CAUSE: Oracle recommends that the password entered should be at least 8
characters in length, contain at least 1 uppercase character, 1 lower case
character and 1 digit [0-9].
INFO: ACTION: Provide a password that conforms to the Oracle recommended
standards.
INFO: INFO: Restoring class oracle.install.driver.oui.OUIMetadata from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:oui-metadata]
INFO: INFO: Setting value for the property:properties in the bean:oui-metadata
INFO: INFO: size estimation for EEinstall is 6553.60000038147
INFO: INFO: Reading shiphome metadata from
/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beanstore from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Translating external format into raw format
INFO: INFO: Restoring class oracle.install.driver.oui.OUIMetadata from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:oui-metadata]
INFO: INFO: Setting value for the property:properties in the bean:oui-metadata
INFO: INFO: size estimation for SEinstall is 6246.39999961853
INFO: INFO: Reading shiphome metadata from
/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beanstore from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Translating external format into raw format
INFO: INFO: Restoring class oracle.install.driver.oui.OUIMetadata from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:oui-metadata]
INFO: INFO: Setting value for the property:properties in the bean:oui-metadata
INFO: INFO: size estimation for EEinstall is 6553.60000038147
INFO: INFO: Advice is CONTINUE
INFO: INFO: Completed validating state <quickInstallPage>
INFO: INFO: Is inventory detected?:false
INFO: INFO: Verifying route basic_yes_inventory_no
INFO: INFO: Checking condition at state <inventoryPage>
INFO: INFO: Successfully checked condition at state <inventoryPage>
INFO: INFO: Get view named [InventoryUI]
INFO: INFO: View for [InventoryUI] is
oracle.install.ivw.common.view.InventoryUI@67eaf25d
INFO: INFO: Initializing view <InventoryUI> at state <inventoryPage>
INFO: INFO: Fetching existing Unix Group.
INFO: INFO: Completed initializing view <InventoryUI> at state <inventoryPage>
INFO: INFO: Displaying view <InventoryUI> at state <inventoryPage>
INFO: INFO: Completed displaying view <InventoryUI> at state <inventoryPage>
INFO: INFO: Loading view <InventoryUI> at state <inventoryPage>
INFO: INFO: Completed loading view <InventoryUI> at state <inventoryPage>
INFO: INFO: Localizing view <InventoryUI> at state <inventoryPage>
INFO: INFO: Completed localizing view <InventoryUI> at state <inventoryPage>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations

installActions2013-06-29_12-50-04AM.log

INFO: INFO: Executing action at state inventoryPage
INFO: INFO: Inventory Actions Entering and Exiting execute
INFO: INFO: Completed executing action at state <inventoryPage>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Moved to state <inventoryPage>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Inventory UI Entering processInput
INFO: INFO: Validating view at state <inventoryPage>
INFO: INFO: Completed validating view at state <inventoryPage>
INFO: INFO: Validating state <inventoryPage>
INFO: INFO: Checking whether the given inventory location /u01/app/oraInventory is user home or not...
INFO: INFO: Completed validating state <inventoryPage>
INFO: INFO: installOption Selected:INSTALL_DB_AND_CONFIG
INFO: INFO: Verifying route basic_yes
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Executing action at state prereqExecutionDecider
INFO: INFO: Completed executing action at state <prereqExecutionDecider>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Moved to state <prereqExecutionDecider>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Validating view at state <prereqExecutionDecider>
INFO: INFO: Completed validating view at state <prereqExecutionDecider>
INFO: INFO: Validating state <prereqExecutionDecider>
INFO: WARNING: Validation disabled for the state prereqExecutionDecider
INFO: INFO: Completed validating state <prereqExecutionDecider>
INFO: INFO: Verifying route executeprereqs
INFO: INFO: Get view named [PrereqUI]
INFO: INFO: View for [PrereqUI] is
oracle.install.commons.base.interview.common.view.PrereqGUI@793aac5f
INFO: INFO: Initializing view <PrereqUI> at state <performChecks>
INFO: INFO: Completed initializing view <PrereqUI> at state <performChecks>
INFO: INFO: Displaying view <PrereqUI> at state <performChecks>
INFO: INFO: Completed displaying view <PrereqUI> at state <performChecks>
INFO: INFO: Loading view <PrereqUI> at state <performChecks>
INFO: INFO: Completed loading view <PrereqUI> at state <performChecks>
INFO: INFO: Localizing view <PrereqUI> at state <performChecks>
INFO: INFO: Completed localizing view <PrereqUI> at state <performChecks>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Executing action at state performChecks
INFO: INFO: CVU PREREQ LOCATION SET TO:
/tmp/12c/database/install/./stage/cvu/cvu_prereq.xml
INFO: INFO: CVU tracingEnabled = false
INFO: INFO: Nodes are prepared for verification.
INFO: INFO: Completed executing action at state <performChecks>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Finishing all forked tasks at state performChecks
INFO: INFO: Waiting for completion all forked tasks at state performChecks
INFO: INFO: Creating PrereqChecker Job for leaf task Physical Memory
INFO: INFO: Creating PrereqChecker Job for leaf task Available Physical Memory
INFO: INFO: Creating PrereqChecker Job for leaf task Swap Size
INFO: INFO: Creating CompositePrereqChecker Job for container task Free Space
INFO: INFO: Creating PrereqChecker Job for leaf task Free Space: oracle12c:/tmp
INFO: INFO: Creating PrereqChecker Job for leaf task User Existence: oracle
INFO: INFO: Creating PrereqChecker Job for leaf task Group Existence: oinstall
INFO: INFO: Creating PrereqChecker Job for leaf task Group Existence: dba
INFO: INFO: Creating PrereqChecker Job for leaf task Group Membership: oinstall
INFO: INFO: Creating PrereqChecker Job for leaf task Group Membership: dba
INFO: INFO: Creating PrereqChecker Job for leaf task Run Level
INFO: INFO: Creating PrereqChecker Job for leaf task Hard Limit: maximum open
file descriptors
INFO: INFO: Creating PrereqChecker Job for leaf task Soft Limit: maximum open

installActions2013-06-29_12-50-04AM.log

file descriptors

INFO: INFO: Creating PrereqChecker Job for leaf task Hard Limit: maximum user processes

INFO: INFO: Creating PrereqChecker Job for leaf task Soft Limit: maximum user processes

INFO: INFO: Creating PrereqChecker Job for leaf task Architecture

INFO: INFO: Creating PrereqChecker Job for leaf task OS Kernel Version

INFO: INFO: Creating CompositePrereqChecker Job for container task OS Kernel Parameters

INFO: INFO: Creating PrereqChecker Job for leaf task OS Kernel Parameter: semmsl

INFO: INFO: Creating PrereqChecker Job for leaf task OS Kernel Parameter: semmns

INFO: INFO: Creating PrereqChecker Job for leaf task OS Kernel Parameter: semopm

INFO: INFO: Creating PrereqChecker Job for leaf task OS Kernel Parameter: semmni

INFO: INFO: Creating PrereqChecker Job for leaf task OS Kernel Parameter: shmmax

INFO: INFO: Creating PrereqChecker Job for leaf task OS Kernel Parameter: shmmni

INFO: INFO: Creating PrereqChecker Job for leaf task OS Kernel Parameter: shmall

file-max

INFO: INFO: Creating PrereqChecker Job for leaf task OS Kernel Parameter:

ip_local_port_range

INFO: INFO: Creating PrereqChecker Job for leaf task OS Kernel Parameter:

rmem_default

INFO: INFO: Creating PrereqChecker Job for leaf task OS Kernel Parameter:

rmem_max

INFO: INFO: Creating PrereqChecker Job for leaf task OS Kernel Parameter:

wmem_default

INFO: INFO: Creating PrereqChecker Job for leaf task OS Kernel Parameter:

wmem_max

INFO: INFO: Creating PrereqChecker Job for leaf task OS Kernel Parameter:

aio-max-nr

INFO: INFO: Creating CompositePrereqChecker Job for container task Packages

INFO: INFO: Creating PrereqChecker Job for leaf task Package:

binutils-2.20.51.0.2

INFO: INFO: Creating PrereqChecker Job for leaf task Package:

compat-libcap1-1.10

INFO: INFO: Creating PrereqChecker Job for leaf task Package:

compat-libstdc++-33-3.2.3 (x86_64)

INFO: INFO: Creating PrereqChecker Job for leaf task Package: libgcc-4.4.4

(x86_64)

INFO: INFO: Creating PrereqChecker Job for leaf task Package: libstdc++-4.4.4

(x86_64)

INFO: INFO: Creating PrereqChecker Job for leaf task Package:

libstdc++-devel-4.4.4 (x86_64)

INFO: INFO: Creating PrereqChecker Job for leaf task Package: sysstat-9.0.4

INFO: INFO: Creating PrereqChecker Job for leaf task Package: gcc-4.4.4

INFO: INFO: Creating PrereqChecker Job for leaf task Package: gcc-c++-4.4.4

INFO: INFO: Creating PrereqChecker Job for leaf task Package: ksh-...

INFO: INFO: Creating PrereqChecker Job for leaf task Package: make-3.81

INFO: INFO: Creating PrereqChecker Job for leaf task Package: glibc-2.12

(x86_64)

INFO: INFO: Creating PrereqChecker Job for leaf task Package: glibc-devel-2.12

(x86_64)

INFO: INFO: Creating PrereqChecker Job for leaf task Package: libaio-0.3.107

(x86_64)

INFO: INFO: Creating PrereqChecker Job for leaf task Package:

libaio-devel-0.3.107 (x86_64)

INFO: INFO: Creating PrereqChecker Job for leaf task Users with Same UID

INFO: INFO: Creating PrereqChecker Job for leaf task Root user consistency

INFO: INFO: *****

INFO: INFO: Physical Memory: This is a prerequisite condition to test whether the system has at least 1GB (1048576.0KB) of total physical memory.

INFO: INFO: Severity:IGNORABLE

INFO: INFO: OverallStatus:SUCCESSFUL

INFO: INFO: -----

INFO: INFO: Verification Result for Node:oracle12c

INFO: INFO: Expected Value:1GB (1048576.0KB)

INFO: INFO: Actual Value:1.6177GB (1696324.0KB)

INFO: INFO: -----

installActions2013-06-29_12-50-04AM.log

```
INFO: INFO: *****
INFO: INFO: Available Physical Memory: This is a prerequisite condition to test
whether the system has at least 50MB (51200.0KB) of available physical memory.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:50MB (51200.0KB)
INFO: INFO: Actual Value:1.1255GB (1180152.0KB)
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: Swap Size: This is a prerequisite condition to test whether
sufficient total swap space is available on the system.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:2.4266GB (2544486.0KB)
INFO: INFO: Actual Value:3.25GB (3407868.0KB)
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: Free Space: oracle12c:/tmp: This is a prerequisite condition to test
whether sufficient free space is available in the file system.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:1GB
INFO: INFO: Actual Value:20.6123GB
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: User Existence: oracle: This is a prerequisite condition to test
whether user "oracle" exists on the system.
INFO: INFO: Severity:CRITICAL
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: WARNING: Result values are not available for this verification task
INFO: INFO: *****
INFO: INFO: Group Existence: oinstall: This is a prerequisite condition to test
whether group "oinstall" exists on the system.
INFO: INFO: Severity:CRITICAL
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: WARNING: Result values are not available for this verification task
INFO: INFO: *****
INFO: INFO: Group Existence: dba: This is a prerequisite condition to test
whether group "dba" exists on the system.
INFO: INFO: Severity:CRITICAL
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: WARNING: Result values are not available for this verification task
INFO: INFO: *****
INFO: INFO: Group Membership: oinstall: This is a prerequisite condition to test
whether user "oracle" is a member of the group "oinstall".
INFO: INFO: Severity:CRITICAL
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: WARNING: Result values are not available for this verification task
INFO: INFO: *****
INFO: INFO: Group Membership: dba: This is a prerequisite condition to test
whether user "oracle" is a member of the group "dba".
INFO: INFO: Severity:CRITICAL
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
```

installActions2013-06-29_12-50-04AM.log

```
INFO: INFO: Verification Result for Node:oracle12c
INFO: WARNING: Result values are not available for this verification task
INFO: INFO: *****
INFO: INFO: Run Level: This is a prerequisite condition to test whether the
system is running with proper run level.
INFO: INFO: Severity:CRITICAL
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:3,5
INFO: INFO: Actual Value:5
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: Hard Limit: maximum open file descriptors: This is a prerequisite
condition to test whether the hard limit for "maximum open file descriptors" is
set correctly.
INFO: INFO: Severity:CRITICAL
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:65536
INFO: INFO: Actual Value:65536
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: Soft Limit: maximum open file descriptors: This is a prerequisite
condition to test whether the soft limit for "maximum open file descriptors" is
set correctly.
INFO: INFO: Severity:CRITICAL
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:1024
INFO: INFO: Actual Value:1024
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: Hard Limit: maximum user processes: This is a prerequisite condition
to test whether the hard limit for "maximum user processes" is set correctly.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:16384
INFO: INFO: Actual Value:16384
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: Soft Limit: maximum user processes: This is a prerequisite condition
to test whether the soft limit for "maximum user processes" is set correctly.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:2047
INFO: INFO: Actual Value:2047
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: Architecture: This is a prerequisite condition to test whether the
system has a certified architecture.
INFO: INFO: Severity:CRITICAL
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:x86_64
INFO: INFO: Actual Value:x86_64
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: OS Kernel Version: This is a prerequisite condition to test whether
the system kernel version is at least "2.6.32".
INFO: INFO: Severity:CRITICAL
```

installActions2013-06-29_12-50-04AM.log

```
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:2.6.32
INFO: INFO: Actual Value:2.6.39-200.24.1.e16uek.x86_64
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: OS Kernel Parameter: semmsl: This is a prerequisite condition to
test whether the OS kernel parameter "semmsl" is properly set.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:250
INFO: INFO: Actual Value:Current=250; Configured=250
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: OS Kernel Parameter: semmns: This is a prerequisite condition to
test whether the OS kernel parameter "semmns" is properly set.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:32000
INFO: INFO: Actual Value:Current=32000; Configured=32000
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: OS Kernel Parameter: semopm: This is a prerequisite condition to
test whether the OS kernel parameter "semopm" is properly set.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:100
INFO: INFO: Actual Value:Current=100; Configured=100
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: OS Kernel Parameter: semmni: This is a prerequisite condition to
test whether the OS kernel parameter "semmni" is properly set.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:128
INFO: INFO: Actual Value:Current=128; Configured=128
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: OS Kernel Parameter: shmmax: This is a prerequisite condition to
test whether the OS kernel parameter "shmmax" is properly set.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:868517888
INFO: INFO: Actual Value:Current=4398046511104; Configured=4398046511104
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: OS Kernel Parameter: shmmni: This is a prerequisite condition to
test whether the OS kernel parameter "shmmni" is properly set.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:4096
INFO: INFO: Actual Value:Current=4096; Configured=4096
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: OS Kernel Parameter: shmall: This is a prerequisite condition to
```

```

installActions2013-06-29_12-50-04AM.log
test whether the OS kernel parameter "shmall" is properly set.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:169632
INFO: INFO: Actual Value:Current=1073741824; Configured=1073741824
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: OS Kernel Parameter: file-max: This is a prerequisite condition to
test whether the OS kernel parameter "file-max" is properly set.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:6815744
INFO: INFO: Actual Value:Current=6815744; Configured=6815744
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: OS Kernel Parameter: ip_local_port_range: This is a prerequisite
condition to test whether the OS kernel parameter "ip_local_port_range" is
properly set.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:between 9000 & 65535
INFO: INFO: Actual Value:Current=between 9000 & 65500; Configured=between 9000 &
65500
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: OS Kernel Parameter: rmem_default: This is a prerequisite condition
to test whether the OS kernel parameter "rmem_default" is properly set.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:262144
INFO: INFO: Actual Value:Current=262144; Configured=262144
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: OS Kernel Parameter: rmem_max: This is a prerequisite condition to
test whether the OS kernel parameter "rmem_max" is properly set.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:4194304
INFO: INFO: Actual Value:Current=4194304; Configured=4194304
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: OS Kernel Parameter: wmem_default: This is a prerequisite condition
to test whether the OS kernel parameter "wmem_default" is properly set.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:262144
INFO: INFO: Actual Value:Current=262144; Configured=262144
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: OS Kernel Parameter: wmem_max: This is a prerequisite condition to
test whether the OS kernel parameter "wmem_max" is properly set.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:1048576

```



```

installActions2013-06-29_12-50-04AM.log
INFO: INFO: Actual Value:Current=1048576; Configured=1048576
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: OS Kernel Parameter: aio-max-nr: This is a prerequisite condition to
test whether the OS kernel parameter "aio-max-nr" is properly set.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:1048576
INFO: INFO: Actual Value:Current=1048576; Configured=1048576
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: Package: binutils-2.20.51.0.2: This is a prerequisite condition to
test whether the package "binutils-2.20.51.0.2" is available on the system.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:binutils-2.20.51.0.2
INFO: INFO: Actual Value:binutils-2.20.51.0.2-5.34.e16
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: Package: compat-libcap1-1.10: This is a prerequisite condition to
test whether the package "compat-libcap1-1.10" is available on the system.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:compat-libcap1-1.10
INFO: INFO: Actual Value:compat-libcap1-1.10-1
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: Package: compat-libstdc++-33-3.2.3 (x86_64): This is a prerequisite
condition to test whether the package "compat-libstdc++-33-3.2.3 (x86_64)" is
available on the system.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:compat-libstdc++-33(x86_64)-3.2.3
INFO: INFO: Actual Value:compat-libstdc++-33(x86_64)-3.2.3-69.e16
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: Package: libgcc-4.4.4 (x86_64): This is a prerequisite condition to
test whether the package "libgcc-4.4.4 (x86_64)" is available on the system.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:libgcc(x86_64)-4.4.4
INFO: INFO: Actual Value:libgcc(x86_64)-4.4.6-4.e16
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: Package: libstdc++-4.4.4 (x86_64): This is a prerequisite condition
to test whether the package "libstdc++-4.4.4 (x86_64)" is available on the
system.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:libstdc++(x86_64)-4.4.4
INFO: INFO: Actual Value:libstdc++(x86_64)-4.4.6-4.e16
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: Package: libstdc++-devel-4.4.4 (x86_64): This is a prerequisite
condition to test whether the package "libstdc++-devel-4.4.4 (x86_64)" is
available on the system.

```

installActions2013-06-29_12-50-04AM.log

```
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:libstdc++-devel(x86_64)-4.4.4
INFO: INFO: Actual Value:libstdc++-devel(x86_64)-4.4.6-4.e16
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: Package: sysstat-9.0.4: This is a prerequisite condition to test
whether the package "sysstat-9.0.4" is available on the system.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:sysstat-9.0.4
INFO: INFO: Actual Value:sysstat-9.0.4-20.e16
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: Package: gcc-4.4.4: This is a prerequisite condition to test whether
the package "gcc-4.4.4" is available on the system.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:VERIFICATION_FAILED
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:gcc-4.4.4
INFO: INFO: Actual Value:missing
INFO: INFO: Error Message:PRVF-7532 : Package "gcc" is missing on node
"oracle12c"
INFO: INFO: Cause: A required package is either not installed or, if the package
is a kernel module, is not loaded on the specified node.
INFO: INFO: Action: Ensure that the required package is installed and available.
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: Package: gcc-c++-4.4.4: This is a prerequisite condition to test
whether the package "gcc-c++-4.4.4" is available on the system.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:VERIFICATION_FAILED
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:gcc-c++-4.4.4
INFO: INFO: Actual Value:missing
INFO: INFO: Error Message:PRVF-7532 : Package "gcc-c++" is missing on node
"oracle12c"
INFO: INFO: Cause: A required package is either not installed or, if the package
is a kernel module, is not loaded on the specified node.
INFO: INFO: Action: Ensure that the required package is installed and available.
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: Package: ksh-...: This is a prerequisite condition to test whether
the package "ksh-..." is available on the system.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:ksh-...
INFO: INFO: Actual Value:ksh-20100621-16.e16
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: Package: make-3.81: This is a prerequisite condition to test whether
the package "make-3.81" is available on the system.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:make-3.81
INFO: INFO: Actual Value:make-3.81-20.e16
INFO: INFO: -----
INFO: INFO: *****
```

```

installActions2013-06-29_12-50-04AM.log
INFO: INFO: Package: glibc-2.12 (x86_64): This is a prerequisite condition to
test whether the package "glibc-2.12 (x86_64)" is available on the system.
INFO: INFO: Severity:CRITICAL
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:glibc(x86_64)-2.12
INFO: INFO: Actual Value:glibc(x86_64)-2.12-1.80.e16
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: Package: glibc-devel-2.12 (x86_64): This is a prerequisite condition
to test whether the package "glibc-devel-2.12 (x86_64)" is available on the
system.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:glibc-devel(x86_64)-2.12
INFO: INFO: Actual Value:glibc-devel(x86_64)-2.12-1.80.e16
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: Package: libaio-0.3.107 (x86_64): This is a prerequisite condition
to test whether the package "libaio-0.3.107 (x86_64)" is available on the
system.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:libaio(x86_64)-0.3.107
INFO: INFO: Actual Value:libaio(x86_64)-0.3.107-10.e16
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: Package: libaio-devel-0.3.107 (x86_64): This is a prerequisite
condition to test whether the package "libaio-devel-0.3.107 (x86_64)" is
available on the system.
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: INFO: Expected Value:libaio-devel(x86_64)-0.3.107
INFO: INFO: Actual Value:libaio-devel(x86_64)-0.3.107-10.e16
INFO: INFO: -----
INFO: INFO: *****
INFO: INFO: Users with Same UID: This test checks that multiple users do not
exist with user id as "0".
INFO: INFO: Severity:CRITICAL
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: WARNING: Result values are not available for this verification task
INFO: INFO: *****
INFO: INFO: Root user consistency: This test checks the consistency of the
primary group of the root user across the cluster nodes
INFO: INFO: Severity:IGNORABLE
INFO: INFO: OverallStatus:SUCCESSFUL
INFO: INFO: -----
INFO: INFO: Verification Result for Node:oracle12c
INFO: WARNING: Result values are not available for this verification task
INFO: INFO: ***** CVU Error logs *****
INFO: INFO: FINE: [Task.perform:479]
INFO: TaskPackage:Package: gcc-4.4.4[TASKPACKAGE]:TASK_START
INFO: INFO: FINE: [Task.perform:500]
INFO: m_nodeList='oracle12c'
INFO: INFO: INFO: [VerificationUtil.getLocalHost:1009] LongHostName: oracle12c,
HostName: oracle12c
INFO: INFO: FINE: [VerificationCommand.execute:290]
INFO: Output: '<CV_VAL>package gcc is not installed
INFO: </CV_VAL><CV_VRES>0</CV_VRES><CV_LOG>Exectask: Package information

```

```

retrieval
successful</CV_LOG><CV_CMDLOG><CV_INITCMD>/tmp/CVU_12.1.0.1.0_oracle/exectask
-chkpackage gcc </CV_INITCMD><CV_CMD>/bin/rpm -q --queryformat
'<PACKAGE><NAME,%{NAME}><ARCH,%{ARCH}><VERSION,%{VERSION}>-%{RELEASE}></PACKAGE>'
gcc | /bin/sort -u</CV_CMD><CV_CMDOUT> package gcc is not
installed</CV_CMDOUT><CV_CMDSTAT>0</CV_CMDSTAT></CV_CMDLOG><CV_ERES>0</CV_ERES>'
INFO: INFO: ERROR: [Result.addErrorDescription:607] PRVF-7532 : Package "gcc"
is missing on node "oracle12c"
INFO: INFO: FINE: [Task.perform:580]
INFO: TaskPackage:Package:
gcc-4.4.4[TASKPACKAGE]:TASK_SUMMARY:FAILED:IGNORABLE:VERIFICATION_FAILED
INFO: ERRORMSG(oracle12c): PRVF-7532 : Package "gcc" is missing on
node "oracle12c"
INFO: INFO: FINE: [Task.perform:479]
INFO: TaskPackage:Package: gcc-c++-4.4.4[TASKPACKAGE]:TASK_START
INFO: INFO: FINE: [Task.perform:500]
INFO: m_nodeList='oracle12c'
INFO: INFO: INFO: [VerificationUtil.getLocalHost:1009] LongHostName: oracle12c,
HostName: oracle12c
INFO: INFO: FINE: [VerificationCommand.execute:290]
INFO: Output: '<CV_VAL>package gcc-c++ is not installed
INFO: </CV_VAL><CV_VRES>0</CV_VRES><CV_LOG>Exectask: Package information
retrieval
successful</CV_LOG><CV_CMDLOG><CV_INITCMD>/tmp/CVU_12.1.0.1.0_oracle/exectask
-chkpackage gcc-c++ </CV_INITCMD><CV_CMD>/bin/rpm -q --queryformat
'<PACKAGE><NAME,%{NAME}><ARCH,%{ARCH}><VERSION,%{VERSION}>-%{RELEASE}></PACKAGE>'
gcc-c++ | /bin/sort -u</CV_CMD><CV_CMDOUT> package gcc-c++ is not
installed</CV_CMDOUT><CV_CMDSTAT>0</CV_CMDSTAT></CV_CMDLOG><CV_ERES>0</CV_ERES>'
INFO: INFO: ERROR: [Result.addErrorDescription:607] PRVF-7532 : Package
"gcc-c++" is missing on node "oracle12c"
INFO: INFO: FINE: [Task.perform:580]
INFO: TaskPackage:Package:
gcc-c++-4.4.4[TASKPACKAGE]:TASK_SUMMARY:FAILED:IGNORABLE:VERIFICATION_FAILED
INFO: ERRORMSG(oracle12c): PRVF-7532 : Package "gcc-c++" is missing on
node "oracle12c"
INFO: INFO: ***** End of CVU Error logs *****
INFO: INFO: All forked task are completed at state performChecks
INFO: INFO: Completed background operations
INFO: INFO: Moved to state <performChecks>
INFO: INFO: waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Validating view at state <performChecks>
INFO: INFO: Completed validating view at state <performChecks>
INFO: INFO: Validating state <performChecks>
INFO: INFO: Using default Validator configured in the Action class
oracle.install.iwv.db.action.PrereqAction
INFO: WARNING: [WARNING] [INS-13016] You have chosen to ignore some of the
prerequisites for this installation. This may impact product configuration.
INFO: CAUSE: You have chosen to ignore failed prerequisites and proceed with
the installation.
INFO: ACTION: Ensure that the failed prerequisites are fixed before
proceeding.
INFO: INFO: Advice is CONTINUE
INFO: INFO: Completed validating state <performChecks>
INFO: INFO: Verifying route success
INFO: INFO: Get view named [SummaryUI]
INFO: INFO: View for [SummaryUI] is
oracle.install.common.base.interview.common.view.SummaryGUI@7d7e1596
INFO: INFO: Initializing view <SummaryUI> at state <showSummary>
INFO: INFO: Completed initializing view <SummaryUI> at state <showSummary>
INFO: INFO: Displaying view <SummaryUI> at state <showSummary>
INFO: INFO: Completed displaying view <SummaryUI> at state <showSummary>
INFO: INFO: Loading view <SummaryUI> at state <showSummary>
INFO: INFO: Completed loading view <SummaryUI> at state <showSummary>
INFO: INFO: Localizing view <SummaryUI> at state <showSummary>
INFO: INFO: Completed localizing view <SummaryUI> at state <showSummary>
INFO: INFO: waiting for completion of background operations
INFO: INFO: Completed background operations

```

installActions2013-06-29_12-50-04AM.log

INFO: INFO: Executing action at state showSummary
INFO: INFO: Reading shiphome metadata from
/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beanstore from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Translating external format into raw format
INFO: INFO: Restoring class oracle.install.driver.oui.OUIMetadata from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:oui-metadata]
INFO: INFO: Setting value for the property:properties in the bean:oui-metadata
INFO: INFO: size estimation for EEinstall is 6553.60000038147
INFO: INFO:
INFO:

INFO: Global settings
INFO:

INFO:
INFO: - Disk space : required 6.4 GB available 21.22 GB
INFO: - Source location : /tmp/12c/database/install/./stage/products.xml
INFO: - Install method : Typical installation
INFO: - Database edition : Enterprise Edition (Create and configure a database)
INFO: - Oracle base : /u01/app/oracle
INFO: - Software location : /u01/app/oracle/product/12.1.0/db_1
INFO: - Privileged Operating System groups : dba (OSDBA), dba (OSOPER), dba
(OSBACKUPDBA), dba (OSGDBA), dba (OSKMDBA)
INFO:

INFO: Inventory information
INFO:

INFO:
INFO: - Inventory location : /u01/app/oraInventory
INFO: - oraInventory group : oinstall
INFO:

INFO: Database information
INFO:

INFO:
INFO: - Configuration : General Purpose / Transaction Processing
INFO: - Global database name : cdb12c
INFO: - Oracle system identifier (SID) : cdb12c
INFO: - Pluggable database name : pdborcl
INFO: - Allocated memory : 663 MB
INFO: - Automatic memory management option : TRUE
INFO: - Database character set : west European (WE8MSWIN1252)
INFO: - Management method : Database express
INFO: - Database storage mechanism : File system
INFO: - Database file location : /u01/app/oracle/oradata
INFO: - Recovery : Disabled
INFO:

INFO:
INFO: INFO: Completed executing action at state <showSummary>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Moved to state <showSummary>
INFO: INFO: Waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Validating view at state <showSummary>
INFO: INFO: Completed validating view at state <showSummary>
INFO: INFO: Validating state <showSummary>
INFO: WARNING: Validation disabled for the state showSummary
INFO: INFO: Completed validating state <showSummary>
INFO: INFO: Verifying route success
INFO: INFO: Get view named [SetupUI]
INFO: INFO: View for [SetupUI] is

```

oracle.install.commons.base.interview.common.view.SetupGUI@6f69040c
INFO: INFO: Initializing view <SetupUI> at state <setup>
INFO: INFO: Completed initializing view <SetupUI> at state <setup>
INFO: INFO: Displaying view <SetupUI> at state <setup>
INFO: INFO: Completed displaying view <SetupUI> at state <setup>
INFO: INFO: Loading view <SetupUI> at state <setup>
INFO: INFO: Completed loading view <SetupUI> at state <setup>
INFO: INFO: Localizing view <SetupUI> at state <setup>
INFO: INFO: Completed localizing view <SetupUI> at state <setup>
INFO: INFO: waiting for completion of background operations
INFO: INFO: Completed background operations
INFO: INFO: Executing action at state setup
INFO: INFO: Completed executing action at state <setup>
INFO: INFO: waiting for completion of background operations
INFO: INFO: Finishing all forked tasks at state setup
INFO: INFO: waiting for completion all forked tasks at state setup
INFO: INFO: Gathering system details...
INFO: INFO: Adding key oracle_install_db_dbcaCmd to the map, with value
"bin/dbca"
INFO: INFO: Adding key oracle_install_db_dbuaCmd to the map, with value
"bin/dbua"
INFO: INFO: Adding key oracle_install_netcaCmd to the map, with value
"bin/netca"
INFO: INFO: Adding key oracle_install_netcaDeinstCmd to the map, with value
"bin/netca_deinst.sh"
INFO: INFO: Adding key oracle_install_crs_cluvfyCmd to the map, with value
"bin/cluvfy"
INFO: INFO: Adding key oracle_install_crs_crsInstCmd to the map, with value ""
INFO: INFO: Adding key oracle_install_crs_crsDeinstCmd to the map, with value ""
INFO: INFO: Adding key oracle_install_crs_crsUpgrdCmd to the map, with value ""
INFO: INFO: Adding key oracle_install_crs_ipmiCACmd to the map, with value
"bin/ndfnceca"
INFO: INFO: Adding key oracle_install_crs_asmcaCmd to the map, with value
"asmca"
INFO: INFO: Adding key oracle_install_installerCmd to the map, with value
"runInstaller"
INFO: INFO: Adding key oracle_install_crs_emcaCmd to the map, with value
"bin/emca"
INFO: INFO: -----Job Distribution-----
INFO: INFO: Oracle Database installation : 0.727
INFO: INFO: Prepare for configuration steps : 0.045
INFO: INFO: Execute Root Scripts : 0.045
INFO: INFO: Oracle Database configuration : 0.182
INFO: INFO: -----
INFO: INFO: Starting to setup InstallDB
INFO: INFO: Initializing setup InstallDB
INFO: INFO: Session Details :
INFO:

```

```

-----
INFO: PROPERTY VALUE

```

```

INFO:
-----

```

```

INFO: AutoUpdatesInstallSettings
oracle.install.ivw.common.bean.AutoUpdates

```

```

INFO: InstallSettings@4f444356
INFO: CLUSTER_NODES []
INFO: COLLECTOR_IGNORE_CONFIGURATION false
INFO: COLLECTOR_IGNORE_FAILURES false
INFO: COLLECTOR_RESPONSE_FILE
INFO: COLLECTOR_SUPPORTHUB_URL -n/a-

```

installActions2013-06-29_12-50-04AM.log

```

INFO: COMPONENT_LANGUAGES [en]

INFO: CentralInventorySettings
oracle.install.ivw.common.bean.CentralInve
INFO:
ntorySettings@9bed3d1
INFO: DBInstallSettings
oracle.install.ivw.db.bean.DBInstallSettin
INFO: gs@22f90137

INFO: DECLINE_SECURITY_UPDATES true

INFO: FROM_LOCATION
/tmp/12c/database/install/./stage/product
INFO: s.xml

INFO: INSTALL_TYPE EE

INFO: INVENTORY_LOCATION
/u01/app/oraInventory
INFO: MYORACLESUPPORT_PASSWORD *Protected value,
not to be logged*
INFO: MYORACLESUPPORT_USERNAME

INFO: OCMSettings
oracle.install.ivw.common.bean.OCMSettings
INFO: @2c79cd09

INFO: ORACLE_BASE /u01/app/oracle

INFO: ORACLE_HOME
/u01/app/oracle/product/12.1.0/db_1
INFO: ORACLE_HOSTNAME oracle12c

INFO: PROXY_HOST

INFO: PROXY_PORT

INFO: PROXY_PWD *Protected value,
not to be logged*
INFO: PROXY_USER

INFO: RootConfigurationSettings
oracle.install.ivw.common.bean.RootConfigu
INFO:
rationSettings@727db937
INFO: SECURITY_UPDATES_VIA_MYORACLESUPPORT false

INFO: SELECTED_LANGUAGES [en]

INFO: TOPLEVEL_COMPONENT [oracle.server,
12.1.0.1.0]
INFO: UNIX_GROUP_NAME oinstall

INFO: WindowsSecureOptionSettings
oracle.install.ivw.common.bean.WindowsSecu
INFO:
reOptionSettings@708420ae
INFO: b_rdbmsInstall true

INFO: oracle.install.db.isCCRAAuthenticationUsed false

INFO: oracle_install_HomeType 1

INFO: oracle_install_IsBUILTInAccount false

INFO: oracle_install_IsOracleServiceUserExists false

```

installActions2013-06-29_12-50-04AM.log

```

INFO: oracle_install_LaunchNetCA true
INFO: oracle_install_NoMigration true
INFO: oracle_install_OCR_PartitionLocation
INFO: oracle_install_OSBKP dba
INFO: oracle_install OSDBA dba
INFO: oracle_install OSDGD dba
INFO: oracle_install OSKMT dba
INFO: oracle_install OSOPER dba
INFO: oracle_install_ProductName
INFO: oracle_install_RACInstall false
INFO: oracle_install_RDBMSInstalling true
INFO: oracle_install_autoupdates_httpProxyPort 0
INFO: oracle_install_autoupdates_httpProxySettings
oracle.install.ivw.common.bean.HttpProxySe
INFO: tttings@4ad61301
INFO: oracle_install_autoupdates_myOracleSupportCredentials
oracle.install.ivw.common.bean.MyOracleSup
INFO:
portSettings@aa0ebc2
INFO: oracle_install_autoupdates_option SKIP_UPDATES
INFO: oracle_install_crs_asmcaCmd asmca
INFO: oracle_install_crs_cluvfyCmd bin/cluvfy
INFO: oracle_install_crs_crsDeinstCmd
INFO: oracle_install_crs_crsInstCmd
INFO: oracle_install_crs_crsUpgrdCmd
INFO: oracle_install_crs_emcaCmd bin/emca
INFO: oracle_install_crs_ipmiCACmd bin/ndfnceca
INFO: oracle_install_db_ASMSNMPUserPassword *Protected value,
not to be logged*
INFO: oracle_install_db_AllocatedMemory 663
INFO: oracle_install_db_AutoMemoryOption true
INFO: oracle_install_db_CharSetOption 3
INFO: oracle_install_db_CharacterSet WE8MSWIN1252
INFO: oracle_install_db_ConfigTabSelected 0
INFO: oracle_install_db_ConfigurationType &General Purpose /
Transaction Processing
INFO: oracle_install_db_ConfigureAsContainerDB true
INFO: oracle_install_db_DiskGroupName
INFO: oracle_install_db_DiskGroupNameForASM

```


installActions2013-06-29_12-50-04AM.log

```

INFO: oracle_install_db_EnableAutoBackup           false
INFO: oracle_install_db_GlobalDBName             cdb12c
INFO: oracle_install_db_InstallEdition           EE
INFO: oracle_install_db_InstallOption
INSTALL_DB_AND_CONFIG
INFO: oracle_install_db_InstallOptionSelected     1
INFO: oracle_install_db_InstallType             EE
INFO: oracle_install_db_LaunchDBCA              true
INFO: oracle_install_db_LaunchODMA             false
INFO: oracle_install_db_LoadExampleSchemas      true
INFO: oracle_install_db_MountPointLocation
/u01/app/oracle/oradata
INFO: oracle_install_db_PDBName                 pdborcl
INFO: oracle_install_db_QuickInstallOption       false
INFO: oracle_install_db_RecoveryBackupLocation
INFO: oracle_install_db_SID                     cdb12c
INFO: oracle_install_db_ServerPoolCardinality    0
INFO: oracle_install_db_SetOracleBase           false
INFO: oracle_install_db_SkipHARegistration       false
INFO: oracle_install_db_SkipPathUpdate          false
INFO: oracle_install_db_StarterDatabaseType      GENERAL_PURPOSE
INFO: oracle_install_db_StorageType             1
INFO: oracle_install_db_SuperAdminPasswords
not to be logged*                               *Protected value,
INFO: oracle_install_db_SuperAdminSamePasswdForAll
not to be logged*                               *Protected value,
INFO: oracle_install_db_SystemClass             SERVER_CLASS
INFO: oracle_install_db_Type                     1
INFO: oracle_install_db_UseFileSystemForRecovery false
INFO: oracle_install_db_UseSamePassword         true
INFO: oracle_install_db_dbcaCmd                 bin/dbca
INFO: oracle_install_db_dbuaCmd                 bin/dbua
INFO: oracle_install_db_isHAOrCRSConfigured     false
INFO: oracle_install_db_isRACOneInstall         false
INFO: oracle_install_db_managementOption        DEFAULT
INFO: oracle_install_db_omsPort                 0
INFO: oracle_install_db_racOneServiceName
INFO: oracle_install_installerCmd               runInstaller

```

installActions2013-06-29_12-50-04AM.log

INFO: oracle_install_isHostExadata false
INFO: oracle_install_netcaCmd bin/netca
INFO: oracle_install_netcaDeinstCmd
bin/netca_deinst.sh
INFO: oracle_install_rootConfiguration_ExecuteRootScript false

INFO:

INFO:
INFO: INFO: inventory location is/u01/app/oraInventory
INFO: INFO: setting ORACLE_HOME_NAME=OraDB12Home1. A default value was
calculated as per oraparam.ini
INFO: INFO: Reading shiphome metadata from
/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beanstore from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Translating external format into raw format
INFO: INFO: Restoring class oracle.install.driver.oui.OUIMetadata from
file:/tmp/12c/database/install/./stage/shiphomeproperties.xml
INFO: INFO: Loading beans from Xml Bean Store. [BeanStoreName:oui-metadata]
INFO: INFO: Setting value for the property:properties in the bean:oui-metadata
INFO: Environment Variables:

INFO: ORACLE_HOME = /u01/app/oracle/product/12.1.0/db_1

INFO: PATH =
/usr/bin:/usr/ccs/bin:/u01/app/oracle/product/12.1.0/db_1/bin:/usr/sbin:/usr/lib
64/qt-3.3/bin:/usr/local/bin:/usr/bin:/bin:/usr/local/sbin:/usr/sbin:/sbin:/home
/oracle/bin:/tmp/12c/database/install

INFO: CLASSPATH =

INFO: Username:oracle

INFO: Using oracle.bali.ewt.olaf2.OracleLookAndFeel LookAndFeel

INFO: Loading localized help from
jar:file:/tmp/OraInstall2013-06-29_12-50-04AM/ext/jlib/instdb.jar!/oracle/install
1/iw/db/resource/helpset/en/dbinstaller_help.hs

INFO: Loading setup driver

INFO: Using default oui proxy mapping URL

INFO: Loading proxy mapping from
jar:file:/tmp/OraInstall2013-06-29_12-50-04AM/ext/jlib/installcommons_1.0.0b.jar
!/oracle/install/driver/oui/proxy-mappings.properties

INFO: Using class oracle.install.driver.oui.OUISSHSupportManager as proxy for
oracle.install.commons.net.support.SSHSupportManager

INFO: Using class oracle.install.driver.oui.OUIOracleServiceRegistry as proxy
for oracle.install.commons.base.util.OracleServiceRegistry

INFO: Set proxy mappings to System.properties

INFO: Initializing the OiiiInstallAreaControl

INFO: The inventory pointer location /etc/oraInst.loc is either not readable or
does not exist

INFO: Registering the dir /tmp/OraInstall2013-06-29_12-50-04AM with the ExitOps
to be cleanedup, when ExitOps's doExitOperations or exit is called

```
installActions2013-06-29_12-50-04AM.log
INFO: Initializing the Session for INSTALL
INFO: Creating a new OiicInstallAPISession
INFO: Initializing the OiicInstallAPISession
INFO: Setting variable 'CLUSTER_NEW_NODES' to ''. Received the value from the
command line.
INFO: Setting variable 'PREREQ_CONFIG_LOCATION' to ''. Received the value from
variable association.
INFO: Setting variable 'PREREQ_LOG_LOCATION' to '/tmp/logs'. Received the value
from variable association.
INFO: Adding iterator oracle.sysman.oii.oif.oifw.OiifwInvLocWCCE
INFO: Adding iterator oracle.sysman.oii.oif.oifw.OiifwInvLocationUnixGroupWCDE
INFO: Adding iterator oracle.sysman.oii.oic.OiicInvSetupWCCE
INFO: Adding iterator oracle.sysman.oii.oif.oifw.OiifwSHLocWCDE
INFO: Adding iterator oracle.sysman.oii.oif.oifw.OiifwValidateShipHomeVarsWCCE
INFO: Adding iterator oracle.sysman.oii.oic.OiicInstSHSetupWCCE
INFO: Adding iterator oracle.sysman.oii.oic.OiicPickSelMethodWCCE
INFO: Adding iterator oracle.sysman.oii.oif.oifw.OiifwTopLevelSelWCDE
INFO: Adding iterator oracle.sysman.oii.oif.oifw.OiifwPubInvCompsSelWCDE
INFO: Adding iterator oracle.sysman.oii.oic.OiicDepWizEngine
INFO: Adding iterator
oracle.sysman.oii.oic.OiicInstallAPISession$OiicAPISelCompsInstall
INFO: Checking if there are any OiicAPISessionDetails object registered
INFO: select the OiicAPISessionDetail object from the given list
INFO: There is currently no OiicAPISessionDetails object that has been
initialized. So Initializing the object 1 from the list
INFO: OiicAPISessionDetails object selected for initialization
OiicAPISessionDetails : Oracle Home Name = null Oracle Home Location =
/u01/app/oracle/product/12.1.0/db_1Global variables xml location =
/tmp/12c/database/install/./stage/globalvariables/globalvar.xmlNumber of
Key,Value pairs in the Variable Map = 112
INFO: Resetting the Command line arguments table before adding the contents of
the OiicAPISessionDetails to it
INFO: Updating the user provided variables to session vars and component vars
INFO: setting the value /u01/app/oracle/product/12.1.0/db_1 for ORACLE_HOME
variable
INFO: Setting variable 'ORACLE_HOME' to '/u01/app/oracle/product/12.1.0/db_1'.
Received the value from the command line.
INFO: Setting the global var property to the value :
/tmp/12c/database/install/./stage/globalvariables/globalvar.xml
INFO: Setting the entries of Variable HashMap provided in OiicAPISessionDetails
INFO: adding the variable oracle_install_db_RecoveryBackupLocation to command
```

line args table

INFO: adding the variable oracle_install_NoMigration to command line args table

INFO: Setting the value for SECURITY_UPDATES_VIA_MYORACLESUPPORT variable

INFO: Setting variable 'SECURITY_UPDATES_VIA_MYORACLESUPPORT' to 'false'.
Received the value from the command line.

INFO: adding the variable oracle_install_OUILibraryLocation to command line args table

INFO: adding the variable b_rdbmsInstall to command line args table

INFO: Setting the value for INVENTORY_LOCATION variable

INFO: Setting variable 'INVENTORY_LOCATION' to '/u01/app/oraInventory'. Received the value from the command line.

INFO: adding the variable oracle_install_crs_asmcaCmd to command line args table

INFO: adding the variable oracle_install_PlatformDirectoryName to command line args table

INFO: Setting the value for ORACLE_HOME_NAME variable

INFO: Setting variable 'ORACLE_HOME_NAME' to 'OraDB12Home1'. Received the value from the command line.

INFO: adding the variable oracle_install_db.isCCRAuthenticationUsed to command line args table

INFO: adding the variable DBInstallSettings to command line args table

INFO: adding the variable oracle_install_installerCmd to command line args table

INFO: adding the variable oracle_install_db_InstallOptionSelected to command line args table

INFO: adding the variable oracle_install_RACInstall to command line args table

INFO: Setting the value for TOPLEVEL_COMPONENT variable

INFO: Setting variable 'TOPLEVEL_COMPONENT' to 'oracle.server,12.1.0.1.0'.
Received the value from the command line.

INFO: adding the variable oracle_install_db_InstallEdition to command line args table

INFO: adding the variable oracle_install_db_PDBName to command line args table

INFO: adding the variable oracle_install_OSBKP to command line args table

INFO: Setting the value for PROXY_PORT variable

INFO: Setting variable 'PROXY_PORT' to ''. Received the value from the command line.

INFO: adding the variable oracle_install_db_Type to command line args table

INFO: Setting the value for INSTALL_TYPE variable

INFO: Setting variable 'INSTALL_TYPE' to 'EE'. Received the value from the command line.

INFO: adding the variable oracle_install_OSDBA to command line args table

INFO: adding the variable oracle_install_db_managementOption to command line

args table

INFO: Setting the value for FROM_LOCATION variable

INFO: Setting variable 'FROM_LOCATION' to '/tmp/12c/database/install/./stage/products.xml'. Received the value from the command line.

INFO: Setting the value for PROXY_PWD variable

INFO: Setting variable 'PROXY_PWD' to '*Protected value, not to be logged*'. Received the value from the command line.

INFO: Setting the value for ORACLE_HOME variable

INFO: Setting variable 'ORACLE_HOME' to '/u01/app/oracle/product/12.1.0/db_1'. Received the value from the command line.

INFO: adding the variable oracle_install_db_InstallOption to command line args table

INFO: adding the variable oracle_install_db_AutoMemoryOption to command line args table

INFO: Setting the value for ORACLE_BASE variable

INFO: Setting variable 'ORACLE_BASE' to '/u01/app/oracle'. Received the value from the command line.

INFO: adding the variable oracle_install_db_StorageType to command line args table

INFO: adding the variable oracle_install_OSDBGD to command line args table

INFO: adding the variable oracle_install_HomeType to command line args table

INFO: adding the variable oracle_install_db_ASMSNMPUserPassword to command line args table

INFO: adding the variable oracle_install_db_GlobalDBName to command line args table

INFO: adding the variable windowsSecureOptionSettings to command line args table

INFO: adding the variable oracle_install_OSOPER to command line args table

INFO: Setting the value for PROXY_HOST variable

INFO: Setting variable 'PROXY_HOST' to ''. Received the value from the command line.

INFO: Setting the value for COMPONENT_LANGUAGES variable

INFO: Setting variable 'COMPONENT_LANGUAGES' to 'en'. Received the value from the command line.

INFO: adding the variable oracle_install_autoupdates_httpProxySettings to command line args table

INFO: adding the variable oracle_install_db_dbuaCmd to command line args table

INFO: adding the variable oracle_install_autoupdates_option to command line args table

INFO: adding the variable oracle_install_crs_cluvfyCmd to command line args table

INFO: Setting the value for COLLECTOR_IGNORE_CONFIGURATION variable

installActions2013-06-29_12-50-04AM.log

INFO: Setting variable 'COLLECTOR_IGNORE_CONFIGURATION' to 'false'. Received the value from the command line.

INFO: adding the variable oracle_install_OSKMT to command line args table

INFO: adding the variable oracle_install_db_EnableAutoBackup to command line args table

INFO: adding the variable oracle_install_db_LaunchODMA to command line args table

INFO: Setting the value for MYORACLESUPPORT_PASSWORD variable

INFO: Setting variable 'MYORACLESUPPORT_PASSWORD' to '*Protected value, not to be logged*'. Received the value from the command line.

INFO: Setting the value for COLLECTOR_RESPONSE_FILE variable

INFO: Setting variable 'COLLECTOR_RESPONSE_FILE' to ''. Received the value from the command line.

INFO: adding the variable oracle_install_db_isRACOneInstall to command line args table

INFO: adding the variable oracle_install_RDBMSInstalling to command line args table

INFO: adding the variable oracle_install_db_SuperAdminPasswords to command line args table

INFO: adding the variable oracle_install_db_omsPort to command line args table

INFO: adding the variable oracle_install_db_QuickInstallOption to command line args table

INFO: adding the variable oracle_install_netcaCmd to command line args table

INFO: adding the variable oracle_install_architecture to command line args table

INFO: adding the variable CentralInventorySettings to command line args table

INFO: adding the variable oracle_install_db_DiskGroupNameForASM to command line args table

INFO: adding the variable oracle_install_db_LoadExampleSchemas to command line args table

INFO: adding the variable oracle_install_db_SuperAdminSamePasswdForAll to command line args table

INFO: adding the variable oracle_install_OCR_PartitionLocation to command line args table

INFO: adding the variable oracle_install_db_dbcaCmd to command line args table

INFO: adding the variable oracle_install_db_SkipPathUpdate to command line args table

INFO: adding the variable oracle_install_db_LaunchDBCA to command line args table

INFO: adding the variable oracle_install_IsOracleServiceUserExists to command line args table

INFO: adding the variable oracle_install_db_InstallType to command line args table

installActions2013-06-29_12-50-04AM.log

INFO: Setting the value for DECLINE_SECURITY_UPDATES variable

INFO: Setting variable 'DECLINE_SECURITY_UPDATES' to 'true'. Received the value from the command line.

INFO: adding the variable oracle_install_db_DiskGroupName to command line args table

INFO: adding the variable oracle_install_db_ConfigTabSelected to command line args table

INFO: adding the variable oracle_install_db_SID to command line args table

INFO: Setting the value for COLLECTOR_IGNORE_FAILURES variable

INFO: Setting variable 'COLLECTOR_IGNORE_FAILURES' to 'false'. Received the value from the command line.

INFO: adding the variable oracle_install_crs_emcaCmd to command line args table

INFO: adding the variable oracle_install_db_UseFileSystemForRecovery to command line args table

INFO: adding the variable oracle_install_db_SkipHARegistration to command line args table

INFO: adding the variable oracle_install_autoupdates_myOracleSupportCredentials to command line args table

INFO: adding the variable oracle_install_db_CharSetOption to command line args table

INFO: adding the variable RootConfigurationSettings to command line args table

INFO: Setting the value for ORACLE_HOSTNAME variable

INFO: Setting variable 'ORACLE_HOSTNAME' to 'oracle12c'. Received the value from the command line.

INFO: adding the variable oracle_install_db_StarterDatabaseType to command line args table

INFO: adding the variable oracle_install_crs_crsUpgrdCmd to command line args table

INFO: adding the variable oracle_install_crs_crsInstCmd to command line args table

INFO: Setting the value for SELECTED_LANGUAGES variable

INFO: Setting variable 'SELECTED_LANGUAGES' to 'en'. Received the value from the command line.

INFO: adding the variable oracle_install_rootConfiguration_ExecuterRootScript to command line args table

INFO: adding the variable oracle_install_UnixMakePath to command line args table

INFO: adding the variable oracle_install_user to command line args table

INFO: adding the variable oracle_install_db_CharacterSet to command line args table

INFO: adding the variable oracle_install_crs_ipmiCACmd to command line args table

INFO: adding the variable oracle_install_db_AllocatedMemory to command line args table

installActions2013-06-29_12-50-04AM.log

INFO: adding the variable oracle_install_LaunchNetCA to command line args table
INFO: Setting the value for UNIX_GROUP_NAME variable
INFO: Setting variable 'UNIX_GROUP_NAME' to 'oinstall'. Received the value from the command line.
INFO: adding the variable oracle_install_db_ConfigurationType to command line args table
INFO: adding the variable oracle_install_db_UseSamePassword to command line args table
INFO: adding the variable oracle_install_db_ServerPoolCardinality to command line args table
INFO: adding the variable oracle_install_ProductName to command line args table
INFO: adding the variable oracle_install_crs_crsDeinstCmd to command line args table
INFO: adding the variable oracle_install_db_racOneServiceName to command line args table
INFO: adding the variable oracle_install_db_SetOracleBase to command line args table
INFO: Setting the value for CLUSTER_NODES variable
INFO: Setting variable 'CLUSTER_NODES' to ''. Received the value from the command line.
INFO: adding the variable oracle_install_db_MountPointLocation to command line args table
INFO: adding the variable oracle_install_autoupdates_httpProxyPort to command line args table
INFO: adding the variable oracle_install_netcaDeinstCmd to command line args table
INFO: Setting the value for MYORACLESUPPORT_USERNAME variable
INFO: Setting variable 'MYORACLESUPPORT_USERNAME' to ''. Received the value from the command line.
INFO: Setting the value for PROXY_USER variable
INFO: Setting variable 'PROXY_USER' to ''. Received the value from the command line.
INFO: adding the variable oracle_install_db_ConfigureAsContainerDB to command line args table
INFO: adding the variable oracle_install_IsBuiltInAccount to command line args table
INFO: adding the variable oracle_install_db_systemClass to command line args table
INFO: adding the variable AutoUpdatesInstallSettings to command line args table
INFO: adding the variable OCMSettings to command line args table
INFO: adding the variable oracle_install_classpath_separator to command line args table


```

installActions2013-06-29_12-50-04AM.log
INFO: Update the State machine to STATE_INIT_SESSION
INFO: Creating & Initializing the Session Interface Manager
INFO: Calling OiicInstallAPISession's prepareForInstallOperations
INFO: Do the iterator execution till Summary
INFO: Initializing install inventory
INFO: Setting up install inventory
INFO: Install area Control created with access level 1
INFO: Unable to read the list of homes from the inventory.
INFO: Oracle Universal Installer version is 12.1.0.1.0

INFO:
*** Specify Source Location Page***
INFO: Setting the 'SourceLocation ( FROM_LOCATION )' property to
'/tmp/12c/database/install/./stage/products.xml'. Received the value from the
command line.
INFO: Initializing OUI Shiphome access setup
INFO: Loading Properties From
File/tmp/OraInstall2013-06-29_12-50-04AM/TopLevel_UserAction.properties
INFO: User Action File copied
to:/tmp/OraInstall2013-06-29_12-50-04AM/UserActions/oracle.server/useractions.pr
operties
INFO: Loading Properties From File
:/tmp/OraInstall2013-06-29_12-50-04AM/UserActions/oracle.server/useractions.prop
erties
INFO: User Action File copied
to:/tmp/OraInstall2013-06-29_12-50-04AM/UserActions/oracle.server/UnixActions/ma
kedeps.xml
INFO: User Action File copied
to:/tmp/OraInstall2013-06-29_12-50-04AM/globalvariables/variable.properties
INFO: User Action File copied
to:/tmp/OraInstall2013-06-29_12-50-04AM/globalvariables/globalvar.xml
INFO: Loading products list. Please wait.
INFO: Loading products list. Please wait.
INFO: Loading global variables
INFO: Reading global variables from file
/tmp/12c/database/install/./stage/globalvariables/globalvar.xml
WARNING: Duplicate definition of global variable ORACLE_HOSTNAME
INFO: Loading of globalvariables complete
INFO: Setting variable 'oracle_install_ProductName' to 'db'. Received the value
from the command line.
INFO: Setting variable 'oracle_install_db_SID' to 'cdb12c'. Received the value
from the command line.
INFO: Setting variable 'oracle_install_RACInstall' to 'false'. Received the
value from the command line.
INFO: Setting variable 'oracle_install_OSDBA' to 'dba'. Received the value from
the command line.
INFO: Setting variable 'oracle_install_OSOPER' to 'dba'. Received the value from
the command line.
INFO: Setting variable 'oracle_install_OSBKP' to 'dba'. Received the value from
the command line.
INFO: Setting variable 'oracle_install OSDGD' to 'dba'. Received the value from
the command line.
INFO: Setting variable 'oracle_install OSKMT' to 'dba'. Received the value from
the command line.
INFO: Setting variable 'oracle_install_db_SkipPathUpdate' to 'false'. Received
the value from the command line.
INFO: Setting variable 'oracle_install_IsOracleServiceUserExists' to 'false'.
Received the value from the command line.
INFO: Setting variable 'oracle_install_IsBuiltInAccount' to 'false'. Received
the value from the command line.

```

installActions2013-06-29_12-50-04AM.log

INFO: Setting variable 'oracle_install_HomeType' to '1'. Received the value from the command line.
INFO: Setting variable 'oracle_install_architecture' to '64'. Received the value from the command line.
INFO: Setting variable 'oracle_install_db_LaunchDBCA' to 'true'. Received the value from the command line.
INFO: Setting variable 'oracle_install_db_LaunchODMA' to 'false'. Received the value from the command line.
INFO: Setting variable 'oracle_install_db_dbcaCmd' to 'bin/dbca'. Received the value from the command line.
INFO: Setting variable 'oracle_install_db_dbuaCmd' to 'bin/dbua'. Received the value from the command line.
INFO: Setting variable 'oracle_install_LaunchNetCA' to 'true'. Received the value from the command line.
INFO: Setting variable 'oracle_install_netcaCmd' to 'bin/netca'. Received the value from the command line.
INFO: Setting variable 'oracle_install_netcaDeinstCmd' to 'bin/netca_deinst.sh'. Received the value from the command line.
INFO: Setting variable 'oracle_install_db_ishAOrCRSConfigured' to 'false'. Received the value from the command line.
INFO: Setting variable 'oracle_install_crs_crsInstCmd' to ''. Received the value from the command line.
INFO: Setting variable 'oracle_install_crs_crsDeinstCmd' to ''. Received the value from the command line.
INFO: Setting variable 'oracle_install_crs_crsUpgrdCmd' to ''. Received the value from the command line.
INFO: Setting variable 'oracle_install_crs_cluvfyCmd' to 'bin/cluvfy'. Received the value from the command line.
INFO: Setting variable 'oracle_install_crs_cluvfyargs' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_asmcaCmd' to 'asmca'. Received the value from the command line.
INFO: Setting variable 'oracle_install_crs_configuredCRSHOME' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_NoMigration' to 'true'. Received the value from the command line.
INFO: Setting variable 'oracle_install_RDBMSInstalling' to 'true'. Received the value from the command line.
INFO: Setting variable 'oracle_install_db_InstallEdition' to 'EE'. Received the value from the command line.
INFO: Setting variable 'oracle_install_db_ConfigurationType' to '&General Purpose / Transaction Processing'. Received the value from the command line.
INFO: Setting variable 'oracle_install_db_InstallType' to 'EE'. Received the value from the command line.
INFO: Setting variable 'oracle_install_crs_StorageOption' to '0'. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_asm_DiskGroupName' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_asm_DiskDiscoveryString' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_asm_Disks' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_asm_DiskGroupRedundancy' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_asm_UseExistingDG' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_ClusterName' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_CommaSeparatedNodes' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_DiskDriveMapping' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_OCRDeviceList' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_VotingDiskList' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_SWOnly' to 'true'. Received the value from the variable calculation.

installActions2013-06-29_12-50-04AM.log

INFO: Setting variable 'oracle_install_crs_mgmtcaCmd' to 'bin/mgmtca'. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_ConfigureMgmtDB' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_Upgrade' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_ConfigureGNS' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_GNSType' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_GNSSubDomain' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_GNSVIPAddress' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_SCANName' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_SCANPortNumber' to '0'. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_FinalInterfaceList' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_NodeVips' to ''. Received the value from the variable calculation.
INFO: Setting variable 's_windowsSystemDirectory' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_UseIPMI' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_PublicNodeListwithoutDomain' to ''. Received the value from the variable calculation.
INFO: Setting variable 's_args' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_IsBigCluster' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_IsFlexCluster' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_asm_ConfigurationType' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_GNSClientDataFile' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_asm_ClientDataFile' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_TargetHubSize' to '0'. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_HUBNodesList' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_AUTONodesList' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_RIMNodesList' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_LEAFNodesList' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_HUBvipList' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_AUTOvipList' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_RIMvipList' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_crs_LEAFvipList' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_asm_MigrateASM' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_UnixMakePath' to '/usr/bin/make'. Received the value from the command line.
INFO: Setting variable 'oracle_install_installerCmd' to 'runInstaller'. Received the value from the command line.
INFO: Setting variable 'oracle_install_windowsCommandLine' to ''. Received the value from the variable calculation.
INFO: Setting variable 'oracle_install_db_SkipHARegistration' to 'false'. Received the value from the command line.

```

installActions2013-06-29_12-50-04AM.log
INFO: Setting variable 'oracle_install_classpath_separator' to ':'. Received the
value from the command line.
INFO: Setting variable 'oracle_install_PlatformDirectoryName' to 'linux64'.
Received the value from the command line.
INFO: Setting variable 'oracle_install_rootConfiguration_ExecuteRootScript' to
'false'. Received the value from the command line.
INFO: Setting variable 'oracle_install_tg_drdaasPortNumber' to '0'. Received the
value from the variable calculation.
INFO: Setting variable 'oracle_install_user' to 'oracle'. Received the value
from the command line.
INFO: Setting variable 'oracle_install_isHostExadata' to 'false'. Received the
value from the command line.
INFO: Setting variable 'oracle_install_crs_rootUpgradeMessage' to ''. Received
the value from the variable calculation.
INFO: Setting variable 'SELECTED_LANGUAGES' to 'en'. Received the value from the
command line.
INFO: DefaultifyLangiages : value of oracle.installer.defaultifyLanguages :
false
INFO: fetch the file: /tmp/12c/database/stage/shiphomeinfo.properties
INFO: fetching the pre copy and post copy script files if they exist
INFO: Done fetching the ship home info properties
INFO: Performing operation for OUI Shiphome access setup
INFO:
*** Select a Product to Install Page***
INFO: Setting the 'TopLevelComp ( ToplevelComp )' property to 'oracle.server,
12.1.0.1.0, >0.0.0.0.0, [ 46 ][OH:2]'. Received the value from the default
settings.
INFO:
*** Select Installation Type Page***
INFO: Setting the 'InstallType ( DEP_MODE )' property to 'EE'. Received the
value from the default settings.
INFO: Setting the 'TopLevelInstallType ( TLDepModes )' property to 'EE'.
Received the value from the default settings.
INFO: The selected install type is "Enterprise Edition".
INFO: Going to copy both pre copy and post copy files
/tmp/OraInstall2013-06-29_12-50-04AM/oracle.server_EE.properties
INFO: install properties filename:
/tmp/OraInstall2013-06-29_12-50-04AM/oracle.server_EE.properties
INFO: Set oracle.install.customdeinstallcommand to
%ORACLE_HOME%/deinstall/deinstall
INFO: Set oracle.installer.addnode.excludeFileListFile to
rdbms/install/install.excl
INFO: Set oracle.install.customizedeinstall to true
INFO: Set oracle.installer.ORACLE_BASEvar to ORACLE_BASE
INFO: Set oracle.installer.LibPerms to 0755
INFO: Set oracle.installer.summary_expand_nodes to NewLangs,Global,Space,Langs
INFO: Set oracle.installer.LibExtns to .sl,.sl.12.1,.so,.so.12.1,.sl.1.0,.so.1.0
INFO: Set oracle.installer.mandatorySetup to true
INFO: Set oracle.installer.useORACLE_BASE to true
INFO: Set oracle.installer.removeallfiles to true
INFO: Set oracle.installer.additionaltool_continue_onerror to true
INFO:
*** Specify Home Details Page***
INFO: Setting the 'OracleHome ( ORACLE_HOME )' property to
'/u01/app/oracle/product/12.1.0/db_1'. Received the value from the command line.
INFO: Setting the 'OracleHomeName ( ORACLE_HOME_NAME )' property to
'OraDB12Home1'. Received the value from the command line.
INFO: Setting the 'OracleBase ( ORACLE_BASE )' property to '/u01/app/oracle'.
Received the value from the command line.
INFO: Initializing OUI Oracle Home access setup
INFO: Setting variable 'ORACLE_BASE' to '/u01/app/oracle'. Received the value
from the command line.
INFO: Setting variable 'ORACLE_HOME' to '/u01/app/oracle/product/12.1.0/db_1'.
Received the value from the command line.
INFO: Loading shiphomepropertiesfrom
/tmp/OraInstall2013-06-29_12-50-04AM/shiphomeproperties.xml
INFO: Setting variable 'SELECTED_LANGUAGES' to 'en'. Received the value from the
command line.

```

INFO: DefaultifyLanguages : Value of oracle.installer.defaultifyLanguages : false
INFO: Loading products. Please wait.
INFO: Loading products. Please wait.
INFO: Setting the PROD_HOME variable of 'oracle.server_12.1.0.1.0' to ''. Received the value from the variable calculation.
INFO: oracle.server Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.assistants.acf_12.1.0.1.0' to ''. Received the value from the variable calculation.
INFO: oracle.assistants.acf Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.assistants.deconfig_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/assistants_deconfig'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.assistants.netca.client_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_network_client'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.assistants.server_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_prod'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.rdbms.install.plugins_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle.rdbms.install.plugins'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.bali.dbui4_11.0.0.0.0' to ''. Received the value from the variable calculation.
INFO: oracle.bali.dbui4 Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.bali.ewt_11.1.1.6.0' to ''. Received the value from the variable calculation.
INFO: oracle.bali.ewt Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.bali.ice_11.1.1.6.0' to '/u01/app/oracle/product/12.1.0/db_1/ice'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.bali.jewt_11.1.1.6.0' to ''. Received the value from the variable calculation.
INFO: oracle.bali.jewt Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.bali.jle3_11.0.0.0.0' to ''. Received the value from the variable calculation.
INFO: oracle.bali.jle3 Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.bali.share_11.1.1.6.0' to ''. Received the value from the variable calculation.
INFO: oracle.bali.share Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.buildtools.common_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_buildtools_common'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.buildtools.rsfc_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_buildtools_rsfc'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.duma_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_rdbms_expimp'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.ctx_12.1.0.1.0' to ''. Received the value from the variable calculation.
INFO: oracle.ctx Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.ctx.rsfc_12.1.0.1.0' to ''. Received the value from the variable calculation.
INFO: oracle.ctx.rsfc Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.ctx.atg_12.1.0.1.0' to ''. Received the value from the variable calculation.
INFO: oracle.ctx.atg Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.ctx.core_12.1.0.1.0' to ''. Received the value from the variable calculation.
INFO: oracle.ctx.core Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.dbjava.ic_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_dbjava_ic'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.dbjava.jdbc_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_dbjava_jdbc'. Received the value

installActions2013-06-29_12-50-04AM.log

from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.dbjava.ucp_12.1.0.1.0' to ''. Received the value from the variable calculation.
INFO: oracle.dbjava.ucp Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.dbjava.server_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_dbjava_server'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.has.common_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_prod'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.has.common.cvu_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle.has.common.cvu'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.has.db_12.1.0.1.0' to ''. Received the value from the variable calculation.
INFO: oracle.has.db Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.has.deconfig_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/has_deconfig'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.usm.deconfig_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/usm_deconfig'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.has.rsf_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_rsf_has_rsf'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.help.ohj_11.1.1.6.0' to ''. Received the value from the variable calculation.
INFO: oracle.help.ohj Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.help.share_11.1.1.6.0' to ''. Received the value from the variable calculation.
INFO: oracle.help.share Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.install.deinstalltool_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/deinstalltool'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.javavm.client_12.1.0.1.0' to ''. Received the value from the variable calculation.
INFO: oracle.javavm.client Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.javavm.containers_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_java_j2ee_core'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.javavm.server_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_javavm_server_cmp'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.javavm.server.core_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_javavm_server_cmp'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.jdk_1.6.0.37.0' to '/u01/app/oracle/product/12.1.0/db_1/jdk'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.ldap.admin_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.ldap.client_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.ldap.security.osdt_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_ldap_security_osdt'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.ldap.owm_12.1.0.1.0' to ''. Received the value from the variable calculation.
INFO: oracle.ldap.owm Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.ldap.rsf_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_ldap_rsf_cmp'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.ldap.rsf.ic_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle.ldap.rsf.ic'. Received the value from the variable calculation.

installActions2013-06-29_12-50-04AM.log

INFO: Setting the PROD_HOME variable of 'oracle.ldap.ssl_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle.ldap.ssl'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.mgw.common_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/mgw'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.network_12.1.0.1.0' to ''. Received the value from the variable calculation.
INFO: oracle.network Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.network.aso_12.1.0.1.0' to ''. Received the value from the variable calculation.
INFO: oracle.network.aso Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.network.client_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_network_client'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.network.client.jrf_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_network_client_jrf'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.network.cman_12.1.0.1.0' to ''. Received the value from the variable calculation.
INFO: oracle.network.cman Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.network.listener_12.1.0.1.0' to ''. Received the value from the variable calculation.
INFO: oracle.network.listener Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.network.rsfc_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle.network.rsfc'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.nlsrtl.rsfc_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_nlsrtl_rsfc'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.nlsrtl.rsfc.core_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_nlsrtl_rsfc'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.nlsrtl.rsfc.ic_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_nlsrtl_rsfc_ic'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.nlsrtl.rsfc.lbuilder_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_nlsrtl_rsfc_lbuilder'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.odb_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/odb'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.odb.ic_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/odb'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.ons_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/ons'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.ons.ic_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle.ons.ic'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.ons.eons_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.options_12.1.0.1.0' to ''. Received the value from the variable calculation.
INFO: oracle.options Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.oracore.rsfc_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle.oracore.rsfc'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.oracore.rsfc.core_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle.oracore.rsfc'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.oraolap_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/olap'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.oraolap.api_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle.oraolap.api'. Received the value

installActions2013-06-29_12-50-04AM.log

from the variable calculation.

INFO: Setting the PROD_HOME variable of 'oracle.oraolap.dbscripts_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_prod'. Received the value from the variable calculation.

INFO: Setting the PROD_HOME variable of 'oracle.ordim.client_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle.interMedia.imclient'. Received the value from the variable calculation.

INFO: Setting the PROD_HOME variable of 'oracle.ordim.jai_12.1.0.1.0' to ''. Received the value from the variable calculation.

INFO: oracle.ordim.jai Product Location: Empty path specified.

INFO: Setting the PROD_HOME variable of 'oracle.ordim.rdbms_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_prod'. Received the value from the variable calculation.

INFO: Setting the PROD_HOME variable of 'oracle.ordim.server_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle.options.intermedia.imserver'. Received the value from the variable calculation.

INFO: Setting the PROD_HOME variable of 'oracle.oracler.server_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_prod'. Received the value from the variable calculation.

INFO: Setting the PROD_HOME variable of 'oracle.ovm_12.1.0.1.0' to ''. Received the value from the variable calculation.

INFO: oracle.ovm Product Location: Empty path specified.

INFO: Setting the PROD_HOME variable of 'oracle.precomp_12.1.0.1.0' to ''. Received the value from the variable calculation.

INFO: oracle.precomp Product Location: Empty path specified.

INFO: Setting the PROD_HOME variable of 'oracle.precomp.common_12.1.0.1.0' to ''. Received the value from the variable calculation.

INFO: oracle.precomp.common Product Location: Empty path specified.

INFO: Setting the PROD_HOME variable of 'oracle.precomp.common.core_12.1.0.1.0' to ''. Received the value from the variable calculation.

INFO: oracle.precomp.common.core Product Location: Empty path specified.

INFO: Setting the PROD_HOME variable of 'oracle.precomp.lang_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_prod'. Received the value from the variable calculation.

INFO: Setting the PROD_HOME variable of 'oracle.precomp.rsf_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_rsf_precomp_rsf'. Received the value from the variable calculation.

INFO: Setting the PROD_HOME variable of 'oracle.rdbms_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_rdbms'. Received the value from the variable calculation.

INFO: Setting the PROD_HOME variable of 'oracle.rdbms.crs_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_prod'. Received the value from the variable calculation.

INFO: Setting the PROD_HOME variable of 'oracle.rdbms.dbscripts_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_rdbms_dbscripts'. Received the value from the variable calculation.

INFO: Setting the PROD_HOME variable of 'oracle.rdbms.deconfig_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/rdbms/deconfig'. Received the value from the variable calculation.

INFO: Setting the PROD_HOME variable of 'oracle.rdbms.dm_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_prod'. Received the value from the variable calculation.

INFO: Setting the PROD_HOME variable of 'oracle.rdbms.hsodbc_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/hs'. Received the value from the variable calculation.

INFO: Setting the PROD_HOME variable of 'oracle.rdbms.hs_common_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_rdbms_hs_common'. Received the value from the variable calculation.

INFO: Setting the PROD_HOME variable of 'oracle.rdbms.install.common_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_rdbms.install.common'. Received the value from the variable calculation.

INFO: Setting the PROD_HOME variable of 'oracle.rdbms.install.ovabplugin_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_rdbms.install.ovabplugin'. Received the value from the variable calculation.

INFO: Setting the PROD_HOME variable of 'oracle.rdbms.lbac_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_prod'. Received the value from the variable calculation.

installActions2013-06-29_12-50-04AM.log

INFO: Setting the PROD_HOME variable of 'oracle.rdbms.locator_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_prod'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.rdbms.oci_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_rdbms_oci'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.rdbms.olap_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_prod'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.rdbms.partitioning_12.1.0.1.0' to ''. Received the value from the variable calculation.
INFO: oracle.rdbms.partitioning Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.rdbms.plsql_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_rdbms_plsql'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.rdbms.rsf_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_rdbms.rsf'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.rdbms.rsf.ic_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_rdbms.ic'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.rdbms.rsf.runtime_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_rdbms.rsf.runtime'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.rdbms.rman_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_rdbms.rman'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.rdbms.util_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_rdbms.util'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.rsf_12.1.0.1.0' to ''. Received the value from the variable calculation.
INFO: oracle.rsf Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.sdo_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_cartridges_spatial'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.slax.rsf_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle.slax.rsf'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.sqlj.sqljruntime_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_java_sqlj_sqljruntime'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.sqlplus_12.1.0.1.0' to ''. Received the value from the variable calculation.
INFO: oracle.sqlplus Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.sqlplus.ic_12.1.0.1.0' to ''. Received the value from the variable calculation.
INFO: oracle.sqlplus.ic Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.sqlplus.rsf_12.1.0.1.0' to ''. Received the value from the variable calculation.
INFO: oracle.sqlplus.rsf Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.wwg.plsql_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_rdbms'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.xdk_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_prod'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.xdk.core_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_xdk_core'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.xdk.parser.java_12.1.0.1.0' to ''. Received the value from the variable calculation.
INFO: oracle.xdk.parser.java Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.xdk.rsf_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_rsf_rdbms_rsf'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.xdk.server_12.1.0.1.0' to ''. Received the value from the variable calculation.

installActions2013-06-29_12-50-04AM.log

INFO: oracle.xdk.server Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.xdk.xquery_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle.xdk.xquery'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.sdo.locator_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_cartridges_locator'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.sdo.locator.jrf_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_sdo_locator_jrf'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.marvel_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/marvel'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.dbdev_12.1.0.1.0' to ''. Received the value from the variable calculation.
INFO: oracle.dbdev Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.sysman.ccr_10.3.7.0.3' to '/u01/app/oracle/product/12.1.0/db_1/ccr'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.rdbms.dv_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_rdbms_dv'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.javavm.companion_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_javavm_companion'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.rdbms.rat_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_prod'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.wlm.em_12.1.0.1.0' to ''. Received the value from the variable calculation.
INFO: oracle.wlm.em Product Location: Empty path specified.
INFO: Setting the PROD_HOME variable of 'oracle.sysman.ccr.deconfig_10.3.1.0.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle.sysman.ccr.deconfig'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.sysman.ccr.client_10.3.2.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle.sysman.ccr.client'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.swd.oui_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oui'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.swd.oui.core.min_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle_swd_oui_core_min'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.swd.oui.core_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oui'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.swd.opatch_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/OPatch'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.perlint_5.14.1.0.0' to '/u01/app/oracle/product/12.1.0/db_1/perl'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.perlint.expats_2.0.1.0.2' to '/u01/app/oracle/product/12.1.0/db_1'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.perlint.modules_5.14.1.0.0' to '/u01/app/oracle/product/12.1.0/db_1/perl'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.rdbms.install.seeddb_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/oracle.rdbms.install.seeddb'. Received the value from the variable calculation.
INFO: Setting the PROD_HOME variable of 'oracle.rdbms.install.seeddb.sample_schema_12.1.0.1.0' to '/u01/app/oracle/product/12.1.0/db_1/demo/schema'. Received the value from the variable calculation.
INFO: Performing operation for OUI Oracle Home access setup
INFO: Unable to read /u01/app/oracle/product/12.1.0/db_1/inventory/ContentsXML/comps.xml. Some

installActions2013-06-29_12-50-04AM.log
inventory information may be lost.
INFO: Unable to read /u01/app/oraInventory/ContentsXML/comps.xml. Some inventory information may be lost.
INFO:
*** Oracle Universal Installer Page***
INFO: Setting the value of DECLINE_SECURITY_UPDATES
INFO: Setting variable 'DECLINE_SECURITY_UPDATES' to 'true'. Received the value from a code block.
INFO: Setting variable 'COLLECTOR_SUPPORTHUB_URL' to ''. Received the value from a code block.
INFO: Setting variable 'METALINK_PASSWORD' to '*Protected value, not to be logged*'. Received the value from a code block.
INFO: Setting the value of METALINK_PASSWORD with the value of MYORACLESUPPORT_PASSWORD
INFO: Setting the value of SECURITY_UPDATES_VIA_METALINK
INFO: Setting variable 'SECURITY_UPDATES_VIA_METALINK' to 'false'. Received the value from a code block.
INFO: Setting the value of SECURITY_UPDATES_VIA_METALINK with the value of SECURITY_UPDATES_VIA_MYORACLESUPPORT
INFO: Setting variable 'METALINK_USERNAME' to ''. Received the value from a code block.
INFO: Setting the value of SECURITY_UPDATES_VIA_METALINK with the value of MYORACLESUPPORT_USERNAME
INFO: Setting the value of COLLECTOR_IGNORE_CONFIGURATION
INFO: Setting variable 'COLLECTOR_IGNORE_CONFIGURATION' to 'true'. Received the value from a code block.
INFO: Setting the value of SECURITY_UPDATES_VIA_METALINK
INFO: Setting variable 'SECURITY_UPDATES_VIA_METALINK' to 'false'. Received the value from a code block.
INFO: Setting the value of SECURITY_UPDATES_VIA_MYORACLESUPPORT
INFO: Setting variable 'SECURITY_UPDATES_VIA_MYORACLESUPPORT' to 'false'. Received the value from a code block.
INFO: Is the component oracle.sysman.ccr found in the shiphome ? true
INFO: Is the component eligible to be installed in the home ? true
So setting the system property oracle.sysman.ccrinstall to true
INFO: The user has chosen to include the collector, but with the shiphomeinfo.properties value, is the collector included for configuration ? : true
INFO: The ORACLE_CONFIG_HOME env var is set to
INFO: The selected Home : /u01/app/oracle/product/12.1.0/db_1 is selected for upgrade ? false
INFO: Setting the value of COLLECTOR_UPGRADE
INFO: Setting variable 'COLLECTOR_UPGRADE' to 'false'. Received the value from a code block.
INFO: Setting the value of METALINK_USERNAME
INFO: Setting variable 'METALINK_USERNAME' to ''. Received the value from a code block.
INFO: Setting the value of MYORACLESUPPORT_USERNAME
INFO: Setting variable 'MYORACLESUPPORT_USERNAME' to ''. Received the value from a code block.
INFO: Can we show the collector page ? false
INFO: Setting the value of METALINK_PASSWORD
INFO: Setting variable 'METALINK_PASSWORD' to '*Protected value, not to be logged*'. Received the value from a code block.
INFO: Setting the value of SECURITY_UPDATES_VIA_METALINK
INFO: Setting variable 'SECURITY_UPDATES_VIA_METALINK' to 'false'. Received the value from a code block.
INFO: Setting the value of METALINK_USERNAME
INFO: Setting variable 'METALINK_USERNAME' to ''. Received the value from a code block.
INFO: Setting the 'MyOracleSupportUsername (MYORACLESUPPORT_USERNAME)' property to ''. Received the value from a code block.
INFO: Setting the 'MyOracleSupportPassword (MYORACLESUPPORT_PASSWORD)' property to '*Protected value, not to be logged*'. Received the value from the command line.
INFO: Setting the 'ProxyUsername (PROXY_USER)' property to ''. Received the value from the command line.
INFO: Setting the 'ProxyPassword (PROXY_PWD)' property to '*Protected value,

```

installActions2013-06-29_12-50-04AM.log
not to be logged*'. Received the value from the command line.
INFO: Setting the 'ProxyServer ( PROXY_HOST )' property to ''. Received the
value from the command line.
INFO: Setting the 'ProxyPort ( PROXY_PORT )' property to ''. Received the value
from the command line.
INFO: Setting the 'DeclineUpdates ( DECLINE_SECURITY_UPDATES )' property to
'true'. Received the value from a code block.
INFO: Setting the 'EnableMyOracleSupportPassword (
SECURITY_UPDATES_VIA_MYORACLESUPPORT )' property to 'false'. Received the value
from a code block.
INFO: Setting the 'RepeaterURL ( COLLECTOR_SUPPORTHUB_URL )' property to ''.
Received the value from a code block.
INFO: SRVM ClusterInfo.IsLocalOnly() called. Return value obtained is 'false'.
INFO: The CRS clusterware location for 'oracle.crs 10.1.0.2.0' is not found.
INFO: This is not a cluster system.
INFO: Node selection page will not be shown.
INFO: Doing nothing for API Mode Install
INFO: in API mode of OUI execution, we return back with NEXT to next Iterator
INFO: Analyzing dependencies
INFO: Analyzing dependencies
INFO: Setting up install types
INFO: Setting up install types
INFO: Install type for "Oracle Database 12c 12.1.0.1.0 " is "Enterprise
Edition".
INFO: Install type for "Enterprise Edition Options 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Partitioning 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Spatial and Graph 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle OLAP 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Database 12c 12.1.0.1.0 " is "Typical".
INFO: OUI-10066:Not all the dependencies for the component Oracle Database 12c
12.1.0.1.0 could be found. Missing component oracle.assistants.asm 12.1.0.1.0.
INFO: Install type for "Oracle Net Services 12.1.0.1.0 " is "Server.Typical".
INFO: Install type for "Oracle Text 12.1.0.1.0 " is "Typical".
INFO: Install type for "HAS Files for DB 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Net Listener 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Internet Directory Client 12.1.0.1.0 " is
"Typical".
INFO: Install type for "Oracle Advanced Security 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle JVM 12.1.0.1.0 " is "Typical".
INFO: Install type for "Database Configuration and Upgrade Assistants 12.1.0.1.0
" is "Typical".
INFO: Install type for "Oracle XML Development Kit 12.1.0.1.0 " is "Typical".
INFO: Conflict while setting install type of "XML Parser for Java 12.1.0.1.0 "
to "Typical (Typical)". Install type already set to "Typical (Typical)". Setting
it to "Custom (Custom)".
INFO: Install type for "Oracle Call Interface (OCI) 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Multimedia 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Multimedia Locator 12.1.0.1.0 " is "Typical".
INFO: Install type for "SQL*Plus 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Netca Client 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Programmer 12.1.0.1.0 " is "Server Typical".
INFO: Install type for "Oracle Database Gateway for ODBC 12.1.0.1.0 " is
"Typical".
INFO: Install type for "Generic Connectivity Common Files 12.1.0.1.0 " is
"Typical".
INFO: Install type for "Oracle Database Utilities 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Net 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Notification Service 12.1.0.1.0 " is "Typical".
INFO: Install type for "Assistant Common Files 12.1.0.1.0 " is "Typical".
INFO: Conflict while setting install type of "Sun JDK 1.6.0.37.0 " to
"Maximum (Complete)". Install type already set to "Typical (Typical)". Setting it
to "Custom (Custom)".
INFO: Install type for "PL/SQL 12.1.0.1.0 " is "Typical".
INFO: Install type for "HAS Common Files 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Help for Java 11.1.1.6.0 " is "Typical".
INFO: Install type for "Oracle Help Share Library 11.1.1.6.0 " is "Minimum".
INFO: Install type for "Oracle Database User Interface 11.0.0.0.0 " is
"Typical".

```

installActions2013-06-29_12-50-04AM.log

INFO: Install type for "Oracle Java Layout Engine 11.0.0.0.0 " is "minimum".
INFO: Install type for "Buildtools Common Files 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle LDAP administration 12.1.0.1.0 " is "Typical".
INFO: Install type for "Installation Common Files 12.1.0.1.0 " is "Typical".
INFO: Conflict while setting install type of "Installation Plugin Files 12.1.0.1.0 " to "Typical (Typical)". Install type already set to "Typical (Typical)". Setting it to "Custom (Custom)".
INFO: Install type for "Installation Plugin Files 12.1.0.1.0 " is "Custom".
INFO: Install type for "Oracle Ice Browser 11.1.1.6.0 " is "Typical".
INFO: Conflict while setting install type of "Oracle Bali Share 11.1.1.6.0 " to "Typical (Typical)". Install type already set to "Minimum (Minimum)". Setting it to "Custom (Custom)".
INFO: Conflict while setting install type of "Oracle Extended Windowing Toolkit 11.1.1.6.0 " to "Typical (Typical)". Install type already set to "minimum (Minimum)". Setting it to "Custom (Custom)".
INFO: Install type for "Oracle Clusterware RDBMS Files 12.1.0.1.0 " is "Typical".
INFO: Install type for "Cluster Verification Utility Common Files 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle wallet Manager 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Security Developer Tools 12.1.0.1.0 " is "Typical".
INFO: Install type for "XML Parser for Java 12.1.0.1.0 " is "Custom".
INFO: Install type for "Oracle Net Java Required Support Files 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Recovery Manager 12.1.0.1.0 " is "Typical".
INFO: Install type for "Deinstallation Tool 12.1.0.1.0 " is "Typical".
INFO: Install type for "Precompiler Common Files 12.1.0.1.0 " is "Typical".
INFO: Install type for "Precompilers 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle ODBC Driver 12.1.0.1.0 " is "Typical".
INFO: Install type for "Required Support Files 12.1.0.1.0 " is "Typical".
INFO: OUI-10066:Not all the dependencies for the component Required Support Files 12.1.0.1.0 could be found. Missing component oracle.rsfl.hybrid 12.1.0.1.0.
INFO: Install type for "SQL*Plus Files for Instant Client 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Extended windowing Toolkit 11.1.1.6.0 " is "Custom".
INFO: Install type for "Oracle Globalization Support 12.1.0.1.0 " is "Typical".
INFO: Install type for "Database SQL Scripts 12.1.0.1.0 " is "Typical".
INFO: Install type for "OLAP SQL Scripts 12.1.0.1.0 " is "Typical".
INFO: Install type for "PL/SQL Embedded Gateway 12.1.0.1.0 " is "Typical".
INFO: Install type for "Perl Interpreter 5.14.1.0.0 " is "Perl Interpreter Version 5.14.1".
INFO: Install type for "Database Migration Assistant for Unicode 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Java Client 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Multimedia Client Option 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle JDBC/THIN Interfaces 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Universal Connection Pool 12.1.0.1.0 " is "Typical".
INFO: Install type for "Secure Socket Layer 12.1.0.1.0 " is "Typical".
INFO: Install type for "RDBMS Required Support Files 12.1.0.1.0 " is "Typical".
INFO: Install type for "Perl Modules 5.14.1.0.0 " is "Perl Modules".
INFO: Install type for "Oracle JVM For Core 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Containers for Java 12.1.0.1.0 " is "Typical".
INFO: Install type for "JAccelerator (COMPANION) 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Locale Builder 12.1.0.1.0 " is "Typical".
INFO: Conflict while setting install type of "Oracle JFC Extended windowing Toolkit 11.1.1.6.0 " to "Typical (Typical)". Install type already set to "minimum (Minimum)". Setting it to "Custom (Custom)".
INFO: Install type for "Oracle Quality of Service Management (Client) 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Database Deconfiguration 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Globalization Support For Core 12.1.0.1.0 " is "Typical".

installActions2013-06-29_12-50-04AM.log

INFO: Install type for "Oracle JFC Extended Windowing Toolkit 11.1.1.6.0 " is "Custom".
INFO: Install type for "XML Parser for Oracle JVM 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Core XML Development Kit 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle XML Query 12.1.0.1.0 " is "Custom".
INFO: Install type for "Oracle Message Gateway Common Files 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Starter Database 12.1.0.1.0 " is "Typical".
INFO: Install type for "Sample Schema Data 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Core Required Support Files 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Core Required Support Files for Core DB 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Multimedia Locator RDBMS Files 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Multimedia Locator Java Required Support Files 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle JDBC/OCI Instant Client 12.1.0.1.0 " is "Typical".
INFO: Conflict while setting install type of "Oracle Globalization Support 12.1.0.1.0 " to "Typical (Typical)". Install type already set to "Typical (Typical)". Setting it to "Custom (Custom)".
INFO: Install type for "Oracle Multimedia Java Advanced Imaging 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Database 12c Multimedia Files 12.1.0.1.0 " is "Typical".
INFO: Install type for "Precompiler Required Support Files 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Text Required Support Files 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Text for Core 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Text ATG Language Support Files 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Notification Service (eONS) 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Globalization Support 12.1.0.1.0 " is "Custom".
INFO: Install type for "Parser Generator Required Support Files 12.1.0.1.0 " is "Typical".
INFO: Install type for "Precompiler Common Files for Core 12.1.0.1.0 " is "Typical".
INFO: Install type for "Database workspace Manager 12.1.0.1.0 " is "Typical".
INFO: Install type for "SQLJ Runtime 12.1.0.1.0 " is "Typical".
INFO: Install type for "RDBMS Required Support Files for Instant Client 12.1.0.1.0 " is "Typical".
INFO: Install type for "RDBMS Required Support Files Runtime 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Application Express 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle SQL Developer 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle JDBC Server Support Package 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle RAC Required Support Files-HAS 12.1.0.1.0 " is "Typical".
INFO: Install type for "Platform Required Support Files 12.1.0.1.0 " is "Custom".
INFO: Install type for "Oracle Notification Service for Instant Client 12.1.0.1.0 " is "Complete".
INFO: Install type for "XDK Required Support Files 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Database Vault option 12.1.0.1.0 " is "Typical".
INFO: OUI-10066:Not all the dependencies for the component Oracle Database Vault option 12.1.0.1.0 could be found. Missing component oracle.rdbms.dv.patch 12.1.0.1.0.
INFO: Install type for "SQL*Plus Required Support Files 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle OLAP API 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle OLAP RDBMS Files 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Data Mining RDBMS Files 12.1.0.1.0 " is "Typical".

```

installActions2013-06-29_12-50-04AM.log
INFO: Install type for "Oracle Label Security 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Real Application Testing 12.1.0.1.0 " is
"Typical".
INFO: Install type for "Oracle R Enterprise Server Files 12.1.0.1.0 " is
"Typical".
INFO: Install type for "Oracle Net Required Support Files 12.1.0.1.0 " is
"Typical".
INFO: Install type for "SSL Required Support Files for InstantClient 12.1.0.1.0
" is "Typical".
INFO: Install type for "Oracle Bali share 11.1.1.6.0 " is "Custom".
INFO: Install type for "Expat libraries 2.0.1.0.2 " is "Maximum".
INFO: Install type for "LDAP Required Support Files 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle ODBC Driverfor Instant Client 12.1.0.1.0 " is
"Typical".
INFO: Install type for "Oracle Configuration Manager 10.3.7.0.3 " is "Typical".
INFO: Install type for "Oracle Configuration Manager Client 10.3.2.1.0 " is
"Typical".
INFO: Install type for "Oracle Database Plugin for Oracle Virtual Assembly
Builder 12.1.0.1.0 " is "Maximum".
INFO: Install type for "Oracle DBCA Deconfiguration 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle RAC Deconfiguration 12.1.0.1.0 " is "Typical".
INFO: Install type for "Oracle Configuration Manager Deconfiguration 10.3.1.0.0
" is "Typical".
INFO: Install type for "Oracle USM Deconfiguration 12.1.0.1.0 " is "Typical".
INFO: Install type for "Sun JDK 1.6.0.37.0 " is "Custom".
INFO: Install type for "Oracle Universal Installer 12.1.0.1.0 " is "Custom".
INFO: Conflict while setting install type of "Installer SDK Component
12.1.0.1.0 " to "Custom (Custom)". Install type already set to "Typical
(Typical)". Seting it to "Custom (Custom)".
INFO: Conflict while setting install type of "Oracle Configuration Manager
10.3.7.0.3 " to "Custom (Custom)". Install type already set to "Typical
(Typical)". Seting it to "Custom (Custom)".
INFO: Install type for "Oracle One-Off Patch Installer 12.1.0.1.0 " is "Custom".
INFO: Install type for "Installer SDK Component 12.1.0.1.0 " is "Custom".
INFO: Install type for "oracle.swd.oui.core.min 12.1.0.1.0 " is "Custom".
INFO: Install type for "Sun JDK 1.6.0.37.0 " is "Custom".
INFO: Setting the PRE_REQUISITE variable of 'oracle.server_12.1.0.1.0' to
'true'. Received the value from the variable calculation.
INFO: Executing pre-requisites
INFO: Executing pre-requisites
INFO: Setting the PRE_REQUISITE variable of 'oracle.rdbms_12.1.0.1.0' to 'true'.
Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.options_12.1.0.1.0' to
'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.network_12.1.0.1.0' to
'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.rdbms.oci_12.1.0.1.0' to
'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.precomp_12.1.0.1.0' to
'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.xdk_12.1.0.1.0' to 'true'.
Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.odbc_12.1.0.1.0' to 'true'.
Received the value from the variable calculation.
INFO: Calling Query globalVarQueries12.1.0.1.0 getGlobalVariable

variable = oracle.sysman.ccrinstall
INFO:
Query Exception: VariableNotFoundException
Query Exception Class: class oracle.sysman.oii.oil.OilQueryException
INFO: true
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/ccr_stage
INFO: Query Returned: false
INFO: Setting the PRE_REQUISITE variable of 'oracle.sysman.ccr_10.3.7.0.3' to
'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of

```

```
installActions2013-06-29_12-50-04AM.log
'oracle.sysman.ccr.client_10.3.2.1.0' to 'true'. Received the value from the
variable calculation.
INFO: Setting the PRE_REQUISITE variable of
'oracle.rdbms.install.ovabplugin_12.1.0.1.0' to 'true'. Received the value from
the variable calculation.
INFO: Setting the PRE_REQUISITE variable of
'oracle.rdbms.install.common_12.1.0.1.0' to 'true'. Received the value from the
variable calculation.
INFO: Setting the PRE_REQUISITE variable of
'oracle.install.deinstalltool_12.1.0.1.0' to 'true'. Received the value from the
variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.swd.oui_12.1.0.1.0' to
'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.dbjava.jdbc_12.1.0.1.0' to
'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.network.aso_12.1.0.1.0' to
'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of
'oracle.rdbms.partitioning_12.1.0.1.0' to 'true'. Received the value from the
variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.sdo_12.1.0.1.0' to 'true'.
Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.rdbms.lbac_12.1.0.1.0' to
'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.oraolap_12.1.0.1.0' to
'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.rdbms.dm_12.1.0.1.0' to
'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.rdbms.dv_12.1.0.1.0' to
'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.rdbms.rat_12.1.0.1.0' to
'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.oracle.server_12.1.0.1.0'
to 'true'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Calling Query rgsQueries10.1.0.3.0 isProductInstalled

Location = /u01/app/oracle/product/12.1.0/db_1

InternalName = ocommon

MaxVersion = 8.0.7

MinVersion = 7.3.2
INFO: Query Returned: false
INFO: Setting the PRE_REQUISITE variable of 'oracle.rsf_12.1.0.1.0' to 'true'.
Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.sdo.locator_12.1.0.1.0' to
'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.oraolap.api_12.1.0.1.0' to
'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.rdbms.olap_12.1.0.1.0' to
'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.network.listener_12.1.0.1.0'
to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.rdbms.util_12.1.0.1.0' to
'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.rdbms.dbscripts_12.1.0.1.0'
to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.wwg.plsql_12.1.0.1.0' to
'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.sqlplus_12.1.0.1.0' to
'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.javavm.server_12.1.0.1.0' to
'true'. Received the value from the variable calculation.
```


installActions2013-06-29_12-50-04AM.log

INFO: Setting the PRE_REQUISITE variable of 'oracle.has.common_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.rdbms.plsql_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.has.db_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.wlm.em_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.rdbms.deconfig_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.assistants.server_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.xdk.server_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.mgw.common_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.rdbms.install.seeddb_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.ordim.server_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.ordim.rdbms_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.ctx_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.ons_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.ons.eons_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.ovm_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.sqlj.sqljruntime_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.rdbms.hsodbc_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.marvel_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.dbdev_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.dbjava.server_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.network.client_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.assistants.netca.client_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.ctx.rsf_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.ctx.core_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.ctx.atg_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.assistants.acf_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.has.rsf_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.ldap.client_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.bali.dbui4_11.0.0.0.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.ldap.admin_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.ldap.ssl_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.javavm.client_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of

'oracle.javavm.server.core_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.javavm.containers_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.javavm.companion_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.xdk.parser.java_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.swd.oui.core_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.jdk_1.6.0.37.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.rdbms.install.plugins_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.xdk.xquery_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.xdk.core_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.rdbms.rsf.ic_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.precomp.common_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.ordim.client_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.ordim.jai_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.rdbms.locator_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.sdo.locator.jrf_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.sqlplus.ic_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.assistants.deconfig_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.precomp.lang_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.rdbms.hs_common_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.rdbms.rman_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.duma_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.ldap.owm_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.network.client.jrf_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.network.rsf_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.ons.ic_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.help.ohj_11.1.1.6.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.bali.ice_11.1.1.6.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.buildtools.common_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.oracore.rsf_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.nlsrtl.rsf_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.rdbms.crs_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.has.common.cvu_12.1.0.1.0'

to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.help.share_11.1.1.6.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.bali.share_11.1.1.6.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.bali.jewt_11.1.1.6.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.bali.jle3_11.0.0.0.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.bali.ewt_11.1.1.6.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.buildtools.rsfc_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.ldap.security.osdt_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.has.deconfig_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.sysman.ccr.deconfig_10.3.1.0.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.usm.deconfig_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.precomp.common.core_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.odbc.ic_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.ldap.rsfc_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.precomp.rsfc_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.slax.rsfc_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.rdbms.rsfc_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.xdk.rsfc_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.sqlplus.rsfc_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.nlsrtl.rsfc.lbuilder_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.perlint_5.14.1.0.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.nlsrtl.rsfc.ic_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.nlsrtl.rsfc.core_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.oraolap.dbscripts_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.perlint.modules_5.14.1.0.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.dbjava.ic_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.dbjava.ucp_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.rdbms.rsfc.runtime_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.perlint.expat_2.0.1.0.2' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.rdbms.install.seeddb.sample_schema_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.oracore.rsfc.core_12.1.0.1.0' to 'true'. Received the value from the variable calculation.

installActions2013-06-29_12-50-04AM.log

INFO: Setting the PRE_REQUISITE variable of 'oracle.ldap.rsfc.ic_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.swd.opatch_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Setting the PRE_REQUISITE variable of 'oracle.swd.oui.core.min_12.1.0.1.0' to 'true'. Received the value from the variable calculation.
INFO: Loading Oracle Database 12c
INFO: Loading Oracle Database 12c
INFO: Loading Enterprise Edition Options
INFO: Loading Enterprise Edition Options
INFO: Loading Oracle Partitioning
INFO: Loading Oracle Partitioning
INFO: Loading Oracle Spatial and Graph
INFO: Loading Oracle Spatial and Graph
INFO: Loading Oracle OLAP
INFO: Loading Oracle OLAP
INFO: Loading Oracle Database 12c
INFO: Loading Oracle Database 12c
INFO: Loading Oracle Net Services
INFO: Loading Oracle Net Services
INFO: Loading Oracle Text
INFO: Loading Oracle Text
INFO: Loading HAS Files for DB
INFO: Loading HAS Files for DB
INFO: Loading Oracle Net Listener
INFO: Loading Oracle Net Listener
INFO: Loading Oracle Internet Directory Client
INFO: Loading Oracle Internet Directory Client
INFO: Loading Oracle Advanced Security
INFO: Loading Oracle Advanced Security
INFO: Loading Oracle JVM
INFO: Loading Oracle JVM
INFO: Loading Database Configuration and Upgrade Assistants
INFO: Loading Database Configuration and Upgrade Assistants
INFO: Loading Oracle XML Development Kit
INFO: Loading Oracle XML Development Kit
INFO: Loading Oracle Call Interface (OCI)
INFO: Loading Oracle Call Interface (OCI)
INFO: Loading Oracle Multimedia
INFO: Loading Oracle Multimedia
INFO: Loading Oracle Multimedia Locator
INFO: Loading Oracle Multimedia Locator
INFO: Loading SQL*Plus
INFO: Loading SQL*Plus
INFO: Loading Oracle Netca Client
INFO: Loading Oracle Netca Client
INFO: Loading Oracle Programmer
INFO: Loading Oracle Programmer
INFO: Loading Oracle Database Gateway for ODBC
INFO: Loading Oracle Database Gateway for ODBC
INFO: Loading Generic Connectivity Common Files
INFO: Loading Generic Connectivity Common Files
INFO: Loading Oracle Database Utilities
INFO: Loading Oracle Database Utilities
INFO: Loading Oracle Net
INFO: Loading Oracle Net
INFO: Loading Oracle Notification Service
INFO: Loading Oracle Notification Service
INFO: Loading Assistant Common Files
INFO: Loading Assistant Common Files
INFO: Loading PL/SQL
INFO: Loading PL/SQL
INFO: Loading HAS Common Files
INFO: Loading HAS Common Files
INFO: Loading Oracle Help for Java
INFO: Loading Oracle Help for Java
INFO: Loading Oracle Help Share Library
INFO: Loading Oracle Help Share Library

installActions2013-06-29_12-50-04AM.log

INFO: Loading Oracle Database User Interface
INFO: Loading Oracle Database User Interface
INFO: Loading Oracle Java Layout Engine
INFO: Loading Oracle Java Layout Engine
INFO: Loading Buildtools Common Files
INFO: Loading Buildtools Common Files
INFO: Loading Oracle LDAP administration
INFO: Loading Oracle LDAP administration
INFO: Loading Installation Common Files
INFO: Loading Installation Common Files
INFO: Loading Installation Plugin Files
INFO: Loading Installation Plugin Files
INFO: Loading Oracle Ice Browser
INFO: Loading Oracle Ice Browser
INFO: Loading Oracle Clusterware RDBMS Files
INFO: Loading Oracle Clusterware RDBMS Files
INFO: Loading Cluster Verification Utility Common Files
INFO: Loading Cluster Verification Utility Common Files
INFO: Loading Oracle wallet Manager
INFO: Loading Oracle wallet Manager
INFO: Loading Oracle Security Developer Tools
INFO: Loading Oracle Security Developer Tools
INFO: Loading XML Parser for Java
INFO: Loading XML Parser for Java
INFO: Loading Oracle Net Java Required Support Files
INFO: Loading Oracle Net Java Required Support Files
INFO: Loading Oracle Recovery Manager
INFO: Loading Oracle Recovery Manager
INFO: Loading Deinstallation Tool
INFO: Loading Deinstallation Tool
INFO: Loading Precompiler Common Files
INFO: Loading Precompiler Common Files
INFO: Loading Precompilers
INFO: Loading Precompilers
INFO: Loading Oracle ODBC Driver
INFO: Loading Oracle ODBC Driver
INFO: Loading Required Support Files
INFO: Loading Required Support Files
INFO: Loading SQL*Plus Files for Instant Client
INFO: Loading SQL*Plus Files for Instant Client
INFO: Loading Oracle Extended windowing Toolkit
INFO: Loading Oracle Extended windowing Toolkit
INFO: Loading Oracle Globalization Support
INFO: Loading Oracle Globalization Support
INFO: Loading Database SQL Scripts
INFO: Loading Database SQL Scripts
INFO: Loading OLAP SQL Scripts
INFO: Loading OLAP SQL Scripts
INFO: Loading PL/SQL Embedded Gateway
INFO: Loading PL/SQL Embedded Gateway
INFO: Loading Perl Interpreter
INFO: Loading Perl Interpreter
INFO: Loading Database Migration Assistant for Unicode
INFO: Loading Database Migration Assistant for Unicode
INFO: Loading Oracle Java Client
INFO: Loading Oracle Java Client
INFO: Loading Oracle Multimedia Client Option
INFO: Loading Oracle Multimedia Client Option
INFO: Loading Oracle JDBC/THIN Interfaces
INFO: Loading Oracle JDBC/THIN Interfaces
INFO: Loading Oracle Universal Connection Pool
INFO: Loading Oracle Universal Connection Pool
INFO: Loading Secure Socket Layer
INFO: Loading Secure Socket Layer
INFO: Loading RDBMS Required Support Files
INFO: Loading RDBMS Required Support Files
INFO: Loading Perl Modules
INFO: Loading Perl Modules

installActions2013-06-29_12-50-04AM.log

INFO: Loading Oracle JVM For Core
INFO: Loading Oracle JVM For Core
INFO: Loading Oracle Containers for Java
INFO: Loading Oracle Containers for Java
INFO: Loading JAccelerator (COMPANION)
INFO: Loading JAccelerator (COMPANION)
INFO: Loading Oracle Locale Builder
INFO: Loading Oracle Locale Builder
INFO: Loading Oracle Quality of Service Management (Client)
INFO: Loading Oracle Quality of Service Management (Client)
INFO: Loading Oracle Database Deconfiguration
INFO: Loading Oracle Database Deconfiguration
INFO: Loading Oracle Globalization Support For Core
INFO: Loading Oracle Globalization Support For Core
INFO: Loading Oracle JFC Extended windowing Toolkit
INFO: Loading Oracle JFC Extended windowing Toolkit
INFO: Loading XML Parser for Oracle JVM
INFO: Loading XML Parser for Oracle JVM
INFO: Loading Oracle Core XML Development Kit
INFO: Loading Oracle Core XML Development Kit
INFO: Loading Oracle XML Query
INFO: Loading Oracle XML Query
INFO: Loading Oracle Message Gateway Common Files
INFO: Loading Oracle Message Gateway Common Files
INFO: Loading Oracle Starter Database
INFO: Loading Oracle Starter Database
INFO: Loading Sample Schema Data
INFO: Loading Sample Schema Data
INFO: Loading Oracle Core Required Support Files
INFO: Loading Oracle Core Required Support Files
INFO: Loading Oracle Core Required Support Files for Core DB
INFO: Loading Oracle Core Required Support Files for Core DB
INFO: Loading Oracle Multimedia Locator RDBMS Files
INFO: Loading Oracle Multimedia Locator RDBMS Files
INFO: Loading Oracle Multimedia Locator Java Required Support Files
INFO: Loading Oracle Multimedia Locator Java Required Support Files
INFO: Loading Oracle JDBC/OCI Instant Client
INFO: Loading Oracle JDBC/OCI Instant Client
INFO: Loading Oracle Multimedia Java Advanced Imaging
INFO: Loading Oracle Multimedia Java Advanced Imaging
INFO: Loading Oracle Database 12c Multimedia Files
INFO: Loading Oracle Database 12c Multimedia Files
INFO: Loading Precompiler Required Support Files
INFO: Loading Precompiler Required Support Files
INFO: Loading Oracle Text Required Support Files
INFO: Loading Oracle Text Required Support Files
INFO: Loading Oracle Text for Core
INFO: Loading Oracle Text for Core
INFO: Loading Oracle Text ATG Language Support Files
INFO: Loading Oracle Text ATG Language Support Files
INFO: Loading Oracle Notification Service (eONS)
INFO: Loading Oracle Notification Service (eONS)
INFO: Loading Oracle Globalization Support
INFO: Loading Oracle Globalization Support
INFO: Loading Parser Generator Required Support Files
INFO: Loading Parser Generator Required Support Files
INFO: Loading Precompiler Common Files for Core
INFO: Loading Precompiler Common Files for Core
INFO: Loading Database workspace Manager
INFO: Loading Database workspace Manager
INFO: Loading SQLJ Runtime
INFO: Loading SQLJ Runtime
INFO: Loading RDBMS Required Support Files for Instant Client
INFO: Loading RDBMS Required Support Files for Instant Client
INFO: Loading RDBMS Required Support Files Runtime
INFO: Loading RDBMS Required Support Files Runtime
INFO: Loading Oracle Application Express
INFO: Loading Oracle Application Express

installActions2013-06-29_12-50-04AM.log

INFO: Loading Oracle SQL Developer
INFO: Loading Oracle SQL Developer
INFO: Loading Oracle JDBC Server Support Package
INFO: Loading Oracle JDBC Server Support Package
INFO: Loading Oracle RAC Required Support Files-HAS
INFO: Loading Oracle RAC Required Support Files-HAS
INFO: Loading Platform Required Support Files
INFO: Loading Platform Required Support Files
INFO: Loading Oracle Notification Service for Instant Client
INFO: Loading Oracle Notification Service for Instant Client
INFO: Loading XDK Required Support Files
INFO: Loading XDK Required Support Files
INFO: Loading Oracle Database Vault option
INFO: Loading Oracle Database Vault option
INFO: Loading SQL*Plus Required Support Files
INFO: Loading SQL*Plus Required Support Files
INFO: Loading Oracle OLAP API
INFO: Loading Oracle OLAP API
INFO: Loading Oracle OLAP RDBMS Files
INFO: Loading Oracle OLAP RDBMS Files
INFO: Loading Oracle Data Mining RDBMS Files
INFO: Loading Oracle Data Mining RDBMS Files
INFO: Loading Oracle Label Security
INFO: Loading Oracle Label Security
INFO: Loading Oracle Real Application Testing
INFO: Loading Oracle Real Application Testing
INFO: Loading Oracle R Enterprise Server Files
INFO: Loading Oracle R Enterprise Server Files
INFO: Loading Oracle Net Required Support Files
INFO: Loading Oracle Net Required Support Files
INFO: Loading SSL Required Support Files for InstantClient
INFO: Loading SSL Required Support Files for InstantClient
INFO: Loading Oracle Bali Share
INFO: Loading Oracle Bali Share
INFO: Loading Expat libraries
INFO: Loading Expat libraries
INFO: Loading LDAP Required Support Files
INFO: Loading LDAP Required Support Files
INFO: Loading Oracle ODBC Driverfor Instant Client
INFO: Loading Oracle ODBC Driverfor Instant Client
INFO: Loading Oracle Configuration Manager
INFO: Loading Oracle Configuration Manager
INFO: Loading Oracle Configuration Manager Client
INFO: Loading Oracle Configuration Manager Client
INFO: Loading Oracle Database Plugin for Oracle Virtual Assembly Builder
INFO: Loading Oracle Database Plugin for Oracle Virtual Assembly Builder
INFO: Loading Oracle DBCA Deconfiguration
INFO: Loading Oracle DBCA Deconfiguration
INFO: Loading Oracle RAC Deconfiguration
INFO: Loading Oracle RAC Deconfiguration
INFO: Loading Oracle Configuration Manager Deconfiguration
INFO: Loading Oracle Configuration Manager Deconfiguration
INFO: Loading Oracle USM Deconfiguration
INFO: Loading Oracle USM Deconfiguration
INFO: Loading Oracle Universal Installer
INFO: Loading Oracle Universal Installer
INFO: Loading Oracle One-Off Patch Installer
INFO: Loading Oracle One-Off Patch Installer
INFO: Loading Installer SDK Component
INFO: Loading Installer SDK Component
INFO: Loading oracle.swd.oui.core.min
INFO: Loading oracle.swd.oui.core.min
INFO: Loading Sun JDK
INFO: Loading Sun JDK
INFO:
*** Language Selection Page***
INFO: Setting the 'SelectedLanguages (SELECTED_LANGUAGES)' property to 'en'.
Received the value from the command line.

installActions2013-06-29_12-50-04AM.log

INFO:

*** Specify Local Host Name Page***

INFO: Setting the 'HostName (ORACLE_HOSTNAME)' property to 'oracle12c'.
Received the value from the command line.

INFO: Adding iterator oracle.sysman.oii.oiiic.OiiicCompswizEngine

INFO: Adding iterator oracle.sysman.oii.oiiic.OiiicCompswizEngine

INFO: Adding iterator oracle.sysman.oii.oiiic.OiiicSessionSettingSaveWCCE

INFO: Adding iterator oracle.sysman.oii.oiiif.oiiifw.OiiifwSummaryWCDE

INFO: Adding iterator oracle.sysman.oii.oiiif.oiiifw.OiiifwValidatedDiskSpaceWCCE

INFO: Loading dialogs for Oracle Database 12c

INFO: Loading dialogs for Oracle Database 12c

INFO: Loading dialogs for Enterprise Edition Options

INFO: Loading dialogs for Enterprise Edition Options

INFO: Loading dialogs for Oracle Partitioning

INFO: Loading dialogs for Oracle Partitioning

INFO: Loading dialogs for Oracle Spatial and Graph

INFO: Loading dialogs for Oracle Spatial and Graph

INFO: Loading dialogs for Oracle OLAP

INFO: Loading dialogs for Oracle OLAP

INFO: Loading dialogs for Oracle Database 12c

INFO: Loading dialogs for Oracle Database 12c

INFO: Loading dialogs for Oracle Net Services

INFO: Loading dialogs for Oracle Net Services

INFO: Loading dialogs for Oracle Text

INFO: Loading dialogs for Oracle Text

INFO: Loading dialogs for HAS Files for DB

INFO: Loading dialogs for HAS Files for DB

INFO: Loading dialogs for Oracle Net Listener

INFO: Loading dialogs for Oracle Net Listener

INFO: Loading dialogs for Oracle Internet Directory Client

INFO: Loading dialogs for Oracle Internet Directory Client

INFO: Loading dialogs for Oracle Advanced Security

INFO: Loading dialogs for Oracle Advanced Security

INFO: Loading dialogs for Oracle JVM

INFO: Loading dialogs for Oracle JVM

INFO: Loading dialogs for Database Configuration and Upgrade Assistants

INFO: Loading dialogs for Database Configuration and Upgrade Assistants

INFO: Loading dialogs for Oracle XML Development Kit

INFO: Loading dialogs for Oracle XML Development Kit

INFO: Loading dialogs for Oracle Call Interface (OCI)

INFO: Loading dialogs for Oracle Call Interface (OCI)

INFO: Loading dialogs for Oracle Multimedia

INFO: Loading dialogs for Oracle Multimedia

INFO: Loading dialogs for Oracle Multimedia Locator

INFO: Loading dialogs for Oracle Multimedia Locator

INFO: Loading dialogs for SQL*Plus

INFO: Loading dialogs for SQL*Plus

INFO: Loading dialogs for Oracle Netca Client

INFO: Loading dialogs for Oracle Netca Client

INFO: Loading dialogs for Oracle Programmer

INFO: Loading dialogs for Oracle Programmer

INFO: Loading dialogs for Oracle Database Gateway for ODBC

INFO: Loading dialogs for Oracle Database Gateway for ODBC

INFO: Loading dialogs for Generic Connectivity Common Files

INFO: Loading dialogs for Generic Connectivity Common Files

INFO: Loading dialogs for Oracle Database Utilities

INFO: Loading dialogs for Oracle Database Utilities

INFO: Loading dialogs for Oracle Net

INFO: Loading dialogs for Oracle Net

INFO: Loading dialogs for Oracle Notification Service

INFO: Loading dialogs for Oracle Notification Service

INFO: Loading dialogs for Assistant Common Files

INFO: Loading dialogs for Assistant Common Files

INFO: Loading dialogs for PL/SQL

INFO: Loading dialogs for PL/SQL

INFO: Loading dialogs for HAS Common Files

INFO: Loading dialogs for HAS Common Files

INFO: Loading dialogs for Oracle Help for Java

installActions2013-06-29_12-50-04AM.log

INFO: Loading dialogs for Oracle Help for Java
INFO: Loading dialogs for Oracle Help Share Library
INFO: Loading dialogs for Oracle Help Share Library
INFO: Loading dialogs for Oracle Database User Interface
INFO: Loading dialogs for Oracle Database User Interface
INFO: Loading dialogs for Oracle Java Layout Engine
INFO: Loading dialogs for Oracle Java Layout Engine
INFO: Loading dialogs for Buildtools Common Files
INFO: Loading dialogs for Buildtools Common Files
INFO: Loading dialogs for Oracle LDAP administration
INFO: Loading dialogs for Oracle LDAP administration
INFO: Loading dialogs for Installation Common Files
INFO: Loading dialogs for Installation Common Files
INFO: Loading dialogs for Installation Plugin Files
INFO: Loading dialogs for Installation Plugin Files
INFO: Loading dialogs for Oracle Ice Browser
INFO: Loading dialogs for Oracle Ice Browser
INFO: Loading dialogs for Oracle Clusterware RDBMS Files
INFO: Loading dialogs for Oracle Clusterware RDBMS Files
INFO: Loading dialogs for Cluster Verification Utility Common Files
INFO: Loading dialogs for Cluster Verification Utility Common Files
INFO: Loading dialogs for Oracle wallet Manager
INFO: Loading dialogs for Oracle wallet Manager
INFO: Loading dialogs for Oracle Security Developer Tools
INFO: Loading dialogs for Oracle Security Developer Tools
INFO: Loading dialogs for XML Parser for Java
INFO: Loading dialogs for XML Parser for Java
INFO: Loading dialogs for Oracle Net Java Required Support Files
INFO: Loading dialogs for Oracle Net Java Required Support Files
INFO: Loading dialogs for Oracle Recovery Manager
INFO: Loading dialogs for Oracle Recovery Manager
INFO: Loading dialogs for Deinstallation Tool
INFO: Loading dialogs for Deinstallation Tool
INFO: Loading dialogs for Precompiler Common Files
INFO: Loading dialogs for Precompiler Common Files
INFO: Loading dialogs for Precompilers
INFO: Loading dialogs for Precompilers
INFO: Loading dialogs for Oracle ODBC Driver
INFO: Loading dialogs for Oracle ODBC Driver
INFO: Loading dialogs for Required Support Files
INFO: Loading dialogs for Required Support Files
INFO: Loading dialogs for SQL*Plus Files for Instant Client
INFO: Loading dialogs for SQL*Plus Files for Instant Client
INFO: Loading dialogs for Oracle Extended Windowing Toolkit
INFO: Loading dialogs for Oracle Extended Windowing Toolkit
INFO: Loading dialogs for Oracle Globalization Support
INFO: Loading dialogs for Oracle Globalization Support
INFO: Loading dialogs for Database SQL Scripts
INFO: Loading dialogs for Database SQL Scripts
INFO: Loading dialogs for OLAP SQL Scripts
INFO: Loading dialogs for OLAP SQL Scripts
INFO: Loading dialogs for PL/SQL Embedded Gateway
INFO: Loading dialogs for PL/SQL Embedded Gateway
INFO: Loading dialogs for Perl Interpreter
INFO: Loading dialogs for Perl Interpreter
INFO: Loading dialogs for Database Migration Assistant for Unicode
INFO: Loading dialogs for Database Migration Assistant for Unicode
INFO: Loading dialogs for Oracle Java Client
INFO: Loading dialogs for Oracle Java Client
INFO: Loading dialogs for Oracle Multimedia Client Option
INFO: Loading dialogs for Oracle Multimedia Client Option
INFO: Loading dialogs for Oracle JDBC/THIN Interfaces
INFO: Loading dialogs for Oracle JDBC/THIN Interfaces
INFO: Loading dialogs for Oracle Universal Connection Pool
INFO: Loading dialogs for Oracle Universal Connection Pool
INFO: Loading dialogs for Secure Socket Layer
INFO: Loading dialogs for Secure Socket Layer
INFO: Loading dialogs for RDBMS Required Support Files

installActions2013-06-29_12-50-04AM.log

INFO: Loading dialogs for RDBMS Required Support Files
INFO: Loading dialogs for Perl Modules
INFO: Loading dialogs for Perl Modules
INFO: Loading dialogs for Oracle JVM For Core
INFO: Loading dialogs for Oracle JVM For Core
INFO: Loading dialogs for Oracle Containers for Java
INFO: Loading dialogs for Oracle Containers for Java
INFO: Loading dialogs for JAccelerator (COMPANION)
INFO: Loading dialogs for JAccelerator (COMPANION)
INFO: Loading dialogs for Oracle Locale Builder
INFO: Loading dialogs for Oracle Locale Builder
INFO: Loading dialogs for Oracle Quality of Service Management (Client)
INFO: Loading dialogs for Oracle Quality of Service Management (Client)
INFO: Loading dialogs for Oracle Database Deconfiguration
INFO: Loading dialogs for Oracle Database Deconfiguration
INFO: Loading dialogs for Oracle Globalization Support For Core
INFO: Loading dialogs for Oracle Globalization Support For Core
INFO: Loading dialogs for Oracle JFC Extended Windowing Toolkit
INFO: Loading dialogs for Oracle JFC Extended Windowing Toolkit
INFO: Loading dialogs for XML Parser for Oracle JVM
INFO: Loading dialogs for XML Parser for Oracle JVM
INFO: Loading dialogs for Oracle Core XML Development Kit
INFO: Loading dialogs for Oracle Core XML Development Kit
INFO: Loading dialogs for Oracle XML Query
INFO: Loading dialogs for Oracle XML Query
INFO: Loading dialogs for Oracle Message Gateway Common Files
INFO: Loading dialogs for Oracle Message Gateway Common Files
INFO: Loading dialogs for Oracle Starter Database
INFO: Loading dialogs for Oracle Starter Database
INFO: Loading dialogs for Sample Schema Data
INFO: Loading dialogs for Sample Schema Data
INFO: Loading dialogs for Oracle Core Required Support Files
INFO: Loading dialogs for Oracle Core Required Support Files
INFO: Loading dialogs for Oracle Core Required Support Files for Core DB
INFO: Loading dialogs for Oracle Core Required Support Files for Core DB
INFO: Loading dialogs for Oracle Multimedia Locator RDBMS Files
INFO: Loading dialogs for Oracle Multimedia Locator RDBMS Files
INFO: Loading dialogs for Oracle Multimedia Locator Java Required Support Files
INFO: Loading dialogs for Oracle Multimedia Locator Java Required Support Files
INFO: Loading dialogs for Oracle JDBC/OCI Instant Client
INFO: Loading dialogs for Oracle JDBC/OCI Instant Client
INFO: Loading dialogs for Oracle Multimedia Java Advanced Imaging
INFO: Loading dialogs for Oracle Multimedia Java Advanced Imaging
INFO: Loading dialogs for Oracle Database 12c Multimedia Files
INFO: Loading dialogs for Oracle Database 12c Multimedia Files
INFO: Loading dialogs for Precompiler Required Support Files
INFO: Loading dialogs for Precompiler Required Support Files
INFO: Loading dialogs for Oracle Text Required Support Files
INFO: Loading dialogs for Oracle Text Required Support Files
INFO: Loading dialogs for Oracle Text for Core
INFO: Loading dialogs for Oracle Text for Core
INFO: Loading dialogs for Oracle Text ATG Language Support Files
INFO: Loading dialogs for Oracle Text ATG Language Support Files
INFO: Loading dialogs for Oracle Notification Service (eONS)
INFO: Loading dialogs for Oracle Notification Service (eONS)
INFO: Loading dialogs for Oracle Globalization Support
INFO: Loading dialogs for Oracle Globalization Support
INFO: Loading dialogs for Parser Generator Required Support Files
INFO: Loading dialogs for Parser Generator Required Support Files
INFO: Loading dialogs for Precompiler Common Files for Core
INFO: Loading dialogs for Precompiler Common Files for Core
INFO: Loading dialogs for Database workspace Manager
INFO: Loading dialogs for Database workspace Manager
INFO: Loading dialogs for SQLJ Runtime
INFO: Loading dialogs for SQLJ Runtime
INFO: Loading dialogs for RDBMS Required Support Files for Instant Client
INFO: Loading dialogs for RDBMS Required Support Files for Instant Client
INFO: Loading dialogs for RDBMS Required Support Files Runtime

installActions2013-06-29_12-50-04AM.log

INFO: Loading dialogs for RDBMS Required Support Files Runtime
INFO: Loading dialogs for Oracle Application Express
INFO: Loading dialogs for Oracle Application Express
INFO: Loading dialogs for Oracle SQL Developer
INFO: Loading dialogs for Oracle SQL Developer
INFO: Loading dialogs for Oracle JDBC Server Support Package
INFO: Loading dialogs for Oracle JDBC Server Support Package
INFO: Loading dialogs for Oracle RAC Required Support Files-HAS
INFO: Loading dialogs for Oracle RAC Required Support Files-HAS
INFO: Loading dialogs for Platform Required Support Files
INFO: Loading dialogs for Platform Required Support Files
INFO: Loading dialogs for Oracle Notification Service for Instant Client
INFO: Loading dialogs for Oracle Notification Service for Instant Client
INFO: Loading dialogs for XDK Required Support Files
INFO: Loading dialogs for XDK Required Support Files
INFO: Loading dialogs for Oracle Database Vault option
INFO: Loading dialogs for Oracle Database Vault option
INFO: Loading dialogs for SQL*Plus Required Support Files
INFO: Loading dialogs for SQL*Plus Required Support Files
INFO: Loading dialogs for Oracle OLAP API
INFO: Loading dialogs for Oracle OLAP API
INFO: Loading dialogs for Oracle OLAP RDBMS Files
INFO: Loading dialogs for Oracle OLAP RDBMS Files
INFO: Loading dialogs for Oracle Data Mining RDBMS Files
INFO: Loading dialogs for Oracle Data Mining RDBMS Files
INFO: Loading dialogs for Oracle Label Security
INFO: Loading dialogs for Oracle Label Security
INFO: Loading dialogs for Oracle Real Application Testing
INFO: Loading dialogs for Oracle Real Application Testing
INFO: Loading dialogs for Oracle R Enterprise Server Files
INFO: Loading dialogs for Oracle R Enterprise Server Files
INFO: Loading dialogs for Oracle Net Required Support Files
INFO: Loading dialogs for Oracle Net Required Support Files
INFO: Loading dialogs for SSL Required Support Files for InstantClient
INFO: Loading dialogs for SSL Required Support Files for InstantClient
INFO: Loading dialogs for Oracle Bali Share
INFO: Loading dialogs for Oracle Bali Share
INFO: Loading dialogs for Expat libraries
INFO: Loading dialogs for Expat libraries
INFO: Loading dialogs for LDAP Required Support Files
INFO: Loading dialogs for LDAP Required Support Files
INFO: Loading dialogs for Oracle ODBC Driverfor Instant Client
INFO: Loading dialogs for Oracle ODBC Driverfor Instant Client
INFO: Loading dialogs for Oracle Configuration Manager
INFO: Loading dialogs for Oracle Configuration Manager
INFO: Loading dialogs for Oracle Configuration Manager Client
INFO: Loading dialogs for Oracle Configuration Manager Client
INFO: Loading dialogs for Oracle Database Plugin for Oracle Virtual Assembly
Builder
INFO: Loading dialogs for Oracle Database Plugin for Oracle Virtual Assembly
Builder
INFO: Loading dialogs for Oracle DBCA Deconfiguration
INFO: Loading dialogs for Oracle DBCA Deconfiguration
INFO: Loading dialogs for Oracle RAC Deconfiguration
INFO: Loading dialogs for Oracle RAC Deconfiguration
INFO: Loading dialogs for Oracle Configuration Manager Deconfiguration
INFO: Loading dialogs for Oracle Configuration Manager Deconfiguration
INFO: Loading dialogs for Oracle USM Deconfiguration
INFO: Loading dialogs for Oracle USM Deconfiguration
INFO: Loading dialogs for Oracle Universal Installer
INFO: Loading dialogs for Oracle Universal Installer
INFO: Loading dialogs for Oracle One-Off Patch Installer
INFO: Loading dialogs for Oracle One-Off Patch Installer
INFO: Loading dialogs for Installer SDK Component
INFO: Loading dialogs for Installer SDK Component
INFO: Loading dialogs for oracle.swd.oui.core.min
INFO: Loading dialogs for oracle.swd.oui.core.min
INFO: Loading dialogs for Sun JDK

installActions2013-06-29_12-50-04AM.log

INFO: Loading dialogs for Sun JDK
INFO: *** Entering Component: oracle.server installation
INFO: Processing Oracle Database 12c 12.1.0.1.0
INFO: Processing Oracle Database 12c 12.1.0.1.0
INFO: Setting variable 'sl_retdisklist' to 'NO_VALUE,'. Received the value from the variable calculation.
INFO: Setting variable 'sl_rawNodeList' to ''. Received the value from the variable calculation.
INFO: Setting variable 'sl_migrateSIDDIALOGReturn' to ''. Received the value from the variable calculation.
INFO: Setting variable 'sl_dlgEMCentralAgentsOraHomes' to ''. Received the value from the variable calculation.
INFO: Setting variable 'sl_dlgDBConfig_Options0' to '&General Purpose / Transaction Processing,A starter database designed for general purpose usage or transaction-heavy applications.,&Data warehouse,A starter database optimized for data warehousing applications.,&Advanced,Allows you to customize the configuration of your starter database.'. Received the value from the variable calculation.
INFO: Setting variable 'sl_dbCharset' to 'Unicode standard UTF-8 AL32UTF8,west European WE8ISO8859P15,west European WE8MSWIN1252,East European EE8ISO8859P2,East European EE8MSWIN1250,North European NE8ISO8859P10,Baltic NEE8ISO8859P4,Baltic BLT8MSWIN1257,Baltic BLT8ISO8859P13,Cyrillic CL8ISO8859P5,Cyrillic CL8MSWIN1251,Arabic AR8ISO8859P6,Arabic AR8MSWIN1256,Greek EL8ISO8859P7,Greek EL8MSWIN1253,Hebrew IW8ISO8859P8,Hebrew IW8MSWIN1255,Japanese JA16EUC,Japanese JA16EUCTILDE,Japanese JA16SJIS,Japanese JA16SJISTILDE,Korean KO16MSWIN949,Simplified Chinese ZHS16GBK,Thai TH8TISASCII,Traditional Chinese ZHT32EUC,Traditional Chinese ZHT16MSWIN950,Traditional Chinese ZHT16HKSCS,Turkish WE8ISO8859P9,Turkish TR8MSWIN1254,Vietnamese VN8MSWIN1258'. Received the value from the variable calculation.
INFO: Setting variable 'sl_additionalSchemas' to ''. Received the value from the variable calculation.
INFO: Setting variable 'sl_RACOrasAndSIDForMigration' to ''. Received the value from the variable calculation.
INFO: Setting variable 's_systemDirectory' to 'c:\winnt\system32'. Received the value from the variable calculation.
INFO: Setting variable 's_rmCmd' to '/bin/rm'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 's_portSpecificDiskLoc' to ''. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Setting variable 's_ntEnvOH' to ''. Received the value from the variable calculation.
INFO: Setting variable 's_isRAWChosen' to ''. Received the value from the variable calculation.
INFO: Calling Query netQueries10.2.0.2.0 getHostIPAddress
INFO: Query Returned: 192.168.153.155
INFO: Calling Query netQueries10.2.0.2.0 getHostNameForIPAddress

ipAddress = 192.168.153.155
INFO: Query Returned: oracle12c
INFO: Calling Query netQueries10.2.0.2.0 getMachineName

hostName = oracle12c
INFO: Query Returned: oracle12c
INFO: Setting variable 's_hostname' to 'oracle12c'. Received the value from the variable calculation.
INFO: Setting variable 's_fullPath' to ''. Received the value from the variable calculation.
INFO: Calling Query netQueries10.2.0.2.0 getFullHostName
INFO: Query Returned: oracle12c
INFO: Calling Query netQueries10.2.0.2.0 getDomainName

```
hostName = oracle12c
INFO: Query Returned:
INFO: Setting variable 's_domainName' to ''. Received the value from the
variable calculation.
INFO: Setting variable 's_dlgStarterDBConfigCreateStarterDB' to 'Create a
starter database'. Received the value from the variable calculation.
INFO: Setting variable 's_dlgSIDMigrateSelection' to 'N'. Received the value
from the variable calculation.
INFO: Setting variable 's_dlgRBODefaultRecoveryOption' to 'File System'.
Received the value from the variable calculation.
INFO: Setting variable 's_dlgEMExtAutoBackupSelected' to 'N'. Received the value
from the variable calculation.
INFO: Setting variable 's_dlgASMDskGrpFormatPrompt' to ''. Received the value
from the variable calculation.
INFO: Setting variable 's_dlgASMCfgPrompt0' to 'Specify Disk Group
characteristics and select disks.'. Received the value from the variable
calculation.
INFO: Setting variable 's_dlgASMCfgDefRedundancyValue' to '2 (Norm)'. Received
the value from the variable calculation.
INFO: Setting variable 's_dlgASMCfgDefExistingFreeSpace' to '0'. Received the
value from the variable calculation.
INFO: Setting variable 's_dlgASMCfgDefDiskGroupName' to 'DATA'. Received the
value from the variable calculation.
INFO: Setting variable 's_dlgASMCfgDefDiskDiscoveryString' to ''. Received the
value from the variable calculation.
INFO: Setting variable 's_dlgASMCfgDefAdditionalDiskSpace' to ''. Received the
value from the variable calculation.
INFO: Setting variable 's_dlgASMCfgAllowDiskGrpCreation' to 'Y'. Received the
value from the variable calculation.
INFO: Calling Query NLSQueries12.1.0.1.0 GetNLSCharSet
INFO: Query Returned: WE8MSWIN1252
INFO: Setting variable 's_defCharSet' to 'WE8MSWIN1252'. Received the value from
the variable calculation.
INFO: Setting variable 's_dbnameOidca' to ''. Received the value from the
variable calculation.
INFO: Setting variable 's_dbCharacterSet' to 'AL32UTF8'. Received the value from
the variable calculation.
INFO: Setting variable 's_ORA_OPER_GRP' to 'ORA_OPER'. Received the value from
the variable calculation.
INFO: Setting variable 's_ORA_INSTALL_GRP' to 'ORA_INSTALL'. Received the value
from the variable calculation.
INFO: Setting variable 's_ORA_GRID_LISTENERS_GRP' to 'ORA_GRID_LISTENERS'.
Received the value from the variable calculation.
INFO: Setting variable 's_ORA_CLIENT_LISTENERS_GRP' to 'ORA_CLIENT_LISTENERS'.
Received the value from the variable calculation.
INFO: Setting variable 's_ORA_ASMOPER_GRP' to 'ORA_ASMOPER'. Received the value
from the variable calculation.
INFO: Setting variable 's_ORA_ASMDBA_GRP' to 'ORA_ASMDBA'. Received the value
from the variable calculation.
INFO: Calling Query areasQueries10.2.0.1.0 getAllOracleHomes
INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1
INFO: Calling Query areasQueries10.2.0.1.0 productInstalled

location = /u01/app/oracle/product/12.1.0/db_1

name = oracle.crs

startVersion = 10.1.0.0.0

endVersion = 99.9.9.9.9

acceptCompatible = true
INFO: Query Returned: false
INFO: Setting variable 's_CRSHome' to ''. Received the value from the variable
calculation.
INFO: Setting variable 's_ASMString' to ''. Received the value from the variable
calculation.
```

installActions2013-06-29_12-50-04AM.log

INFO: Setting variable 'ps_dbCharSet' to 'UTF8'. Received the value from the variable calculation.
INFO: Setting variable 'pb_askMountPoint' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 'n_totalSpaceRequired' to '0'. Received the value from the variable calculation.
INFO: Setting variable 'n_starterdbSize' to '0'. Received the value from the variable calculation.
INFO: Setting variable 'n_softwareimgSize' to '0'. Received the value from the variable calculation.
INFO: Setting variable 'n_oracleProcessMemory' to '75'. Received the value from the variable calculation.
INFO: Setting variable 'n_minSGAMemory' to '160'. Received the value from the variable calculation.
INFO: Setting variable 'n_dlgASMDskGrpExtraSpaceReqrd' to '0'. Received the value from the variable calculation.
INFO: Setting variable 'n_TMPDIR_BYTES_REQ' to '10240000'. Received the value from the variable calculation.
INFO: Setting variable 'n_TEMP_BYTES_REQ' to '61440000'. Received the value from the variable calculation.
INFO: Setting variable 'n_SGAPercentForGeneralPurpose' to '75'. Received the value from the variable calculation.
INFO: Setting variable 'n_SGAPercentForDataWarehouse' to '60'. Received the value from the variable calculation.
INFO: Setting variable 'n_SGAPercent' to '0'. Received the value from the variable calculation.
INFO: Setting variable 'b_validatedSelectedGroupOnce' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_validatedOnce' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_userRegistration' to 'false'. Received the value from the variable calculation.
INFO: Calling Query globalVarQueries12.1.0.1.0 getGlobalVariable

variable = oracle.installer.silent

INFO: Query Returned: false
INFO: Setting variable 'b_silentInstall' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_showCharsetDialog' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 'b_showASMConfigDialog' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_removeNTenvOH' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_oneClick' to 'false'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = WINDOWS

INFO: Query Returned: false
INFO: Setting variable 'b_isWINDOWS' to 'false'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX

INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 'b_isOrcaHome' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_iAS' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_followDBInstallFlow' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_followASMInstallFlow' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_defaultUseFileSystemForRecovery' to 'true'. Received the value from the variable calculation.

installActions2013-06-29_12-50-04AM.log

INFO: Setting variable 'b_createStarterDB' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 'b_configureOCM' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 'b_checkForExistingSid' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_autoStartApache' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_askMountPoint' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_acceptLicense' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_CheckASMDisks' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'SHOW_SCHEMA_PASSWORDS_PAGE' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 'SHOW_DATABASE_OPTIONS_PAGE' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 'SHOW_DATABASE_MANAGEMENT_PAGE' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 'SHOW_DATABASE_CONFIGURATION_PAGE' to 'true'. Received the value from the variable calculation.
INFO: Calling Query areasQueries10.2.0.1.0 getAllOracleHomes
INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1
INFO: Calling Query areasQueries10.2.0.1.0 productInstalled

location = /u01/app/oracle/product/12.1.0/db_1

name = oracle.sysman.top.agent

startVersion = 4.1.0.1

endVersion = 10.9.9.9.9

acceptCompatible = false

INFO: Query Returned: false

INFO: Setting variable 'sl_dlgEMCentralAgentsList' to 'No Agents Found'. Received the value from the variable calculation.

INFO: Setting variable 's_oratabLocation' to '/etc/oratab'. Received the value from the variable calculation.

INFO: Setting variable 's_oracleName' to 'oracle'. Received the value from the variable calculation.

INFO: Setting variable 's_err_shutdownInstanceNote' to 'Note: It is recommended that any DB instances using ASM are shutdown before shutting down ASM instance.'. Received the value from the variable calculation.

INFO: Setting variable 's_err_shutdownDBInstances_3' to 'Since you have chosen to upgrade the ASM to 12c Release 1, you must shutdown these databases before proceeding.'. Received the value from the variable calculation.

INFO: Setting variable 's_err_shutdownASMandDBInstances_6' to 'Note: It is recommended that any DB instances using ASM are shutdown before shutting down ASM instance.'. Received the value from the variable calculation.

INFO: Setting variable 's_dlgCfgNamingLabelSID' to 'SID:'. Received the value from the variable calculation.

INFO: Setting variable 's_dirs2rmForNT' to '/u01/app/oracle/product/12.1.0/db_1/bin /u01/app/oracle/product/12.1.0/db_1/css /u01/app/oracle/product/12.1.0/db_1/doc /u01/app/oracle/product/12.1.0/db_1/install /u01/app/oracle/product/12.1.0/db_1/ldap /u01/app/oracle/product/12.1.0/db_1/network/log /u01/app/oracle/product/12.1.0/db_1/oc4j /u01/app/oracle/product/12.1.0/db_1/ord /u01/app/oracle/product/12.1.0/db_1/rdbms /u01/app/oracle/product/12.1.0/db_1/sysman '. Received the value from the variable calculation.

INFO: Setting variable 's_dirs2rm' to '/u01/app/oracle/product/12.1.0/db_1/bin /u01/app/oracle/product/12.1.0/db_1/cdata /u01/app/oracle/product/12.1.0/db_1/css /u01/app/oracle/product/12.1.0/db_1/demo /u01/app/oracle/product/12.1.0/db_1/install /u01/app/oracle/product/12.1.0/db_1/jdk /u01/app/oracle/product/12.1.0/db_1/ldap

```

installActions2013-06-29_12-50-04AM.log
/u01/app/oracle/product/12.1.0/db_1/network/lib
/u01/app/oracle/product/12.1.0/db_1/network/log
/u01/app/oracle/product/12.1.0/db_1/oc4j /u01/app/oracle/product/12.1.0/db_1/ord
/u01/app/oracle/product/12.1.0/db_1/perl
/u01/app/oracle/product/12.1.0/db_1/pg4appc
/u01/app/oracle/product/12.1.0/db_1/rdbms
/u01/app/oracle/product/12.1.0/db_1/tg4drda
/u01/app/oracle/product/12.1.0/db_1/sysman '. Received the value from the
variable calculation.
INFO: Setting variable 's_defaultDbstoreLocation' to '/u01/app/oracle'. Received
the value from the variable calculation.
INFO: Calling Query areasQueries10.2.0.1.0 getAllOracleHomes
INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1
INFO: Calling Query areasQueries10.2.0.1.0 productInstalled

location = /u01/app/oracle/product/12.1.0/db_1

name = oracle.sysman.top.agent

startVersion = 4.1.0.1

endVersion = 10.9.9.9

acceptCompatible = false
INFO: Query Returned: false
INFO: VALUE OF cs_no:N
INFO: Setting variable 's_centralAgentsPresent' to 'N'. Received the value from
the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getenv

name = TEMP
INFO: Query Returned:
INFO: Calling Query generalQueries10.2.0.2.1 getenv

name = TMP
INFO: Query Returned: /tmp
INFO: Setting variable 's_TEMP_LOC' to '/tmp'. Received the value from the
variable calculation.
INFO: Setting variable 's OSDunixDefaultPath' to '/usr/bin'. Received the value
from the variable calculation.
INFO: Setting variable 's_ORA_HomeName_SYSKM_GRP' to 'ORA_OraDB12Home1_SYSKM'.
Received the value from the variable calculation.
INFO: Setting variable 's_ORA_HomeName_SYSDG_GRP' to 'ORA_OraDB12Home1_SYSDG'.
Received the value from the variable calculation.
INFO: Setting variable 's_ORA_HomeName_SYSBACKUP_GRP' to
'ORA_OraDB12Home1_SYSBACKUP'. Received the value from the variable calculation.
INFO: Setting variable 's_ORA_HomeName_OPER_GRP' to 'ORA_OraDB12Home1_OPER'.
Received the value from the variable calculation.
INFO: Setting variable 's_ORA_HomeName_DBA_GRP' to 'ORA_OraDB12Home1_DBA'.
Received the value from the variable calculation.
INFO: INSIDE s_CSSOraHome value of s_CRSHome is:
INFO: Setting variable 's_CSSOraHome' to ''. Received the value from the
variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getRequiredSpace

driveName = /u01/app/oracle/product/12.1.0/db_1

returnInMegaBytes = true
INFO: Query Returned: 4784
INFO: Setting variable 'pn_softwareSize' to '4784'. Received the value from the
variable calculation.
INFO: Setting variable 'b_isUXW' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 'b_issolaris' to 'false'. Received the value from the
variable calculation.
INFO: Calling Query netQueries10.2.0.2.0 getHostIPAddress
INFO: Query Returned: 192.168.153.155
INFO: Calling Query netQueries10.2.0.2.0 getHostNameForIPAddress

```


installActions2013-06-29_12-50-04AM.log

```
ipAddress = 192.168.153.155
INFO: Query Returned: oracle12c
INFO: Setting variable 'b_isOPS' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 'b_isLinux' to 'true'. Received the value from the
variable calculation.
INFO: Setting variable 'b_isIntel_Solaris' to 'false'. Received the value from
the variable calculation.
INFO: Setting variable 'b_isHPI' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 'b_isHP' to 'false'. Received the value from the variable
calculation.
INFO: Setting variable 'b_isDG' to 'false'. Received the value from the variable
calculation.
INFO: Calling Query areasQueries10.2.0.1.0 productInstalled

location = /u01/app/oracle/product/12.1.0/db_1
name = oracle.rdbms
startVersion = 1.0
endVersion = 12.1.0.1.0

acceptCompatible = true
INFO: Query Returned: false
INFO: Setting variable 'b_inplaceInstall' to 'false'. Received the value from
the variable calculation.
INFO: Calling Query areasQueries10.2.0.1.0 productInstalled

location = /u01/app/oracle/product/12.1.0/db_1
name = oracle.rsfc
startVersion = 9.2.0.0.0
endVersion = 9.2.0.0.0

acceptCompatible = null
INFO: Query Returned: false
INFO: Setting variable 'b_freshInstall' to 'true'. Received the value from the
variable calculation.
INFO: Setting variable 's_l_processList' to
'/u01/app/oracle/product/12.1.0/db_1/BIN/ORACLE.exe,/u01/app/oracle/product/12.1
.0/db_1/bin/TNSLNR.EXE'. Received the value from the variable calculation.
INFO: Setting variable 's_seedNameinErrDialog' to 'Starter Database Files'.
Received the value from the variable calculation.
INFO: Setting variable 's_dlgEMExtUsername' to ''. Received the value from the
variable calculation.
INFO: Setting variable 's_dlgEMExtPassword' to '*Protected value, not to be
logged*'. Received the value from the variable calculation.
INFO: Setting variable 's_choptScript' to
'/u01/app/oracle/product/12.1.0/db_1/bin/chopt'. Received the value from the
variable calculation.
INFO: Calling Query areasQueries10.2.0.1.0 getProductVersion

location =

name = oracle.server
INFO:
Query Exception: HomeNotFoundException
Query Exception Class: class oracle.sysman.oii.oii.OiiQueryException
INFO:
INFO: Setting variable 's_CSSVersion' to ''. Received the value from the
variable calculation.
INFO: Setting variable 'ps_mountPoint' to
'/u01/app/oracle/product/12.1.0/db_1/oradata'. Received the value from the
```

```

installActions2013-06-29_12-50-04AM.log
variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getenv

name = DBCA_RAW_CONFIG
INFO: Query Returned:
INFO: Setting variable 'pn_databaseSize' to '1150'. Received the value from the
variable calculation.
INFO: Setting variable 'b_isRAC_SE' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 's_errMsgSidExists' to 'The SID you have specified is
already registered in the oratab file (/etc/oratab) on your machine. The oratab
file is used by Oracle Products to detect existing database instances.
Please specify a unique SID.'. Received the value from the variable calculation.
INFO: Setting variable 's_dlgASMCfgDefRecoveryAreaSize' to '2300'. Received the
value from the variable calculation.
INFO: Setting variable 's_dlgASMCfgDefDataFileSize' to '1150'. Received the
value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getenv

name = ORACLE_SID
INFO: Query Returned: cdb12c
INFO: Setting variable 's_dbSidDef' to 'cdb12c'. Received the value from the
variable calculation.
INFO: Setting variable 'n_defaultDBStorageType' to '1'. Received the value from
the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getenv

name = TMPDIR
INFO: Query Returned: /tmp
INFO: Setting variable 's_TMPDIR_LOC' to '/tmp'. Received the value from the
variable calculation.
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /dev/shm
INFO: Query Returned: true
INFO: Calling Query generalQueries10.2.0.2.1 getFreeSpace

driveName = /dev/shm

returnInMegabytes = true
INFO: Query Returned: 828
INFO: Setting variable 'n_POSIXMemSize' to '828'. Received the value from the
variable calculation.
INFO: Setting value of child variable b_useRegistration of oracle.sysman.ccr
10.3.7.0.3 to false
INFO: *** Entering Component: oracle.options installation
INFO: Processing Enterprise Edition Options 12.1.0.1.0
INFO: Processing Enterprise Edition Options 12.1.0.1.0
INFO: *** Entering Component: oracle.rdbms.partitioning installation
INFO: Processing Oracle Partitioning 12.1.0.1.0
INFO: Processing Oracle Partitioning 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from
the variable calculation.
INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from
the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = WINDOWS
INFO: Query Returned: false
INFO: Setting variable 'b_isWINDOWS' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 's_installLogDir' to
'/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the
variable calculation.

```

installActions2013-06-29_12-50-04AM.log

INFO: *** Entering Component: oracle.sdo installation
INFO: Processing Oracle Spatial and Graph 12.1.0.1.0
INFO: Processing Oracle Spatial and Graph 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from the variable calculation.
INFO: Setting variable 's_OPSSelectedNodes' to ''. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX

INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 'VERSION' to '9.2.0.0.0 Beta'. Received the value from the variable calculation.
INFO: Setting variable 'ORDSYS_PASSWORD' to '*Protected value, not to be logged*'. Received the value from the variable calculation.
INFO: Setting variable 'MDSYS_PASSWORD' to '*Protected value, not to be logged*'. Received the value from the variable calculation.
INFO: Setting variable 'MD' to 'md'. Received the value from the variable calculation.
INFO: Setting variable 'DESCRIPTION' to 'Oracle8 Spatial Cartridge'. Received the value from the variable calculation.
INFO: Setting variable 's_sourceInstallScript' to '/u01/app/oracle/product/12.1.0/db_1/md/admin/mdinst.sql'. Received the value from the variable calculation.
INFO: Setting variable 's_sourceDeinstallScript' to '/u01/app/oracle/product/12.1.0/db_1/md/admin/mddins.sql'. Received the value from the variable calculation.
INFO: Setting variable 's_installLogDir' to '/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the variable calculation.
INFO: Setting variable 's_destInstallScript' to '/u01/app/oracle/product/12.1.0/db_1/md/admin/mdinst.sql'. Received the value from the variable calculation.
INFO: Setting variable 's_destDeinstallScript' to '/u01/app/oracle/product/12.1.0/db_1/md/admin/mddins.sql'. Received the value from the variable calculation.
INFO: Setting variable 'sl_processList' to '/u01/app/oracle/product/12.1.0/db_1/bin/oracle'. Received the value from the variable calculation.

INFO: *** Entering Component: oracle.oraolap installation
INFO: Processing Oracle OLAP 12.1.0.1.0
INFO: Processing Oracle OLAP 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from the variable calculation.
INFO: Setting variable 's_installLogDir' to '/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the variable calculation.

INFO: *** Entering Component: oracle.rdbms installation
INFO: Processing Oracle Database 12c 12.1.0.1.0
INFO: Processing Oracle Database 12c 12.1.0.1.0
INFO: Calling Query unixQueries10.1.0.2.0 getGroups
INFO: Query Returned: oinstall,dba,oper
INFO: Setting variable 'sl_groupChoices' to 'oinstall,dba,oper'. Received the value from the variable calculation.
INFO: Setting variable 's_version' to '9.2.0.0.0'. Received the value from the variable calculation.
INFO: Setting variable 's_verifierName' to 'verifier15.jar'. Received the value from the variable calculation.

installActions2013-06-29_12-50-04AM.log

INFO: Setting variable 's_sidToMigrate' to ''. Received the value from the variable calculation.

INFO: Calling Query generalQueries10.2.0.2.1 getOSName

INFO: Query Returned: Linux

INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.

INFO: Calling Query generalQueries10.2.0.2.1 getenv

name = LD_LIBRARY_PATH

INFO: Query Returned:

/tmp/OraInstall2013-06-29_12-50-04AM/jdk/jre/lib/amd64/server:/tmp/OraInstall2013-06-29_12-50-04AM/jdk/jre/lib/amd64:/tmp/OraInstall2013-06-29_12-50-04AM/jdk/jre/../../lib/amd64:/tmp/OraInstall2013-06-29_12-50-04AM/ext/bin:/tmp/OraInstall2013-06-29_12-50-04AM/ext/lib

INFO: Setting variable 's_oldLDLibPath' to

'/tmp/OraInstall2013-06-29_12-50-04AM/jdk/jre/lib/amd64/server:/tmp/OraInstall2013-06-29_12-50-04AM/jdk/jre/lib/amd64:/tmp/OraInstall2013-06-29_12-50-04AM/jdk/jre/../../lib/amd64:/tmp/OraInstall2013-06-29_12-50-04AM/ext/bin:/tmp/OraInstall2013-06-29_12-50-04AM/ext/lib'. Received the value from the variable calculation.

INFO: Setting variable 's_ojdbc6Name' to 'ojdbc6.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_nameOfBundle' to 'EE'. Received the value from the variable calculation.

INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from the variable calculation.

INFO: Setting variable 's_lowResourceDialogPrompt' to ''. Received the value from the variable calculation.

INFO: Setting variable 's_ldapjclntName' to 'ldapjclnt12.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_jssl11Name' to 'jssl-1_1.jar'. Received the value from the variable calculation.

INFO: Calling Query areasQueries10.2.0.1.0 getProductHome

name = oracle.jdk

startVersion = 1.6.0.0.0

endVersion = 9.9.9.9

acceptCompatible = null

INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1/jdk

INFO: Setting variable 's_jreLocation' to

'/u01/app/oracle/product/12.1.0/db_1/jdk/jre/'. Received the value from the variable calculation.

INFO: Setting variable 's_javaxssl12Name' to 'javax-ssl-1_2.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_groupDialogPrompt' to ''. Received the value from the variable calculation.

INFO: Setting variable 's_filemapLocation' to '/opt/ORCLfmap'. Received the value from the variable calculation.

INFO: Setting variable 's_emailServer' to ''. Received the value from the variable calculation.

INFO: Setting variable 's_emailAddress' to ''. Received the value from the variable calculation.

INFO: Setting variable 's_defaultDBName' to ''. Received the value from the variable calculation.

INFO: Setting variable 's_c' to ''. Received the value from the variable calculation.

INFO: Setting variable 's_OPSSelectNodes' to ''. Received the value from the variable calculation.

INFO: Setting variable 's_OPSSNodeInfoString' to 'NO_VALUE'. Received the value from the variable calculation.

INFO: Setting variable 's_OPSClusterUser' to 'NO_VALUE'. Received the value from the variable calculation.

INFO: Setting variable 's_OPSClusterPassword' to '*Protected value, not to be logged*'. Received the value from the variable calculation.

INFO: Setting variable 's_DBNamePrompt' to 'Every Oracle 12c database is uniquely identified by a Global Database Name, typically of the form

```

installActions2013-06-29_12-50-04AM.log
"name.domain". Enter the Global Database Name for this database.'. Received the
value from the variable calculation.
INFO: Setting variable 's_DBName' to ''. Received the value from the variable
calculation.
INFO: Setting variable 's_DBDomain' to ''. Received the value from the variable
calculation.
INFO: Setting variable 'init_shared_pool_size' to '10000000'. Received the value
from the variable calculation.
INFO: Setting variable 'init_sequence_cache_hash_buckets' to '10'. Received the
value from the variable calculation.
INFO: Setting variable 'init_sequence_cache_entries' to '10'. Received the value
from the variable calculation.
INFO: Setting variable 'init_processes' to '59'. Received the value from the
variable calculation.
INFO: Setting variable 'init_path' to ''. Received the value from the variable
calculation.
INFO: Setting variable 'init_open_links' to '4'. Received the value from the
variable calculation.
INFO: Setting variable 'init_log_buffer' to '8192'. Received the value from the
variable calculation.
INFO: Setting variable 'init_job_queue_processes' to '2'. Received the value
from the variable calculation.
INFO: Setting variable 'init_job_queue_interval' to '10'. Received the value
from the variable calculation.
INFO: Setting variable 'init_dml_locks' to '100'. Received the value from the
variable calculation.
INFO: Setting variable 'init_distributed_transactions' to '5'. Received the
value from the variable calculation.
INFO: Setting variable 'init_distributed_lock_timeout' to '300'. Received the
value from the variable calculation.
INFO: Setting variable 'init_db_file_multiblock_read_count' to '8'. Received the
value from the variable calculation.
INFO: Setting variable 'init_db_block_buffers' to '1000'. Received the value
from the variable calculation.
INFO: Setting variable 'build_log_path' to ''. Received the value from the
variable calculation.
INFO: Setting variable 'b_promptForGroups' to 'false'. Received the value from
the variable calculation.
INFO: Setting variable 'b_orabaseContainsOrahome' to 'true'. Received the value
from the variable calculation.
INFO: Setting variable 'b_lowResource' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 'b_launchDBMA' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 'b_javaOptionBeingInstalled' to 'false'. Received the
value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = WINDOWS
INFO: Query Returned: false
INFO: Setting variable 'b_isWINDOWS' to 'false'. Received the value from the
variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the
variable calculation.
INFO: Setting variable 'b_isDBup' to 'true'. Received the value from the
variable calculation.
INFO: Setting variable 'b_giInstall' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 's_xslLocation' to
'/u01/app/oracle/product/12.1.0/db_1/rdbms/xml/xsl'. Received the value from the
variable calculation.
INFO: Setting variable 's_verifierDir' to
'/u01/app/oracle/product/12.1.0/db_1/jlib'. Received the value from the variable
calculation.

```

installActions2013-06-29_12-50-04AM.log

INFO: Setting variable 's_shPath' to '/u01/app/oracle/product/12.1.0/db_1/demo/schema/sales_history/'. Received the value from the variable calculation.
INFO: Setting variable 's_pmPath' to '/u01/app/oracle/product/12.1.0/db_1/demo/schema/product_media/'. Received the value from the variable calculation.
INFO: Setting variable 's_oradimlocation' to '/u01/app/oracle/product/12.1.0/db_1/bin'. Received the value from the variable calculation.
INFO: Setting variable 's_oradbolocation' to '/u01/app/oracle/product/12.1.0/db_1/Database'. Received the value from the variable calculation.
INFO: Setting variable 's_operGroup' to 'dba'. Received the value from the variable calculation.
INFO: Setting variable 's_oePath' to '/u01/app/oracle/product/12.1.0/db_1/demo/schema/order_entry/'. Received the value from the variable calculation.
INFO: Setting variable 's_netAPILoc' to '/u01/app/oracle/product/12.1.0/db_1/jlib'. Received the value from the variable calculation.
INFO: Setting variable 's_mkdirFile' to '/u01/app/oracle/product/12.1.0/db_1/demo/schema/mk_dir.sql'. Received the value from the variable calculation.
INFO: Setting variable 's_logPath' to '/u01/app/oracle/product/12.1.0/db_1/demo/schema/log/'. Received the value from the variable calculation.
INFO: Setting variable 's_libDir' to '/u01/app/oracle/product/12.1.0/db_1/jdbc/lib'. Received the value from the variable calculation.
INFO: Setting variable 's_jlibDir' to '/u01/app/oracle/product/12.1.0/db_1/rdbms/jlib'. Received the value from the variable calculation.
INFO: Setting variable 's_installLogDir' to '/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the variable calculation.
INFO: Setting variable 's_instMkdirFile' to '/u01/app/oracle/product/12.1.0/db_1/demo/schema/mk_dir.sql.sbs'. Received the value from the variable calculation.
INFO: Setting variable 's_initmetaSource' to '/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/initmeta.sbs'. Received the value from the variable calculation.
INFO: Setting variable 's_initmetaDest' to '/u01/app/oracle/product/12.1.0/db_1/rdbms/admin/initmeta.sql'. Received the value from the variable calculation.
INFO: Setting variable 's_ezLocation' to '/u01/app/oracle/product/12.1.0/db_1/instantclient'. Received the value from the variable calculation.
INFO: Setting variable 's_dbmssmlSource' to '/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/dbmssml.sbs'. Received the value from the variable calculation.
INFO: Setting variable 's_dbmssmlDest' to '/u01/app/oracle/product/12.1.0/db_1/rdbms/admin/dbmssml.sql'. Received the value from the variable calculation.
INFO: Setting variable 's_dbaGroup' to 'dba'. Received the value from the variable calculation.
INFO: Setting variable 's_asmGroup' to ''. Received the value from the variable calculation.
INFO: Setting variable 's_RDBMS81' to '/u01/app/oracle/product/12.1.0/db_1\RDBMS'. Received the value from the variable calculation.
INFO: Setting variable 'b_isUXW' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_issolaris' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_issequent' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_isIntel_Solaris' to 'false'. Received the value from the variable calculation.

installActions2013-06-29_12-50-04AM.log

INFO: Setting variable 'b_isHPI' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_isHP' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_isDec' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_isDG' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_isAix' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'sl_processList' to '/u01/app/oracle/product/12.1.0/db_1/bin/ctxsrv,/u01/app/oracle/product/12.1.0/db_1/bin/dbsnmp,/u01/app/oracle/product/12.1.0/db_1/bin/extproc,/u01/app/oracle/product/12.1.0/db_1/bin/oracle'. Received the value from the variable calculation.
INFO: Setting variable 's_OSDSharelibExt' to '.so'. Received the value from the variable calculation.
INFO: Setting variable 'SO_EXT' to 'so'. Received the value from the variable calculation.
INFO: Setting variable 's_unixConfigFile' to '/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/config.c'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.network installation
INFO: Processing Oracle Net Services 12.1.0.1.0
INFO: Processing Oracle Net Services 12.1.0.1.0
INFO: *** Entering Component: oracle.ctx installation
INFO: Processing Oracle Text 12.1.0.1.0
INFO: Processing Oracle Text 12.1.0.1.0
INFO: Setting variable 's_version' to '9.2.0.0.0 Beta'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from the variable calculation.
INFO: Setting variable 's_OPSSelectNodes' to ''. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 's_installLogDir' to '/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the variable calculation.
INFO: Setting variable 's_OracleHomeKeyWow6432Node' to 'Wow6432Node'. Received the value from the variable calculation.
INFO: Setting variable 'b_iswinX64' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'sl_processList' to '/u01/app/oracle/product/12.1.0/db_1/bin/ctxsrv,/u01/app/oracle/product/12.1.0/db_1/bin/oracle'. Received the value from the variable calculation.
INFO: Setting variable 'oracle_key' to ''. Received the value from the variable calculation.
INFO: Setting variable 's_ctxx_old_location' to '/u01/app/oracle/product/12.1.0/db_1/ctx/lib/libctxx9.so'. Received the value from the variable calculation.
INFO: Setting variable 's_ctxx_location' to '/u01/app/oracle/product/12.1.0/db_1/lib/libctxx9.so'. Received the value from the variable calculation.
INFO: Calling Query RunningProcessQuery12.1.0.1.0 getRunningProcess

multiParamName =
/u01/app/oracle/product/12.1.0/db_1/bin/ctxsrv,/u01/app/oracle/product/12.1.0/db_1/bin/oracle
INFO: Query Returned:

installActions2013-06-29_12-50-04AM.log

INFO: *** Entering Component: oracle.has.db installation

INFO: Processing HAS Files for DB 12.1.0.1.0

INFO: Processing HAS Files for DB 12.1.0.1.0

INFO: Calling Query areasQueries10.2.0.1.0 getProductHome

name = oracle.server

startVersion = 12.1.0.0.0

endVersion = 99.99.9.9.9

acceptCompatible = null

INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1/oracle.server

INFO: Setting variable 's_serverHome' to

'/u01/app/oracle/product/12.1.0/db_1/oracle.server'. Received the value from the variable calculation.

INFO: Calling Query generalQueries10.2.0.2.1 getOSName

INFO: Query Returned: Linux

INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.

INFO: Setting variable 's_minJreVersion' to '1.6.0.0.0'. Received the value from the variable calculation.

INFO: Setting variable 's_maxJreVersion' to '9.9.9.9.9'. Received the value from the variable calculation.

INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from the variable calculation.

INFO: Setting variable 's_lastHome' to ''. Received the value from the variable calculation.

INFO: Calling Query areasQueries10.2.0.1.0 getProductHome

name = oracle.jdk

startVersion = 1.6.0.0.0

endVersion = 9.9.9.9.9

acceptCompatible = null

INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1/jdk

INFO: Setting variable 's_jreLocation' to

'/u01/app/oracle/product/12.1.0/db_1/jdk/jre/'. Received the value from the variable calculation.

INFO: Setting variable 's_homeCounter' to ''. Received the value from the variable calculation.

INFO: Setting variable 's_emltnName' to 'oemlt.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_embaseName' to 'oemlt.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_defaultHome' to ''. Received the value from the variable calculation.

INFO: Setting variable 's_OPSSelectNodes' to ''. Received the value from the variable calculation.

INFO: Setting variable 's_JavaFlag' to '-Dsun.java2d.noddraw=true'. Received the value from the variable calculation.

INFO: Setting variable 'cs_swingName' to 'swingall-1_1_1.jar'. Received the value from the variable calculation.

INFO: Setting variable 'cs_komodoName' to 'help4.jar'. Received the value from the variable calculation.

INFO: Setting variable 'cs_jewtName' to 'jewt4.jar'. Received the value from the variable calculation.

INFO: Setting variable 'cs_iceBrowserName' to 'oracle_ice5.jar'. Received the value from the variable calculation.

INFO: Setting variable 'cs_ewtcompatName' to 'ewtcompat-3_3_15.jar'. Received the value from the variable calculation.

INFO: Setting variable 'cs_ewtName' to 'ewt3.jar'. Received the value from the variable calculation.

INFO: Setting variable 'cs_balishareName' to 'share.jar'. Received the value from the variable calculation.

INFO: Setting variable 'b_setLASTHOME' to 'true'. Received the value from the

installActions2013-06-29_12-50-04AM.log

variable calculation.

INFO: Setting variable 'b_setHOMECOUNTER' to 'true'. Received the value from the variable calculation.

INFO: Setting variable 'b_setDEFAULTHOME' to 'true'. Received the value from the variable calculation.

INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = WINDOWS

INFO: Query Returned: false

INFO: Setting variable 'b_isWINDOWS' to 'false'. Received the value from the variable calculation.

INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX

INFO: Query Returned: true

INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.

INFO: Setting variable 'ORA_CRG_HOME' to ''. Received the value from the variable calculation.

INFO: Calling Query unixQueries10.1.0.2.0 getCurrentActiveUserGroup

INFO: Query Returned: oinstall

INFO: Setting variable 's_usergroup' to 'oinstall'. Received the value from the variable calculation.

INFO: Setting variable 's_racgwrapInstantiate' to '/u01/app/oracle/product/12.1.0/db_1/bin/racgwrap.sbs'. Received the value from the variable calculation.

INFO: Setting variable 's_policyFile' to '-Djava.security.policy="/u01/app/oracle/product/12.1.0/db_1/srvm/admin/srvm.policy"'. Received the value from the variable calculation.

INFO: Setting variable 's_orahomeSwitch' to '-orahome /u01/app/oracle/product/12.1.0/db_1'. Received the value from the variable calculation.

INFO: Setting variable 's_ohJlibLocation' to '/u01/app/oracle/product/12.1.0/db_1/jlib'. Received the value from the variable calculation.

INFO: Setting variable 's_netadmin' to '"/u01/app/oracle/product/12.1.0/db_1/network/admin/*"'. Received the value from the variable calculation.

INFO: Setting variable 's_jlibDir' to '/u01/app/oracle/product/12.1.0/db_1/jlib'. Received the value from the variable calculation.

INFO: Setting variable 's_installLogDir' to '/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the variable calculation.

INFO: Setting variable 's_OracleHome' to '/u01/app/oracle/product/12.1.0/db_1'. Received the value from the variable calculation.

INFO: Setting variable 's_BatExtn' to ''. Received the value from the variable calculation.

INFO: Calling Query netQueries10.2.0.2.0 getHostIPAddress

INFO: Query Returned: 192.168.153.155

INFO: Calling Query netQueries10.2.0.2.0 getHostNameForIPAddress

ipAddress = 192.168.153.155

INFO: Query Returned: oracle12c

INFO: Setting variable 'b_isOPS' to 'false'. Received the value from the variable calculation.

INFO: Setting variable 'b_isHP' to 'false'. Received the value from the variable calculation.

INFO: Setting variable 's_l_processList' to '/u01/app/oracle/product/12.1.0/db_1/bin/oracle'. Received the value from the variable calculation.

INFO: Setting variable 's_racgwrapInstantiateDestn' to '/u01/app/oracle/product/12.1.0/db_1/bin/racgwrap'. Received the value from the variable calculation.

INFO: Setting variable 's_OPSNodeInfoString' to ''. Received the value from the variable calculation.

INFO: Setting variable 's_dbcaClasspath' to '"/u01/app/oracle/product/12.1.0/db_1/jlib/srv.jar;/u01/app/oracle/product/12.

```

installActions2013-06-29_12-50-04AM.log
1.0/db_1/jlib/srvmhas.jar;/u01/app/oracle/product/12.1.0/db_1/srvm/jlib/vipca.jar;/u01/app/oracle/product/12.1.0/db_1/jlib/ewt3.jar;/u01/app/oracle/product/12.1.0/db_1/jlib/ewtcompat-3_3_15.jar;/u01/app/oracle/product/12.1.0/db_1/jlib/jewt4.jar;/u01/app/oracle/product/12.1.0/db_1/jlib/share.jar;/u01/app/oracle/product/12.1.0/db_1/jlib/help4.jar;/u01/app/oracle/product/12.1.0/db_1/jlib/oracle_ice5.jar;/u01/app/oracle/product/12.1.0/db_1/jlib/swingall-1_1_1.jar;/u01/app/oracle/product/12.1.0/db_1/jlib/oemlt.jar". Received the value from the variable calculation.
INFO: Calling Query RunningProcessQuery12.1.0.1.0 getRunningProcess

multiParamName = /u01/app/oracle/product/12.1.0/db_1/bin/oracle
INFO: Query Returned:
INFO: Setting variable 'b_setHOMECOUNTER' to 'true'. Received the value from a code block.
INFO: Setting variable 'b_setLASTHOME' to 'true'. Received the value from a code block.
INFO: Setting variable 'b_setDEFAULTHOME' to 'true'. Received the value from a code block.
INFO: *** Entering Component: oracle.network.listener installation
INFO: Processing Oracle Net Listener 12.1.0.1.0
INFO: Processing Oracle Net Listener 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from the variable calculation.
INFO: Setting variable 's_iasPortInfo' to 'Oracle Net Listener = 1521'. Received the value from the variable calculation.
INFO: Setting variable 'b_net8ServerIsInstalling' to 'true'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 'b_ias' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 's_installLogDir' to '/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the variable calculation.
INFO: Setting variable 's_l_processList' to '/u01/app/oracle/product/12.1.0/db_1/bin/tnslsnr'. Received the value from the variable calculation.
INFO: Calling Query RunningProcessQuery12.1.0.1.0 getRunningProcess

multiParamName = /u01/app/oracle/product/12.1.0/db_1/bin/tnslsnr
INFO: Query Returned:
INFO: Setting value of child variable b_net8ServerInstalling of oracle.network.client 12.1.0.1.0 to true
INFO: Setting value of child variable b_net8ServerInstalling of oracle.assistants.netca.client 12.1.0.1.0 to true
INFO: *** Entering Component: oracle.ldap.client installation
INFO: Processing Oracle Internet Directory Client 12.1.0.1.0
INFO: Processing Oracle Internet Directory Client 12.1.0.1.0
INFO: Setting variable 's_provName' to 'providerutil.jar'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Setting variable 's_netAPIName' to 'netcfg.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_ldapName' to 'ldap.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_jndiName' to 'jndi.jar'. Received the value from the variable calculation.

```

installActions2013-06-29_12-50-04AM.log

INFO: Setting variable 's_iceBrowserName' to 'oracle_ice.jar'. Received the value from the variable calculation.
INFO: Calling Query netQueries10.2.0.2.0 getFullHostName
INFO: Query Returned: oracle12c
INFO: Setting variable 's_hostname' to 'oracle12c'. Received the value from the variable calculation.
INFO: Setting variable 's_helpName' to 'help4.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_ewtcompatName' to 'ewtcompat-3_3_15.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_ewtName' to 'ewt3.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_dbuiName' to 'dbui2.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_balishareName' to 'share.jar'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX

INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 'b_iAS' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 's_l_makeargs' to 'ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1'. Received the value from the variable calculation.
INFO: Setting variable 's_schemasyncSrc' to '/u01/app/oracle/product/12.1.0/db_1/ldap/install/schemasync.ora'. Received the value from the variable calculation.
INFO: Setting variable 's_odisrvregSrc' to '/u01/app/oracle/product/12.1.0/db_1/ldap/install/odisrvreg.ora'. Received the value from the variable calculation.
INFO: Setting variable 's_odisrvSrc' to '/u01/app/oracle/product/12.1.0/db_1/ldap/install/odisrv.ora'. Received the value from the variable calculation.
INFO: Setting variable 's_odiemapOrcFile' to '/u01/app/oracle/product/12.1.0/db_1/ldap/install/odiemap.ora'. Received the value from the variable calculation.
INFO: Calling Query areasQueries10.2.0.1.0 getProductHome

name = oracle.jdk

startVersion = 1.6.0.0.0

endVersion = 9.9.9.9.9

acceptCompatible = null

INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1/jdk
INFO: Setting variable 's_jreLocation' to '/u01/app/oracle/product/12.1.0/db_1/jdk/jre/'. Received the value from the variable calculation.
INFO: Setting variable 's_jndiLoc' to '/u01/app/oracle/product/12.1.0/db_1/jlib'. Received the value from the variable calculation.
INFO: Setting variable 's_jdklocation' to '/u01/app/oracle/product/12.1.0/db_1/jdk'. Received the value from the variable calculation.
INFO: Setting variable 's_iprofOrcFile' to '/u01/app/oracle/product/12.1.0/db_1/ldap/install/iprofiles.ora'. Received the value from the variable calculation.
INFO: Setting variable 's_iprofOrcDest' to '/u01/app/oracle/product/12.1.0/db_1/ldap/odi/samples/iprofiles.ldif'. Received the value from the variable calculation.
INFO: Setting variable 's_JDKHOME' to '/u01/app/oracle/product/12.1.0/db_1/jdk'. Received the value from the variable calculation.
INFO: Setting variable 's_schemasyncDest' to '/u01/app/oracle/product/12.1.0/db_1/bin/schemasync'. Received the value from

installActions2013-06-29_12-50-04AM.log

the variable calculation.

INFO: Setting variable 's_oidemdpasswdSrc' to '/u01/app/oracle/product/12.1.0/db_1/ldap/install/oidemdpasswd.orc'. Received the value from the variable calculation.

INFO: Setting variable 's_oidemdpasswdDest' to '/u01/app/oracle/product/12.1.0/db_1/bin/oidemdpasswd'. Received the value from the variable calculation.

INFO: Setting variable 's_odisrvregDest' to '/u01/app/oracle/product/12.1.0/db_1/bin/odisrvreg'. Received the value from the variable calculation.

INFO: Setting variable 's_odisrvDest' to '/u01/app/oracle/product/12.1.0/db_1/bin/odisrv'. Received the value from the variable calculation.

INFO: Setting variable 's_odiemapBinFile' to '/u01/app/oracle/product/12.1.0/db_1/bin/odiemap'. Received the value from the variable calculation.

INFO: Setting variable 's_JRE_LOCATION' to '/u01/app/oracle/product/12.1.0/db_1/jdk/jre/'. Received the value from the variable calculation.

INFO: *** Entering Component: oracle.network.aso installation

INFO: Processing Oracle Advanced Security 12.1.0.1.0

INFO: Processing Oracle Advanced Security 12.1.0.1.0

INFO: Setting variable 's_passwordPrompt' to 'Enter and confirm a password for the default Oracle wallet for this server. A wallet is used with secure authentication to ensure the identity of a communication channel.'. Received the value from the variable calculation.

INFO: Calling Query generalQueries10.2.0.2.1 getOSName

INFO: Query Returned: Linux

INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.

INFO: Setting variable 's_nauAdaptersStringFlags' to ''. Received the value from the variable calculation.

INFO: Setting variable 's_nauAdaptersString' to ''. Received the value from the variable calculation.

INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from the variable calculation.

INFO: Calling Query areasQueries10.2.0.1.0 getProductHome

name = oracle.jdk

startVersion = 1.6.0.0.0

endVersion = 9.9.9.9.9

acceptCompatible = null

INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1/jdk

INFO: Setting variable 's_jreLocation' to '/u01/app/oracle/product/12.1.0/db_1/jdk/jre/'. Received the value from the variable calculation.

INFO: Calling Query areasQueries10.2.0.1.0 getProductHome

name = oracle.jdk

startVersion = 1.6.0.0.0

endVersion = 9.9.9.9.9

acceptCompatible = null

INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1/jdk

INFO: Setting variable 's_jreDirectory' to '/u01/app/oracle/product/12.1.0/db_1/jdk/jre/'. Received the value from the variable calculation.

INFO: Setting variable 's_entrustRegistry' to ''. Received the value from the variable calculation.

INFO: Setting variable 'b_nCryptExists' to 'false'. Received the value from the variable calculation.

INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

installActions2013-06-29_12-50-04AM.log

```
platGroup = WINDOWS
INFO: Query Returned: false
INFO: Setting variable 'b_isWINDOWS' to 'false'. Received the value from the
variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the
variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getenv

name = LD_LIBRARY_PATH
INFO: Query Returned:
/tmp/OraInstall2013-06-29_12-50-04AM/jdk/jre/lib/amd64/server:/tmp/OraInstall201
3-06-29_12-50-04AM/jdk/jre/lib/amd64:/tmp/OraInstall2013-06-29_12-50-04AM/jdk/jr
e/./lib/amd64:/tmp/OraInstall2013-06-29_12-50-04AM/ext/bin:/tmp/OraInstall2013-
06-29_12-50-04AM/ext/lib
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename =
/tmp/OraInstall2013-06-29_12-50-04AM/jdk/jre/lib/amd64/server/libEntrust.so
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename =
/tmp/OraInstall2013-06-29_12-50-04AM/jdk/jre/lib/amd64/server/libkmp.so
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /tmp/OraInstall2013-06-29_12-50-04AM/jdk/jre/lib/amd64/libEntrust.so
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /tmp/OraInstall2013-06-29_12-50-04AM/jdk/jre/lib/amd64/libkmp.so
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename =
/tmp/OraInstall2013-06-29_12-50-04AM/jdk/jre/./lib/amd64/libEntrust.so
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /tmp/OraInstall2013-06-29_12-50-04AM/jdk/jre/./lib/amd64/libkmp.so
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /tmp/OraInstall2013-06-29_12-50-04AM/ext/bin/libEntrust.so
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /tmp/OraInstall2013-06-29_12-50-04AM/ext/bin/libkmp.so
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /tmp/OraInstall2013-06-29_12-50-04AM/ext/lib/libEntrust.so
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /tmp/OraInstall2013-06-29_12-50-04AM/ext/lib/libkmp.so
INFO: Query Returned: false
INFO: Setting variable 'b_entLibsExist' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 'b_anoIsInstalling' to 'true'. Received the value from
the variable calculation.
INFO: Setting variable 's_installLogDir' to
'/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the
variable calculation.
```

```

installActions2013-06-29_12-50-04AM.log
INFO: Setting variable 's_exeExtension' to ''. Received the value from the
variable calculation.
INFO: Setting variable 'b_isUXW' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 'b_isSolaris' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 'b_isSequent' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 'b_isLinux_s390' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 'b_isLinux' to 'true'. Received the value from the
variable calculation.
INFO: Setting variable 'b_isIntel_Solaris' to 'false'. Received the value from
the variable calculation.
INFO: Setting variable 'b_isHPI' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 'b_isHP' to 'false'. Received the value from the variable
calculation.
INFO: Setting variable 'b_isDec' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 'b_isDG' to 'false'. Received the value from the variable
calculation.
INFO: Setting variable 'b_isAIX' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 'sl_processList' to
'/u01/app/oracle/product/12.1.0/db_1/bin/oracle,/u01/app/oracle/product/12.1.0/d
b_1/lib/libclntsh.so.9.0'. Received the value from the variable calculation.
INFO: Setting variable 's_CybersafeLib' to ''. Received the value from the
variable calculation.
INFO: Setting variable 'b_installEntrust' to 'true'. Received the value from the
variable calculation.
INFO: Setting variable 'b_installDce' to 'true'. Received the value from the
variable calculation.
INFO: Setting variable 's_jreSharedLibDir' to
'/u01/app/oracle/product/12.1.0/db_1/jdk/jre/'. Received the value from the
variable calculation.
INFO: Calling Query RunningProcessQuery12.1.0.1.0 getRunningProcess

multiParamName =
/u01/app/oracle/product/12.1.0/db_1/bin/oracle,/u01/app/oracle/product/12.1.0/db
_1/lib/libclntsh.so.9.0
INFO: Query Returned:
INFO: Setting value of child variable b_anoIsInstalling of oracle.network.client
12.1.0.1.0 to true
INFO: Setting value of child variable b_anoIsInstalling of
oracle.assistants.netca.client 12.1.0.1.0 to true
INFO: *** Entering Component: oracle.javavm.server installation
INFO: Processing Oracle JVM 12.1.0.1.0
INFO: Processing Oracle JVM 12.1.0.1.0
INFO: Setting variable 's_version' to '9.2.0.0.0 Beta'. Received the value from
the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from
the variable calculation.
INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from
the variable calculation.
INFO: Setting variable 'b_javavmIsInstalling' to 'true'. Received the value from
the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the
variable calculation.
INFO: Setting variable 's_sbsInstallDir' to
'/u01/app/oracle/product/12.1.0/db_1/jis/install/sbs'. Received the value from
the variable calculation.

```

installActions2013-06-29_12-50-04AM.log

INFO: Setting variable 's_installLogDir' to '/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the variable calculation.
INFO: Setting variable 's_dirSep' to '/'. Received the value from the variable calculation.
INFO: Setting variable 's_classSep' to ':'. Received the value from the variable calculation.
INFO: Setting variable 'b_isIntel_Solaris' to 'false'. Received the value from the variable calculation.
INFO: Setting value of child variable b_javavmIsInstalling of oracle.network.client 12.1.0.1.0 to true
INFO: Setting value of child variable b_javavmIsInstalling of oracle.assistants.netca.client 12.1.0.1.0 to true
INFO: *** Entering Component: oracle.assistants.server installation
INFO: Processing Database Configuration and Upgrade Assistants 12.1.0.1.0
INFO: Processing Database Configuration and Upgrade Assistants 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Calling Query areasQueries10.2.0.1.0 getProductHome

name = oracle.jdk

startVersion = 1.6.0.0.0

endVersion = 9.9.9.9.9

acceptCompatible = null

INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1/jdk
INFO: Setting variable 's_jreLocation' to '/u01/app/oracle/product/12.1.0/db_1/jdk/jre'. Received the value from the variable calculation.
INFO: Setting variable 'pn_dboffset' to '0'. Received the value from the variable calculation.
INFO: Setting variable 'cs_swingName' to 'swingall-1_1_1.jar'. Received the value from the variable calculation.
INFO: Setting variable 'cs_komodoName' to 'help4.jar'. Received the value from the variable calculation.
INFO: Setting variable 'cs_kodiakName' to 'kodiak.jar'. Received the value from the variable calculation.
INFO: Setting variable 'cs_jewtName' to 'jewt4.jar'. Received the value from the variable calculation.
INFO: Setting variable 'cs_iceBrowserName' to 'oracle_ice5.jar'. Received the value from the variable calculation.
INFO: Setting variable 'cs_ewtcompatName' to 'ewtcompat-3_3_15.jar'. Received the value from the variable calculation.
INFO: Setting variable 'cs_ewtName' to 'ewt3.jar'. Received the value from the variable calculation.
INFO: Setting variable 'cs_balishareName' to 'share.jar'. Received the value from the variable calculation.
INFO: Setting variable 'b_orabaseContainsOrahome' to 'true'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = WINDOWS

INFO: Query Returned: false
INFO: Setting variable 'b_isWINDOWS' to 'false'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX

INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Calling Query areasQueries10.2.0.1.0 getProductHome

name = oracle.crs

startVersion = 12.0.0.0.0

endVersion = 99.99.9.9.9

acceptCompatible = null

INFO:

Query Exception: ProductNotFoundException

Query Exception Class: class oracle.sysman.oii.oii1.Oii1QueryException

INFO:

INFO: Processing areasQueries.getProductHome. Query returned:

INFO: Setting variable 'b_crshome' to 'false'. Received the value from the variable calculation.

INFO: Setting variable 's_l_dbmaParameterListForIcon' to '/u01/app/oracle/product/12.1.0/db_1/bin,dbua.cl'. Received the value from the variable calculation.

INFO: Setting variable 's_l_dbcaParameterListForIcon' to '/u01/app/oracle/product/12.1.0/db_1/bin,dbca.cl'. Received the value from the variable calculation.

INFO: Setting variable 's_xmlparservLoc' to '/u01/app/oracle/product/12.1.0/db_1/lib'. Received the value from the variable calculation.

INFO: Setting variable 's_skipHARegistrationFlag' to ''. Received the value from the variable calculation.

INFO: Setting variable 's_ouiJlibLocation' to '/u01/app/oracle/product/12.1.0/db_1/oui/jlib'. Received the value from the variable calculation.

INFO: Setting variable 's_oratabLocation' to '/etc/oratab'. Received the value from the variable calculation.

INFO: Setting variable 's_opsmLocation' to '/u01/app/oracle/product/12.1.0/db_1/jlib'. Received the value from the variable calculation.

INFO: Setting variable 's_dbuaLocation' to '/u01/app/oracle/product/12.1.0/db_1/assistants/dbua'. Received the value from the variable calculation.

INFO: Setting variable 's_dbcaLocation' to '/u01/app/oracle/product/12.1.0/db_1/assistants/dbca'. Received the value from the variable calculation.

INFO: Setting variable 's_OracleBinLocation' to '/u01/app/oracle/product/12.1.0/db_1/bin'. Received the value from the variable calculation.

INFO: Setting variable 's_dbcaInstLaunchFile' to '/u01/app/oracle/product/12.1.0/db_1/assistants/dbca/dbca.sbs'. Received the value from the variable calculation.

INFO: Setting variable 's_dbcaLaunchFile' to '/u01/app/oracle/product/12.1.0/db_1/bin/dbca'. Received the value from the variable calculation.

INFO: Setting variable 's_dbmaLaunchFile' to '/u01/app/oracle/product/12.1.0/db_1/bin/dbua'. Received the value from the variable calculation.

INFO: Setting variable 's_dbmaInstLaunchFile' to '/u01/app/oracle/product/12.1.0/db_1/assistants/dbua/dbua.sbs'. Received the value from the variable calculation.

INFO: *** Entering Component: oracle.xdk installation

INFO: Processing Oracle XML Development Kit 12.1.0.1.0

INFO: Processing Oracle XML Development Kit 12.1.0.1.0

INFO: *** Entering Component: oracle.rdbms.oci installation

INFO: Processing Oracle Call Interface (OCI) 12.1.0.1.0

INFO: Processing Oracle Call Interface (OCI) 12.1.0.1.0

INFO: Calling Query generalQueries10.2.0.2.1 getOSName

INFO: Query Returned: Linux

INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.

INFO: Setting variable 'b_isHP' to 'false'. Received the value from the variable calculation.

INFO: Setting variable 'b_isDec' to 'false'. Received the value from the variable calculation.

INFO: Setting variable 'b_isAix' to 'false'. Received the value from the

variable calculation.
INFO: Setting variable 's_OSSharelibExt' to '.so'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.ordim.server installation
INFO: Processing Oracle Multimedia 12.1.0.1.0
INFO: Processing Oracle Multimedia 12.1.0.1.0
INFO: Setting variable 's_version' to '11.1.0.2.0 Production'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 'MDSYS_PASSWORD' to '*Protected value, not to be logged*'. Received the value from the variable calculation.
INFO: Setting variable 'MD' to 'md'. Received the value from the variable calculation.
INFO: Setting variable 's_sourceOrdisys' to '/u01/app/oracle/product/12.1.0/db_1/ord/admin/ordisys.sql'. Received the value from the variable calculation.
INFO: Setting variable 's_sourceOrdLib' to '/u01/app/oracle/product/12.1.0/db_1/ord/im/admin/ordlib.sql'. Received the value from the variable calculation.
INFO: Setting variable 's_sourceImimdloc' to '/u01/app/oracle/product/12.1.0/db_1/ord/im/admin/imimdloc.sql'. Received the value from the variable calculation.
INFO: Setting variable 's_destOrdisys' to '/u01/app/oracle/product/12.1.0/db_1/ord/admin/ordisys.sql'. Received the value from the variable calculation.
INFO: Setting variable 's_destOrdLib' to '/u01/app/oracle/product/12.1.0/db_1/ord/im/admin/ordlib.sql'. Received the value from the variable calculation.
INFO: Setting variable 's_destImimdloc' to '/u01/app/oracle/product/12.1.0/db_1/ord/im/admin/imimdloc.sql'. Received the value from the variable calculation.
INFO: Setting variable 'VIR_SHLIB' to '/u01/app/oracle/product/12.1.0/db_1/lib/libordvir9.so'. Received the value from the variable calculation.
INFO: Setting variable 'IM_SHLIB' to '/u01/app/oracle/product/12.1.0/db_1/lib/libordim12.so'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.sdo.locator installation
INFO: Processing Oracle Multimedia Locator 12.1.0.1.0
INFO: Processing Oracle Multimedia Locator 12.1.0.1.0
INFO: Setting variable 's_OPSSelectedNodes' to ''. Received the value from the variable calculation.
INFO: Setting variable 's_sourceDeinstallScript' to '/u01/app/oracle/product/12.1.0/db_1/md/admin/mddins.sql'. Received the value from the variable calculation.
INFO: Setting variable 's_destDeinstallScript' to '/u01/app/oracle/product/12.1.0/db_1/md/admin/mddins.sql'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.sqlplus installation
INFO: Processing SQL*Plus 12.1.0.1.0
INFO: Processing SQL*Plus 12.1.0.1.0
INFO: Setting variable 's_version' to '9.2.0.0.0'. Received the value from the variable calculation.
INFO: Setting variable 's_systemDirectory' to 'c:\winnt\system32'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.

installActions2013-06-29_12-50-04AM.log

INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from the variable calculation.

INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX

INFO: Query Returned: true

INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.

INFO: Setting variable 's_installLogDir' to '/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the variable calculation.

INFO: Setting variable 'b_sqlpathExists' to 'false'. Received the value from the variable calculation.

INFO: Setting variable 's_currentSqlpath' to ''. Received the value from the variable calculation.

INFO: *** Entering Component: oracle.assistants.netca.client installation

INFO: Processing Oracle Netca Client 12.1.0.1.0

INFO: Processing Oracle Netca Client 12.1.0.1.0

INFO: Setting variable 's_winServiceUserPasswordFlag' to ''. Received the value from the variable calculation.

INFO: Setting variable 's_swingallName' to 'swingall-1_1_1.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_shareName' to 'share.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_runtimeLib' to 'rt.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_runTimeJar' to 'rt.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_responseFileName' to 'NO_VALUE'. Received the value from the variable calculation.

INFO: Calling Query generalQueries10.2.0.2.1 getOSName

INFO: Query Returned: Linux

INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.

INFO: Setting variable 's_netcfgName' to 'netcfg.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_netcahelpName' to 'NetCAhelp.zip'. Received the value from the variable calculation.

INFO: Setting variable 's_netcaUpgradeFlag' to ''. Received the value from the variable calculation.

INFO: Setting variable 's_netcaClass' to 'oracle.net.ca.NetCA'. Received the value from the variable calculation.

INFO: Setting variable 's_netCA_Args' to 'NO_VALUE'. Received the value from the variable calculation.

INFO: Setting variable 's_netCAInstalledProtocols' to ''. Received the value from the variable calculation.

INFO: Setting variable 's_netAPIName' to 'netcfg.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_ldapclnt9' to 'ldapjclnt9.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_ldapclnt12' to 'ldapjclnt12.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_ldapclnt10' to 'ldapjclnt10.jar'. Received the value from the variable calculation.

INFO: Calling Query areasQueries10.2.0.1.0 getProductHome

name = oracle.jdk

startVersion = 1.6.0.0.0

endVersion = 9.9.9

acceptCompatible = null

INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1/jdk

INFO: Setting variable 's_jreLocation' to '/u01/app/oracle/product/12.1.0/db_1/jdk/jre'. Received the value from the variable calculation.

INFO: Setting variable 's_jreJarFile' to 'i18n.jar'. Received the value from the

installActions2013-06-29_12-50-04AM.log

variable calculation.
INFO: Setting variable 's_jreJar' to 'i18n.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_jewtName' to 'jewt4.jar'. Received the value from the variable calculation.
INFO: Calling Query areasQueries10.2.0.1.0 GetComponentInstallTypeName
INFO: Query Returned: Typical
INFO: Setting variable 's_installTypeForLaunchNETCA' to 'Typical'. Received the value from the variable calculation.
INFO: Setting variable 's_icebrowserName' to 'oracle_ice.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_helpName' to 'help4.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_ewtcompatName' to 'ewtcompat-3_3_15.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_ewtName' to 'ewt3.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_ewtFile' to 'ewt3.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_ewtCompat' to 'ewtcompat-3_3_15.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_cfgMethod' to 'local'. Received the value from the variable calculation.
INFO: Setting variable 's_caHelpZhTwJar' to 'ca_help_zh_TW.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_caHelpZhCnJar' to 'ca_help_zh_CN.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_caHelpPtBRJar' to 'ca_help_pt_BR.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_caHelpKoJar' to 'ca_help_ko.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_caHelpJar' to 'ca_help.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_caHelpJaJar' to 'ca_help_ja.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_caHelpItJar' to 'ca_help_it.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_caHelpFrJar' to 'ca_help_fr.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_caHelpEsJar' to 'ca_help_es.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_caHelpDeJar' to 'ca_help_de.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_authAdaptors' to 'NO_VALUE'. Received the value from the variable calculation.
INFO: Setting variable 'ps_netCA_Args_OverRide' to ''. Received the value from the variable calculation.
INFO: Setting variable 'b_net8ServerInstalling' to 'true'. Received the value from variable association.
INFO: Setting variable 'b_javavmIsInstalling' to 'true'. Received the value from variable association.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = WINDOWS
INFO: Query Returned: false
INFO: Setting variable 'b_iswindows' to 'false'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 'b_cmanIsInstalling' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_anoIsInstalling' to 'true'. Received the value from variable association.
INFO: Setting variable 'S_WINSERVICEUSERPASSWORD' to '*Protected value, not to

installActions2013-06-29_12-50-04AM.log
be logged*'. Received the value from the variable calculation.
INFO: Setting variable 's_xmlparservLoc' to
'/u01/app/oracle/product/12.1.0/db_1/lib'. Received the value from the variable
calculation.
INFO: Setting variable 's_skipharegistrationFlag' to ''. Received the value from
the variable calculation.
INFO: Setting variable 's_ouiJlibDir' to
'/u01/app/oracle/product/12.1.0/db_1/oui/jlib'. Received the value from the
variable calculation.
INFO: Setting variable 's_opsmJlib' to
'/u01/app/oracle/product/12.1.0/db_1/opsm/jlib'. Received the value from the
variable calculation.
INFO: Setting variable 's_ntwkTools' to
'/u01/app/oracle/product/12.1.0/db_1/network/tools'. Received the value from the
variable calculation.
INFO: Setting variable 's_netjlibDir' to
'/u01/app/oracle/product/12.1.0/db_1/network/jlib'. Received the value from the
variable calculation.
INFO: Setting variable 's_netcahelpLocation' to
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/ca'. Received the value
from the variable calculation.
INFO: Setting variable 's_netcaJlibDir' to
'/u01/app/oracle/product/12.1.0/db_1/assistants/netca/jlib'. Received the value
from the variable calculation.
INFO: Setting variable 's_netcaDocDir' to
'/u01/app/oracle/product/12.1.0/db_1/assistants/netca/doc'. Received the value
from the variable calculation.
INFO: Setting variable 's_netPropertiesFile' to
'/u01/app/oracle/product/12.1.0/db_1/network/tools/NetProperties'. Received the
value from the variable calculation.
INFO: Setting variable 's_netCA' to
'/u01/app/oracle/product/12.1.0/db_1/network'. Received the value from the
variable calculation.
INFO: Setting variable 's_net8caFileToInstantiate' to
'/u01/app/oracle/product/12.1.0/db_1/assistants/netca/netca.sbs'. Received the
value from the variable calculation.
INFO: Setting variable 's_jre15Location' to
'/u01/app/oracle/product/12.1.0/db_1/jdk/jre'. Received the value from the
variable calculation.
INFO: Setting variable 's_jlibDir' to
'/u01/app/oracle/product/12.1.0/db_1/jlib'. Received the value from the variable
calculation.
INFO: Setting variable 's_inventoryPrereqOui' to
'/u01/app/oracle/product/12.1.0/db_1/inventory/prereq/oui'. Received the value
from the variable calculation.
INFO: Setting variable 's_emdwLibDir' to
'/u01/app/oracle/product/12.1.0/db_1/emdw/lib'. Received the value from the
variable calculation.
INFO: Setting variable 's_caHelpDir' to
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/ca/'. Received the value
from the variable calculation.
INFO: Setting variable 's_assistantJlibDir' to
'/u01/app/oracle/product/12.1.0/db_1/assistants/jlib'. Received the value from
the variable calculation.
INFO: Setting variable 's_JavaFlag' to ''. Received the value from the variable
calculation.
INFO: Calling Query netQueries10.2.0.2.0 getHostIPAddress
INFO: Query Returned: 192.168.153.155
INFO: Calling Query netQueries10.2.0.2.0 getHostNameForIPAddress

ipAddress = 192.168.153.155
INFO: Query Returned: oracle12c
INFO: Setting variable 'b_isOPS' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 's_windowsCommandLine' to ''. Received the value from the
variable calculation.
INFO: Setting variable 's_srcOracleHome' to ''. Received the value from the
variable calculation.

installActions2013-06-29_12-50-04AM.log

```
INFO: Setting variable 's_net8caExecutable' to
'/u01/app/oracle/product/12.1.0/db_1/bin/netca'. Received the value from the
variable calculation.
INFO: Setting variable 's_netcaUserDirArg' to
'-Duser.dir=/u01/app/oracle/product/12.1.0/db_1/network/jlib'. Received the
value from the variable calculation.
INFO: Calling Query areasQueries10.2.0.1.0 GetComponentInstallTypeName
INFO: Query Returned: Typical
INFO: Setting variable 's_installTypeForNetCA' to 'typical'. Received the value
from the variable calculation.
INFO: Setting variable 's_netcaSilentFlag' to '/silent'. Received the value
from the variable calculation.
INFO: Setting variable 's_netCAInstalledProducts' to
'client,oraclenet,javavm,server,ano'. Received the value from the variable
calculation.
INFO: Setting variable 's_netcaClasspath' to
'/u01/app/oracle/product/12.1.0/db_1/jdk/jre/lib/i18n.jar:/u01/app/oracle/produ
ct/12.1.0/db_1/jdk/jre/lib/rt.jar:/u01/app/oracle/product/12.1.0/db_1/jlib/ewt3.j
ar:/u01/app/oracle/product/12.1.0/db_1/jlib/ewtcompat-3_3_15.jar:/u01/app/oracle
/product/12.1.0/db_1/jlib/netcfg.jar:/u01/app/oracle/product/12.1.0/db_1/network
/jlib/netcam.jar:/u01/app/oracle/product/12.1.0/db_1/network/jlib/netca.jar:/u01
/app/oracle/product/12.1.0/db_1/jlib/help4.jar:/u01/app/oracle/product/12.1.0/db
_1/jlib/jewt4.jar:/u01/app/oracle/product/12.1.0/db_1/jlib/oracle_ice.jar:/u01/a
pp/oracle/product/12.1.0/db_1/jlib/share.jar:/u01/app/oracle/product/12.1.0/db_1
/jlib/swingall-1_1_1.jar:/u01/app/oracle/product/12.1.0/db_1/jlib/srvmhas.jar:/u
01/app/oracle/product/12.1.0/db_1/jlib/srvm.jar:/u01/app/oracle/product/12.1.0/d
b_1/network/tools:/u01/app/oracle/product/12.1.0/db_1/jlib/ldapjclnt9.jar:/u01/a
pp/oracle/product/12.1.0/db_1/jlib/ldapjclnt12.jar:/u01/app/oracle/product/12.1.
0/db_1/oui/jlib/OraInstaller.jar:/u01/app/oracle/product/12.1.0/db_1/lib/xmlpars
erv2.jar'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.precomp installation
INFO: Processing Oracle Programmer 12.1.0.1.0
INFO: Processing Oracle Programmer 12.1.0.1.0
INFO: *** Entering Component: oracle.rdbms.hsodbc installation
INFO: Processing Oracle Database Gateway for ODBC 12.1.0.1.0
INFO: Processing Oracle Database Gateway for ODBC 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from
the variable calculation.
INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from
the variable calculation.
INFO: Setting variable 's_gtwSID' to 'dg4odbc'. Received the value from the
variable calculation.
INFO: Setting variable 's_gtwExe' to 'dg4odbc'. Received the value from the
variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = WINDOWS
INFO: Query Returned: false
INFO: Setting variable 'b_isWINDOWS' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 's_installLogDir' to
'/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the
variable calculation.
INFO: Setting variable 's_gtwAdminDir' to
'/u01/app/oracle/product/12.1.0/db_1/hs/admin'. Received the value from the
variable calculation.
INFO: *** Entering Component: oracle.rdbms.hs_common installation
INFO: Processing Generic Connectivity Common Files 12.1.0.1.0
INFO: Processing Generic Connectivity Common Files 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = WINDOWS
INFO: Query Returned: false
INFO: Setting variable 'b_isWINDOWS' to 'false'. Received the value from the
variable calculation.
INFO: *** Entering Component: oracle.rdbms.util installation
```

```

installActions2013-06-29_12-50-04AM.log
INFO: Processing Oracle Database Utilities 12.1.0.1.0
INFO: Processing Oracle Database Utilities 12.1.0.1.0
INFO: Setting variable 's_verifier12Name' to 'verifier15.jar'. Received the
value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from
the variable calculation.
INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from
the variable calculation.
INFO: Setting variable 's_ldapjclntName' to 'ldapjclnt12.jar'. Received the
value from the variable calculation.
INFO: Setting variable 's_ldapName' to 'ldap.jar'. Received the value from the
variable calculation.
INFO: Setting variable 's_jssl12Name' to 'jssl-1_2.jar'. Received the value from
the variable calculation.
INFO: Setting variable 's_jssl11Name' to 'jssl-1_1.jar'. Received the value from
the variable calculation.
INFO: Calling Query areasQueries10.2.0.1.0 getProductHome

name = oracle.jdk

startVersion = 1.6.0.0.0

endVersion = 9.9.9.9.9

acceptCompatible = null
INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1/jdk
INFO: Setting variable 's_jreLocation' to
'/u01/app/oracle/product/12.1.0/db_1/jdk/jre/'. Received the value from the
variable calculation.
INFO: Setting variable 's_jndiName' to 'jndi.jar'. Received the value from the
variable calculation.
INFO: Setting variable 's_javaxssl12Name' to 'javax-ssl-1_2.jar'. Received the
value from the variable calculation.
INFO: Setting variable 's_apJservStatement' to '
# Advanced Queuing - AQ xml Servlet
<IfModule mod_jserv.c>
  ApJServMount /aqserv/servlet /root
  ApJServGroupMount /aqserv/servlet balance://group1/root
</IfModule>
#
'. Received the value from the variable calculation.
INFO: Setting variable 's_OPSSelectedNodes' to ''. Received the value from the
variable calculation.
INFO: Setting variable 'b_setMshelp' to 'false'. Received the value from the
variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = WINDOWS
INFO: Query Returned: false
INFO: Setting variable 'b_isWINDOWS' to 'false'. Received the value from the
variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the
variable calculation.
INFO: Setting variable 's_verifierDir' to
'/u01/app/oracle/product/12.1.0/db_1/jlib'. Received the value from the variable
calculation.
INFO: Setting variable 's_rdbmsJlibDir' to
'/u01/app/oracle/product/12.1.0/db_1/rdbms/jlib'. Received the value from the
variable calculation.
INFO: Setting variable 's_jre14Location' to
'/u01/app/oracle/product/12.1.0/db_1/jdk/jre/'. Received the value from the
variable calculation.

```

installActions2013-06-29_12-50-04AM.log

INFO: Setting variable 's_jlibDir' to '/u01/app/oracle/product/12.1.0/db_1/jlib'. Received the value from the variable calculation.
INFO: Setting variable 's_jdk14Location' to '/u01/app/oracle/product/12.1.0/db_1/jdk'. Received the value from the variable calculation.
INFO: Setting variable 's_jdbcLibDir' to '/u01/app/oracle/product/12.1.0/db_1/jdbc/lib'. Received the value from the variable calculation.
INFO: Setting variable 's_installLogDir' to '/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the variable calculation.
INFO: Setting variable 's_aqxmlConfSbs' to '/u01/app/oracle/product/12.1.0/db_1/rdbms/demo/aqxml.sbs'. Received the value from the variable calculation.
INFO: Setting variable 's_aqxmlConf' to '/u01/app/oracle/product/12.1.0/db_1/rdbms/demo/aqxml.conf'. Received the value from the variable calculation.
INFO: Setting variable 's_MSHELP_TOOLS' to ''. Received the value from the variable calculation.
INFO: Setting variable 'b_isIntel_Solaris' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_isHP' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_isDec' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_isAix' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'JRE_HOME' to '/u01/app/oracle/product/12.1.0/db_1/jdk/jre/'. Received the value from the variable calculation.
INFO: Setting variable 'JAVA_HOME' to '/u01/app/oracle/product/12.1.0/db_1/jdk/jre/'. Received the value from the variable calculation.
INFO: Setting variable 'APACHE_HOME' to '/u01/app/oracle/product/12.1.0/db_1/Apache'. Received the value from the variable calculation.
INFO: Setting variable 's_oracleApacheConfigFile' to '/u01/app/oracle/product/12.1.0/db_1/Apache/Apache/conf/oracle_apache.conf'. Received the value from the variable calculation.
INFO: Setting variable 's_aqxmlctlSrc' to '/u01/app/oracle/product/12.1.0/db_1/bin/aqxmlctl.template'. Received the value from the variable calculation.
INFO: Setting variable 's_aqxmlctlDest' to '/u01/app/oracle/product/12.1.0/db_1/bin/aqxmlctl'. Received the value from the variable calculation.
INFO: Setting variable 's_RDBMS81' to '/u01/app/oracle/product/12.1.0/db_1\RDBMS81'. Received the value from the variable calculation.
INFO: Setting variable 's_PLSQL81' to '/u01/app/oracle/product/12.1.0/db_1\PLSQL81'. Received the value from the variable calculation.
INFO: Setting variable 's_OSDSharelibExt' to '.so'. Received the value from the variable calculation.
INFO: Setting variable 'b_linkLibagtsh' to 'true'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.network.client installation
INFO: Processing Oracle Net 12.1.0.1.0
INFO: Processing Oracle Net 12.1.0.1.0
INFO: Setting variable 's_systemDirectory' to 'No System Directory'. Received the value from the variable calculation.
INFO: Setting variable 's_swingallName' to 'swingall-1_1_1.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_shareName' to 'share.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_runtimeLib' to 'rt.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_phaosEngine' to 'ojpse_2_1_5.jar'. Received the value

```
installActions2013-06-29_12-50-04AM.log
from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from
the variable calculation.
INFO: Setting variable 's_oemltName' to 'oemlt.jar'. Received the value from the
variable calculation.
INFO: Setting variable 's_oembaseName' to 'oembase-10_1_0.jar'. Received the
value from the variable calculation.
INFO: Setting variable 's_netcfgName' to 'netcfg.jar'. Received the value from
the variable calculation.
INFO: Setting variable 's_netcahelpName' to 'NetCAhelp.zip'. Received the value
from the variable calculation.
INFO: Setting variable 's_netcaClass' to 'oracle.net.ca.NetCA'. Received the
value from the variable calculation.
INFO: Setting variable 's_netCA_Args' to 'NO_VALUE'. Received the value from the
variable calculation.
INFO: Setting variable 's_netCAInstalledProtocols' to ''. Received the value
from the variable calculation.
INFO: Setting variable 's_netAPIName' to 'netcfg.jar'. Received the value from
the variable calculation.
INFO: Setting variable 's_net8TNSNamesLoc' to 'NO_VALUE'. Received the value
from the variable calculation.
INFO: Setting variable 's_net8ConfigMethod' to 'local'. Received the value from
the variable calculation.
INFO: Setting variable 's_mgrHelpZhTwJar' to 'mgr_help_zh_TW.jar'. Received the
value from the variable calculation.
INFO: Setting variable 's_mgrHelpZhCnJar' to 'mgr_help_zh_CN.jar'. Received the
value from the variable calculation.
INFO: Setting variable 's_mgrHelpPtBRJar' to 'mgr_help_pt_BR.jar'. Received the
value from the variable calculation.
INFO: Setting variable 's_mgrHelpKoJar' to 'mgr_help_ko.jar'. Received the value
from the variable calculation.
INFO: Setting variable 's_mgrHelpJar' to 'mgr_help.jar'. Received the value from
the variable calculation.
INFO: Setting variable 's_mgrHelpJaJar' to 'mgr_help_ja.jar'. Received the value
from the variable calculation.
INFO: Setting variable 's_mgrHelpItJar' to 'mgr_help_it.jar'. Received the value
from the variable calculation.
INFO: Setting variable 's_mgrHelpFrJar' to 'mgr_help_fr.jar'. Received the value
from the variable calculation.
INFO: Setting variable 's_mgrHelpEsJar' to 'mgr_help_es.jar'. Received the value
from the variable calculation.
INFO: Setting variable 's_mgrHelpDeJar' to 'mgr_help_de.jar'. Received the value
from the variable calculation.
INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from
the variable calculation.
INFO: Setting variable 's_mafName' to 'sysmanmaf.jar'. Received the value from
the variable calculation.
INFO: Setting variable 's_ldapclnt9' to 'ldapjclnt9.jar'. Received the value
from the variable calculation.
INFO: Setting variable 's_ldapclnt10' to 'ldapjclnt12.jar'. Received the value
from the variable calculation.
INFO: Calling Query areasQueries10.2.0.1.0 getProductHome
name = oracle.jdk
startVersion = 1.6.0.0.0
endVersion = 9.9.9.9.9
acceptCompatible = null
INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1/jdk
INFO: Setting variable 's_jreLocation' to
'/u01/app/oracle/product/12.1.0/db_1/jdk/jre'. Received the value from the
variable calculation.
INFO: Setting variable 's_jreJarFile' to 'i18n.jar'. Received the value from the
variable calculation.
```


installActions2013-06-29_12-50-04AM.log

INFO: Setting variable 's_jewtName' to 'jewt4.jar'. Received the value from the variable calculation.
INFO: Calling Query areasQueries10.2.0.1.0 GetComponentInstallTypeName
INFO: Query Returned: Typical
INFO: Setting variable 's_installTypeForLaunchNETCA' to 'Typical'. Received the value from the variable calculation.
INFO: Setting variable 's_icebrowserName' to 'oracle_ice.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_icebrowser5Name' to 'oracle_ice5.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_i18nLib' to 'i18n.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_helpName' to 'help4.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_ewtcompatName' to 'ewtcompat-3_3_15.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_ewtName' to 'ewt3.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_ewtFile' to 'ewt3.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_ewtCompat' to 'ewtcompat-3_3_15.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_emltName' to 'oemlt.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_cfgMethod' to 'local'. Received the value from the variable calculation.
INFO: Setting variable 's_caHelpZhTwJar' to 'ca_help_zh_TW.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_caHelpZhCnJar' to 'ca_help_zh_CN.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_caHelpPtBRJar' to 'ca_help_pt_BR.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_caHelpKoJar' to 'ca_help_ko.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_caHelpJar' to 'ca_help.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_caHelpJaJar' to 'ca_help_ja.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_caHelpItJar' to 'ca_help_it.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_caHelpFrJar' to 'ca_help_fr.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_caHelpEsJar' to 'ca_help_es.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_caHelpDeJar' to 'ca_help_de.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_authAdaptors' to 'NO_VALUE'. Received the value from the variable calculation.
INFO: Setting variable 's_NLSLANG' to 'AMERICAN_AMERICA.WE8ISO8859P1'. Received the value from the variable calculation.
INFO: Setting variable 'ps_netCA_Args_Override' to ''. Received the value from the variable calculation.
INFO: Setting variable 'b_setNLSLANG' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 'b_removeOCI' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_net8ServerInstalling' to 'true'. Received the value from variable association.
INFO: Setting variable 'b_javavmIsInstalling' to 'true'. Received the value from variable association.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = WINDOWS
INFO: Query Returned: false
INFO: Setting variable 'b_iswindows' to 'false'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

installActions2013-06-29_12-50-04AM.log

```
platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the
variable calculation.
INFO: Setting variable 'b_cmanIsInstalling' to 'false'. Received the value from
the variable calculation.
INFO: Setting variable 'b_anoIsInstalling' to 'true'. Received the value from
variable association.
INFO: Setting variable 's_phaosDir' to
'/u01/app/oracle/product/12.1.0/db_1/encryption/jlib'. Received the value from
the variable calculation.
INFO: Setting variable 's_oracleHome' to '/u01/app/oracle/product/12.1.0/db_1'.
Received the value from the variable calculation.
INFO: Setting variable 's_oracleClasses' to
'/u01/app/oracle/product/12.1.0/db_1/classes'. Received the value from the
variable calculation.
INFO: Setting variable 's_netjlibDir' to
'/u01/app/oracle/product/12.1.0/db_1/network/jlib'. Received the value from the
variable calculation.
INFO: Setting variable 's_netcahelpLocation' to
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/ca'. Received the value
from the variable calculation.
INFO: Setting variable 's_netCA' to
'/u01/app/oracle/product/12.1.0/db_1/network'. Received the value from the
variable calculation.
INFO: Setting variable 's_mgrHelpDir' to
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/'. Received the
value from the variable calculation.
INFO: Setting variable 's_mafLocation' to
'/u01/app/oracle/product/12.1.0/db_1/network/jlib'. Received the value from the
variable calculation.
INFO: Setting variable 's_lhoHelpLocation' to
'/u01/app/oracle/product/12.1.0/db_1/owm/jlib/help/elogin/help'. Received the
value from the variable calculation.
INFO: Setting variable 's_jreBin' to
'/u01/app/oracle/product/12.1.0/db_1/jdk/jre/bin'. Received the value from the
variable calculation.
INFO: Setting variable 's_jnlsLocation' to
'/u01/app/oracle/product/12.1.0/db_1/assistants/jlib'. Received the value from
the variable calculation.
INFO: Setting variable 's_jlibDir' to
'/u01/app/oracle/product/12.1.0/db_1/jlib'. Received the value from the variable
calculation.
INFO: Setting variable 's_installLogDir' to
'/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the
variable calculation.
INFO: Setting variable 's_instLaunchFile' to
'/u01/app/oracle/product/12.1.0/db_1/network/install/sbs/trcasst.sbs'. Received
the value from the variable calculation.
INFO: Setting variable 's_computerName' to 'NO_VALUE'. Received the value from
the variable calculation.
INFO: Setting variable 's_caHelpDir' to
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/ca/'. Received the value
from the variable calculation.
INFO: Setting variable 's_OracleHomeBin' to
'/u01/app/oracle/product/12.1.0/db_1/bin'. Received the value from the variable
calculation.
INFO: Setting variable 's_JavaFlag' to ''. Received the value from the variable
calculation.
INFO: Calling Query netQueries10.2.0.2.0  getHostIPAddress
INFO: Query Returned: 192.168.153.155
INFO: Calling Query netQueries10.2.0.2.0  getHostNameForIPAddress

ipAddress = 192.168.153.155
INFO: Query Returned: oracle12c
INFO: Setting variable 'b_isOPS' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 'sl_processList' to ''. Received the value from the
```

variable calculation.
INFO: Setting variable 's_windowsCommandLine' to ''. Received the value from the variable calculation.
INFO: Setting variable 's_net8mgrFileToInstantiate' to '/u01/app/oracle/product/12.1.0/db_1/network/install/sbs/netmgr.sbs'. Received the value from the variable calculation.
INFO: Setting variable 's_net8mgrExecutable' to '/u01/app/oracle/product/12.1.0/db_1/bin/netmgr'. Received the value from the variable calculation.
INFO: Setting variable 's_net8caFileToInstantiate' to '/u01/app/oracle/product/12.1.0/db_1/network/install/sbs/netca.sbs'. Received the value from the variable calculation.
INFO: Setting variable 's_net8caExecutable' to '/u01/app/oracle/product/12.1.0/db_1/bin/netca'. Received the value from the variable calculation.
INFO: Setting variable 's_launchFile' to '/u01/app/oracle/product/12.1.0/db_1/bin/trcasst'. Received the value from the variable calculation.
INFO: Calling Query areasQueries10.2.0.1.0 GetComponentInstallTypeName
INFO: Query Returned: Typical
INFO: Setting variable 's_installTypeForNetCA' to 'typical'. Received the value from the variable calculation.
INFO: Setting variable 's_OPSSNodeInfoString' to 'NO_VALUE'. Received the value from the variable calculation.
INFO: Setting variable 's_netcaUserDirArg' to '-Duser.dir=/u01/app/oracle/product/12.1.0/db_1/network/jlib'. Received the value from the variable calculation.
INFO: Setting variable 's_netCAInstalledProducts' to 'client,oraclenet,javavm,server,ano'. Received the value from the variable calculation.
INFO: Setting variable 's_netcaClasspath' to '/u01/app/oracle/product/12.1.0/db_1/jdk/jre/lib/i18n.jar:/u01/app/oracle/product/12.1.0/db_1/jdk/jre/lib/rt.jar:/u01/app/oracle/product/12.1.0/db_1/jlib/ewt3.jar:/u01/app/oracle/product/12.1.0/db_1/jlib/ewtcompat-3_3_15.jar:/u01/app/oracle/product/12.1.0/db_1/jlib/netcfg.jar:/u01/app/oracle/product/12.1.0/db_1/network/jlib/netcam.jar:/u01/app/oracle/product/12.1.0/db_1/network/jlib/netca.jar:/u01/app/oracle/product/12.1.0/db_1/jlib/help4.jar:/u01/app/oracle/product/12.1.0/db_1/jlib/jewt4.jar:/u01/app/oracle/product/12.1.0/db_1/jlib/oracle_ice.jar:/u01/app/oracle/product/12.1.0/db_1/jlib/share.jar:/u01/app/oracle/product/12.1.0/db_1/jlib/swingall-1_1_1.jar:/u01/app/oracle/product/12.1.0/db_1/jlib/srvmhas.jar:/u01/app/oracle/product/12.1.0/db_1/jlib/srvm.jar:/u01/app/oracle/product/12.1.0/db_1/network/tools:/u01/app/oracle/product/12.1.0/db_1/jlib/ldapjclnt9.jar:/u01/app/oracle/product/12.1.0/db_1/jlib/ldapjclnt12.jar:/u01/app/oracle/product/12.1.0/db_1/oui/jlib/OraInstaller.jar:/u01/app/oracle/product/12.1.0/db_1/lib/xmlparserv2.jar'. Received the value from the variable calculation.
INFO: Calling Query RunningProcessQuery12.1.0.1.0 getRunningProcess

multiParamName =
INFO: Query Returned:
INFO: *** Entering Component: oracle.ons installation
INFO: Processing Oracle Notification Service 12.1.0.1.0
INFO: Processing Oracle Notification Service 12.1.0.1.0
INFO: Setting variable 's_sharedOH' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 's_opmnRemotePort' to '6200'. Received the value from the variable calculation.
INFO: Setting variable 's_opmnLocalPort' to '6101'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Setting variable 's_onsDllBkpName' to ''. Received the value from the variable calculation.
INFO: Setting variable 's_localPortEntry' to 'localport='. Received the value from the variable calculation.
INFO: Setting variable 's_CRSInstalling' to 'false'. Received the value from the variable calculation.

installActions2013-06-29_12-50-04AM.log

INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = WINDOWS

INFO: Query Returned: false

INFO: Setting variable 'b_iswindows' to 'false'. Received the value from the variable calculation.

INFO: Calling Query areasQueries10.2.0.1.0 getProductHome

name = oracle.crs

startVersion = 11.2.0.0.0

endVersion = 99.99.9.9.9

acceptCompatible = null

INFO:

Query Exception: ProductNotFoundException

Query Exception Class: class oracle.sysman.oii.oii1.Oii1QueryException

INFO:

INFO: Processing areasQueries.getProductHome. Query returned:

INFO: Setting variable 'b_crshome' to 'false'. Received the value from the variable calculation.

INFO: Calling Query areasQueries10.2.0.1.0 getAllOracleHomes

INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1

INFO: Setting variable 's1_OracleHomes' to

'/u01/app/oracle/product/12.1.0/db_1'. Received the value from the variable calculation.

INFO: Setting variable 'b_issolaris' to 'false'. Received the value from the variable calculation.

INFO: Setting variable 'b_isHP' to 'false'. Received the value from the variable calculation.

INFO: Setting variable 'SO_EXT' to 'so'. Received the value from the variable calculation.

INFO: Setting variable 'PERL_BIN' to

'/u01/app/oracle/product/12.1.0/db_1/perl/bin/perl'. Received the value from the variable calculation.

INFO: *** Entering Component: oracle.assistants.acf installation

INFO: Processing Assistant Common Files 12.1.0.1.0

INFO: Processing Assistant Common Files 12.1.0.1.0

INFO: Calling Query generalQueries10.2.0.2.1 getOSName

INFO: Query Returned: Linux

INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.

INFO: Setting variable 's_maxJreVersion' to '9.9.9.9.9'. Received the value from the variable calculation.

INFO: Calling Query areasQueries10.2.0.1.0 getProductHome

name = oracle.jdk

startVersion = 1.6.0.0.0

endVersion = 9.9.9.9.9

acceptCompatible = null

INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1/jdk

INFO: Setting variable 's_jreProductLocation' to

'/u01/app/oracle/product/12.1.0/db_1/jdk/jre/'. Received the value from the variable calculation.

INFO: Calling Query areasQueries10.2.0.1.0 getProductHome

name = oracle.jdk

startVersion = 1.6.0.0.0

endVersion = 9.9.9.9.9

acceptCompatible = null

INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1/jdk

installActions2013-06-29_12-50-04AM.log

INFO: Setting variable 's_jreLocation' to '/u01/app/oracle/product/12.1.0/db_1/jdk/jre'. Received the value from the variable calculation.
INFO: Setting variable 'cs_swingName' to 'swingall-1_1_1.jar'. Received the value from the variable calculation.
INFO: Setting variable 'cs_komodoName' to 'help4.jar'. Received the value from the variable calculation.
INFO: Setting variable 'cs_kodiakName' to 'kodiak.jar'. Received the value from the variable calculation.
INFO: Setting variable 'cs_jewtName' to 'jewt4.jar'. Received the value from the variable calculation.
INFO: Setting variable 'cs_iceBrowserName' to 'oracle_ice5.jar'. Received the value from the variable calculation.
INFO: Setting variable 'cs_ewtcompatName' to 'ewtcompat-3_3_15.jar'. Received the value from the variable calculation.
INFO: Setting variable 'cs_ewtName' to 'ewt3.jar'. Received the value from the variable calculation.
INFO: Setting variable 'cs_balishareName' to 'share.jar'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = WINDOWS
INFO: Query Returned: false
INFO: Setting variable 'b_isWINDOWS' to 'false'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 's_xmlparservLoc' to '/u01/app/oracle/product/12.1.0/db_1/lib'. Received the value from the variable calculation.
INFO: Setting variable 's_rconfigInstLaunchFile' to '/u01/app/oracle/product/12.1.0/db_1/assistants/bin/rconfig.sbs'. Received the value from the variable calculation.
INFO: Setting variable 's_ouiJlibLocation' to '/u01/app/oracle/product/12.1.0/db_1/oui/jlib'. Received the value from the variable calculation.
INFO: Setting variable 's_opsmLocation' to '/u01/app/oracle/product/12.1.0/db_1/jlib'. Received the value from the variable calculation.
INFO: Setting variable 's_minJreVersion' to '1.6.0.0.0'. Received the value from the variable calculation.
INFO: Setting variable 's_komodoLocation' to '/u01/app/oracle/product/12.1.0/db_1/jlib'. Received the value from the variable calculation.
INFO: Setting variable 's_jnlsLocation' to '/u01/app/oracle/product/12.1.0/db_1/assistants/jlib'. Received the value from the variable calculation.
INFO: Setting variable 's_ewtLocation' to '/u01/app/oracle/product/12.1.0/db_1/jlib'. Received the value from the variable calculation.
INFO: Setting variable 's_accLocation' to '/u01/app/oracle/product/12.1.0/db_1/assistants/jlib'. Received the value from the variable calculation.
INFO: Setting variable 's_rconfigLaunchFile' to '/u01/app/oracle/product/12.1.0/db_1/bin/rconfig'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.rdbms.plsql installation
INFO: Processing PL/SQL 12.1.0.1.0
INFO: Processing PL/SQL 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from

installActions2013-06-29_12-50-04AM.log

the variable calculation.

INFO: Setting variable 's_installLogDir' to '/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the variable calculation.

INFO: *** Entering Component: oracle.has.common installation

INFO: Processing HAS Common Files 12.1.0.1.0

INFO: Processing HAS Common Files 12.1.0.1.0

INFO: Setting variable 'sl_denyInterfaceList' to ''. Received the value from the variable calculation.

INFO: Setting variable 'sl_denyDomainList' to ''. Received the value from the variable calculation.

INFO: Setting variable 'sl_allowDomainList' to ''. Received the value from the variable calculation.

INFO: Setting variable 'slPrivateNodes' to ''. Received the value from the variable calculation.

INFO: Setting variable 'slNewNodes' to ''. Received the value from the variable calculation.

INFO: Setting variable 'slHostNames' to ''. Received the value from the variable calculation.

INFO: Setting variable 's_silent' to 'false'. Received the value from the variable calculation.

INFO: Setting variable 's_privatenamelist' to ''. Received the value from the variable calculation.

INFO: Setting variable 's_paLocation' to ''. Received the value from the variable calculation.

INFO: Calling Query generalQueries10.2.0.2.1 getOSName

INFO: Query Returned: Linux

INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.

INFO: Setting variable 's_netAPIName' to 'netcfg.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from the variable calculation.

INFO: Setting variable 's_diskDiscoString' to ''. Received the value from the variable calculation.

INFO: Setting variable 's_CssSrcv' to 'OracleCSService'. Received the value from the variable calculation.

INFO: Setting variable 's_CSSLocalconfig' to ''. Received the value from the variable calculation.

INFO: Setting variable 'n_srvcState' to '0'. Received the value from the variable calculation.

INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = WINDOWS

INFO: Query Returned: false

INFO: Setting variable 'b_iswindows' to 'false'. Received the value from the variable calculation.

INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX

INFO: Query Returned: true

INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.

INFO: Setting variable 'b_isASMSet' to 'false'. Received the value from the variable calculation.

INFO: Setting variable 'b_RemLocalocr' to 'false'. Received the value from the variable calculation.

INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = WINDOWS

INFO: Query Returned: false

INFO: Setting variable 'b_LaunchCrSsetup' to 'false'. Received the value from the variable calculation.

INFO: Setting variable 'b_CssRunning' to 'false'. Received the value from the variable calculation.

INFO: Calling Query unixQueries10.1.0.2.0 getCurrentActiveUserGroup

INFO: Query Returned: oinstall

INFO: Setting variable 's_usergroup' to 'oinstall'. Received the value from the

variable calculation.
INFO: Setting variable 's_jreLocation' to '/u01/app/oracle/product/12.1.0/db_1/jdk/jre'. Received the value from the variable calculation.
INFO: Setting variable 's_jlibDir' to '/u01/app/oracle/product/12.1.0/db_1/jlib'. Received the value from the variable calculation.
INFO: Setting variable 's_installLogDir' to '/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the variable calculation.
INFO: Setting variable 's_crsConfigParamsFile' to '/u01/app/oracle/product/12.1.0/db_1/crs/install/crsconfig_params'. Received the value from the variable calculation.
INFO: Setting variable 's_OracleHome' to '/u01/app/oracle/product/12.1.0/db_1'. Received the value from the variable calculation.
INFO: Setting variable 's_DeFlg' to ''. Received the value from the variable calculation.
INFO: Calling Query unixQueries10.1.0.2.0 getUIdName
INFO: Query Returned: oracle
INFO: Setting variable 'OwnerId' to 'oracle'. Received the value from the variable calculation.
INFO: Setting variable 'ORA_HA_HOME' to '/u01/app/oracle/product/12.1.0/db_1'. Received the value from the variable calculation.
INFO: Setting variable 's_localConfigInstantiate' to '/u01/app/oracle/product/12.1.0/db_1/bin/localconfig'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.help.ohj installation
INFO: Processing Oracle Help for Java 11.1.1.6.0
INFO: Processing Oracle Help for Java 11.1.1.6.0
INFO: *** Entering Component: oracle.help.share installation
INFO: Processing Oracle Help Share Library 11.1.1.6.0
INFO: Processing Oracle Help Share Library 11.1.1.6.0
INFO: *** Entering Component: oracle.bali.dbui4 installation
INFO: Processing Oracle Database User Interface 11.0.0.0.0
INFO: Processing Oracle Database User Interface 11.0.0.0.0
INFO: *** Entering Component: oracle.bali.jle3 installation
INFO: Processing Oracle Java Layout Engine 11.0.0.0.0
INFO: Processing Oracle Java Layout Engine 11.0.0.0.0
INFO: *** Entering Component: oracle.buildtools.common installation
INFO: Processing Buildtools Common Files 12.1.0.1.0
INFO: Processing Buildtools Common Files 12.1.0.1.0
INFO: *** Entering Component: oracle.ldap.admin installation
INFO: Processing Oracle LDAP administration 12.1.0.1.0
INFO: Processing Oracle LDAP administration 12.1.0.1.0
INFO: Setting variable 's_oembaseName' to 'oemlt.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_netAPIName' to 'netcfg.jar'. Received the value from the variable calculation.
INFO: Calling Query areasQueries10.2.0.1.0 getProductHome

name = oracle.jdk

startVersion = 1.6.0.0.0

endVersion = 9.9.9.9.9

acceptCompatible = null
INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1/jdk
INFO: Setting variable 's_jreLocation' to '/u01/app/oracle/product/12.1.0/db_1/jdk/jre'. Received the value from the variable calculation.
INFO: Setting variable 's_jewtName' to 'jewt4.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_iceBrowserName' to 'oracle_ice.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_helpNlsName' to 'help4-nls.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_helpName' to 'help4.jar'. Received the value from the variable calculation.

installActions2013-06-29_12-50-04AM.log

variable calculation.
INFO: Setting variable 's_ewtcompatName' to 'ewtcompat-3_3_15.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_ewtNlsName' to 'ewt3-nls.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_ewtName' to 'ewt3.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_dbuiNlsName' to 'dbui2-nls.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_dbuiName' to 'dbui2.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_balishareName' to 'share.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_OPSSelectedNodes' to ''. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX

INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 's_oidprovSrc' to '/u01/app/oracle/product/12.1.0/db_1/ldap/install/oidprovtool.ora'. Received the value from the variable calculation.
INFO: Setting variable 's_ldifmigSrc' to '/u01/app/oracle/product/12.1.0/db_1/ldap/install/ldifmigrator.ora'. Received the value from the variable calculation.
INFO: Setting variable 's_JDKHOME' to '/u01/app/oracle/product/12.1.0/db_1/jdk'. Received the value from the variable calculation.
INFO: Setting variable 's_oidprovDest' to '/u01/app/oracle/product/12.1.0/db_1/bin/oidprovtool'. Received the value from the variable calculation.
INFO: Setting variable 's_ldifmigDest' to '/u01/app/oracle/product/12.1.0/db_1/bin/ldifmigrator'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.rdbms.install.common installation
INFO: Processing Installation Common Files 12.1.0.1.0
INFO: Processing Installation Common Files 12.1.0.1.0
INFO: Setting variable 'setInstallFlag' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 's_systemDirectory' to 'c:\winnt\system32'. Received the value from the variable calculation.
INFO: Calling Query globalVarQueries12.1.0.1.0 getGlobalVariable

variable = oracle.installer.silent

INFO: Query Returned: false
INFO: Setting variable 's_silent' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 's_runInstallerSourceLoc' to ''. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Setting variable 's_jreProductLocation' to ''. Received the value from the variable calculation.
INFO: Setting variable 's_OPSSelectedNodes' to ''. Received the value from the variable calculation.
INFO: Setting variable 'b_validOUILoc' to 'false'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = WINDOWS

INFO: Query Returned: false
INFO: Setting variable 'b_isWINDOWS' to 'false'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

installActions2013-06-29_12-50-04AM.log

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Calling Query unixQueries10.1.0.2.0 getUidName
INFO: Query Returned: oracle
INFO: Setting variable 'OwnerId' to 'oracle'. Received the value from the variable calculation.
INFO: Calling query unixQueries10.1.0.2.0 getCurrentActiveUserGroup
INFO: Query Returned: oinstall
INFO: Setting variable 'OwnerGroup' to 'oinstall'. Received the value from the variable calculation.
INFO: Setting variable 's_scriptExt' to ''. Received the value from the variable calculation.
INFO: Setting variable 's_remotenodesArg' to ''. Received the value from the variable calculation.
INFO: Setting variable 's_nodelistArg' to ''. Received the value from the variable calculation.
INFO: Setting variable 'b_issolaris' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 's_windowsCommandLine' to ''. Received the value from the variable calculation.
INFO: Setting variable 's_oratabloc' to '/etc'. Received the value from the variable calculation.
INFO: Setting variable 's_localnodeArg' to ''. Received the value from the variable calculation.
INFO: Setting variable 's_javaFlag' to '-d64'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.rdbms.install.plugins installation
INFO: Processing Installation Plugin Files 12.1.0.1.0
INFO: Processing Installation Plugin Files 12.1.0.1.0
INFO: *** Entering Component: oracle.bali.ice installation
INFO: Processing Oracle Ice Browser 11.1.1.6.0
INFO: Processing Oracle Ice Browser 11.1.1.6.0
INFO: *** Entering Component: oracle.rdbms.crs installation
INFO: Processing Oracle Clusterware RDBMS Files 12.1.0.1.0
INFO: Processing Oracle Clusterware RDBMS Files 12.1.0.1.0
INFO: *** Entering Component: oracle.has.common.cvu installation
INFO: Processing Cluster Verification Utility Common Files 12.1.0.1.0
INFO: Processing Cluster Verification Utility Common Files 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = WINDOWS
INFO: Query Returned: false
INFO: Setting variable 'b_iswindows' to 'false'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUnix' to 'true'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.ldap.owm installation
INFO: Processing Oracle wallet Manager 12.1.0.1.0
INFO: Processing Oracle wallet Manager 12.1.0.1.0
INFO: Setting variable 's_swingallName' to 'swingall-1_1_1.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_shareName' to 'share.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_owmHelpZhTwJar' to 'owm_help_zh_TW.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_owmHelpZhCnJar' to 'owm_help_zh_CN.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_owmHelpPtBrJar' to 'owm_help_pt_BR.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_owmHelpKoJar' to 'owm_help_ko.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_owmHelpJar' to 'owm_help.jar'. Received the value from

installActions2013-06-29_12-50-04AM.log

the variable calculation.

INFO: Setting variable 's_owmHelpJaJar' to 'owm_help_ja.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_owmHelpItJar' to 'owm_help_it.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_owmHelpFrJar' to 'owm_help_fr.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_owmHelpEsJar' to 'owm_help_es.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_owmHelpDeJar' to 'owm_help_de.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_oraclepkiName' to 'oraclepki.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_oemltName' to 'oemlt.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_oembaseName' to 'oembase-10_1_0.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_netcfgName' to 'netcfg.jar'. Received the value from the variable calculation.

INFO: Calling Query areasQueries10.2.0.1.0 getProductHome

name = oracle.jdk

startVersion = 1.6.0.0.0

endVersion = 9.9.9.9.9

acceptCompatible = null

INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1/jdk

INFO: Setting variable 's_jreLocation' to '/u01/app/oracle/product/12.1.0/db_1/jdk/jre/'. Received the value from the variable calculation.

INFO: Setting variable 's_jwtName' to 'jwt4.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_icebrowser5Name' to 'oracle_ice5.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_helpName' to 'help4.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_ewtcompatName' to 'ewtcompat-3_3_15.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_ewtName' to 'ewt3.jar'. Received the value from the variable calculation.

INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX

INFO: Query Returned: true

INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.

INFO: Setting variable 's_pkidir' to '/u01/app/oracle/product/12.1.0/db_1/network/jlib'. Received the value from the variable calculation.

INFO: Setting variable 's_owmLocation' to '/u01/app/oracle/product/12.1.0/db_1/owm/jlib'. Received the value from the variable calculation.

INFO: Setting variable 's_owmHome' to '/u01/app/oracle/product/12.1.0/db_1/owm'. Received the value from the variable calculation.

INFO: Setting variable 's_owmHelpLocation' to '/u01/app/oracle/product/12.1.0/db_1/owm/jlib/help/owm/help'. Received the value from the variable calculation.

INFO: Setting variable 's_owmHelpDir' to '/u01/app/oracle/product/12.1.0/db_1/owm/jlib/help/owm/'. Received the value from the variable calculation.

INFO: Setting variable 's_oracleClasses' to '/u01/app/oracle/product/12.1.0/db_1/classes'. Received the value from the variable calculation.

INFO: Setting variable 's_liohelpLocation' to '/u01/app/oracle/product/12.1.0/db_1/owm/jlib/help/elogin/help'. Received the value from the variable calculation.

installActions2013-06-29_12-50-04AM.log

INFO: Setting variable 's_jlibDir' to '/u01/app/oracle/product/12.1.0/db_1/jlib'. Received the value from the variable calculation.
INFO: Setting variable 's_orapki' to '/u01/app/oracle/product/12.1.0/db_1/bin/orapki'. Received the value from the variable calculation.
INFO: Setting variable 's_mkstore' to '/u01/app/oracle/product/12.1.0/db_1/bin/mkstore'. Received the value from the variable calculation.
INFO: Setting variable 's_instorapki' to '/u01/app/oracle/product/12.1.0/db_1/owm/install/orapki.sbs'. Received the value from the variable calculation.
INFO: Setting variable 's_instmkstore' to '/u01/app/oracle/product/12.1.0/db_1/owm/install/mkstore.sbs'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.ldap.security.osdt installation
INFO: Processing Oracle Security Developer Tools 12.1.0.1.0
INFO: Processing Oracle Security Developer Tools 12.1.0.1.0
INFO: *** Entering Component: oracle.xdk.parser.java installation
INFO: Processing XML Parser for Java 12.1.0.1.0
INFO: Processing XML Parser for Java 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Setting variable 's_jarLocation' to ''. Received the value from the variable calculation.
INFO: Setting variable 's_ncompDir' to '/u01/app/oracle/product/12.1.0/db_1/javavm/admin'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.network.client.jrf installation
INFO: Processing Oracle Net Java Required Support Files 12.1.0.1.0
INFO: Processing Oracle Net Java Required Support Files 12.1.0.1.0
INFO: *** Entering Component: oracle.rdbms.rman installation
INFO: Processing Oracle Recovery Manager 12.1.0.1.0
INFO: Processing Oracle Recovery Manager 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 's_installLogDir' to '/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.install.deinstalltool installation
INFO: Processing Deinstallation Tool 12.1.0.1.0
INFO: Processing Deinstallation Tool 12.1.0.1.0
INFO: *** Entering Component: oracle.precomp.common installation
INFO: Processing Precompiler Common Files 12.1.0.1.0
INFO: Processing Precompiler Common Files 12.1.0.1.0
INFO: Setting variable 's_windowsSystemRoot' to ''. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX

installActions2013-06-29_12-50-04AM.log

INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 's_precompHome' to '/u01/app/oracle/product/12.1.0/db_1/precomp'. Received the value from the variable calculation.
INFO: Setting variable 's_jdkSSLClassfile' to '/u01/app/oracle/product/12.1.0/db_1/jlib/javax-ssl-1_2.jar:/u01/app/oracle/product/12.1.0/db_1/jlib/jssl-1_2.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_jdkSQLJClassfile' to '/u01/app/oracle/product/12.1.0/db_1/sqlj/lib/runtime12.jar:/u01/app/oracle/product/12.1.0/db_1/sqlj/lib/translator.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_jdkJVMClassfile' to '/u01/app/oracle/product/12.1.0/db_1/javavm/lib/aurora.zip'. Received the value from the variable calculation.
INFO: Setting variable 's_installLogDir' to '/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.precomp.lang installation
INFO: Processing Precompilers 12.1.0.1.0
INFO: Processing Precompilers 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from the variable calculation.
INFO: Setting variable 's_architecture' to ''. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 's_precompHome' to '/u01/app/oracle/product/12.1.0/db_1/precomp'. Received the value from the variable calculation.
INFO: Setting variable 's_installLogDir' to '/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the variable calculation.
INFO: Setting variable 'b_issolaris' to 'false'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getenv

name = COBDIR
INFO: Query Returned:
INFO: Setting variable 'b_cobolVar' to 'false'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getenv

name = COBDIR
INFO: Query Returned:
INFO: Setting variable 'COBLIB' to ''. Received the value from the variable calculation.
INFO: Setting variable 'PRECOMP_HOME' to '/u01/app/oracle/product/12.1.0/db_1/precomp'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.odbc installation
INFO: Processing Oracle ODBC Driver 12.1.0.1.0
INFO: Processing Oracle ODBC Driver 12.1.0.1.0
INFO: Setting variable 's_windowsSystemRoot' to 'foo'. Received the value from the variable calculation.
INFO: Setting variable 's_registryRoot' to 'HKEY_LOCAL_MACHINE'. Received the value from the variable calculation.
INFO: Setting variable 's_oracleBin' to

installActions2013-06-29_12-50-04AM.log
'/u01/app/oracle/product/12.1.0/db_1\BIN'. Received the value from the variable calculation.
INFO: Setting variable 's_odbLocation' to '/u01/app/oracle/product/12.1.0/db_1\ODBC'. Received the value from the variable calculation.
INFO: Setting variable 's_odbckey' to 'software\odbc\odbcinst.ini\Oracle in OraDB12Home1'. Received the value from the variable calculation.
INFO: Setting variable 's_netAdminFolder' to 'null\Network Administration'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.rsfc installation
INFO: Processing Required Support Files 12.1.0.1.0
INFO: Processing Required Support Files 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.sqlplus.ic installation
INFO: Processing SQL*Plus Files for Instant Client 12.1.0.1.0
INFO: Processing SQL*Plus Files for Instant Client 12.1.0.1.0
INFO: *** Entering Component: oracle.bali.ewt installation
INFO: Processing Oracle Extended windowing Toolkit 11.1.1.6.0
INFO: Processing Oracle Extended windowing Toolkit 11.1.1.6.0
INFO: *** Entering Component: oracle.nlsrtl.rsfc installation
INFO: Processing Oracle Globalization Support 12.1.0.1.0
INFO: Processing Oracle Globalization Support 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 'b_cr9idata' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'sl_processList' to ''. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_perlexe' to '/u01/app/oracle/product/12.1.0/db_1/perl/bin/perl '. Received the value from the variable calculation.
INFO: Setting variable 's_plcmd' to '/u01/app/oracle/product/12.1.0/db_1/perl/bin/perl /u01/app/oracle/product/12.1.0/db_1/nls/data/old/cr9idata.pl /u01/app/oracle/product/12.1.0/db_1'. Received the value from the variable calculation.
INFO: Calling Query RunningProcessQuery12.1.0.1.0 getRunningProcess

multiParamName =
INFO: Query Returned:
INFO: *** Entering Component: oracle.rdbms.dbscripts installation
INFO: Processing Database SQL Scripts 12.1.0.1.0
INFO: Processing Database SQL Scripts 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 's_xslLocation' to '/u01/app/oracle/product/12.1.0/db_1/rdbms/xml/xsl'. Received the value from the variable calculation.
INFO: Setting variable 's_initmetaSource' to

```

installActions2013-06-29_12-50-04AM.log
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/initmeta.sbs'. Received
the value from the variable calculation.
INFO: Setting variable 's_initmetaDest' to
'/u01/app/oracle/product/12.1.0/db_1/rdbms/admin/initmeta.sql'. Received the
value from the variable calculation.
INFO: Setting variable 's_dbmssmlSource' to
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/dbmssml.sbs'. Received
the value from the variable calculation.
INFO: Setting variable 's_dbmssmlDest' to
'/u01/app/oracle/product/12.1.0/db_1/rdbms/admin/dbmssml.sql'. Received the
value from the variable calculation.
INFO: Setting variable 'b_isSolaris' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 'b_isHP' to 'false'. Received the value from the variable
calculation.
INFO: Setting variable 'SO_EXT' to 'so'. Received the value from the variable
calculation.
INFO: *** Entering Component: oracle.oraolap.dbscripts installation
INFO: Processing OLAP SQL Scripts 12.1.0.1.0
INFO: Processing OLAP SQL Scripts 12.1.0.1.0
INFO: *** Entering Component: oracle.wwg.plsql installation
INFO: Processing PL/SQL Embedded Gateway 12.1.0.1.0
INFO: Processing PL/SQL Embedded Gateway 12.1.0.1.0
INFO: *** Entering Component: oracle.perlint installation
INFO: Processing Perl Interpreter 5.14.1.0.0
INFO: Processing Perl Interpreter 5.14.1.0.0
INFO: Setting variable 's_perlVersion' to '5.14.1'. Received the value from the
variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_perlArch' to 'x86_64-linux-thread-multi'. Received the
value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = WINDOWS
INFO: Query Returned: false
INFO: Setting variable 'b_iswindows' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 's_perlHome' to
'/u01/app/oracle/product/12.1.0/db_1/perl'. Received the value from the variable
calculation.
INFO: *** Entering Component: oracle.duma installation
INFO: Processing Database Migration Assistant for Unicode 12.1.0.1.0
INFO: Processing Database Migration Assistant for Unicode 12.1.0.1.0
INFO: Setting variable 'sl_dmuParameterList' to ''. Received the value from the
variable calculation.
INFO: Setting variable 's_verifier12Name' to 'verifier15.jar'. Received the
value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from
the variable calculation.
INFO: Setting variable 's_ojdbc6Name' to 'ojdbc6.jar'. Received the value from
the variable calculation.
INFO: Setting variable 's_ldapjclntName' to 'ldapjclnt12.jar'. Received the
value from the variable calculation.
INFO: Setting variable 's_ldapName' to 'ldap.jar'. Received the value from the
variable calculation.
INFO: Setting variable 's_jssl12Name' to 'jssl-1_2.jar'. Received the value from
the variable calculation.
INFO: Setting variable 's_jssl11Name' to 'jssl-1_1.jar'. Received the value from
the variable calculation.
INFO: Calling Query areasQueries10.2.0.1.0 getProductHome

name = oracle.jdk

startVersion = 1.6.0.0.0

```

```
installActions2013-06-29_12-50-04AM.log
endVersion = 9.9.9.9
acceptCompatible = null
INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1/jdk
INFO: Setting variable 's_jreLocation' to
'/u01/app/oracle/product/12.1.0/db_1/jdk/jre/'. Received the value from the
variable calculation.
INFO: Setting variable 's_jndiName' to 'jndi.jar'. Received the value from the
variable calculation.
INFO: Setting variable 's_javaxsslName' to 'javax-ssl-1_2.jar'. Received the
value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the
variable calculation.
INFO: Setting variable 's_verifierDir' to
'/u01/app/oracle/product/12.1.0/db_1/jlib'. Received the value from the variable
calculation.
INFO: Setting variable 's_rdbmsJlibDir' to
'/u01/app/oracle/product/12.1.0/db_1/rdbms/jlib'. Received the value from the
variable calculation.
INFO: Setting variable 's_jre14Location' to
'/u01/app/oracle/product/12.1.0/db_1/jdk/jre/'. Received the value from the
variable calculation.
INFO: Setting variable 's_jlibDir' to
'/u01/app/oracle/product/12.1.0/db_1/jlib'. Received the value from the variable
calculation.
INFO: Setting variable 's_jdk14Location' to
'/u01/app/oracle/product/12.1.0/db_1/jdk'. Received the value from the variable
calculation.
INFO: Setting variable 's_jdbcLibDir' to
'/u01/app/oracle/product/12.1.0/db_1/jdbc/lib'. Received the value from the
variable calculation.
INFO: Setting variable 's_umusbsFile' to
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/umu.sbs'. Received the
value from the variable calculation.
INFO: Setting variable 's_umuInstFile' to
'/u01/app/oracle/product/12.1.0/db_1/bin/umu'. Received the value from the
variable calculation.
INFO: Setting variable 's_dmuTarget' to
'/u01/app/oracle/product/12.1.0/db_1\dmu\dmu64.exe'. Received the value from
the variable calculation.
INFO: Setting variable 's_dmuConfDb1' to
'/u01/app/oracle/product/12.1.0/db_1\dmu\dmu\bin\dmu64.conf.db1'. Received the
value from the variable calculation.
INFO: Setting variable 's_dmuConf' to
'/u01/app/oracle/product/12.1.0/db_1\dmu\dmu\bin\dmu64.conf'. Received the value
from the variable calculation.
INFO: *** Entering Component: oracle.javavm.client installation
INFO: Processing Oracle Java Client 12.1.0.1.0
INFO: Processing Oracle Java Client 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from
the variable calculation.
INFO: Setting variable 's_jreRunCmd' to 'java'. Received the value from the
variable calculation.
INFO: Calling Query areasQueries10.2.0.1.0 getProductHome

name = oracle.jdk

startVersion = 1.6.0.0.0
endVersion = 9.9.9.9
acceptCompatible = null
```

installActions2013-06-29_12-50-04AM.log

INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1/jdk

INFO: Setting variable 's_jreLocation' to '/u01/app/oracle/product/12.1.0/db_1/jdk/jre/'. Received the value from the variable calculation.

INFO: Setting variable 's_jreJDBCclassfile' to 'ojdbc6.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_jdkSQLJclassfile' to 'runtime12.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_jdkRunCmd' to 'java'. Received the value from the variable calculation.

INFO: Setting variable 's_jdkNLSclassfile' to 'nls_charset12.zip'. Received the value from the variable calculation.

INFO: Setting variable 's_jdkJDBCclassfile_g' to 'ojdbc6_g.jar'. Received the value from the variable calculation.

INFO: Setting variable 's_jdkJDBCclassfile' to 'ojdbc6.jar'. Received the value from the variable calculation.

INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX

INFO: Query Returned: true

INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.

INFO: Setting variable 's_statusnc' to 'statusnc'. Received the value from the variable calculation.

INFO: Setting variable 's_sessSh816' to 'sess_sh_816'. Received the value from the variable calculation.

INFO: Setting variable 's_sessSh' to 'sess_sh'. Received the value from the variable calculation.

INFO: Setting variable 's_removeFile816' to 'remove_816'. Received the value from the variable calculation.

INFO: Setting variable 's_removeFile' to 'remove'. Received the value from the variable calculation.

INFO: Setting variable 's_publish816' to 'publish_816'. Received the value from the variable calculation.

INFO: Setting variable 's_publish' to 'publish'. Received the value from the variable calculation.

INFO: Setting variable 's_ojvmtc' to 'ojvmtc'. Received the value from the variable calculation.

INFO: Setting variable 's_ojvmjava' to 'ojvmjava'. Received the value from the variable calculation.

INFO: Setting variable 's_ncomp' to 'ncomp'. Received the value from the variable calculation.

INFO: Setting variable 's_modifyprops' to 'modifyprops'. Received the value from the variable calculation.

INFO: Setting variable 's_loadjava' to 'loadjava'. Received the value from the variable calculation.

INFO: Setting variable 's_jisSbsInstallDir' to '/u01/app/oracle/product/12.1.0/db_1/jis/install/sbs'. Received the value from the variable calculation.

INFO: Setting variable 's_jdkLocation' to '/u01/app/oracle/product/12.1.0/db_1/jdk'. Received the value from the variable calculation.

INFO: Setting variable 's_javavmSbsInstallDir' to '/u01/app/oracle/product/12.1.0/db_1/javavm/install/sbs'. Received the value from the variable calculation.

INFO: Setting variable 's_java2rmiIiop' to 'java2rmi_iiop'. Received the value from the variable calculation.

INFO: Setting variable 's_idl2java' to 'idl2java'. Received the value from the variable calculation.

INFO: Setting variable 's_ejbdescriptor' to 'ejbdescriptor'. Received the value from the variable calculation.

INFO: Setting variable 's_dropjava' to 'dropjava'. Received the value from the variable calculation.

INFO: Setting variable 's_deploywar' to 'deploywar'. Received the value from the variable calculation.

INFO: Setting variable 's_deploync' to 'deploync'. Received the value from the variable calculation.

INFO: Setting variable 's_deployejb' to 'deployejb'. Received the value from the variable calculation.

variable calculation.
INFO: Setting variable 's_debugproxy' to 'debugproxy'. Received the value from the variable calculation.
INFO: Setting variable 's_classSep' to ':'. Received the value from the variable calculation.
INFO: Setting variable 's_binDir' to '/u01/app/oracle/product/12.1.0/db_1/bin'. Received the value from the variable calculation.
INFO: Setting variable 's_jreSSLclassfile' to '/u01/app/oracle/product/12.1.0/db_1/jlib/javax-ssl-1_1.jar:/u01/app/oracle/product/12.1.0/db_1/jlib/jssl-1_1.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_jreJREclassfile' to '/u01/app/oracle/product/12.1.0/db_1/jdk/jre/lib/rt.jar:/u01/app/oracle/product/12.1.0/db_1/jdk/jre/lib/i18n.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_jdkSSLclassfile' to '/u01/app/oracle/product/12.1.0/db_1/jlib/javax-ssl-1_2.jar:/u01/app/oracle/product/12.1.0/db_1/jlib/jssl-1_2.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_jdkJDKclassfile' to '/u01/app/oracle/product/12.1.0/db_1/jdk/lib/dt.jar:/u01/app/oracle/product/12.1.0/db_1/jdk/lib/tools.jar'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.ordim.client installation
INFO: Processing Oracle Multimedia Client Option 12.1.0.1.0
INFO: Processing Oracle Multimedia Client Option 12.1.0.1.0
INFO: Setting variable 's_ordimPropertiesFile' to '/u01/app/oracle/product/12.1.0/db_1/ord/im/admin/ordim.properties'. Received the value from the variable calculation.
INFO: Setting variable 's_oracleJservPropertiesFile' to '/u01/app/oracle/product/12.1.0/db_1/Apache/Jserv/etc/jserv.properties'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.dbjava.jdbc installation
INFO: Processing Oracle JDBC/THIN Interfaces 12.1.0.1.0
INFO: Processing Oracle JDBC/THIN Interfaces 12.1.0.1.0
INFO: *** Entering Component: oracle.dbjava.ucp installation
INFO: Processing Oracle Universal Connection Pool 12.1.0.1.0
INFO: Processing Oracle Universal Connection Pool 12.1.0.1.0
INFO: *** Entering Component: oracle.ldap.ssl installation
INFO: Processing Secure Socket Layer 12.1.0.1.0
INFO: Processing Secure Socket Layer 12.1.0.1.0
INFO: Setting variable 's_passwordPrompt' to 'Enter and confirm a password for the default Oracle wallet for this server. A wallet is used with secure authentication to ensure the identity of a communication channel.'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Calling Query areasQueries10.2.0.1.0 getProductHome

name = oracle.jdk

startVersion = 1.6.0.0.0

endVersion = 9.9.9.9.9

acceptCompatible = null
INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1/jdk
INFO: Setting variable 's_jreLocation' to '/u01/app/oracle/product/12.1.0/db_1/jdk/jre/'. Received the value from the variable calculation.
INFO: Calling Query areasQueries10.2.0.1.0 getProductHome

name = oracle.jdk

startVersion = 1.6.0.0.0

endVersion = 9.9.9.9.9

installActions2013-06-29_12-50-04AM.log

```
acceptCompatible = null
INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1/jdk
INFO: Setting variable 's_jreDirectory' to
'/u01/app/oracle/product/12.1.0/db_1/jdk/jre/'. Received the value from the
variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the
variable calculation.
INFO: Setting variable 's_exeExtension' to ''. Received the value from the
variable calculation.
INFO: *** Entering Component: oracle.rdbms.rsfc installation
INFO: Processing RDBMS Required Support Files 12.1.0.1.0
INFO: Processing RDBMS Required Support Files 12.1.0.1.0
INFO: Setting variable 'sl_updOHPwdParameterList' to
'updpwd,-verbose,-pauseonexit'. Received the value from the variable
calculation.
INFO: Setting variable 'sl_processList' to ''. Received the value from the
variable calculation.
INFO: Setting variable 's_verifierName' to 'verifier6.jar'. Received the value
from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from
the variable calculation.
INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from
the variable calculation.
INFO: Setting variable 's_ldapjclntName' to 'ldapjclnt12.jar'. Received the
value from the variable calculation.
INFO: Setting variable 's_jssl11Name' to 'jssl-1_1.jar'. Received the value from
the variable calculation.
INFO: Calling Query areasQueries10.2.0.1.0 getProductHome

name = oracle.jdk

startVersion = 1.6.0.0.0

endVersion = 9.9.9.9.9

acceptCompatible = null
INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1/jdk
INFO: Setting variable 's_jreLocation' to
'/u01/app/oracle/product/12.1.0/db_1/jdk/jre/'. Received the value from the
variable calculation.
INFO: Setting variable 's_OPSSelectedNodes' to ''. Received the value from the
variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = WINDOWS
INFO: Query Returned: false
INFO: Setting variable 'b_isWINDOWS' to 'false'. Received the value from the
variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the
variable calculation.
INFO: Setting variable 's_verifierDir' to
'/u01/app/oracle/product/12.1.0/db_1/jlib'. Received the value from the variable
calculation.
INFO: Setting variable 's_libDir' to
'/u01/app/oracle/product/12.1.0/db_1/jdbc/lib'. Received the value from the
variable calculation.
INFO: Setting variable 's_jlibDir' to
```

```

installActions2013-06-29_12-50-04AM.log
'/u01/app/oracle/product/12.1.0/db_1/jlib'. Received the value from the variable
calculation.
INFO: Setting variable 's_installLogDir' to
'/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the
variable calculation.
INFO: Setting variable 'b_issolaris' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 'b_isHP' to 'false'. Received the value from the variable
calculation.
INFO: Setting variable 'b_isAIX' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 's_umuSbsFile' to
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/umu.sbs'. Received the
value from the variable calculation.
INFO: Setting variable 's_umuInstFile' to
'/u01/app/oracle/product/12.1.0/db_1/bin/umu'. Received the value from the
variable calculation.
INFO: Setting variable 's_eusmSbsFile' to
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/eusm.sbs'. Received the
value from the variable calculation.
INFO: Setting variable 's_eusmInstFile' to
'/u01/app/oracle/product/12.1.0/db_1/bin/eusm'. Received the value from the
variable calculation.
INFO: Setting variable 'oracle_key' to ''. Received the value from the variable
calculation.
INFO: Setting variable 'SO_VER' to '.12.1'. Received the value from the variable
calculation.
INFO: Setting variable 'SO_EXT' to 'so'. Received the value from the variable
calculation.
INFO: Calling Query RunningProcessQuery12.1.0.1.0 getRunningProcess

multiParamName =
INFO: Query Returned:
INFO: *** Entering Component: oracle.perlint.modules installation
INFO: Processing Perl Modules 5.14.1.0.0
INFO: Processing Perl Modules 5.14.1.0.0
INFO: Setting variable 's_perlVersion' to '5.14.1'. Received the value from the
variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_perlArch' to 'x86_64-linux-thread-multi'. Received the
value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = WINDOWS
INFO: Query Returned: false
INFO: Setting variable 'b_iswindows' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 's_perlHome' to
'/u01/app/oracle/product/12.1.0/db_1/perl'. Received the value from the variable
calculation.
INFO: *** Entering Component: oracle.javavm.server.core installation
INFO: Processing Oracle JVM For Core 12.1.0.1.0
INFO: Processing Oracle JVM For Core 12.1.0.1.0
INFO: *** Entering Component: oracle.javavm.containers installation
INFO: Processing Oracle Containers for Java 12.1.0.1.0
INFO: Processing Oracle Containers for Java 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from
the variable calculation.
INFO: Calling Query areasQueries10.2.0.1.0 getProductHome

name = oracle.jdk

startVersion = 1.6.0.0.0

endVersion = 9.9.9.9.9

```

installActions2013-06-29_12-50-04AM.log

```
acceptCompatible = null
INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1/jdk
INFO: Setting variable 's_jreLocation' to
'/u01/app/oracle/product/12.1.0/db_1/jdk/jre/'. Received the value from the
variable calculation.
INFO: Setting variable 's_instanceName' to 'IAS-1'. Received the value from the
variable calculation.
INFO: Calling Query netQueries10.2.0.2.0 getFullHostName
INFO: Query Returned: oracle12c
INFO: Setting variable 's_hostname' to 'oracle12c'. Received the value from the
variable calculation.
INFO: Setting variable 's_deployClassName' to
'oracle.j2ee.tools.deploy.DbOc4jDeploy'. Received the value from the variable
calculation.
INFO: Setting variable 's_apacheListenPort' to '7777'. Received the value from
the variable calculation.
INFO: Setting variable 'b_launchOC4J' to 'false'. Received the value from the
variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the
variable calculation.
INFO: Setting variable 'b_configureOC4J' to 'true'. Received the value from the
variable calculation.
INFO: Setting variable 's_targetxml' to
'/u01/app/oracle/product/12.1.0/db_1/j2ee/j2eetargets.xml'. Received the value
from the variable calculation.
INFO: Setting variable 's_portalPrp' to
'/u01/app/oracle/product/12.1.0/db_1/j2ee/properties/oc4j_portal.properties'.
Received the value from the variable calculation.
INFO: Setting variable 's_oc4jdir' to
'/u01/app/oracle/product/12.1.0/db_1/oc4j/j2ee/home'. Received the value from
the variable calculation.
INFO: Setting variable 's_jreBin' to
'/u01/app/oracle/product/12.1.0/db_1/jdk/jre//bin'. Received the value from the
variable calculation.
INFO: Setting variable 's_jdkHome' to
'/u01/app/oracle/product/12.1.0/db_1/jdk/jre/'. Received the value from the
variable calculation.
INFO: Setting variable 's_iniFile' to
'/u01/app/oracle/product/12.1.0/db_1/oc4j/j2ee/deploy_db.ini'. Received the
value from the variable calculation.
INFO: Setting variable 's_emconfigjar' to
'/u01/app/oracle/product/12.1.0/db_1/jlib/emConfigInstall.jar'. Received the
value from the variable calculation.
INFO: Setting variable 's_demosPrp' to
'/u01/app/oracle/product/12.1.0/db_1/j2ee/properties/oc4j_demos.properties'.
Received the value from the variable calculation.
INFO: Setting variable 's_biFormsPrp' to
'/u01/app/oracle/product/12.1.0/db_1/j2ee/properties/oc4j_bi_forms.properties'.
Received the value from the variable calculation.
INFO: Setting variable 's_OPSNodeInfoString' to ''. Received the value from the
variable calculation.
INFO: Setting variable 's_javapOracleHome' to
'/u01/app/oracle/product/12.1.0/db_1'. Received the value from the variable
calculation.
INFO: Setting variable 's_classPath' to
'":u01/app/oracle/product/12.1.0/db_1/jlib/srvm.jar:/u01/app/oracle/product/12.
1.0/db_1/jlib/srvmhas.jar:/u01/app/oracle/product/12.1.0/db_1/oc4j/j2ee/home/db_
oc4j_deploy.jar:/u01/app/oracle/product/12.1.0/db_1/oc4j/j2ee/home/oc4j.jar:'.
Received the value from the variable calculation.
INFO: Setting variable 'FORMS_ORACLE_HOME' to
'/u01/app/oracle/product/12.1.0/db_1'. Received the value from the variable
calculation.
INFO: *** Entering Component: oracle.javavm.companion installation
```

installActions2013-06-29_12-50-04AM.log

INFO: Processing JAccelerator (COMPANION) 12.1.0.1.0
INFO: Processing JAccelerator (COMPANION) 12.1.0.1.0
INFO: *** Entering Component: oracle.nlsrtl.rsflbuilder installation
INFO: Processing Oracle Locale Builder 12.1.0.1.0
INFO: Processing Oracle Locale Builder 12.1.0.1.0
INFO: Setting variable 's_swingallName' to 'swingall-1_1_1.jar'. Received the value from the variable calculation.
INFO: Calling Query areasQueries10.2.0.1.0 getProductHome

name = oracle.jdk

startVersion = 1.6.0.0.0

endVersion = 9.9.9.9.9

acceptCompatible = null
INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1/jdk
INFO: Setting variable 's_jreLocation' to '/u01/app/oracle/product/12.1.0/db_1/jdk/jre'. Received the value from the variable calculation.
INFO: Setting variable 's_jewtName' to 'jewt4.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_iceBrowserName' to 'oracle_ice.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_help4Name' to 'help4.jar'. Received the value from the variable calculation.
INFO: Setting variable 's_balishareName' to 'share.jar'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 'sl_ParameterListForIcon' to '/u01/app/oracle/product/12.1.0/db_1\nls\lbuilder,lbuilder.cl'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.wlm.em installation
INFO: Processing Oracle Quality of Service Management (Client) 12.1.0.1.0
INFO: Processing Oracle Quality of Service Management (Client) 12.1.0.1.0
INFO: *** Entering Component: oracle.rdbms.deconfig installation
INFO: Processing Oracle Database Deconfiguration 12.1.0.1.0
INFO: Processing Oracle Database Deconfiguration 12.1.0.1.0
INFO: *** Entering Component: oracle.nlsrtl.rsfc.core installation
INFO: Processing Oracle Globalization Support For Core 12.1.0.1.0
INFO: Processing Oracle Globalization Support For Core 12.1.0.1.0
INFO: *** Entering Component: oracle.bali.jewt installation
INFO: Processing Oracle JFC Extended Windowing Toolkit 11.1.1.6.0
INFO: Processing Oracle JFC Extended Windowing Toolkit 11.1.1.6.0
INFO: *** Entering Component: oracle.xdk.server installation
INFO: Processing XML Parser for Oracle JVM 12.1.0.1.0
INFO: Processing XML Parser for Oracle JVM 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Setting variable 's_jarLocation' to ''. Received the value from the variable calculation.
INFO: Setting variable 's_ncompDir' to '/u01/app/oracle/product/12.1.0/db_1/javavm/admin'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.xdk.core installation
INFO: Processing Oracle Core XML Development Kit 12.1.0.1.0
INFO: Processing Oracle Core XML Development Kit 12.1.0.1.0
INFO: *** Entering Component: oracle.xdk.xquery installation
INFO: Processing Oracle XML Query 12.1.0.1.0
INFO: Processing Oracle XML Query 12.1.0.1.0
INFO: *** Entering Component: oracle.mgw.common installation

installActions2013-06-29_12-50-04AM.log

INFO: Processing Oracle Message Gateway Common Files 12.1.0.1.0
INFO: Processing Oracle Message Gateway Common Files 12.1.0.1.0
INFO: *** Entering Component: oracle.rdbms.install.seeddb installation
INFO: Processing Oracle Starter Database 12.1.0.1.0
INFO: Processing Oracle Starter Database 12.1.0.1.0
INFO: Setting variable 's_isASM' to ''. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 's_unixConfigFile' to '/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/config.s'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.rdbms.install.seeddb.sample_schema installation
INFO: Processing Sample Schema Data 12.1.0.1.0
INFO: Processing Sample Schema Data 12.1.0.1.0
INFO: Setting variable 's_shPath' to '/u01/app/oracle/product/12.1.0/db_1/demo/schema/sales_history/'. Received the value from the variable calculation.
INFO: Setting variable 's_pmPath' to '/u01/app/oracle/product/12.1.0/db_1/demo/schema/product_media/'. Received the value from the variable calculation.
INFO: Setting variable 's_oePath' to '/u01/app/oracle/product/12.1.0/db_1/demo/schema/order_entry/'. Received the value from the variable calculation.
INFO: Setting variable 's_mkdirFile' to '/u01/app/oracle/product/12.1.0/db_1/demo/schema/mk_dir.sql'. Received the value from the variable calculation.
INFO: Setting variable 's_logPath' to '/u01/app/oracle/product/12.1.0/db_1/demo/schema/log/'. Received the value from the variable calculation.
INFO: Setting variable 's_instMkdirFile' to '/u01/app/oracle/product/12.1.0/db_1/demo/schema/mk_dir.sql.sbs'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.oracore.rsf installation
INFO: Processing Oracle Core Required Support Files 12.1.0.1.0
INFO: Processing Oracle Core Required Support Files 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 'sl_processList' to ''. Received the value from the variable calculation.
INFO: Calling Query RunningProcessQuery12.1.0.1.0 getRunningProcess

multiParamName =
INFO: Query Returned:
INFO: *** Entering Component: oracle.oracore.rsf.core installation
INFO: Processing Oracle Core Required Support Files for Core DB 12.1.0.1.0
INFO: Processing Oracle Core Required Support Files for Core DB 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 'sl_processList' to ''. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.rdbms.locator installation
INFO: Processing Oracle Multimedia Locator RDBMS Files 12.1.0.1.0
INFO: Processing Oracle Multimedia Locator RDBMS Files 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 getOSName

installActions2013-06-29_12-50-04AM.log

INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from the variable calculation.
INFO: Setting variable 's_installLogDir' to '/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.sdo.locator.jrf installation
INFO: Processing Oracle Multimedia Locator Java Required Support Files 12.1.0.1.0
INFO: Processing Oracle Multimedia Locator Java Required Support Files 12.1.0.1.0
INFO: Setting variable 's_OPSSelectedNodes' to ''. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.dbjava.ic installation
INFO: Processing Oracle JDBC/OCI Instant Client 12.1.0.1.0
INFO: Processing Oracle JDBC/OCI Instant Client 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX

INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 's_jservFile' to '/u01/app/oracle/product/12.1.0/db_1/Apache/Jserv/etc/jserv.properties'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.ordim.jai installation
INFO: Processing Oracle Multimedia Java Advanced Imaging 12.1.0.1.0
INFO: Processing Oracle Multimedia Java Advanced Imaging 12.1.0.1.0
INFO: *** Entering Component: oracle.ordim.rdbms installation
INFO: Processing Oracle Database 12c Multimedia Files 12.1.0.1.0
INFO: Processing Oracle Database 12c Multimedia Files 12.1.0.1.0
INFO: *** Entering Component: oracle.precomp.rsfc installation
INFO: Processing Precompiler Required Support Files 12.1.0.1.0
INFO: Processing Precompiler Required Support Files 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX

INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 's_l_processList' to ''. Received the value from the variable calculation.
INFO: Calling Query RunningProcessQuery12.1.0.1.0 getRunningProcess

multiParamName =

INFO: Query Returned:
INFO: *** Entering Component: oracle.ctx.rsfc installation
INFO: Processing Oracle Text Required Support Files 12.1.0.1.0
INFO: Processing Oracle Text Required Support Files 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX

INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 's_installLogDir' to '/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the variable calculation.
INFO: Setting variable 'b_iswinX64' to 'false'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.ctx.core installation
INFO: Processing Oracle Text for Core 12.1.0.1.0

installActions2013-06-29_12-50-04AM.log

INFO: Processing Oracle Text for Core 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from the variable calculation.
INFO: Setting variable 's_OPSSelectedNodes' to ''. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 's_installLogDir' to '/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the variable calculation.
INFO: Setting variable 'b_iswinX64' to 'false'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.ctx.atg installation
INFO: Processing Oracle Text ATG Language Support Files 12.1.0.1.0
INFO: Processing Oracle Text ATG Language Support Files 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 's_installLogDir' to '/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the variable calculation.
INFO: Setting variable 'b_iswinX64' to 'false'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.ons.eons installation
INFO: Processing Oracle Notification Service (eONS) 12.1.0.1.0
INFO: Processing Oracle Notification Service (eONS) 12.1.0.1.0
INFO: *** Entering Component: oracle.nlrtl.rsf.ic installation
INFO: Processing Oracle Globalization Support 12.1.0.1.0
INFO: Processing Oracle Globalization Support 12.1.0.1.0
INFO: Setting variable 's_NLSLANG' to 'AMERICAN_AMERICA.WE8ISO8859P1'. Received the value from the variable calculation.
INFO: Setting variable 'b_setNLSLANG' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 'b_setICNLSLANG' to 'false'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.slax.rsf installation
INFO: Processing Parser Generator Required Support Files 12.1.0.1.0
INFO: Processing Parser Generator Required Support Files 12.1.0.1.0
INFO: *** Entering Component: oracle.precomp.common.core installation
INFO: Processing Precompiler Common Files for Core 12.1.0.1.0
INFO: Processing Precompiler Common Files for Core 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Setting variable 's_jdkRunCmd' to 'java'. Received the value from the variable calculation.


```
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup
platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the
variable calculation.
INFO: Setting variable 's_jdkOTTclassfile' to
'/u01/app/oracle/product/12.1.0/db_1/precomp/lib/ottclasses.zip'. Received the
value from the variable calculation.
INFO: Setting variable 's_jdkNLSclassfile' to
'/u01/app/oracle/product/12.1.0/db_1/jlib/orai18n.jar'. Received the value from
the variable calculation.
INFO: Setting variable 's_jdkLocation' to
'/u01/app/oracle/product/12.1.0/db_1/jdk'. Received the value from the variable
calculation.
INFO: Setting variable 's_jdkJDBCclassfile' to
'/u01/app/oracle/product/12.1.0/db_1/jdbc/lib/ojdbc6.jar'. Received the value
from the variable calculation.
INFO: Setting variable 's_jdkJDKclassfile' to
'/u01/app/oracle/product/12.1.0/db_1/jdk/lib/dt.jar:/u01/app/oracle/product/12.1
.0/db_1/jdk/lib/tools.jar'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.ovm installation
INFO: Processing Database Workspace Manager 12.1.0.1.0
INFO: Processing Database Workspace Manager 12.1.0.1.0
INFO: Setting variable 's_OPSSelectedNodes' to ''. Received the value from the
variable calculation.
INFO: *** Entering Component: oracle.sqlj.sqljruntime installation
INFO: Processing SQLJ Runtime 12.1.0.1.0
INFO: Processing SQLJ Runtime 12.1.0.1.0
INFO: Setting variable 's_deployStr' to ''. Received the value from the variable
calculation.
INFO: Setting variable 's_OPSSelectedNodes' to ''. Received the value from the
variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the
variable calculation.
INFO: Setting variable 'b_iASMidtier' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 's_oc4jDeployini' to
'/u01/app/oracle/product/12.1.0/db_1/j2ee/deploy.ini'. Received the value from
the variable calculation.
INFO: Setting variable 's_jdkLocation' to
'/u01/app/oracle/product/12.1.0/db_1/jdk'. Received the value from the variable
calculation.
INFO: *** Entering Component: oracle.rdbms.rsfc installation
INFO: Processing RDBMS Required Support Files for Instant Client 12.1.0.1.0
INFO: Processing RDBMS Required Support Files for Instant Client 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from
the variable calculation.
INFO: Setting variable 's_ociw32BkpFileName' to ''. Received the value from the
variable calculation.
INFO: Setting variable 's_ocibkpFileName' to ''. Received the value from the
variable calculation.
INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from
the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = WINDOWS
INFO: Query Returned: false
INFO: Setting variable 'b_isWINDOWS' to 'false'. Received the value from the
variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup
```

installActions2013-06-29_12-50-04AM.log

```
platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the
variable calculation.
INFO: Setting variable 's_installLogDir' to
'/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the
variable calculation.
INFO: Setting variable 's_ezLocation' to
'/u01/app/oracle/product/12.1.0/db_1/instantclient'. Received the value from the
variable calculation.
INFO: Setting variable 'b_isSolaris' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 'b_isIntel_Solaris' to 'false'. Received the value from
the variable calculation.
INFO: Setting variable 'b_isHPI' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 'b_isHP' to 'false'. Received the value from the variable
calculation.
INFO: Setting variable 'b_isAIX' to 'false'. Received the value from the
variable calculation.
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/lib/libclntsh.so.12.1
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/lib/libclntsh.sl.12.1
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/lib/libclntsh.a
INFO: Query Returned: false
INFO: Setting variable 'b_clntshExists' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 'sl_processList' to
'/u01/app/oracle/product/12.1.0/db_1/lib/libocci.so.12.1'. Received the value
from the variable calculation.
INFO: Setting variable 'SO_VER' to '.12.1'. Received the value from the variable
calculation.
INFO: Setting variable 'SO_EXT' to '.so'. Received the value from the variable
calculation.
INFO: *** Entering Component: oracle.rdbms.rsfc.runtime installation
INFO: Processing RDBMS Required Support Files Runtime 12.1.0.1.0
INFO: Processing RDBMS Required Support Files Runtime 12.1.0.1.0
INFO: *** Entering Component: oracle.marvel installation
INFO: Processing Oracle Application Express 12.1.0.1.0
INFO: Processing Oracle Application Express 12.1.0.1.0
INFO: *** Entering Component: oracle.dbdev installation
INFO: Processing Oracle SQL Developer 12.1.0.1.0
INFO: Processing Oracle SQL Developer 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from
the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the
variable calculation.
INFO: Setting variable 'b_iswin64' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 's_sqldeveloperTarget' to 'SQLDEVELOPERW.EXE'. Received
the value from the variable calculation.
INFO: *** Entering Component: oracle.dbjava.server installation
INFO: Processing Oracle JDBC Server Support Package 12.1.0.1.0
INFO: Processing Oracle JDBC Server Support Package 12.1.0.1.0
INFO: *** Entering Component: oracle.has.rsfc installation
```

installActions2013-06-29_12-50-04AM.log

INFO: Processing Oracle RAC Required Support Files-HAS 12.1.0.1.0
INFO: Processing Oracle RAC Required Support Files-HAS 12.1.0.1.0
INFO: *** Entering Component: oracle.buildtools.rsfc installation
INFO: Processing Platform Required Support Files 12.1.0.1.0
INFO: Processing Platform Required Support Files 12.1.0.1.0
INFO: Setting variable 's_systemDirectory' to 'c:\winnt\system32'. Received the value from the variable calculation.
INFO: Setting variable 's_progOra' to 'not set/Oracle'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Setting variable 's_OPSSelectedNodes' to ''. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX

INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Calling Query unixQueries10.1.0.2.0 getUidName
INFO: Query Returned: oracle
INFO: Setting variable 'OwnerId' to 'oracle'. Received the value from the variable calculation.
INFO: Calling Query unixQueries10.1.0.2.0 getCurrentActiveUserGroup
INFO: Query Returned: oinstall
INFO: Setting variable 'OwnerGroup' to 'oinstall'. Received the value from the variable calculation.
INFO: Calling Query globalVarQueries12.1.0.1.0 getGlobalVariable

variable = oracle.installer.silent

INFO: Query Returned: false
INFO: Setting variable 's_silent' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_stdout' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'b_issolaris' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 's_oratabloc' to '/etc'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.ons.ic installation
INFO: Processing Oracle Notification Service for Instant Client 12.1.0.1.0
INFO: Processing Oracle Notification Service for Instant Client 12.1.0.1.0
INFO: *** Entering Component: oracle.xdk.rsfc installation
INFO: Processing XDK Required Support Files 12.1.0.1.0
INFO: Processing XDK Required Support Files 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX

INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.
INFO: Setting variable 's_installLogDir' to '/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the variable calculation.
INFO: Setting variable 'sl_processList' to ''. Received the value from the variable calculation.
INFO: Calling Query RunningProcessQuery12.1.0.1.0 getRunningProcess

multiParamName =

INFO: Query Returned:
INFO: *** Entering Component: oracle.rdbms.dv installation
INFO: Processing Oracle Database Vault option 12.1.0.1.0
INFO: Processing Oracle Database Vault option 12.1.0.1.0
INFO: Setting variable 'sl_processList' to ''. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 getOSName

installActions2013-06-29_12-50-04AM.log

INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = WINDOWS

INFO: Query Returned: false
INFO: Setting variable 'b_isWINDOWS' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 's_installLogDir' to '/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the variable calculation.
INFO: Calling Query RunningProcessQuery12.1.0.1.0 getRunningProcess

multiParamName =

INFO: Query Returned:
INFO: *** Entering Component: oracle.sqlplus.rsf installation
INFO: Processing SQL*Plus Required Support Files 12.1.0.1.0
INFO: Processing SQL*Plus Required Support Files 12.1.0.1.0
INFO: *** Entering Component: oracle.oraolap.api installation
INFO: Processing Oracle OLAP API 12.1.0.1.0
INFO: Processing Oracle OLAP API 12.1.0.1.0
INFO: *** Entering Component: oracle.rdbms.olap installation
INFO: Processing Oracle OLAP RDBMS Files 12.1.0.1.0
INFO: Processing Oracle OLAP RDBMS Files 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = WINDOWS

INFO: Query Returned: false
INFO: Setting variable 'b_isWINDOWS' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 's_installLogDir' to '/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.rdbms.dm installation
INFO: Processing Oracle Data Mining RDBMS Files 12.1.0.1.0
INFO: Processing Oracle Data Mining RDBMS Files 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = WINDOWS

INFO: Query Returned: false
INFO: Setting variable 'b_isWINDOWS' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 's_installLogDir' to '/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.rdbms.lbac installation
INFO: Processing Oracle Label Security 12.1.0.1.0
INFO: Processing Oracle Label Security 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from the variable calculation.
INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from

```

installActions2013-06-29_12-50-04AM.log
the variable calculation.
INFO: Calling Query areasQueries10.2.0.1.0 getProductHome
name = oracle.jdk
startVersion = 1.6.0.0.0
endVersion = 9.9.9.9.9
acceptCompatible = null
INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1/jdk
INFO: Setting variable 's_jreLocation' to
'/u01/app/oracle/product/12.1.0/db_1/jdk/jre/'. Received the value from the
variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup
platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the
variable calculation.
INFO: Setting variable 's_libDir' to
'/u01/app/oracle/product/12.1.0/db_1/jdbc/lib'. Received the value from the
variable calculation.
INFO: Setting variable 's_jlibDir' to
'/u01/app/oracle/product/12.1.0/db_1/jlib'. Received the value from the variable
calculation.
INFO: Setting variable 's_installLogDir' to
'/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the
variable calculation.
INFO: Setting variable 'sl_processList' to
'/u01/app/oracle/product/12.1.0/db_1/bin/oracle'. Received the value from the
variable calculation.
INFO: Calling Query RunningProcessQuery12.1.0.1.0 getRunningProcess
multiParamName = /u01/app/oracle/product/12.1.0/db_1/bin/oracle
INFO: Query Returned:
INFO: *** Entering Component: oracle.rdbms.rat installation
INFO: Processing Oracle Real Application Testing 12.1.0.1.0
INFO: Processing Oracle Real Application Testing 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from
the variable calculation.
INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from
the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup
platGroup = WINDOWS
INFO: Query Returned: false
INFO: Setting variable 'b_isWINDOWS' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 's_installLogDir' to
'/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the
variable calculation.
INFO: *** Entering Component: oracle.oracle.server installation
INFO: Processing Oracle R Enterprise Server Files 12.1.0.1.0
INFO: Processing Oracle R Enterprise Server Files 12.1.0.1.0
INFO: *** Entering Component: oracle.network.rsfc installation
INFO: Processing Oracle Net Required Support Files 12.1.0.1.0
INFO: Processing Oracle Net Required Support Files 12.1.0.1.0
INFO: Calling Query generalQueries10.2.0.2.1 getOSName
INFO: Query Returned: Linux
INFO: Setting variable 's_operatingSystem' to 'Linux'. Received the value from
the variable calculation.
INFO: Setting variable 's_makeLogFile' to 'make.log'. Received the value from
the variable calculation.
INFO: Setting variable 's_OPSSelectNodes' to ''. Received the value from the
variable calculation.

```

installActions2013-06-29_12-50-04AM.log

INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX

INFO: Query Returned: true

INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.

INFO: Setting variable 's_installLogDir' to '/u01/app/oracle/product/12.1.0/db_1/install/'. Received the value from the variable calculation.

INFO: Setting variable 'sl_processList' to ''. Received the value from the variable calculation.

INFO: Calling Query RunningProcessQuery12.1.0.1.0 getRunningProcess

multiParamName =

INFO: Query Returned:

INFO: *** Entering Component: oracle.ldap.rsfc installation

INFO: Processing SSL Required Support Files for InstantClient 12.1.0.1.0

INFO: Processing SSL Required Support Files for InstantClient 12.1.0.1.0

INFO: *** Entering Component: oracle.bali.share installation

INFO: Processing Oracle Bali Share 11.1.1.6.0

INFO: Processing Oracle Bali Share 11.1.1.6.0

INFO: *** Entering Component: oracle.perlint.expat installation

INFO: Processing Expat libraries 2.0.1.0.2

INFO: Processing Expat libraries 2.0.1.0.2

INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = WINDOWS

INFO: Query Returned: false

INFO: Setting variable 'b_iswindows' to 'false'. Received the value from the variable calculation.

INFO: *** Entering Component: oracle.ldap.rsfc installation

INFO: Processing LDAP Required Support Files 12.1.0.1.0

INFO: Processing LDAP Required Support Files 12.1.0.1.0

INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX

INFO: Query Returned: true

INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the variable calculation.

INFO: Setting variable 'sl_processList' to ''. Received the value from the variable calculation.

INFO: Calling Query RunningProcessQuery12.1.0.1.0 getRunningProcess

multiParamName =

INFO: Query Returned:

INFO: *** Entering Component: oracle.odbc.ic installation

INFO: Processing Oracle ODBC Driverfor Instant Client 12.1.0.1.0

INFO: Processing Oracle ODBC Driverfor Instant Client 12.1.0.1.0

INFO: Setting variable 's_windowsSystemRoot' to 'foo'. Received the value from the variable calculation.

INFO: Setting variable 's_systemLocale' to 'en'. Received the value from the variable calculation.

INFO: Setting variable 's_registryRoot' to 'HKEY_LOCAL_MACHINE'. Received the value from the variable calculation.

INFO: Calling Query areasQueries10.2.0.1.0 GetComponentInstallTypeName

INFO: Query Returned: Typical

INFO: Setting variable 's_installType' to 'Typical'. Received the value from the variable calculation.

INFO: Setting variable 's_odbcLocation' to '/u01/app/oracle/product/12.1.0/db_1\ODBC'. Received the value from the variable calculation.

INFO: Setting variable 's_odbcKey' to 'software\odbc\odbcinst.ini\Oracle in OraDB12Home1'. Received the value from the variable calculation.

INFO: Setting variable 's_netAdminFolder' to 'null\Network Administration'. Received the value from the variable calculation.

INFO: Setting variable 's_oracleBin' to

'/u01/app/oracle/product/12.1.0/db_1\BIN'. Received the value from the variable calculation.

```

installActions2013-06-29_12-50-04AM.log
INFO: *** Entering Component: oracle.sysman.ccr installation
INFO: Processing Oracle Configuration Manager 10.3.7.0.3
INFO: Processing Oracle Configuration Manager 10.3.7.0.3
INFO: Setting variable 's_OPSNodeInfoString' to 'NO_VALUE'. Received the value
from the variable calculation.
INFO: Setting variable 'java_ccr' to ''. Received the value from the variable
calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Setting variable 'b_isUNIX' to 'true'. Received the value from the
variable calculation.
INFO: Setting variable 'b_createResponseFile' to 'false'. Received the value
from the variable calculation.
INFO: Setting variable 's_ps' to '/'. Received the value from the variable
calculation.
INFO: Setting variable 's_oraNme' to 'OracleOCMTempOraDB12Home1'. Received the
value from the variable calculation.
INFO: Setting variable 's_ccrJarDestination' to
'/u01/app/oracle/product/12.1.0/db_1'. Received the value from the variable
calculation.
INFO: Setting variable 'b_localInstall' to 'true'. Received the value from the
variable calculation.
INFO: Setting variable 'b_doConfigCCR' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 'b_ccrUpgrade' to 'false'. Received the value from the
variable calculation.
INFO: Setting variable 's_rspFilePath' to
'/u01/app/oracle/product/12.1.0/db_1/ocm.rsp'. Received the value from the
variable calculation.
INFO: *** Entering Component: oracle.sysman.ccr.client installation
INFO: Processing Oracle Configuration Manager Client 10.3.2.1.0
INFO: Processing Oracle Configuration Manager Client 10.3.2.1.0
INFO: *** Entering Component: oracle.rdbms.install.ovabplugin installation
INFO: Processing Oracle Database Plugin for Oracle Virtual Assembly Builder
12.1.0.1.0
INFO: Processing Oracle Database Plugin for Oracle Virtual Assembly Builder
12.1.0.1.0
INFO: *** Entering Component: oracle.assistants.deconfig installation
INFO: Processing Oracle DBCA Deconfiguration 12.1.0.1.0
INFO: Processing Oracle DBCA Deconfiguration 12.1.0.1.0
INFO: *** Entering Component: oracle.has.deconfig installation
INFO: Processing Oracle RAC Deconfiguration 12.1.0.1.0
INFO: Processing Oracle RAC Deconfiguration 12.1.0.1.0
INFO: *** Entering Component: oracle.sysman.ccr.deconfig installation
INFO: Processing Oracle Configuration Manager Deconfiguration 10.3.1.0.0
INFO: Processing Oracle Configuration Manager Deconfiguration 10.3.1.0.0
INFO: *** Entering Component: oracle.usm.deconfig installation
INFO: Processing Oracle USM Deconfiguration 12.1.0.1.0
INFO: Processing Oracle USM Deconfiguration 12.1.0.1.0
INFO: *** Entering Component: oracle.swd.oui installation
INFO: Processing Oracle Universal Installer 12.1.0.1.0
INFO: Processing Oracle Universal Installer 12.1.0.1.0
INFO: Setting variable 'platDir' to ''. Received the value from the variable
calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = WINDOWS
INFO: Query Returned: false
INFO: Setting variable 'isPlatGroupwindows' to 'false'. Received the value from
the variable calculation.
INFO: Setting variable 'JRE_MEMORY_OPTIONS' to ''. Received the value from the
variable calculation.
INFO: Setting variable 'JRE_LOCATION' to ''. Received the value from the
variable calculation.
INFO: Setting variable 'InstVer' to '12.1.0.1.0'. Received the value from the
variable calculation.

```

installActions2013-06-29_12-50-04AM.log

INFO: Setting variable 'ABSOLUTE_JRE_LOCATION' to ''. Received the value from the variable calculation.
INFO: Setting variable 's_extLib' to '/u01/app/oracle/product/12.1.0/db_1/inventory/Scripts/ext/lib'. Received the value from the variable calculation.
INFO: Setting variable 's_extJlib' to '/u01/app/oracle/product/12.1.0/db_1/inventory/Scripts/ext/jlib'. Received the value from the variable calculation.
INFO: Setting variable 's_extBin' to '/u01/app/oracle/product/12.1.0/db_1/inventory/Scripts/ext/bin'. Received the value from the variable calculation.
INFO: Setting variable 'InstLocProp' to '/u01/app/oracle/product/12.1.0/db_1/oui'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.swd.opatch installation
INFO: Processing Oracle One-Off Patch Installer 12.1.0.1.0
INFO: Processing Oracle One-Off Patch Installer 12.1.0.1.0
INFO: *** Entering Component: oracle.swd.oui.core installation
INFO: Processing Installer SDK Component 12.1.0.1.0
INFO: Processing Installer SDK Component 12.1.0.1.0
INFO: Setting variable 'platDir' to ''. Received the value from the variable calculation.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = WINDOWS

INFO: Query Returned: false
INFO: Setting variable 'isPlatformWindows' to 'false'. Received the value from the variable calculation.
INFO: Setting variable 'MSVCREDIST_LOC' to ''. Received the value from the variable calculation.
INFO: Setting variable 'MSVCREDIST_INSTALL' to ''. Received the value from the variable calculation.
INFO: Setting variable 'MSVCREDIST_FLAGS' to ''. Received the value from the variable calculation.
INFO: Setting variable 'JRE_MEMORY_OPTIONS' to ''. Received the value from the variable calculation.
INFO: Setting variable 'JRE_LOCATION' to ''. Received the value from the variable calculation.
INFO: Setting variable 'InstVer' to '12.1.0.1.0'. Received the value from the variable calculation.
INFO: Setting variable 'ABSOLUTE_JRE_LOCATION' to ''. Received the value from the variable calculation.
INFO: Setting variable 'OUIFolder' to 'null\Oracle Installation Products'. Received the value from the variable calculation.
INFO: *** Entering Component: oracle.swd.oui.core.min installation
INFO: Processing oracle.swd.oui.core.min 12.1.0.1.0
INFO: Processing oracle.swd.oui.core.min 12.1.0.1.0
INFO: *** Entering Component: oracle.jdk installation
INFO: Processing Sun JDK 1.6.0.37.0
INFO: Processing Sun JDK 1.6.0.37.0
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /bin/chmod

INFO: Query Returned: true
INFO: Setting variable 's_chMod' to '/bin/chmod'. Received the value from the variable calculation.
INFO: oracle.srvm.formCluster:false
INFO:

*** Summary Page***

INFO: The default response file generated with recorded values is
/u01/app/oracle/product/12.1.0/db_1/inventory/response/oracle.server_EE.rsp
INFO: -destinationFile option was not provided. Saving the default response file as /u01/app/oracle/product/12.1.0/db_1/inventory/response/oracle.server_EE.rsp
INFO: Recording the installation in file
/u01/app/oracle/product/12.1.0/db_1/inventory/response/oracle.server_EE.rsp.
INFO: Setting variable 'DEINSTALL_LIST' to 'oracle.server,12.1.0.1.0'. Received the value from a code block.
INFO: Setting variable 'TOPLEVEL_COMPONENT' to 'oracle.server,12.1.0.1.0'.

installActions2013-06-29_12-50-04AM.log

INFO: Setting the chain install property to true
INFO: Update the state machine to STATE_DONE
INFO: Calling OiicInstallAPISession's doOperation
INFO: Does the pre installation setup
INFO: Setting the property oracle.installer.noLink to false
INFO: Setting the property oracle.installer.noSetup to false
INFO: Reader/Writer 'oracle.sysman.oii.oic.OiicGlobalContextXMLReaderWriter'
was created.
INFO: Adding the iterator
oracle.sysman.oii.oic.OiicInstallAPISession\$OiicAPISelCompsInstall
INFO: Adding the iterator oracle.sysman.oii.oif.oiiw.OiifwInstExitWCDE
INFO: Adding iterator oracle.sysman.oii.oif.oiiw.OiifwActionsPhaseWCDE
INFO: Checkpoint:getting indexSession from checkpoint factory
INFO: Checkpoint:Index file :/u01/app/oracle/checkpoints/oui/index.xml not
found.
INFO: Checkpoint:Initializing checkpointindex session in oiifwactionsphasewcde.
INFO: Checkpoint:Location is- /u01/app/oracle
INFO: Setting checkpoint object
INFO: config-context initialized
INFO: InstallProgressMonitor: Total Bytes to Install 6,440,239,213
INFO: Synchronizing inventory. Please wait...
INFO: Synchronizing inventory. Please wait...
INFO:
INFO:
INFO: Updating Libraries
INFO: Updating Libraries
INFO:
INFO:
INFO: Checkpoint:Initializing checkpoint session in oiifwinstallphasewcce.
INFO: Checkpoint:Index session object added to oiicexitops.
INFO: Starting Installations
INFO: Starting Installations
INFO: FastCopy : File Version is Compatible
INFO: Install mode is fastcopy mode for component 'oracle.server' with Install
type 'EE'.
INFO: Link phase has been specified as needed
INFO: Setup phase has been specified as needed
INFO: Synchronizing inventory. Please wait...
INFO: Synchronizing inventory. Please wait...
INFO:
INFO:
INFO: Improper Action Type Found in ParsingDEINSTALL
INFO: Improper Action Type Found in ParsingDEINSTALL
INFO: Improper Action Type Found in ParsingDEINSTALL
INFO: Improper Action Type Found in ParsingDEINSTALL
INFO: Improper Action Type Found in ParsingDEINSTALL
INFO: Improper Action Type Found in ParsingDEINSTALL
INFO: Improper Action Type Found in ParsingDEINSTALL
INFO: Improper Action Type Found in ParsingDEINSTALL
INFO: Improper Action Type Found in ParsingDEINSTALL
INFO: Improper Action Type Found in ParsingDEINSTALL
INFO: HomeSetup JRE files in Scratch :0
INFO: Setting variable 'ROOTSH_LOCATION' to
'/u01/app/oracle/product/12.1.0/db_1/root.sh'. Received the value from a code
block.
INFO: Setting variable 'ROOTSH_LOCATION' to
'/u01/app/oracle/product/12.1.0/db_1/root.sh'. Received the value from a code
block.
INFO: InstallProgressMonitor: Starting phase 2
INFO: Installation in progress
INFO: Installation in progress
INFO: Extracting files to '/u01/app/oracle/product/12.1.0/db_1'.
INFO: Extracting files to '/u01/app/oracle/product/12.1.0/db_1'.
INFO: Performing fastcopy operations based on the information in the file
'oracle.server_EE_dirs.lst'.
INFO: Performing fastcopy operations based on the information in the file
'oracle.server_EE_filemap.jar'.
INFO: Performing fastcopy operations based on the information in the file
'racfiles.jar'.

installActions2013-06-29_12-50-04AM.log

INFO: Performing fastcopy operations based on the information in the file 'oracle.server_EE_exp_1.xml'.
INFO: Performing fastcopy operations based on the information in the file 'oracle.server_EE_1.xml'.
INFO: Performing fastcopy operations based on the information in the file 'setperms1.sh'.
INFO: Number of threads for fast copy :1
INFO: The expanded list location
:/tmp/OraInstall2013-06-29_12-50-04AM/fastcopy/oracle.server_EE_exp_1.xml
INFO: Executing permissions file from
:/tmp/OraInstall2013-06-29_12-50-04AM/fastcopy/setperms1.sh
INFO: chmod 0755 addnode/addnode.sh bin/chopt
INFO: chmod 0744 install/utl/rootmacro.sbs
INFO: chmod 0755 bin/zip bin/unzip bin/oerr bin/genorasdksh bin/gensyslib bin/linkshlib bin/orald
INFO: chmod 0644 bin/oerr.pl
INFO: chmod 0750 bin/ctxkbtcl bin/ctxlcl bin/ctxload ctx/bin/ctxhx
INFO: chmod 0644 relnotes/readmes/README_jdbc.txt jdbc/Readme.txt
INFO: chmod 0644 relnotes/readmes/README_ucp.txt ucp/Readme.txt
INFO: chmod 0755 crs/sbs/localconfig.sbs crs/sbs/clsrwrap.sbs bin/gnsd crs/sbs/srvctl.sbs crs/install/s_crsconfig_defs srvm/admin/getcrshome
INFO: chmod 0644 cv/cvutl/check_nodeadd.pl
INFO: chmod 0755 cv/remenv/exectask cv/remenv/orarun.sh cv/remenv/exectask.sh cv/remenv/runfixup.sh cv/remenv/cvuhelper
INFO: chmod 0755 bin/srvconfig bin/cluvfyac.sh bin/crsdiag.pl bin/ltnodes bin/rawutl bin/osdbagr
INFO: chmod 0755 cv/remenv/exectask.sh srvm/admin/ractrans cv/cvdata/admin.dtd cv/cvdata/admin.xml cv/cvdata/constraints.dtd cv/cvdata/constraints.xml cv/cvdata/cvu_prereq.xml cv/cvdata/ora_software_cfg.xml cv/cvdata/pluggable.xml cv/cvdata/pluggable.xsd cv/cvdata/prereq.xsd crs/install/rootcrs.pl crs/install/roothas.pl crs/install/crsconfig_params.sbs crs/install/oracss.pm crs/install/oraacs.pm crs/install/crsinstall.pm crs/install/crsupgrade.pm crs/install/crsdeconfig.pm crs/install/crsgnpp.pm crs/install/crsahasd.pm crs/install/crsutils.pm crs/install/crspatch.pm crs/install/crsoc4j.pm crs/install/crskas.pm crs/install/oraafd.pm crs/install/s_crsutils.pm crs/install/install.excl crs/install/installRemove.excl has/mesg/clsrscus.msg has/mesg/clsrscus.msb crs/install/s_crsconfig_defs cv/admin/cvu_config cv/remenv/exectask srvm/admin/getcrshome bin/osdbagr
INFO: chmod 0755 lib//acfstoolsdriver.sh lib//okatoolsdriver.sh lib//afdtoolsdriver.sh bin//acfsroot bin//okaroot bin//afdroot
INFO: chmod 0644 lib//acfslib.pm lib//acfsroot.pl lib//okalib.pm lib//okaroot.pl lib//afdlib.pm lib//afdroot.pl
INFO: chmod 0755 deinstall/deinstall deinstall/utl/orabase_cleanup.lst deinstall/deinstall.pl deinstall/bootstrap.pl deinstall/sshUserSetup.sh deinstall/response/deinstall.rsp.tmp
INFO: chmod 444 jdk/include/jni.h jdk/include/classfile_constants.h jdk/include/jvmti.h jdk/include/jdwpTransport.h jdk/include/jawt.h jdk/include/linux/jawt_md.h jdk/include/linux/jni_md.h jdk/lib/jconsole.jar jdk/lib/tools.jar jdk/lib/dt.jar jdk/lib/htmlconverter.jar
INFO: chmod 555 jdk/lib/jexec
INFO: chmod 444 jdk/lib/ct.sym jdk/lib/sa-jdi.jar jdk/lib/orb.idl jdk/lib/ir.idl jdk/lib/visualvm/visualvm/.lastModified jdk/lib/visualvm/visualvm/update_tracking/com-sun-tools-visualvm-host-remote.xml jdk/lib/visualvm/visualvm/update_tracking/com-sun-tools-visualvm-api-caching.xml jdk/lib/visualvm/visualvm/update_tracking/com-sun-tools-visualvm-uisupport.xml jdk/lib/visualvm/visualvm/update_tracking/com-sun-tools-visualvm-heapdump.xml jdk/lib/visualvm/visualvm/update_tracking/com-sun-tools-visualvm-application-views.xml jdk/lib/visualvm/visualvm/update_tracking/com-sun-tools-visualvm-host-views.xml jdk/lib/visualvm/visualvm/update_tracking/com-sun-tools-visualvm-core.xml jdk/lib/visualvm/visualvm/update_tracking/com-sun-tools-visualvm-jvm.xml jdk/lib/visualvm/visualvm/update_tracking/com-sun-tools-visualvm-modules-startup.xml jdk/lib/visualvm/visualvm/update_tracking/com-sun-tools-visualvm-charts.xml jdk/lib/visualvm/visualvm/update_tracking/com-sun-tools-visualvm-sa.xml jdk/lib/visualvm/visualvm/update_tracking/com-sun-tools-visualvm-application.xml jdk/lib/visualvm/visualvm/update_tracking/com-sun-tools-visualvm-threaddump.xml jdk/lib/visualvm/visualvm/update_tracking/com-sun-tools-visualvm-jvmstat.xml jdk/lib/visualvm/visualvm/update_tracking/com-sun-tools-visualvm-modules-appui.x

installActions2013-06-29_12-50-04AM.log

jdk/lib/visualvm/visualvm/update_tracking/com-sun-tools-visualvm-sampler.xml
jdk/lib/visualvm/visualvm/update_tracking/com-sun-tools-visualvm-jmx.xml
jdk/lib/visualvm/visualvm/update_tracking/com-sun-tools-visualvm-host.xml
jdk/lib/visualvm/visualvm/update_tracking/com-sun-tools-visualvm-coredump.xml
jdk/lib/visualvm/visualvm/update_tracking/com-sun-tools-visualvm-attach.xml
jdk/lib/visualvm/visualvm/update_tracking/com-sun-tools-visualvm-tools.xml
jdk/lib/visualvm/visualvm/update_tracking/com-sun-tools-visualvm-profiling.xml
jdk/lib/visualvm/visualvm/update_tracking/com-sun-tools-visualvm-profiler.xml
jdk/lib/visualvm/visualvm/modules/com-sun-tools-visualvm-charts.jar
jdk/lib/visualvm/visualvm/modules/com-sun-tools-visualvm-host-views.jar
jdk/lib/visualvm/visualvm/modules/com-sun-tools-visualvm-jvm.jar
jdk/lib/visualvm/visualvm/modules/com-sun-tools-visualvm-profiler.jar
jdk/lib/visualvm/visualvm/modules/com-sun-tools-visualvm-uisupport.jar
jdk/lib/visualvm/visualvm/modules/com-sun-tools-visualvm-core.jar
jdk/lib/visualvm/visualvm/modules/com-sun-tools-visualvm-application-views.jar
jdk/lib/visualvm/visualvm/modules/com-sun-tools-visualvm-coredump.jar
jdk/lib/visualvm/visualvm/modules/com-sun-tools-visualvm-host-remote.jar
jdk/lib/visualvm/visualvm/modules/com-sun-tools-visualvm-sa.jar
jdk/lib/visualvm/visualvm/modules/com-sun-tools-visualvm-tools.jar
jdk/lib/visualvm/visualvm/modules/com-sun-tools-visualvm-api-caching.jar
jdk/lib/visualvm/visualvm/modules/com-sun-tools-visualvm-jvmstat.jar
jdk/lib/visualvm/visualvm/modules/com-sun-tools-visualvm-sampler.jar
jdk/lib/visualvm/visualvm/modules/com-sun-tools-visualvm-attach.jar
jdk/lib/visualvm/visualvm/modules/com-sun-tools-visualvm-modules-appui.jar
jdk/lib/visualvm/visualvm/modules/com-sun-tools-visualvm-heapdump.jar
jdk/lib/visualvm/visualvm/modules/com-sun-tools-visualvm-profiling.jar
jdk/lib/visualvm/visualvm/modules/com-sun-tools-visualvm-jmx.jar
jdk/lib/visualvm/visualvm/modules/entries
jdk/lib/visualvm/visualvm/modules/com-sun-tools-visualvm-threaddump.jar
jdk/lib/visualvm/visualvm/modules/com-sun-tools-visualvm-host.jar
jdk/lib/visualvm/visualvm/modules/all-wcprops
jdk/lib/visualvm/visualvm/modules/com-sun-tools-visualvm-application.jar
jdk/lib/visualvm/visualvm/modules/locale/org-netbeans-core_visualvm.jar
jdk/lib/visualvm/visualvm/modules/locale/org-netbeans-modules-.svn_zh_CN.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-jvmstat_zh_CN.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-uisupport_ja.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-application-view_s_ja.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-threaddump_zh_CN.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-api-caching_ja.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-profiler_ja.jar
jdk/lib/visualvm/visualvm/modules/locale/org-netbeans-modules-profiler_visualvm.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-profiler_zh_CN.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-attach_ja.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-sampler_zh_CN.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-sa_zh_CN.jar
jdk/lib/visualvm/visualvm/modules/locale/org-netbeans-modules-props_zh_CN.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-host-views_zh_CN.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-tools_ja.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-application-view_s_zh_CN.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-jvmstat_ja.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-host-remote_zh_CN.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-attach_zh_CN.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-modules-appui_zh_CN.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-core_zh_CN.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-uisupport_zh_CN.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-host_zh_CN.jar
jdk/lib/visualvm/visualvm/modules/locale/org-netbeans-modules-prop-base_ja.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-tools_zh_CN.jar

installActions2013-06-29_12-50-04AM.log

jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-jmx_ja.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-modules-appui_ja.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-sa_ja.jar
jdk/lib/visualvm/visualvm/modules/locale/org-netbeans-modules-tmp_zh_CN.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-core_ja.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-host-remote_ja.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-application_ja.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-host-views_ja.jar
jdk/lib/visualvm/visualvm/modules/locale/org-netbeans-modules-text-base_ja.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-sampler_ja.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-threaddump_ja.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-coredump_ja.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-jmx_zh_CN.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-heapdump_ja.jar
jdk/lib/visualvm/visualvm/modules/locale/org-netbeans-modules-.svn_ja.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-api-caching_zh_CN.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-host_ja.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-charts_ja.jar
jdk/lib/visualvm/visualvm/modules/locale/org-netbeans-modules-tmp_ja.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-application_zh_CN.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-coredump_zh_CN.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-heapdump_zh_CN.jar
jdk/lib/visualvm/visualvm/modules/locale/org-netbeans-modules-text-base_zh_CN.jar
jdk/lib/visualvm/visualvm/modules/locale/org-netbeans-modules-prop-base_zh_CN.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-profiling_zh_CN.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-jvm_zh_CN.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-jvm_ja.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-charts_zh_CN.jar
jdk/lib/visualvm/visualvm/modules/locale/org-netbeans-core-windows_visualvm.jar
jdk/lib/visualvm/visualvm/modules/locale/com-sun-tools-visualvm-profiling_ja.jar
jdk/lib/visualvm/visualvm/modules/locale/org-netbeans-modules-props_ja.jar
jdk/lib/visualvm/visualvm/config/Modules/com-sun-tools-visualvm-uisupport.xml
jdk/lib/visualvm/visualvm/config/Modules/com-sun-tools-visualvm-charts.xml
jdk/lib/visualvm/visualvm/config/Modules/com-sun-tools-visualvm-jvm.xml
jdk/lib/visualvm/visualvm/config/Modules/com-sun-tools-visualvm-api-caching.xml
jdk/lib/visualvm/visualvm/config/Modules/com-sun-tools-visualvm-heapdump.xml
jdk/lib/visualvm/visualvm/config/Modules/com-sun-tools-visualvm-host.xml
jdk/lib/visualvm/visualvm/config/Modules/com-sun-tools-visualvm-tools.xml
jdk/lib/visualvm/visualvm/config/Modules/com-sun-tools-visualvm-host-remote.xml
jdk/lib/visualvm/visualvm/config/Modules/org-netbeans-modules-favorites.xml_hidden
jdk/lib/visualvm/visualvm/config/Modules/com-sun-tools-visualvm-modules-appui.xml
jdk/lib/visualvm/visualvm/config/Modules/com-sun-tools-visualvm-jvmstat.xml
jdk/lib/visualvm/visualvm/config/Modules/com-sun-tools-visualvm-sampler.xml
jdk/lib/visualvm/visualvm/config/Modules/com-sun-tools-visualvm-sa.xml
jdk/lib/visualvm/visualvm/config/Modules/org-openide-options.xml_hidden
jdk/lib/visualvm/visualvm/config/Modules/org-netbeans-modules-options-keymap.xml_hidden
jdk/lib/visualvm/visualvm/config/Modules/org-netbeans-modules-spi-actions.xml_hidden
jdk/lib/visualvm/visualvm/config/Modules/com-sun-tools-visualvm-host-views.xml
jdk/lib/visualvm/visualvm/config/Modules/org-openide-compat.xml_hidden
jdk/lib/visualvm/visualvm/config/Modules/com-sun-tools-visualvm-application-view.xml
jdk/lib/visualvm/visualvm/config/Modules/org-netbeans-core-execution.xml_hidden
jdk/lib/visualvm/visualvm/config/Modules/com-sun-tools-visualvm-attach.xml
jdk/lib/visualvm/visualvm/config/Modules/com-sun-tools-visualvm-application.xml
jdk/lib/visualvm/visualvm/config/Modules/com-sun-tools-visualvm-coredump.xml

installActions2013-06-29_12-50-04AM.log

jdk/lib/visualvm/visualvm/config/Modules/org-netbeans-core-output2.xml_hidden
jdk/lib/visualvm/visualvm/config/Modules/com-sun-tools-visualvm-threaddump.xml
jdk/lib/visualvm/visualvm/config/Modules/org-openide-util-enumerations.xml_hidden
jdk/lib/visualvm/visualvm/config/Modules/com-sun-tools-visualvm-jmx.xml
jdk/lib/visualvm/visualvm/config/Modules/org-netbeans-api-visual.xml_hidden
jdk/lib/visualvm/visualvm/config/Modules/com-sun-tools-visualvm-profiling.xml
jdk/lib/visualvm/visualvm/config/Modules/com-sun-tools-visualvm-profiler.xml
jdk/lib/visualvm/visualvm/config/Modules/org-netbeans-modules-core-kit.xml_hidden
jdk/lib/visualvm/visualvm/config/Modules/com-sun-tools-visualvm-core.xml
jdk/lib/visualvm/visualvm/core/com-sun-tools-visualvm-modules-startup.jar
jdk/lib/visualvm/visualvm/core/locale/com-sun-tools-visualvm-modules-startup_zh_CN.jar
jdk/lib/visualvm/visualvm/core/locale/.svn_ja.jar
jdk/lib/visualvm/visualvm/core/locale/core_visualvm.jar
jdk/lib/visualvm/visualvm/core/locale/.svn_zh_CN.jar
jdk/lib/visualvm/visualvm/core/locale/com-sun-tools-visualvm-modules-startup_ja.jar
jdk/lib/visualvm/etc/visualvm.conf jdk/lib/visualvm/etc/visualvm.clusters
jdk/lib/visualvm/profiler/.lastModified jdk/lib/visualvm/profiler/VERSION.txt
jdk/lib/visualvm/profiler/modules/org-netbeans-lib-profiler-ui.jar
jdk/lib/visualvm/profiler/modules/org-netbeans-modules-profiler-oql.jar
jdk/lib/visualvm/profiler/modules/org-netbeans-modules-profiler.jar
jdk/lib/visualvm/profiler/modules/org-netbeans-lib-profiler.jar
jdk/lib/visualvm/profiler/modules/org-netbeans-lib-profiler-common.jar
jdk/lib/visualvm/profiler/modules/org-netbeans-lib-profiler-charts.jar
jdk/lib/visualvm/profiler/modules/locale/org-netbeans-lib-profiler_zh_CN.jar
jdk/lib/visualvm/profiler/modules/locale/org-netbeans-modules-profiler-oql_ja.jar
jdk/lib/visualvm/profiler/modules/locale/org-netbeans-modules-profiler-oql_zh_CN.jar
jdk/lib/visualvm/profiler/modules/locale/org-netbeans-lib-profiler-charts_zh_CN.jar
jdk/lib/visualvm/profiler/modules/locale/org-netbeans-modules-profiler_ja.jar
jdk/lib/visualvm/profiler/modules/locale/org-netbeans-lib-profiler-common_zh_CN.jar
jdk/lib/visualvm/profiler/modules/locale/org-netbeans-lib-profiler-ui_zh_CN.jar
jdk/lib/visualvm/profiler/modules/locale/org-netbeans-lib-profiler_ja.jar
jdk/lib/visualvm/profiler/modules/locale/org-netbeans-lib-profiler-ui_ja.jar
jdk/lib/visualvm/profiler/modules/locale/org-netbeans-lib-profiler-common_ja.jar
jdk/lib/visualvm/profiler/modules/locale/org-netbeans-lib-profiler-charts_ja.jar
jdk/lib/visualvm/profiler/modules/locale/org-netbeans-modules-profiler_zh_CN.jar
jdk/lib/visualvm/profiler/lib/jfluid-server.jar
jdk/lib/visualvm/profiler/lib/jfluid-server-15.jar
jdk/lib/visualvm/profiler/lib/locale/jfluid-server_zh_CN.jar
jdk/lib/visualvm/profiler/lib/locale/jfluid-server_ja.jar
jdk/lib/visualvm/profiler/lib/deployed/jdk15/linux-amd64/libprofilerinterface.so
jdk/lib/visualvm/profiler/lib/deployed/jdk16/linux-amd64/libprofilerinterface.so
jdk/lib/visualvm/profiler/update_tracking/org-netbeans-lib-profiler-ui.xml
jdk/lib/visualvm/profiler/update_tracking/org-netbeans-lib-profiler-common.xml
jdk/lib/visualvm/profiler/update_tracking/org-netbeans-lib-profiler-charts.xml
jdk/lib/visualvm/profiler/update_tracking/org-netbeans-modules-profiler.xml
jdk/lib/visualvm/profiler/update_tracking/org-netbeans-modules-profiler-oql.xml
jdk/lib/visualvm/profiler/update_tracking/org-netbeans-lib-profiler.xml
jdk/lib/visualvm/profiler/config/Modules/org-netbeans-lib-profiler-ui.xml
jdk/lib/visualvm/profiler/config/Modules/org-netbeans-modules-profiler.xml
jdk/lib/visualvm/profiler/config/Modules/org-netbeans-modules-profiler-oql.xml
jdk/lib/visualvm/profiler/config/Modules/org-netbeans-lib-profiler.xml
jdk/lib/visualvm/profiler/config/Modules/org-netbeans-lib-profiler-common.xml
jdk/lib/visualvm/profiler/config/Modules/org-netbeans-lib-profiler-charts.xml
jdk/lib/visualvm/platform/VERSION.txt jdk/lib/visualvm/platform/.lastModified
jdk/lib/visualvm/platform/update_tracking/org-openide-util-enumerations.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-swing-tabcontrol.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-modules-queries.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-core-startup.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-modules-sendopts.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-modules-options-keymap.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-modules-editor-mimelookup-impl.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-modules-keyring-impl.xml

installActions2013-06-29_12-50-04AM.log

jdk/lib/visualvm/platform/update_tracking/org-openide-actions.xml
jdk/lib/visualvm/platform/update_tracking/org-openide-modules.xml
jdk/lib/visualvm/platform/update_tracking/org-openide-awt.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-spi-quicksearch.xml
jdk/lib/visualvm/platform/update_tracking/org-openide-dialogs.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-modules-masterfs.xml
jdk/lib/visualvm/platform/update_tracking/org-openide-filesystems.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-modules-options-api.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-swing-plaf.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-api-visual.xml
jdk/lib/visualvm/platform/update_tracking/org-openide-util.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-modules-keyring.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-core-io-ui.xml
jdk/lib/visualvm/platform/update_tracking/org-openide-execution.xml
jdk/lib/visualvm/platform/update_tracking/org-openide-compat.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-modules-favorites.xml
jdk/lib/visualvm/platform/update_tracking/org-openide-util-lookup.xml
jdk/lib/visualvm/platform/update_tracking/org-openide-explorer.xml
jdk/lib/visualvm/platform/update_tracking/org-openide-loaders.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-modules-spi-actions.xml
jdk/lib/visualvm/platform/update_tracking/org-openide-io.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-modules-editor-mimelookup.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-modules-progress-ui.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-modules-applemenu.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-modules-settings.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-modules-javahelp.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-core.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-api-annotations-common.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-api-progress.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-bootstrap.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-core-ui.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-modules-print.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-core-output2.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-core-execution.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-modules-autoupdate-services.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-modules-autoupdate-ui.xml
jdk/lib/visualvm/platform/update_tracking/org-openide-windows.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-modules-core-kit.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-swing-outline.xml
jdk/lib/visualvm/platform/update_tracking/org-openide-text.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-core-windows.xml
jdk/lib/visualvm/platform/update_tracking/org-netbeans-core-multiview.xml
jdk/lib/visualvm/platform/update_tracking/org-openide-options.xml
jdk/lib/visualvm/platform/update_tracking/org-openide-nodes.xml
jdk/lib/visualvm/platform/modules/org-netbeans-modules-settings.jar
jdk/lib/visualvm/platform/modules/org-netbeans-core-multiview.jar
jdk/lib/visualvm/platform/modules/org-netbeans-modules-javahelp.jar
jdk/lib/visualvm/platform/modules/org-openide-execution.jar
jdk/lib/visualvm/platform/modules/org-netbeans-core-execution.jar
jdk/lib/visualvm/platform/modules/org-netbeans-modules-options-api.jar
jdk/lib/visualvm/platform/modules/org-netbeans-core.jar
jdk/lib/visualvm/platform/modules/org-openide-options.jar
jdk/lib/visualvm/platform/modules/org-netbeans-modules-keyring-impl.jar
jdk/lib/visualvm/platform/modules/org-openide-awt.jar
jdk/lib/visualvm/platform/modules/org-netbeans-modules-options-keymap.jar
jdk/lib/visualvm/platform/modules/org-netbeans-modules-core-kit.jar
jdk/lib/visualvm/platform/modules/org-openide-nodes.jar
jdk/lib/visualvm/platform/modules/org-openide-windows.jar
INFO: chmod 444 jdk/lib/visualvm/platform/modules/org-openide-explorer.jar
jdk/lib/visualvm/platform/modules/org-netbeans-modules-favorites.jar
jdk/lib/visualvm/platform/modules/org-openide-util-enumerations.jar
jdk/lib/visualvm/platform/modules/org-netbeans-swing-tabcontrol.jar
jdk/lib/visualvm/platform/modules/org-netbeans-modules-sendopts.jar
jdk/lib/visualvm/platform/modules/org-openide-dialogs.jar
jdk/lib/visualvm/platform/modules/org-netbeans-modules-queries.jar
jdk/lib/visualvm/platform/modules/org-netbeans-modules-applemenu.jar

installActions2013-06-29_12-50-04AM.log

jdk/lib/visualvm/platform/modules/org-netbeans-modules-print.jar
jdk/lib/visualvm/platform/modules/org-openide-actions.jar
jdk/lib/visualvm/platform/modules/org-netbeans-core-output2.jar
jdk/lib/visualvm/platform/modules/org-netbeans-modules-autoupdate-services.jar
jdk/lib/visualvm/platform/modules/org-netbeans-spi-quicksearch.jar
jdk/lib/visualvm/platform/modules/org-netbeans-core-windows.jar
jdk/lib/visualvm/platform/modules/org-netbeans-core-io-ui.jar
jdk/lib/visualvm/platform/modules/org-openide-compat.jar
jdk/lib/visualvm/platform/modules/org-netbeans-modules-editor-mimelookup-impl.jar
jdk/lib/visualvm/platform/modules/org-netbeans-swing-outline.jar
jdk/lib/visualvm/platform/modules/org-netbeans-modules-masterfs.jar
jdk/lib/visualvm/platform/modules/org-netbeans-api-visual.jar
jdk/lib/visualvm/platform/modules/org-netbeans-swing-plaf.jar
jdk/lib/visualvm/platform/modules/org-openide-loaders.jar
jdk/lib/visualvm/platform/modules/org-netbeans-core-ui.jar
jdk/lib/visualvm/platform/modules/org-netbeans-modules-keyring.jar
jdk/lib/visualvm/platform/modules/org-openide-text.jar
jdk/lib/visualvm/platform/modules/org-netbeans-api-annotations-common.jar
jdk/lib/visualvm/platform/modules/org-netbeans-modules-autoupdate-ui.jar
jdk/lib/visualvm/platform/modules/org-netbeans-modules-editor-mimelookup.jar
jdk/lib/visualvm/platform/modules/org-openide-io.jar
jdk/lib/visualvm/platform/modules/org-netbeans-modules-progress-ui.jar
jdk/lib/visualvm/platform/modules/org-netbeans-modules-spi-actions.jar
jdk/lib/visualvm/platform/modules/org-netbeans-api-progress.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-sendopts_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-openide-awt_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-api-progress_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-core-kit_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-applemenu_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-applemenu_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-api-visual_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-core_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-api-progress_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-spi-quicksearch_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-core-windows_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-core-ui_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-settings_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-javahelp_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-favorites_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-sendopts_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-openide-actions_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-core-io-ui_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-core-multiview_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-openide-windows_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-options-keymap_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-options-keymap_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-core-kit_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-queries_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-javahelp_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-settings_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-swing-plaf_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-openide-nodes_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-keyring-impl_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-openide-actions_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-core-windows_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-autoupdate-ui_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-openide-windows_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-openide-dialogs_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-editor-mimelookup_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-openide-awt_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-openide-options_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-openide-io_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-api-visual_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-masterfs_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-masterfs_ja.jar

installActions2013-06-29_12-50-04AM.log

jdk/lib/visualvm/platform/modules/locale/org-openide-compat_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-autoupdate-service_s_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-autoupdate-ui_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-core_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-openide-execution_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-progress-ui_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-core-output2_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-core-output2_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-core-ui_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-swing-outline_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-swing-tabcontrol_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-openide-io_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-templates_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-editor-mimelookup-impl_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-openide-nodes_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-openide-explorer_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-openide-util-enumerations_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-spi-actions_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-openide-dialogs_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-spi-quicksearch_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-core-execution_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-print_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-swing-outline_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-api-annotations-common_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-keyring_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-favorites_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-options-api_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-openide-util-enumerations_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-openide-options_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-progress-ui_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-spi-actions_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-autoupdate-service_s_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-swing-plaf_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-options-api_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-keyring_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-core-multiview_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-openide-execution_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-templates_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-swing-tabcontrol_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-editor-mimelookup_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-core-io-ui_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-core-execution_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-keyring-impl_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-api-annotations-common_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-editor-mimelookup-impl_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-openide-loaders_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-openide-loaders_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-openide-explorer_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-openide-text_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-queries_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-openide-compat_zh_CN.jar
jdk/lib/visualvm/platform/modules/locale/org-openide-text_ja.jar
jdk/lib/visualvm/platform/modules/locale/org-netbeans-modules-print_zh_CN.jar
jdk/lib/visualvm/platform/modules/ext/jh-2.0_05.jar
jdk/lib/visualvm/platform/modules/ext/updater.jar
jdk/lib/visualvm/platform/modules/ext/locale/updater_ja.jar
jdk/lib/visualvm/platform/modules/ext/locale/updater_zh_CN.jar
jdk/lib/visualvm/platform/core/core.jar
jdk/lib/visualvm/platform/core/org-openide-fileSystems.jar
jdk/lib/visualvm/platform/core/locale/core_zh_CN.jar

installActions2013-06-29_12-50-04AM.log

jdk/lib/visualvm/platform/core/locale/org-openide-filestystems_ja.jar
jdk/lib/visualvm/platform/core/locale/org-openide-filestystems_zh_CN.jar
jdk/lib/visualvm/platform/core/locale/core_ja.jar
jdk/lib/visualvm/platform/config/Modules/org-netbeans-core-windows.xml
jdk/lib/visualvm/platform/config/Modules/org-openide-execution.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-modules-applemenu.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-modules-queries.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-modules-options-api.xml
jdk/lib/visualvm/platform/config/Modules/org-openide-options.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-api-annotations-common.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-spi-quicksearch.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-api-visual.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-swing-plaf.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-core-output2.xml
jdk/lib/visualvm/platform/config/Modules/org-openide-windows.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-core-io-ui.xml
jdk/lib/visualvm/platform/config/Modules/org-openide-util-enumerations.xml
jdk/lib/visualvm/platform/config/Modules/org-openide-compat.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-swing-tabcontrol.xml
jdk/lib/visualvm/platform/config/Modules/org-openide-io.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-modules-sendopts.xml
jdk/lib/visualvm/platform/config/Modules/org-openide-awt.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-modules-keyring.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-modules-keyring-impl.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-core-execution.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-api-progress.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-core-multiview.xml
jdk/lib/visualvm/platform/config/Modules/org-openide-explorer.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-modules-masterfs.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-modules-autoupdate-ui.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-modules-options-keymap.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-swing-outline.xml
jdk/lib/visualvm/platform/config/Modules/org-openide-loaders.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-modules-core-kit.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-modules-autoupdate-service.xml
jdk/lib/visualvm/platform/config/Modules/org-openide-text.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-modules-print.xml
jdk/lib/visualvm/platform/config/Modules/org-openide-nodes.xml
jdk/lib/visualvm/platform/config/Modules/org-openide-actions.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-core-ui.xml
jdk/lib/visualvm/platform/config/Modules/org-openide-dialogs.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-modules-settings.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-modules-editor-mimelookup-impl.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-modules-spi-actions.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-modules-editor-mimelookup.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-modules-progress-ui.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-modules-javahelp.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-core.xml
jdk/lib/visualvm/platform/config/Modules/org-netbeans-modules-favorites.xml
jdk/lib/visualvm/platform/config/ModuleAutoDeps/org-openide-execution.xml
jdk/lib/visualvm/platform/config/ModuleAutoDeps/org-netbeans-modules-queries.xml
jdk/lib/visualvm/platform/config/ModuleAutoDeps/org-openide-util.xml
jdk/lib/visualvm/platform/config/ModuleAutoDeps/org-netbeans-modules-options-api.xml
jdk/lib/visualvm/platform/config/ModuleAutoDeps/org-openide-loaders.xml
jdk/lib/visualvm/platform/config/ModuleAutoDeps/org-openide-text.xml
jdk/lib/visualvm/platform/config/ModuleAutoDeps/org-openide-explorer.xml
jdk/lib/visualvm/platform/config/ModuleAutoDeps/org-netbeans-core.xml
jdk/lib/visualvm/platform/config/ModuleAutoDeps/org-openide-modules.xml
INFO: chmod source_perms jdk/lib/visualvm/platform/docs/
INFO: chmod 444 jdk/lib/visualvm/platform/lib/org-openide-modules.jar
jdk/lib/visualvm/platform/lib/boot.jar
jdk/lib/visualvm/platform/lib/org-openide-util-lookup.jar
jdk/lib/visualvm/platform/lib/org-openide-util.jar
jdk/lib/visualvm/platform/lib/nbexec
jdk/lib/visualvm/platform/lib/locale/org-openide-modules_ja.jar
jdk/lib/visualvm/platform/lib/locale/org-openide-util-lookup_ja.jar

```
installActions2013-06-29_12-50-04AM.log
jdk/lib/visualvm/platform/lib/locale/org-openide-util-lookup_zh_CN.jar
jdk/lib/visualvm/platform/lib/locale/boot_zh_CN.jar
jdk/lib/visualvm/platform/lib/locale/org-openide-util_ja.jar
jdk/lib/visualvm/platform/lib/locale/boot_ja.jar
jdk/lib/visualvm/platform/lib/locale/org-openide-modules_zh_CN.jar
jdk/lib/visualvm/platform/lib/locale/org-openide-util_zh_CN.jar
INFO: chmod 555 jdk/bin/serialver jdk/bin/jconsole jdk/bin/jmap
jdk/bin/jrunscript jdk/bin/HtmlConverter jdk/bin/jinfo jdk/bin/schemagen
jdk/bin/servertool jdk/bin/jstack jdk/bin/javadoc jdk/bin/jsadebugd jdk/bin/java
jdk/bin/jar jdk/bin/javah jdk/bin/javaws jdk/bin/jcontrol jdk/bin/unpack200
jdk/bin/jstat jdk/bin/rmiregistry jdk/bin/ControlPanel jdk/bin/jvisualvm
jdk/bin/rmid jdk/bin/jhat jdk/bin/jdb jdk/bin/apt jdk/bin/pack200 jdk/bin/idlj
jdk/bin/rmic jdk/bin/appletviewer jdk/bin/wsimport jdk/bin/jps jdk/bin/jarsigner
jdk/bin/orbd jdk/bin/extcheck jdk/bin/javac jdk/bin/policytool jdk/bin/tnameserv
jdk/bin/wsgen jdk/bin/native2ascii jdk/bin/jstatd jdk/bin/keytool jdk/bin/javap
jdk/bin/xjc
INFO: chmod 444 jdk/jre/README jdk/jre/LICENSE
jdk/jre/THIRDPARTYLICENSEREADME.txt jdk/jre/COPYRIGHT jdk/jre/welcome.html
INFO: chmod 555 jdk/jre/javaws/javaws jdk/jre/bin/unpack200
jdk/jre/bin/servertool jdk/jre/bin/java jdk/jre/bin/tnameserv
jdk/jre/bin/jcontrol jdk/jre/bin/rmiregistry jdk/jre/bin/rmid
jdk/jre/bin/ControlPanel jdk/jre/bin/keytool jdk/jre/bin/javaws jdk/jre/bin/orbd
jdk/jre/bin/policytool jdk/jre/bin/pack200 jdk/jre/bin/java_vm
INFO: chmod 444 jdk/jre/lib/fontconfig.RedHat.6.bfc
jdk/jre/lib/fontconfig.RedHat.3.properties.src jdk/jre/lib/resources.jar
jdk/jre/lib/management-agent.jar jdk/jre/lib/fontconfig.RedHat.4.properties.src
jdk/jre/lib/javaws.jar jdk/jre/lib/jce.jar jdk/jre/lib/jvm.hprof.txt
jdk/jre/lib/fontconfig.Turbo.bfc jdk/jre/lib/fontconfig.Turbo.properties.src
jdk/jre/lib/classlist jdk/jre/lib/fontconfig.Sun.bfc jdk/jre/lib/plugin.jar
jdk/jre/lib/net.properties jdk/jre/lib/fontconfig.SuSE.properties.src
jdk/jre/lib/fontconfig.RedHat.6.properties.src jdk/jre/lib/jsse.jar
jdk/jre/lib/fontconfig.Ubuntu.properties.src jdk/jre/lib/fontconfig.SuSE.11.bfc
jdk/jre/lib/calendars.properties jdk/jre/lib/fontconfig.bfc
jdk/jre/lib/fontconfig.properties.src jdk/jre/lib/charsets.jar
jdk/jre/lib/logging.properties jdk/jre/lib/fontconfig.RedHat.properties.src
jdk/jre/lib/fontconfig.RedHat.bfc jdk/jre/lib/content-types.properties
jdk/jre/lib/fontconfig.SuSE.bfc
INFO: chmod 555 jdk/jre/lib/jexec
INFO: chmod 444 jdk/jre/lib/fontconfig.RedHat.2.1.bfc
jdk/jre/lib/sound.properties jdk/jre/lib/psfontj2d.properties
jdk/jre/lib/deploy.jar jdk/jre/lib/rt.jar jdk/jre/lib/alt-rt.jar
jdk/jre/lib/fontconfig.RedHat.3.bfc jdk/jre/lib/meta-index
jdk/jre/lib/fontconfig.RedHat.4.bfc jdk/jre/lib/alt-string.jar
jdk/jre/lib/fontconfig.Ubuntu.bfc jdk/jre/lib/psfont.properties.ja
jdk/jre/lib/flavormap.properties jdk/jre/lib/fontconfig.SuSE.11.properties.src
jdk/jre/lib/fontconfig.RedHat.2.1.properties.src
jdk/jre/lib/fontconfig.Sun.properties.src jdk/jre/lib/im/indicim.jar
jdk/jre/lib/im/thaiim.jar jdk/jre/lib/cmm/GRAY.pf jdk/jre/lib/cmm/CIEXYZ.pf
jdk/jre/lib/cmm/PYCC.pf jdk/jre/lib/cmm/SRGB.pf jdk/jre/lib/cmm/LINEAR_RGB.pf
INFO: chmod 555 jdk/jre/lib/amd64/libnative_chmod_g.so
jdk/jre/lib/amd64/libnpt.so jdk/jre/lib/amd64/libattach.so
jdk/jre/lib/amd64/libnet.so jdk/jre/lib/amd64/libj2pcsc.so
jdk/jre/lib/amd64/libnio.so jdk/jre/lib/amd64/libdeploy.so
INFO: chmod 444 jdk/jre/lib/amd64/jvm.cfg
INFO: chmod 555 jdk/jre/lib/amd64/libhprof.so jdk/jre/lib/amd64/libj2gss.so
jdk/jre/lib/amd64/libjsound.so jdk/jre/lib/amd64/liblib_image.so
jdk/jre/lib/amd64/libdcpr.so jdk/jre/lib/amd64/libnative_chmod.so
jdk/jre/lib/amd64/libioser12.so jdk/jre/lib/amd64/libdt_socket.so
jdk/jre/lib/amd64/libawt.so jdk/jre/lib/amd64/libzip.so
jdk/jre/lib/amd64/libnjp2.so jdk/jre/lib/amd64/libcmm.so
jdk/jre/lib/amd64/libjavaplugin_jni.so jdk/jre/lib/amd64/libsplashscreen.so
jdk/jre/lib/amd64/libjava_crw_demo.so jdk/jre/lib/amd64/libjdpwp.so
jdk/jre/lib/amd64/libjawt.so jdk/jre/lib/amd64/libunpack.so
jdk/jre/lib/amd64/libinstrument.so jdk/jre/lib/amd64/libjava.so
jdk/jre/lib/amd64/libverify.so jdk/jre/lib/amd64/libj2pkcs11.so
jdk/jre/lib/amd64/libjaas_unix.so jdk/jre/lib/amd64/libjsoundalsa.so
jdk/jre/lib/amd64/libjsig.so jdk/jre/lib/amd64/librmi.so
jdk/jre/lib/amd64/libJdbcOdbc.so jdk/jre/lib/amd64/libmanagement.so
```

installActions2013-06-29_12-50-04AM.log
jdk/jre/lib/amd64/libsaproc.so jdk/jre/lib/amd64/libjpeg.so
jdk/jre/lib/amd64/libfontmanager.so jdk/jre/lib/amd64/headless/libmawt.so
jdk/jre/lib/amd64/native_threads/libhpi.so jdk/jre/lib/amd64/jli/libjli.so
jdk/jre/lib/amd64/xawt/libmawt.so jdk/jre/lib/amd64/motif21/libmawt.so
jdk/jre/lib/amd64/server/libjsig.so jdk/jre/lib/amd64/server/libjvm.so
INFO: chmod 444 jdk/jre/lib/amd64/server/xusage.txt
jdk/jre/lib/deploy/messages_it.properties
jdk/jre/lib/deploy/messages_sv.properties
jdk/jre/lib/deploy/messages_de.properties jdk/jre/lib/deploy/java-icon.ico
jdk/jre/lib/deploy/messages_zh_CN.properties
jdk/jre/lib/deploy/messages.properties jdk/jre/lib/deploy/messages_ja.properties
INFO: chmod 555 jdk/jre/lib/deploy/messages_zh_HK.properties
INFO: chmod 444 jdk/jre/lib/deploy/splash.gif
jdk/jre/lib/deploy/messages_zh_TW.properties jdk/jre/lib/deploy/ffjcxext.zip
jdk/jre/lib/deploy/messages_es.properties
jdk/jre/lib/deploy/messages_pt_BR.properties
jdk/jre/lib/deploy/messages_fr.properties
jdk/jre/lib/deploy/messages_ko.properties jdk/jre/lib/servicetag/jdk_header.png
jdk/jre/lib/locale/zh_TW.BIG5/LC_MESSAGES/sunw_java_plugin.mo
jdk/jre/lib/locale/it/LC_MESSAGES/sunw_java_plugin.mo
jdk/jre/lib/locale/zh/LC_MESSAGES/sunw_java_plugin.mo
jdk/jre/lib/locale/de/LC_MESSAGES/sunw_java_plugin.mo
jdk/jre/lib/locale/ja/LC_MESSAGES/sunw_java_plugin.mo
jdk/jre/lib/locale/zh.GBK/LC_MESSAGES/sunw_java_plugin.mo
jdk/jre/lib/locale/sv/LC_MESSAGES/sunw_java_plugin.mo
jdk/jre/lib/locale/ko/LC_MESSAGES/sunw_java_plugin.mo
jdk/jre/lib/locale/zh_TW/LC_MESSAGES/sunw_java_plugin.mo
jdk/jre/lib/locale/fr/LC_MESSAGES/sunw_java_plugin.mo
jdk/jre/lib/locale/zh_HK.BIG5HK/LC_MESSAGES/sunw_java_plugin.mo
jdk/jre/lib/locale/ko.UTF-8/LC_MESSAGES/sunw_java_plugin.mo
jdk/jre/lib/locale/es/LC_MESSAGES/sunw_java_plugin.mo jdk/jre/lib/ext/meta-index
jdk/jre/lib/ext/localesdata.jar jdk/jre/lib/ext/sunjce_provider.jar
jdk/jre/lib/ext/dnsns.jar jdk/jre/lib/ext/sunpkcs11.jar
jdk/jre/lib/audio/soundbank.gm jdk/jre/lib/images/icons/sun-java_LowContrast.png
jdk/jre/lib/images/icons/sun-java.png
jdk/jre/lib/images/icons/sun-java_HighContrastInverse.png
jdk/jre/lib/images/icons/sun-java_HighContrast.png
jdk/jre/lib/images/cursors/motif_MoveNoDrop32x32.gif
jdk/jre/lib/images/cursors/motif_CopyNoDrop32x32.gif
jdk/jre/lib/images/cursors/invalid32x32.gif
jdk/jre/lib/images/cursors/motif_LinkNoDrop32x32.gif
jdk/jre/lib/images/cursors/cursors.properties
jdk/jre/lib/images/cursors/motif_CopyDrop32x32.gif
jdk/jre/lib/images/cursors/motif_MoveDrop32x32.gif
jdk/jre/lib/images/cursors/motif_LinkDrop32x32.gif
jdk/jre/lib/oblique-fonts/LucidaSansOblique.ttf
jdk/jre/lib/oblique-fonts/LucidaSansDemiOblique.ttf
jdk/jre/lib/oblique-fonts/LucidaTypewriterOblique.ttf
jdk/jre/lib/oblique-fonts/fonts.dir
jdk/jre/lib/oblique-fonts/LucidaTypewriterBoldOblique.ttf
INFO: chmod source_perms jdk/jre/lib/applet/
INFO: chmod 444 jdk/jre/lib/security/blacklist
jdk/jre/lib/security/US_export_policy.jar jdk/jre/lib/security/java.security
jdk/jre/lib/security/cacerts jdk/jre/lib/security/local_policy.jar
jdk/jre/lib/security/java.policy jdk/jre/lib/security/trusted.libraries
jdk/jre/lib/security/javaws.policy jdk/jre/lib/fonts/LucidaBrightRegular.ttf
jdk/jre/lib/fonts/LucidaBrightDemiItalic.ttf
jdk/jre/lib/fonts/LucidaSansRegular.ttf jdk/jre/lib/fonts/fonts.dir
jdk/jre/lib/fonts/LucidaTypewriterRegular.ttf
jdk/jre/lib/fonts/LucidaBrightItalic.ttf
jdk/jre/lib/fonts/LucidaBrightDemiBold.ttf
jdk/jre/lib/fonts/LucidaSansDemiBold.ttf
jdk/jre/lib/fonts/LucidaTypewriterBold.ttf
jdk/jre/lib/desktop/mime/packages/x-java-jnlp-file.xml
jdk/jre/lib/desktop/mime/packages/x-java-archive.xml
jdk/jre/lib/desktop/applications/sun_java.desktop
jdk/jre/lib/desktop/applications/sun-java.desktop
jdk/jre/lib/desktop/applications/sun-javaws.desktop

installActions2013-06-29_12-50-04AM.log

jdk/jre/lib/desktop/icons/hicolor/16x16/mimetypes/gnome-mime-application-x-java-archive.png
jdk/jre/lib/desktop/icons/hicolor/16x16/mimetypes/gnome-mime-text-x-java.png
jdk/jre/lib/desktop/icons/hicolor/16x16/mimetypes/gnome-mime-application-x-java-jnlp-file.png
jdk/jre/lib/desktop/icons/hicolor/16x16/apps/sun-javaws.png
jdk/jre/lib/desktop/icons/hicolor/16x16/apps/sun-jcontrol.png
jdk/jre/lib/desktop/icons/hicolor/16x16/apps/sun-java.png
jdk/jre/lib/desktop/icons/hicolor/48x48/mimetypes/gnome-mime-application-x-java-jnlp-file.png
jdk/jre/lib/desktop/icons/hicolor/48x48/mimetypes/gnome-mime-application-x-java-archive.png
jdk/jre/lib/desktop/icons/hicolor/48x48/mimetypes/gnome-mime-text-x-java.png
jdk/jre/lib/desktop/icons/hicolor/48x48/apps/sun-jcontrol.png
jdk/jre/lib/desktop/icons/hicolor/48x48/apps/sun-javaws.png
jdk/jre/lib/desktop/icons/hicolor/48x48/apps/sun-java.png
jdk/jre/lib/desktop/icons/HighContrast/16x16/mimetypes/gnome-mime-application-x-java-jnlp-file.png
jdk/jre/lib/desktop/icons/HighContrast/16x16/mimetypes/gnome-mime-application-x-java-archive.png
jdk/jre/lib/desktop/icons/HighContrast/16x16/mimetypes/gnome-mime-text-x-java.png
jdk/jre/lib/desktop/icons/HighContrast/16x16/apps/sun-java.png
jdk/jre/lib/desktop/icons/HighContrast/16x16/apps/sun-jcontrol.png
jdk/jre/lib/desktop/icons/HighContrast/16x16/apps/sun-javaws.png
jdk/jre/lib/desktop/icons/HighContrast/48x48/apps/sun-jcontrol.png
jdk/jre/lib/desktop/icons/HighContrast/48x48/apps/sun-java.png
jdk/jre/lib/desktop/icons/HighContrast/48x48/apps/sun-javaws.png
jdk/jre/lib/desktop/icons/HighContrast/48x48/mimetypes/gnome-mime-application-x-java-archive.png
jdk/jre/lib/desktop/icons/HighContrast/48x48/mimetypes/gnome-mime-application-x-java-jnlp-file.png
jdk/jre/lib/desktop/icons/HighContrast/48x48/mimetypes/gnome-mime-text-x-java.png
jdk/jre/lib/desktop/icons/HighContrastInverse/48x48/mimetypes/gnome-mime-application-x-java-archive.png
jdk/jre/lib/desktop/icons/HighContrastInverse/48x48/mimetypes/gnome-mime-application-x-java-jnlp-file.png
jdk/jre/lib/desktop/icons/HighContrastInverse/48x48/mimetypes/gnome-mime-text-x-java.png
jdk/jre/lib/desktop/icons/HighContrastInverse/48x48/apps/sun-java.png
jdk/jre/lib/desktop/icons/HighContrastInverse/48x48/apps/sun-javaws.png
jdk/jre/lib/desktop/icons/HighContrastInverse/48x48/apps/sun-jcontrol.png
jdk/jre/lib/desktop/icons/HighContrastInverse/16x16/apps/sun-jcontrol.png
jdk/jre/lib/desktop/icons/HighContrastInverse/16x16/apps/sun-java.png
jdk/jre/lib/desktop/icons/HighContrastInverse/16x16/apps/sun-javaws.png
jdk/jre/lib/desktop/icons/HighContrastInverse/16x16/mimetypes/gnome-mime-application-x-java-archive.png
jdk/jre/lib/desktop/icons/HighContrastInverse/16x16/mimetypes/gnome-mime-application-x-java-jnlp-file.png
jdk/jre/lib/desktop/icons/HighContrastInverse/16x16/mimetypes/gnome-mime-text-x-java.png
jdk/jre/lib/desktop/icons/LowContrast/16x16/mimetypes/gnome-mime-text-x-java.png
jdk/jre/lib/desktop/icons/LowContrast/16x16/mimetypes/gnome-mime-application-x-java-jnlp-file.png
jdk/jre/lib/desktop/icons/LowContrast/16x16/mimetypes/gnome-mime-application-x-java-archive.png
jdk/jre/lib/desktop/icons/LowContrast/16x16/apps/sun-javaws.png
jdk/jre/lib/desktop/icons/LowContrast/16x16/apps/sun-java.png
jdk/jre/lib/desktop/icons/LowContrast/16x16/apps/sun-jcontrol.png
jdk/jre/lib/desktop/icons/LowContrast/48x48/mimetypes/gnome-mime-application-x-java-archive.png
jdk/jre/lib/desktop/icons/LowContrast/48x48/mimetypes/gnome-mime-text-x-java.png
jdk/jre/lib/desktop/icons/LowContrast/48x48/mimetypes/gnome-mime-application-x-java-jnlp-file.png
jdk/jre/lib/desktop/icons/LowContrast/48x48/apps/sun-java.png
jdk/jre/lib/desktop/icons/LowContrast/48x48/apps/sun-javaws.png
jdk/jre/lib/desktop/icons/LowContrast/48x48/apps/sun-jcontrol.png
jdk/jre/lib/zi/EET jdk/jre/lib/zi/EST5EDT jdk/jre/lib/zi/MST jdk/jre/lib/zi/EST jdk/jre/lib/zi/ZoneInfoMappings jdk/jre/lib/zi/CST6CDT jdk/jre/lib/zi/GMT jdk/jre/lib/zi/MET jdk/jre/lib/zi/CET jdk/jre/lib/zi/PST8PDT jdk/jre/lib/zi/WET jdk/jre/lib/zi/MST7MDT jdk/jre/lib/zi/HST jdk/jre/lib/zi/Europe/Madrid jdk/jre/lib/zi/Europe/Simferopol jdk/jre/lib/zi/Europe/Copenhagen

installActions2013-06-29_12-50-04AM.log

jdk/jre/lib/zi/Europe/Chisinau jdk/jre/lib/zi/Europe/Paris
jdk/jre/lib/zi/Europe/Vienna jdk/jre/lib/zi/Europe/Andorra
jdk/jre/lib/zi/Europe/Amsterdam jdk/jre/lib/zi/Europe/Tallinn
jdk/jre/lib/zi/Europe/Bucharest jdk/jre/lib/zi/Europe/Berlin
jdk/jre/lib/zi/Europe/Monaco jdk/jre/lib/zi/Europe/Zaporozhye
jdk/jre/lib/zi/Europe/Brussels jdk/jre/lib/zi/Europe/Luxembourg
jdk/jre/lib/zi/Europe/Oslo jdk/jre/lib/zi/Europe/Stockholm
jdk/jre/lib/zi/Europe/Tirane jdk/jre/lib/zi/Europe/Zurich
jdk/jre/lib/zi/Europe/Helsinki jdk/jre/lib/zi/Europe/Belgrade
jdk/jre/lib/zi/Europe/Volgograd jdk/jre/lib/zi/Europe/Dublin
jdk/jre/lib/zi/Europe/Malta jdk/jre/lib/zi/Europe/Prague
jdk/jre/lib/zi/Europe/London jdk/jre/lib/zi/Europe/Rome
jdk/jre/lib/zi/Europe/Kaliningrad jdk/jre/lib/zi/Europe/Budapest
jdk/jre/lib/zi/Europe/Uzhgorod jdk/jre/lib/zi/Europe/Lisbon
jdk/jre/lib/zi/Europe/Vaduz jdk/jre/lib/zi/Europe/Kiev
jdk/jre/lib/zi/Europe/Athens jdk/jre/lib/zi/Europe/Moscow
jdk/jre/lib/zi/Europe/Warsaw jdk/jre/lib/zi/Europe/Gibraltar
jdk/jre/lib/zi/Europe/Sofia jdk/jre/lib/zi/Europe/Riga
jdk/jre/lib/zi/Europe/Samara jdk/jre/lib/zi/Europe/Minsk
jdk/jre/lib/zi/Europe/Istanbul jdk/jre/lib/zi/Europe/Vilnius
jdk/jre/lib/zi/Etc/GMT-7 jdk/jre/lib/zi/Etc/GMT jdk/jre/lib/zi/Etc/GMT-13
jdk/jre/lib/zi/Etc/GMT+3 jdk/jre/lib/zi/Etc/GMT+9 jdk/jre/lib/zi/Etc/GMT+4
jdk/jre/lib/zi/Etc/GMT+12 jdk/jre/lib/zi/Etc/GMT-14 jdk/jre/lib/zi/Etc/GMT-4
jdk/jre/lib/zi/Etc/GMT-10 jdk/jre/lib/zi/Etc/GMT+11 jdk/jre/lib/zi/Etc/GMT+7
jdk/jre/lib/zi/Etc/GMT-3 jdk/jre/lib/zi/Etc/GMT-9 jdk/jre/lib/zi/Etc/GMT-1
jdk/jre/lib/zi/Etc/GMT+5 jdk/jre/lib/zi/Etc/UTC jdk/jre/lib/zi/Etc/GMT-12
jdk/jre/lib/zi/Etc/GMT+8 jdk/jre/lib/zi/Etc/GMT+2 jdk/jre/lib/zi/Etc/GMT-6
jdk/jre/lib/zi/Etc/GMT-8 jdk/jre/lib/zi/Etc/UCT jdk/jre/lib/zi/Etc/GMT-2
jdk/jre/lib/zi/Etc/GMT+10 jdk/jre/lib/zi/Etc/GMT+6 jdk/jre/lib/zi/Etc/GMT-11
jdk/jre/lib/zi/Etc/GMT+1 jdk/jre/lib/zi/Etc/GMT-5 jdk/jre/lib/zi/SystemV/MST7MDT
jdk/jre/lib/zi/SystemV/PST8PDT jdk/jre/lib/zi/SystemV/AST4
jdk/jre/lib/zi/SystemV/CST6CDT jdk/jre/lib/zi/SystemV/AST4ADT
jdk/jre/lib/zi/SystemV/HST10 jdk/jre/lib/zi/SystemV/MST7
jdk/jre/lib/zi/SystemV/YST9YDT jdk/jre/lib/zi/SystemV/PST8
jdk/jre/lib/zi/SystemV/EST5 jdk/jre/lib/zi/SystemV/CST6
jdk/jre/lib/zi/SystemV/EST5EDT jdk/jre/lib/zi/SystemV/YST9
jdk/jre/lib/zi/Indian/Chagos jdk/jre/lib/zi/Indian/Mauritius
jdk/jre/lib/zi/Indian/Mahe jdk/jre/lib/zi/Indian/Mayotte
jdk/jre/lib/zi/Indian/Antananarivo jdk/jre/lib/zi/Indian/Reunion
jdk/jre/lib/zi/Indian/Comoro jdk/jre/lib/zi/Indian/Kerguelen
jdk/jre/lib/zi/Indian/Maldives jdk/jre/lib/zi/Indian/Cocos
jdk/jre/lib/zi/Indian/Christmas jdk/jre/lib/zi/Asia/Novokuznetsk
jdk/jre/lib/zi/Asia/Seoul jdk/jre/lib/zi/Asia/Kamchatka
jdk/jre/lib/zi/Asia/Makassar jdk/jre/lib/zi/Asia/Irkutsk
jdk/jre/lib/zi/Asia/Anadyr jdk/jre/lib/zi/Asia/Jerusalem
jdk/jre/lib/zi/Asia/Aqttau jdk/jre/lib/zi/Asia/Krasnoyarsk
jdk/jre/lib/zi/Asia/Samarkand jdk/jre/lib/zi/Asia/Jakarta
jdk/jre/lib/zi/Asia/Damascus jdk/jre/lib/zi/Asia/Vientiane
jdk/jre/lib/zi/Asia/Bangkok jdk/jre/lib/zi/Asia/Kabul
jdk/jre/lib/zi/Asia/Yekaterinburg jdk/jre/lib/zi/Asia/Chongqing
jdk/jre/lib/zi/Asia/Thimphu jdk/jre/lib/zi/Asia/Harbin
jdk/jre/lib/zi/Asia/Kuching jdk/jre/lib/zi/Asia/Hebron jdk/jre/lib/zi/Asia/Hovd
jdk/jre/lib/zi/Asia/Aden jdk/jre/lib/zi/Asia/Riyadh88
jdk/jre/lib/zi/Asia/Shanghai jdk/jre/lib/zi/Asia/Riyadh
jdk/jre/lib/zi/Asia/Bishkek jdk/jre/lib/zi/Asia/Omsk
jdk/jre/lib/zi/Asia/Ho_Chi_Minh jdk/jre/lib/zi/Asia/Singapore
jdk/jre/lib/zi/Asia/Muscat jdk/jre/lib/zi/Asia/Dubai jdk/jre/lib/zi/Asia/Yakutsk
jdk/jre/lib/zi/Asia/Tbilisi jdk/jre/lib/zi/Asia/Phnom_Penh
jdk/jre/lib/zi/Asia/Jayapura jdk/jre/lib/zi/Asia/Magadan
jdk/jre/lib/zi/Asia/Baku jdk/jre/lib/zi/Asia/Karachi jdk/jre/lib/zi/Asia/Gaza
jdk/jre/lib/zi/Asia/Aqtobe jdk/jre/lib/zi/Asia/Pyongyang
jdk/jre/lib/zi/Asia/Kolkata jdk/jre/lib/zi/Asia/Dili jdk/jre/lib/zi/Asia/Taipei
jdk/jre/lib/zi/Asia/Novosibirsk jdk/jre/lib/zi/Asia/Riyadh87
jdk/jre/lib/zi/Asia/Rangoon jdk/jre/lib/zi/Asia/Kuwait jdk/jre/lib/zi/Asia/Amman
jdk/jre/lib/zi/Asia/Dushanbe jdk/jre/lib/zi/Asia/Macau
jdk/jre/lib/zi/Asia/Brunei jdk/jre/lib/zi/Asia/Yerevan jdk/jre/lib/zi/Asia/Dhaka
jdk/jre/lib/zi/Asia/Kashgar jdk/jre/lib/zi/Asia/Hong_Kong
jdk/jre/lib/zi/Asia/Tokyo jdk/jre/lib/zi/Asia/Tashkent

installActions2013-06-29_12-50-04AM.log

jdk/jre/lib/zi/Asia/Choibalsan jdk/jre/lib/zi/Asia/Kuala_Lumpur
jdk/jre/lib/zi/Asia/Sakhalin jdk/jre/lib/zi/Asia/Qatar
jdk/jre/lib/zi/Asia/Colombo jdk/jre/lib/zi/Asia/Nicosia
jdk/jre/lib/zi/Asia/Qyzylorda jdk/jre/lib/zi/Asia/Almaty
jdk/jre/lib/zi/Asia/Kathmandu jdk/jre/lib/zi/Asia/Urumqi
jdk/jre/lib/zi/Asia/Bahrain jdk/jre/lib/zi/Asia/Ulaanbaatar
jdk/jre/lib/zi/Asia/Ashgabat jdk/jre/lib/zi/Asia/Pontianak
jdk/jre/lib/zi/Asia/Baghdad jdk/jre/lib/zi/Asia/Vladivostok
jdk/jre/lib/zi/Asia/Riyadh89
INFO: chmod 444 jdk/jre/lib/zi/Asia/Tehran jdk/jre/lib/zi/Asia/Oral
jdk/jre/lib/zi/Asia/Beirut jdk/jre/lib/zi/Asia/Manila
jdk/jre/lib/zi/Africa/Freetown jdk/jre/lib/zi/Africa/Khartoum
jdk/jre/lib/zi/Africa/Nouakchott jdk/jre/lib/zi/Africa/Abidjan
jdk/jre/lib/zi/Africa/Brazzaville jdk/jre/lib/zi/Africa/Mogadishu
jdk/jre/lib/zi/Africa/Ouagadougou jdk/jre/lib/zi/Africa/Tripoli
jdk/jre/lib/zi/Africa/Dar_es_Salaam jdk/jre/lib/zi/Africa/Bangui
jdk/jre/lib/zi/Africa/Maputo jdk/jre/lib/zi/Africa/Juba
jdk/jre/lib/zi/Africa/Bujumbura jdk/jre/lib/zi/Africa/Harare
jdk/jre/lib/zi/Africa/Kigali jdk/jre/lib/zi/Africa/Algiers
jdk/jre/lib/zi/Africa/Kinshasa jdk/jre/lib/zi/Africa/Sao_Tome
jdk/jre/lib/zi/Africa/Banjul jdk/jre/lib/zi/Africa/Ceuta
jdk/jre/lib/zi/Africa/Blantyre jdk/jre/lib/zi/Africa/Windhoek
jdk/jre/lib/zi/Africa/Bamako jdk/jre/lib/zi/Africa/Monrovia
jdk/jre/lib/zi/Africa/Douala jdk/jre/lib/zi/Africa/Cairo
jdk/jre/lib/zi/Africa/Lusaka jdk/jre/lib/zi/Africa/Porto-Novo
jdk/jre/lib/zi/Africa/El_Aaiun jdk/jre/lib/zi/Africa/Casablanca
jdk/jre/lib/zi/Africa/Tunis jdk/jre/lib/zi/Africa/Lagos
jdk/jre/lib/zi/Africa/Accra jdk/jre/lib/zi/Africa/Bissau
jdk/jre/lib/zi/Africa/Djibouti jdk/jre/lib/zi/Africa/Dakar
jdk/jre/lib/zi/Africa/Malabo jdk/jre/lib/zi/Africa/Mbabane
jdk/jre/lib/zi/Africa/Ndjamena jdk/jre/lib/zi/Africa/Niamey
jdk/jre/lib/zi/Africa/Maseru jdk/jre/lib/zi/Africa/Libreville
jdk/jre/lib/zi/Africa/Nairobi jdk/jre/lib/zi/Africa/Conakry
jdk/jre/lib/zi/Africa/Kampala jdk/jre/lib/zi/Africa/Addis_Ababa
jdk/jre/lib/zi/Africa/Gaborone jdk/jre/lib/zi/Africa/Lubumbashi
jdk/jre/lib/zi/Africa/Johannesburg jdk/jre/lib/zi/Africa/Asmara
jdk/jre/lib/zi/Africa/Lome jdk/jre/lib/zi/Africa/Luanda
jdk/jre/lib/zi/Antarctica/Vostok jdk/jre/lib/zi/Antarctica/Rothera
jdk/jre/lib/zi/Antarctica/Palmer jdk/jre/lib/zi/Antarctica/Macquarie
jdk/jre/lib/zi/Antarctica/Davis jdk/jre/lib/zi/Antarctica/Casey
jdk/jre/lib/zi/Antarctica/Mawson jdk/jre/lib/zi/Antarctica/McMurdo
jdk/jre/lib/zi/Antarctica/DumontD'Urville jdk/jre/lib/zi/Antarctica/Syowa
jdk/jre/lib/zi/Pacific/Nauru jdk/jre/lib/zi/Pacific/Johnston
jdk/jre/lib/zi/Pacific/Pohnpei jdk/jre/lib/zi/Pacific/Niue
jdk/jre/lib/zi/Pacific/Easter jdk/jre/lib/zi/Pacific/Chuuk
jdk/jre/lib/zi/Pacific/Rarotonga jdk/jre/lib/zi/Pacific/Port_Moresby
jdk/jre/lib/zi/Pacific/Fiji jdk/jre/lib/zi/Pacific/Honolulu
jdk/jre/lib/zi/Pacific/Pago_Pago jdk/jre/lib/zi/Pacific/Marquesas
jdk/jre/lib/zi/Pacific/Tahiti jdk/jre/lib/zi/Pacific/Noumea
jdk/jre/lib/zi/Pacific/Enderbury jdk/jre/lib/zi/Pacific/Midway
jdk/jre/lib/zi/Pacific/Guam jdk/jre/lib/zi/Pacific/Galapagos
jdk/jre/lib/zi/Pacific/Guadacanal jdk/jre/lib/zi/Pacific/Wallis
jdk/jre/lib/zi/Pacific/Fakaofu jdk/jre/lib/zi/Pacific/Tongatapu
jdk/jre/lib/zi/Pacific/Apia jdk/jre/lib/zi/Pacific/Tarawa
jdk/jre/lib/zi/Pacific/Auckland jdk/jre/lib/zi/Pacific/Kiritimati
jdk/jre/lib/zi/Pacific/Wake jdk/jre/lib/zi/Pacific/Chatham
jdk/jre/lib/zi/Pacific/Efate jdk/jre/lib/zi/Pacific/Kwajalein
jdk/jre/lib/zi/Pacific/Norfolk jdk/jre/lib/zi/Pacific/Kosrae
jdk/jre/lib/zi/Pacific/Majuro jdk/jre/lib/zi/Pacific/Pitcairn
jdk/jre/lib/zi/Pacific/Palau jdk/jre/lib/zi/Pacific/Saipan
jdk/jre/lib/zi/Pacific/Gambier jdk/jre/lib/zi/Pacific/Funafuti
jdk/jre/lib/zi/Atlantic/Canary jdk/jre/lib/zi/Atlantic/Bermuda
jdk/jre/lib/zi/Atlantic/Madeira jdk/jre/lib/zi/Atlantic/South_Georgia
jdk/jre/lib/zi/Atlantic/St_Helena jdk/jre/lib/zi/Atlantic/Reykjavik
jdk/jre/lib/zi/Atlantic/Azores jdk/jre/lib/zi/Atlantic/Stanley
jdk/jre/lib/zi/Atlantic/Faroe jdk/jre/lib/zi/Atlantic/Cape_Verde
jdk/jre/lib/zi/America/New_York jdk/jre/lib/zi/America/Menominee
jdk/jre/lib/zi/America/Monterrey jdk/jre/lib/zi/America/Tijuana

installActions2013-06-29_12-50-04AM.log

jdk/jre/lib/zi/America/Godthab jdk/jre/lib/zi/America/Recife
jdk/jre/lib/zi/America/Hermosillo jdk/jre/lib/zi/America/Rio_Branco
jdk/jre/lib/zi/America/Regina jdk/jre/lib/zi/America/Belize
jdk/jre/lib/zi/America/Guatemala jdk/jre/lib/zi/America/Guyana
jdk/jre/lib/zi/America/El_Salvador jdk/jre/lib/zi/America/Cancun
jdk/jre/lib/zi/America/Rankin_Inlet jdk/jre/lib/zi/America/Anguilla
jdk/jre/lib/zi/America/Jamaica jdk/jre/lib/zi/America/Glace_Bay
jdk/jre/lib/zi/America/Eirunepe jdk/jre/lib/zi/America/St_Kitts
jdk/jre/lib/zi/America/Inuvik jdk/jre/lib/zi/America/Creston
jdk/jre/lib/zi/America/Miquelon jdk/jre/lib/zi/America/Martinique
jdk/jre/lib/zi/America/Cayman jdk/jre/lib/zi/America/Resolute
jdk/jre/lib/zi/America/Tegucigalpa jdk/jre/lib/zi/America/Thule
jdk/jre/lib/zi/America/Asuncion jdk/jre/lib/zi/America/Detroit
jdk/jre/lib/zi/America/Grenada jdk/jre/lib/zi/America/Merida
jdk/jre/lib/zi/America/Whitehorse jdk/jre/lib/zi/America/Adak
jdk/jre/lib/zi/America/Caracas jdk/jre/lib/zi/America/Nassau
jdk/jre/lib/zi/America/Yellowknife jdk/jre/lib/zi/America/Santo_Domingo
jdk/jre/lib/zi/America/Vancouver jdk/jre/lib/zi/America/Boa_Vista
jdk/jre/lib/zi/America/Santa_Isabel jdk/jre/lib/zi/America/Panama
jdk/jre/lib/zi/America/Chihuahua jdk/jre/lib/zi/America/Noronha
jdk/jre/lib/zi/America/Sitka jdk/jre/lib/zi/America/Mazatlan
jdk/jre/lib/zi/America/Blanc-Sablon jdk/jre/lib/zi/America/St_Thomas
jdk/jre/lib/zi/America/Los_Angeles jdk/jre/lib/zi/America/Dawson
jdk/jre/lib/zi/America/Montserrat jdk/jre/lib/zi/America/Iqaluit
jdk/jre/lib/zi/America/Pangnirtung jdk/jre/lib/zi/America/Porto_Velho
jdk/jre/lib/zi/America/Araguaina jdk/jre/lib/zi/America/Puerto_Rico
jdk/jre/lib/zi/America/Havana jdk/jre/lib/zi/America/Nome
jdk/jre/lib/zi/America/Montevideo jdk/jre/lib/zi/America/Belem
jdk/jre/lib/zi/America/Cambridge_Bay jdk/jre/lib/zi/America/Tortola
jdk/jre/lib/zi/America/Moncton jdk/jre/lib/zi/America/Toronto
jdk/jre/lib/zi/America/Juneau jdk/jre/lib/zi/America/Managua
jdk/jre/lib/zi/America/Dawson_Creek jdk/jre/lib/zi/America/Halifax
jdk/jre/lib/zi/America/Campo_Grande jdk/jre/lib/zi/America/Swift_Current
jdk/jre/lib/zi/America/Paramaribo jdk/jre/lib/zi/America/Cuiaba
jdk/jre/lib/zi/America/Port_of_Spain jdk/jre/lib/zi/America/Maceio
jdk/jre/lib/zi/America/Atikokan jdk/jre/lib/zi/America/La_Paz
jdk/jre/lib/zi/America/Danmarkshavn jdk/jre/lib/zi/America/Costa_Rica
jdk/jre/lib/zi/America/Thunder_Bay jdk/jre/lib/zi/America/Matamoros
jdk/jre/lib/zi/America/Port-au-Prince jdk/jre/lib/zi/America/Bahia_Banderas
jdk/jre/lib/zi/America/Mexico_City jdk/jre/lib/zi/America/Montreal
jdk/jre/lib/zi/America/Bahia jdk/jre/lib/zi/America/Rainy_River
jdk/jre/lib/zi/America/Aruba jdk/jre/lib/zi/America/Denver
jdk/jre/lib/zi/America/Lima jdk/jre/lib/zi/America/Antigua
jdk/jre/lib/zi/America/Bogota jdk/jre/lib/zi/America/Anchorage
jdk/jre/lib/zi/America/St_Lucia jdk/jre/lib/zi/America/Phoenix
jdk/jre/lib/zi/America/Goose_Bay jdk/jre/lib/zi/America/Chicago
jdk/jre/lib/zi/America/Barbados jdk/jre/lib/zi/America/Santarem
jdk/jre/lib/zi/America/Grand_Turk jdk/jre/lib/zi/America/Boise
jdk/jre/lib/zi/America/Winnipeg jdk/jre/lib/zi/America/Fortaleza
jdk/jre/lib/zi/America/Dominica jdk/jre/lib/zi/America/Nipigon
jdk/jre/lib/zi/America/Edmonton jdk/jre/lib/zi/America/Yakutat
jdk/jre/lib/zi/America/Guadeloupe jdk/jre/lib/zi/America/Manaus
jdk/jre/lib/zi/America/St_Johns jdk/jre/lib/zi/America/Sao_Paulo
jdk/jre/lib/zi/America/Metlaktla jdk/jre/lib/zi/America/Santiago
jdk/jre/lib/zi/America/St_Vincent jdk/jre/lib/zi/America/Ojinaga
jdk/jre/lib/zi/America/Guayaquil jdk/jre/lib/zi/America/Curacao
jdk/jre/lib/zi/America/Cayenne jdk/jre/lib/zi/America/Scoresbysund
jdk/jre/lib/zi/America/Argentina/Rio_Gallegos
jdk/jre/lib/zi/America/Argentina/Jujuy jdk/jre/lib/zi/America/Argentina/San_Juan
jdk/jre/lib/zi/America/Argentina/Catamarca
jdk/jre/lib/zi/America/Argentina/San_Luis
jdk/jre/lib/zi/America/Argentina/Mendoza
jdk/jre/lib/zi/America/Argentina/Buenos_Aires
jdk/jre/lib/zi/America/Argentina/Tucuman
jdk/jre/lib/zi/America/Argentina/La_Rioja
jdk/jre/lib/zi/America/Argentina/Ushuaia jdk/jre/lib/zi/America/Argentina/Salta
jdk/jre/lib/zi/America/Argentina/Cordoba
jdk/jre/lib/zi/America/North_Dakota/Beulah

installActions2013-06-29_12-50-04AM.log

```
jdk/jre/lib/zi/America/North_Dakota/New_Salem
jdk/jre/lib/zi/America/North_Dakota/Center
jdk/jre/lib/zi/America/Indiana/Vincennes
jdk/jre/lib/zi/America/Indiana/Indianapolis
jdk/jre/lib/zi/America/Indiana/winamac jdk/jre/lib/zi/America/Indiana/Marengo
jdk/jre/lib/zi/America/Indiana/Knox jdk/jre/lib/zi/America/Indiana/Tell_City
jdk/jre/lib/zi/America/Indiana/Vevay jdk/jre/lib/zi/America/Indiana/Petersburg
INFO: chmod 444 jdk/jre/lib/zi/America/Kentucky/Monticello
jdk/jre/lib/zi/America/Kentucky/Louisville jdk/jre/lib/zi/Australia/Melbourne
jdk/jre/lib/zi/Australia/Broken_Hill jdk/jre/lib/zi/Australia/Hobart
jdk/jre/lib/zi/Australia/Eucla jdk/jre/lib/zi/Australia/Currie
jdk/jre/lib/zi/Australia/Brisbane jdk/jre/lib/zi/Australia/Darwin
jdk/jre/lib/zi/Australia/Sydney jdk/jre/lib/zi/Australia/Lord_Howe
jdk/jre/lib/zi/Australia/Lindeman jdk/jre/lib/zi/Australia/Adelaide
jdk/jre/lib/zi/Australia/Perth jdk/jre/lib/management/snmp.acl.template
jdk/jre/lib/management/jmxremote.password.template
jdk/jre/lib/management/jmxremote.access
jdk/jre/lib/management/management.properties
jdk/jre/plugin/desktop/sun_java.desktop jdk/jre/plugin/desktop/sun_java.png
INFO: chmod 0755 ldap/install/oidprovtool.orc
INFO: chmod 0755 bin/ldapbind bin/dsml2ldif bin/ldapadd bin/ldapaddmt
bin/ldapcompare bin/ldapdelete bin/ldapmoddn bin/ldapmodify bin/ldapmodifymt
bin/ldapsearch ldap/install/odisrvreg.orc ldap/install/schemasync.orc
INFO: chmod 0755 bin/owm bin/mkstore bin/orapki
INFO: chmod 0640 owm/install/instowm.cl owm/install/wallet.ico
INFO: chmod 0755 bin/tnnfg.db1 bin/okdstry bin/okinit bin/oklist
INFO: chmod 0755 bin/trcroute bin/adapters
INFO: chmod 0755 bin/cmadmin bin/cmctl bin/cmglw bin/cmmigr
INFO: chmod 0700 network/install/sqlnet/setowner.sh
INFO: chmod 0755 bin/lsnrctl bin/tnslsr
INFO: chmod 0755 bin/echodo bin/gennfgt bin/gennttab bin/tnsping
INFO: chmod 0755 bin/lcscan bin/lmsgen bin/lxchkn1b bin/lxegen bin/lxinst
INFO: chmod 0755 bin/lbuilder
INFO: chmod 0755 opmn/bin/ons opmn/bin/onsctl opmn/bin/onsctl bin/onsctl
INFO: chmod 0755 bin/proc
INFO: chmod 0755 bin/ott
INFO: chmod 0755 bin/procob bin/rtsora
INFO: chmod 0750 rdbms/utl/zfssa/lib/gson-1.4.jar
rdbms/utl/zfssa/lib/jsch-0.1.44.jar rdbms/utl/zfssa/lib/rt.jar
rdbms/install/clonedb.pl rdbms/install/s7x_workflow.akwf
INFO: chmod 0755 bin/asmcmdcore bin/genksms bin/sysresv bin/mkpatch
INFO: chmod 0644 rdbms/lib/ksms.o
INFO: chmod 0750 rdbms/utl/zfssa/bin/zfssaadm
rdbms/install/setup_processor_group.sh bin/amdu bin/setasmgid bin/renamedg
sqlpatch/sqlpatch.bat sqlpatch/sqlpatch rdbms/install/rootadd_rdbms.sh
INFO: chmod 0744 rdbms/install/rootadd_filemap.sh
INFO: chmod 0750 rdbms/install/sbs/extsurpgrade.sbs bin/fmputl bin/fmputlhp
bin/asmcmd bin/patchgen bin/oradism bin/agtctl bin/dbv bin/hsalloci bin/hsdepxa
bin/hsots bin/nid bin/oracle bin/orapwd bin/wrap bin/trcldr bin/cursize
bin/dbfszsize bin/dgmgrl bin/dumpsga bin/mapsga bin/maxmem bin/sbttest bin/tstshm
INFO: chmod 0755 bin/diskmon.bin bin/kfod.bin
INFO: chmod 0750 bin/kfod bin/kfed
INFO: chmod 0755 bin/dg4odbc
INFO: chmod 0755 lib/libhgotrace12.so
INFO: chmod 0755 bin/symfind deinstall/deinstall.rsp.tmp1
utl/orabase_cleanup.lst
INFO: chmod 0744 install/utl/rootinstall.sh
INFO: chmod 0755 clone/bin/clone.pl.sbs clone/bin/prepare_clone.pl bin/relink
deinstall/sshUserSetup.sh install/orabasetab deinstall/deinstall bin/bndlchk
INFO: chmod 0755 bin/genezi bin/orion bin/genclntsh bin/genclntst bin/genoccish
bin/coraenv bin/dbhome bin/extjob bin/extjobo bin/genagtsh bin/kgmgr bin/loadpsp
bin/oraenv bin/skgxpinfo
INFO: chmod 0554 QOpatch/gopiprep.bat
INFO: chmod 0755 bin/adrci bin/uidrvci bin/wrc
INFO: chmod 0755 bin/rman
INFO: chmod 0750 bin/dbfs_client
INFO: chmod 0755 bin/plshprof
INFO: chmod 0750 bin/exp bin/expdp bin/extproc bin/imp bin/impdp bin/sqlldr
```

installActions2013-06-29_12-50-04AM.log

```
bin/dg4pwd bin/tkprof
INFO: chmod 0755 rdbms/jlib/diagsetup.jar
INFO: chmod 0751 bin/aqxmlctl.template
INFO: chmod 0750 bin/dbshut bin/dbstart bin/osh
INFO: chmod 0755 bin/orabase
INFO: chmod 0755 bin/sqlplus
INFO: chmod 0600 xdk/admin/XSQLConfig.xml
INFO: chmod 0755 bin/oracg bin/orapipe bin/transx bin/xmlcg bin/xsl bin/xsql
bin/xvm bin/xmldiff bin/xmlpatch
INFO: chmod 0755 bin/orajaxb bin/oraxml bin/oraxsl bin/schema bin/xml
INFO: chmod 0750 sqldeveloper/sqldeveloper/bin/sqldeveloper
sqldeveloper/sqldeveloper/bin/sqldeveloper.exe
sqldeveloper/sqldeveloper/bin/sqldeveloperw.exe sqldeveloper/sqldeveloper.sh
sqldeveloper/sqldeveloper.exe
INFO: chmod 755 sysman/install/ccr.zip
INFO: chmod 0644 javavm/demo/examples/jsproc/basic/objbyref/README.txt
javavm/demo/examples/jsproc/basic/object/README
javavm/demo/examples/jsproc/basic/objbyvalue/README.txt
javavm/demo/policytable/README
javavm/demo/examples/jsproc/basic/basic_thin/README.txt javavm/demo/jmx/README
INFO: chmod 0644 rdbms/lib/kecwr.o
INFO: chmod 0775 dc_ocm/clean_cron_proc.sh jlib/deconfigCCR.jar
INFO: chmod 640 sysman/jlib/ocm/http_client.jar sysman/jlib/ocm/jcert.jar
sysman/jlib/ocm/jnet.jar sysman/jlib/ocm/jsse.jar sysman/jlib/ocm/log4j-core.jar
sysman/jlib/ocm/osdt_core3.jar sysman/jlib/ocm/osdt_jce.jar
sysman/jlib/ocm/regexp.jar sysman/jlib/ocm/xmlparserv2.jar
sysman/jlib/emocmclnt-14.jar sysman/jlib/emocmclnt.jar
sysman/jlib/emocmcommon.jar sysman/jlib/emocmmtcommon.jar
sysman/jlib/emocmclnt.ks
INFO: chmod 0755 oui/admin_langs.xml oui/runtime_langs.xml oui/nlsrtlmap.xml
INFO: chmod 0750 oui/prov/resources/system.properties
oui/prov/resources/ssPaths_linux_zseries64.properties
oui/prov/resources/ssPaths_aix.properties oui/prov/resources/sPaths.properties
oui/prov/resources/platformInfo.properties
oui/prov/resources/userPaths.properties
oui/prov/resources/sshConnectivity-usage.txt
oui/prov/resources/ssPaths_linuxx64.properties
oui/prov/resources/ignoreMessages.txt
oui/prov/resources/ssPaths_hpux.properties
oui/prov/resources/ssPaths_solx86.properties
oui/prov/resources/ssh_system.properties
oui/prov/resources/ssPaths_linux_ia64.properties
oui/prov/resources/logging_conf.xml
oui/prov/resources/ssPaths_linux_ppc64.properties
oui/prov/resources/ssPaths_hpi.properties
oui/prov/resources/ssPaths_sol.properties
oui/prov/resources/ssPaths_decunix.properties
oui/prov/resources/Paths.properties
oui/prov/resources/ssPaths_msplats.properties
oui/prov/resources/scripts/sshUserSetup.sh
oui/prov/resources/scripts/validatePaths oui/prov/resources/scripts/ouiSetup
oui/prov/resources/scripts/sshConnectivity.sh
oui/prov/resources/scripts/sshUserSetupNT.sh
INFO: chmod 0755 oui/bin/filesList.bat oui/bin/filesList.sh
oui/bin/filesList.properties
INFO: chmod 0750 oui/instImages/bg.jpg oui/instImages/10gOneClickbusybar.gif
oui/instImages/splashScr.gif oui/instImages/oneclickbg.gif
oui/instImages/images.properties
INFO: chmod 0740 diagnostics/config/registration/OUI.xml
INFO: chmod 0640 oui/jlib/ewt3.jar oui/jlib/jewt4.jar oui/jlib/ohj.jar
oui/jlib/help-share.jar oui/jlib/InstHelp.jar oui/jlib/InstHelp_de.jar
oui/jlib/InstHelp_es.jar oui/jlib/InstHelp_fr.jar oui/jlib/InstHelp_it.jar
oui/jlib/InstHelp_ja.jar oui/jlib/InstHelp_ko.jar oui/jlib/InstHelp_pt_BR.jar
oui/jlib/InstHelp_zh_CN.jar oui/jlib/InstHelp_zh_TW.jar oui/jlib/InstImages.jar
oui/jlib/oracle_ice.jar oui/jlib/swingaccess.jar oui/jlib/ewt3-swingaccess.jar
oui/jlib/classes12.jar oui/jlib/orai18n-collation.jar
oui/jlib/orai18n-mapping.jar oui/jlib/ojmisc.jar oui/jlib/xml.jar
oui/jlib/srvasm.jar oui/jlib/remoteinterfaces.jar oui/jlib/ssh.jar
```

installActions2013-06-29_12-50-04AM.log

```
oui/jlib/jsch.jar oui/jlib/filesList.jar
INFO: chmod 0755 oui/schema/filemap.xsd
INFO: chmod 0750 oui/lib/win32/oraInstaller.dll
oui/lib/win32/RemoteCommandWMI.dll oui/lib/win64/oraInstaller.dll
oui/lib/linux64/liboraInstaller.so oui/lib/linux64/libsrv12.so
oui/lib/intelsolaris/dummy oui/lib/linux/liboraInstaller.so
oui/lib/linux/libsrv12.so oui/lib/linuxS390/dummy
INFO: chmod 0640 oui/jlib/xmlparserv2.jar oui/jlib/OraPrereq.jar
oui/jlib/share.jar oui/jlib/OraInstallerNet.jar oui/jlib/OraInstaller.jar
oui/jlib/OraCheckPoint.jar
INFO: chmod 0750 srvm/admin/ractrans
INFO: chmod 0640 oui/oraparam.ini oui/clusterparam.ini
INFO: chmod 0750 oui/bin/resource/cons_pt_BR.nls oui/bin/resource/cons_ko.nls
oui/bin/resource/cons_zh_TW.nls oui/bin/resource/cons_ja.nls
oui/bin/resource/cons_de.nls oui/bin/resource/cons_es.nls
oui/bin/resource/cons_fr.nls oui/bin/resource/cons.nls
oui/bin/resource/cons_zh_CN.nls oui/bin/resource/cons_it.nls
oui/bin/platform/clusterparam.var oui/bin/platform/ltnodes
oui/bin/platform/filesList.bat oui/bin/platform/oraparam.ini
oui/bin/platform/oui.var oui/bin/platform/filesList.sh
oui/bin/platform/runInstaller oui/bin/platform/filesList.properties
oui/bin/platform/oraparam.var oui/bin/platform/win32/oraparam.stage
oui/bin/platform/win32/setup.exe oui/bin/platform/win32/detachHome.bat
oui/bin/platform/win32/addLangs.bat oui/bin/platform/win32/oraparam.ini
oui/bin/platform/win32/attachHome.bat oui/bin/platform/win32/addLangs.stage
oui/bin/platform/win32/access_setup.bat oui/bin/platform/win32/clusterparam.ini
oui/bin/platform/win32/unzip.exe oui/bin/platform/win32/runConfig.bat
oui/bin/platform/win32/resource/cons_pt_BR.nls
oui/bin/platform/win32/resource/cons_ko.nls
oui/bin/platform/win32/resource/cons_zh_TW.nls
oui/bin/platform/win32/resource/cons_ja.nls
oui/bin/platform/win32/resource/cons_de.nls
oui/bin/platform/win32/resource/cons_es.nls
oui/bin/platform/win32/resource/cons_fr.nls
oui/bin/platform/win32/resource/cons.nls
oui/bin/platform/win32/resource/cons_zh_CN.nls
oui/bin/platform/win32/resource/cons_it.nls
oui/bin/platform/win64/oraparam.stage oui/bin/platform/win64/setup.exe
oui/bin/platform/win64/detachHome.bat oui/bin/platform/win64/addLangs.bat
oui/bin/platform/win64/oraparam.ini oui/bin/platform/win64/attachHome.bat
oui/bin/platform/win64/addLangs.stage oui/bin/platform/win64/access_setup.bat
oui/bin/platform/win64/clusterparam.ini oui/bin/platform/win64/unzip.exe
oui/bin/platform/win64/runConfig.bat
oui/bin/platform/win64/resource/cons_pt_BR.nls
oui/bin/platform/win64/resource/cons_ko.nls
oui/bin/platform/win64/resource/cons_zh_TW.nls
oui/bin/platform/win64/resource/cons_ja.nls
oui/bin/platform/win64/resource/cons_de.nls
oui/bin/platform/win64/resource/cons_es.nls
oui/bin/platform/win64/resource/cons_fr.nls
oui/bin/platform/win64/resource/cons.nls
oui/bin/platform/win64/resource/cons_zh_CN.nls
oui/bin/platform/win64/resource/cons_it.nls
oui/bin/platform/linux64/detachHome.sh oui/bin/platform/linux64/attachHome.sh
oui/bin/platform/linux64/ltnodes oui/bin/platform/linux64/runSSHSetup.sh
oui/bin/platform/linux64/addLangs.sh oui/bin/platform/linux64/oraparam.ini
oui/bin/platform/linux64/unzip oui/bin/platform/linux64/clusterparam.ini
oui/bin/platform/linux64/runInstaller.var
oui/bin/platform/linux64/runInstaller.sh oui/bin/platform/linux64/runInstaller
oui/bin/platform/linux64/runConfig.sh
oui/bin/platform/linux64/resource/cons_pt_BR.nls
oui/bin/platform/linux64/resource/cons_ko.nls
oui/bin/platform/linux64/resource/cons_zh_TW.nls
oui/bin/platform/linux64/resource/cons_ja.nls
oui/bin/platform/linux64/resource/cons_de.nls
oui/bin/platform/linux64/resource/cons_es.nls
oui/bin/platform/linux64/resource/cons_fr.nls
oui/bin/platform/linux64/resource/cons.nls
```

installActions2013-06-29_12-50-04AM.log

oui/bin/platform/linux64/resource/cons_zh_CN.nls
oui/bin/platform/linux64/resource/cons_it.nls
oui/bin/platform/resource/cons_pt_BR.nls oui/bin/platform/resource/cons_ko.nls
oui/bin/platform/resource/cons_zh_TW.nls oui/bin/platform/resource/cons_ja.nls
oui/bin/platform/resource/cons_de.nls oui/bin/platform/resource/cons_es.nls
oui/bin/platform/resource/cons_fr.nls oui/bin/platform/resource/cons.nls
oui/bin/platform/resource/cons_zh_CN.nls oui/bin/platform/resource/cons_it.nls
oui/bin/platform/linux/detachHome.sh oui/bin/platform/linux/attachHome.sh
oui/bin/platform/linux/ltnodes oui/bin/platform/linux/runSSHSetup.sh
oui/bin/platform/linux/addLangs.sh oui/bin/platform/linux/oraparam.ini
oui/bin/platform/linux/unzip oui/bin/platform/linux/clusterparam.ini
oui/bin/platform/linux/runInstaller.var oui/bin/platform/linux/runInstaller.sh
oui/bin/platform/linux/runInstaller oui/bin/platform/linux/runConfig.sh
oui/bin/platform/linux/resource/cons_pt_BR.nls
oui/bin/platform/linux/resource/cons_ko.nls
oui/bin/platform/linux/resource/cons_zh_TW.nls
oui/bin/platform/linux/resource/cons_ja.nls
oui/bin/platform/linux/resource/cons_de.nls
oui/bin/platform/linux/resource/cons_es.nls
oui/bin/platform/linux/resource/cons_fr.nls
oui/bin/platform/linux/resource/cons.nls
oui/bin/platform/linux/resource/cons_zh_CN.nls
oui/bin/platform/linux/resource/cons_it.nls oui/bin/platform/linuxS390/dummy
INFO: chmod 0640 oui/jlib/OraSuiteInstaller.jar oui/jlib/srvn.jar
oui/jlib/prov_fixup.jar oui/jlib/ohj.jar oui/jlib/OraPrereqChecks.jar
oui/jlib/http_client.jar oui/jlib/emCfg.jar oui/jlib/oneclick.jar
oui/jlib/emocmutl.jar oui/jlib/jlib/jsse.jar oui/jlib/jlib/emocmclnt-14.jar
oui/jlib/jlib/osdt_core3.jar oui/jlib/jlib/regexp.jar oui/jlib/jlib/jnet.jar
oui/jlib/jlib/emocmclnt.jar oui/jlib/jlib/emocmcommon.jar
oui/jlib/jlib/http_client.jar oui/jlib/jlib/jcert.jar
oui/jlib/jlib/log4j-core.jar oui/jlib/jlib/osdt_jce.jar
oui/jlib/Libraries.old/NtServiceQueries.jar
oui/jlib/Libraries.old/fileQueries.jar
oui/jlib/Libraries.old/wingeneralActionLib.jar
oui/jlib/Libraries.old/unixQueries.jar oui/jlib/Libraries.old/areasQueries.jar
oui/jlib/Libraries.old/rgsActions.jar
oui/jlib/Libraries.old/windowsGeneralQueries.jar
oui/jlib/Libraries.old/w32RegActionLib.jar oui/jlib/Libraries.old/w32OcxLib.jar
oui/jlib/Libraries.old/dbQueries.jar
oui/jlib/Libraries.old/ntServicesActions.jar
oui/jlib/Libraries.old/fileActionLib.jar
oui/jlib/Libraries.old/generalActions.jar oui/jlib/Libraries.old/oradim.jar
oui/jlib/Libraries.old/dbActions.jar oui/jlib/Libraries.old/jarActionLib.jar
oui/jlib/Libraries.old/netQueries.jar oui/jlib/Libraries.old/launchpadaction.jar
oui/jlib/Libraries.old/spawnActions.jar
oui/jlib/Libraries.old/w32RegQueryLib.jar
oui/jlib/Libraries.old/clusterQuery.jar
oui/jlib/Libraries.old/generalQueries.jar oui/jlib/Libraries.old/rgsQueries.jar
oui/jlib/Libraries.old/unixActions.jar
oui/jlib/Libraries.old/clusterActionLib.jar
oui/jlib/Libraries.old/windowsFolders.jar
oui/jlib/Libraries.old/standardDialogs.jar
INFO: chmod 640 OPatch/oplan/jlib/patchsdk.jar OPatch/oplan/jlib/OsysModel.jar
OPatch/oplan/jlib/oracle.oplan.classpath.jar OPatch/oplan/jlib/oplan.jar
OPatch/oplan/jlib/CRSProductDriver.jar OPatch/oplan/jlib/automation.jar
OPatch/oplan/jlib/EMrepoDrivers.jar OPatch/oplan/jlib/osysmodel-utils.jar
OPatch/oplan/jlib/validationRules.jar OPatch/oplan/jlib/validation.jar
OPatch/oplan/jlib/apache-commons/commons-cli-1.0.jar
OPatch/oplan/jlib/jaxb/jsr173_1.0_api.jar OPatch/oplan/jlib/jaxb/jaxb-impl.jar
OPatch/oplan/jlib/jaxb/jaxb-api.jar OPatch/oplan/jlib/jaxb/activation.jar
INFO: chmod 644 OPatch/opatchprereqs/opatch/opatch_prereq.xml
OPatch/opatchprereqs/opatch/rulemap.xml
OPatch/opatchprereqs/opatch/runtime_prereq.xml
OPatch/opatchprereqs/prerequisite.properties
INFO: chmod 710 OPatch/oplan/oplan
INFO: chmod 644 OPatch/jlib/opatchsdk.jar OPatch/jlib/opatchsdk-javadoc.jar
OPatch/jlib/oracle.opatch.classpath.jar
OPatch/jlib/oracle.opatch.classpath.windows.jar

installActions2013-06-29_12-50-04AM.log

OPatch/jlib/oracle.opatch.classpath.unix.jar OPatch/jlib/opatch.jar
OPatch/docs/FAQ OPatch/docs/Users_Guide.txt OPatch/docs/Prereq_Users_Guide.txt
INFO: chmod 710 OPatch/opatch OPatch/opatch.bat OPatch/datapatch
OPatch/datapatch.bat OPatch/opatchauto OPatch/opatchdiag OPatch/opatchdiag.bat
INFO: chmod 640 OPatch/oplan/README.txt OPatch/oplan/README.html
INFO: chmod 644 OPatch/opatch.pl OPatch/opatch.ini OPatch/emdpatch.pl
OPatch/opatchprereqs/oui/knowledgesrc.xml
INFO: chmod 0700 perl/man/man1/h2xs.1 perl/man/man1/perlrisco.1
perl/man/man1/shasum.1 perl/man/man1/perlintern.1 perl/man/man1/pl2pm.1
perl/man/man1/perlsec.1 perl/man/man1/perlnewmod.1 perl/man/man1/pod2latex.1
perl/man/man1/json_pp.1 perl/man/man1/perlbug.1 perl/man/man1/podchecker.1
perl/man/man1/perl51310delta.1 perl/man/man1/perlcn.1 perl/man/man1/perltrap.1
perl/man/man1/perl5005delta.1 perl/man/man1/perlmpaix.1
perl/man/man1/perlfreebsd.1 perl/man/man1/podselect.1 perl/man/man1/perlnumber.1
perl/man/man1/perlebcdic.1 perl/man/man1/ptar.1 perl/man/man1/perlhack.1
perl/man/man1/perltoot.1 perl/man/man1/libnetcfg.1 perl/man/man1/perlfork.1
perl/man/man1/perldbmfilter.1 perl/man/man1/perl5100delta.1
perl/man/man1/perl5114delta.1 perl/man/man1/perl52.1
perl/man/man1/perlnetware.1 perl/man/man1/perlepoc.1 perl/man/man1/find2perl.1
perl/man/man1/perlunitintro.1 perl/man/man1/perl561delta.1 perl/man/man1/perljp.1
perl/man/man1/perlpragma.1 perl/man/man1/perl5110delta.1
perl/man/man1/perlsource.1 perl/man/man1/perlwin32.1 perl/man/man1/perlhacktut.1
perl/man/man1/perlfaq4.1 perl/man/man1/perlref.1 perl/man/man1/perlipc.1
perl/man/man1/perlclib.1 perl/man/man1/c2ph.1 perl/man/man1/perl5135delta.1
perl/man/man1/perlport.1 perl/man/man1/perl5131delta.1 perl/man/man1/perldoc.1
perl/man/man1/perl5101delta.1 perl/man/man1/perlre.1 perl/man/man1/perldsc.1
perl/man/man1/perlpodstyle.1 perl/man/man1/perldata.1
perl/man/man1/perl58delta.1 perl/man/man1/perl585delta.1
perl/man/man1/perlbeos.1 perl/man/man1/perl587delta.1
perl/man/man1/perl5111delta.1 perl/man/man1/perl5141delta.1
perl/man/man1/perlfaq5.1 perl/man/man1/perlvsms.1 perl/man/man1/perl589delta.1
perl/man/man1/perlcall.1 perl/man/man1/perlcygwin.1 perl/man/man1/perlko.1
perl/man/man1/perluts.1 perl/man/man1/perl5132delta.1 perl/man/man1/perltodo.1
perl/man/man1/perlqnx.1 perl/man/man1/pod2man.1 perl/man/man1/a2p.1
perl/man/man1/perlto.1 perl/man/man1/perlinterp.1 perl/man/man1/perl571delta.1
perl/man/man1/perlartistic.1 perl/man/man1/perl5134delta.1
perl/man/man1/perlunifac.1 perl/man/man1/perlplan9.1
perl/man/man1/perl5121delta.1 perl/man/man1/perlmodinstall.1
perl/man/man1/perlsub.1 perl/man/man1/perlopenbsd.1 perl/man/man1/perlmacosx.1
perl/man/man1/perl584delta.1 perl/man/man1/perl573delta.1
perl/man/man1/perlurd.1 perl/man/man1/perlform.1 perl/man/man1/perlvmesa.1
perl/man/man1/perlmacos.1 perl/man/man1/perlhist.1 perl/man/man1/perlboot.1
perl/man/man1/perlpacktut.1 perl/man/man1/perlreguts.1 perl/man/man1/perlpod.1
perl/man/man1/ora_explain.1 perl/man/man1/perl583delta.1
perl/man/man1/perlrecharclass.1 perl/man/man1/perl593delta.1
perl/man/man1/perlfaq7.1 perl/man/man1/perlunitut.1 perl/man/man1/dbiproxy.1
perl/man/man1/perlolaris.1 perl/man/man1/h2ph.1 perl/man/man1/perlvs.1
perl/man/man1/perlcommunity.1 perl/man/man1/perlutil.1 perl/man/man1/perlhaiku.1
perl/man/man1/perlsvn.1 perl/man/man1/perlctie.1 perl/man/man1/perlglossary.1
perl/man/man1/perlobj.1 perl/man/man1/xsubpp.1 perl/man/man1/perlbot.1
perl/man/man1/perl594delta.1 perl/man/man1/perlgit.1 perl/man/man1/perljol.1
perl/man/man1/perlrmroapi.1 perl/man/man1/perlmod.1 perl/man/man1/perlmodstyle.1
perl/man/man1/prove.1 perl/man/man1/perlfaq8.1 perl/man/man1/instmodsh.1
perl/man/man1/pod2usage.1 perl/man/man1/perl5120delta.1
perl/man/man1/perldelta.1 perl/man/man1/perllocale.1
perl/man/man1/perluniprops.1 perl/man/man1/perlperf.1 perl/man/man1/perlhpux.1
perl/man/man1/perlfaq.1 perl/man/man1/cpanp.1 perl/man/man1/perlgpl.1
perl/man/man1/perlapi.1 perl/man/man1/perlce.1 perl/man/man1/perlmodlib.1
perl/man/man1/perlthanks.1 perl/man/man1/perllorentut.1 perl/man/man1/perlfaq3.1
perl/man/man1/perlfilter.1 perl/man/man1/perllexwarn.1 perl/man/man1/perlintro.1
perl/man/man1/perlpodspec.1 perl/man/man1/perl5133delta.1
perl/man/man1/perl5400.1 perl/man/man1/perlfaq6.1 perl/man/man1/perlpolicy.1
perl/man/man1/dprofpp.1 perl/man/man1/perlrebackslash.1 perl/man/man1/perlirix.1
perl/man/man1/perlguts.1 perl/man/man1/perl5122delta.1 perl/man/man1/perlcheat.1
perl/man/man1/perlreftut.1 perl/man/man1/perlcompile.1 perl/man/man1/perlxs.1
perl/man/man1/perlfunc.1 perl/man/man1/splain.1 perl/man/man1/perllo.1
perl/man/man1/perldebug.1 perl/man/man1/pod2html.1 perl/man/man1/perl5115delta.1
perl/man/man1/perl56delta.1 perl/man/man1/corelist.1 perl/man/man1/perlref.1

installActions2013-06-29_12-50-04AM.log

perl/man/man1/perlfaq2.1 perl/man/man1/perl5113delta.1 perl/man/man1/perldos.1
perl/man/man1/perl581delta.1 perl/man/man1/perlop.1 perl/man/man1/perl586delta.1
perl/man/man1/perl5139delta.1 perl/man/man1/cpan2dist.1
perl/man/man1/perl5123delta.1 perl/man/man1/perllinux.1 perl/man/man1/perldiag.1
perl/man/man1/perlthrtut.1 perl/man/man1/perl591delta.1 perl/man/man1/perlpio.1
perl/man/man1/perl570delta.1 perl/man/man1/perl5112delta.1
perl/man/man1/perl595delta.1 perl/man/man1/perl52000.1 perl/man/man1/pod2text.1
perl/man/man1/psed.1 perl/man/man1/pstruct.1 perl/man/man1/perlamiga.1
perl/man/man1/piconv.1 perl/man/man1/enc2xs.1 perl/man/man1/perldgux.1
perl/man/man1/perl572delta.1 perl/man/man1/perl5136delta.1 perl/man/man1/cpan.1
perl/man/man1/s2p.1 perl/man/man1/perlstyle.1 perl/man/man1/perl5004delta.1
perl/man/man1/perlembed.1 perl/man/man1/perl5390.1 perl/man/man1/perlretut.1
perl/man/man1/perlaix.1 perl/man/man1/perl590delta.1
perl/man/man1/perlhacktips.1 perl/man/man1/perl588delta.1
perl/man/man1/perl5137delta.1 perl/man/man1/perl5ymbian.1
perl/man/man1/perldebtut.1 perl/man/man1/config_data.1 perl/man/man1/ptargrep.1
perl/man/man1/perlvp.1 perl/man/man1/perlrun.1 perl/man/man1/perl5140delta.1
perl/man/man1/perlfaq1.1 perl/man/man1/perlbook.1 perl/man/man1/perl5tw.1
perl/man/man1/ptardiff.1 perl/man/man1/perlfaq9.1 perl/man/man1/perltru64.1
perl/man/man1/perlrequick.1 perl/man/man1/perlreapi.1
perl/man/man1/perl5130delta.1 perl/man/man1/dbilogstrip.1
perl/man/man1/perltooc.1 perl/man/man1/perlvar.1 perl/man/man1/perlunicode.1
perl/man/man1/perl.1 perl/man/man1/perl5138delta.1 perl/man/man1/perl582delta.1
perl/man/man1/dbiprof.1 perl/man/man1/perl5dbguts.1 perl/man/man1/perl5xstut.1
perl/man/man1/perl592delta.1 perl/man/man1/perl51311delta.1 perl/man/man3/CPAN.3
perl/man/man3/CORE.3 perl/man/man3/IO.3 perl/man/man3/attributes.3
perl/man/man3/DBM_Filter.3 perl/man/man3/charnames.3 perl/man/man3/B.3
perl/man/man3/SelfLoader.3 perl/man/man3/NDBM_File.3 perl/man/man3/base.3
perl/man/man3/Safe.3 perl/man/man3/Storable.3 perl/man/man3/POSIX.3
perl/man/man3/Socket.3 perl/man/man3/Memoize.3 perl/man/man3/bigint.3
perl/man/man3/Fatal.3 perl/man/man3/AutoLoader.3 perl/man/man3/CGI.3
perl/man/man3/DB_File.3 perl/man/man3/FindBin.3 perl/man/man3/strict.3
perl/man/man3/XSLoader.3
INFO: chmod 0700 perl/man/man3/English.3 perl/man/man3/overloading.3
perl/man/man3/vmsish.3 perl/man/man3/NEXT.3 perl/man/man3/UNIVERSAL.3
perl/man/man3/re.3 perl/man/man3/subs.3 perl/man/man3/AutoSplit.3
perl/man/man3/DirHandle.3 perl/man/man3/deprecate.3 perl/man/man3/Opcode.3
perl/man/man3/Encode.3 perl/man/man3/sigtrap.3 perl/man/man3/CPANPLUS.3
perl/man/man3/Test.3 perl/man/man3/Carp.3 perl/man/man3/SDBM_File.3
perl/man/man3/Benchmark.3 perl/man/man3/Digest.3 perl/man/man3/FileHandle.3
perl/man/man3/lib.3 perl/man/man3/SelectSaver.3 perl/man/man3/fields.3
perl/man/man3/sort.3 perl/man/man3/version.3 perl/man/man3/bytes.3
perl/man/man3/URI.3 perl/man/man3/encoding.3 perl/man/man3/DynaLoader.3
perl/man/man3/Exporter.3 perl/man/man3/Errno.3 perl/man/man3/bignum.3
perl/man/man3/DB.3 perl/man/man3/FileCache.3 perl/man/man3/overload.3
perl/man/man3/lwpptut.3 perl/man/man3/parent.3 perl/man/man3/Symbol.3
perl/man/man3/lwpcook.3 perl/man/man3/warnings.3 perl/man/man3/mro.3
perl/man/man3/perlIO.3 perl/man/man3/Cwd.3 perl/man/man3/DBI.3
perl/man/man3/LWP.3 perl/man/man3/Fcntl.3 perl/man/man3/if.3
perl/man/man3/integer.3 perl/man/man3/bigint.3 perl/man/man3/diagnostics.3
perl/man/man3/open.3 perl/man/man3/Shell.3 perl/man/man3/constant.3
perl/man/man3/autouse.3 perl/man/man3/Config.3 perl/man/man3/autodie.3
perl/man/man3/threads.3 perl/man/man3/less.3 perl/man/man3/feature.3
perl/man/man3/vars.3 perl/man/man3/AnyDBM_File.3 perl/man/man3/ops.3
perl/man/man3/blib.3 perl/man/man3/O.3 perl/man/man3/Dumpvalue.3
perl/man/man3/Thread.3 perl/man/man3/filetest.3 perl/man/man3/utf8.3
perl/man/man3/Env.3 perl/man/man3/GDBM_File.3 perl/man/man3/locale.3
perl/bin/ptardiff perl/bin/ptar perl/bin/xsubpp perl/bin/s2p perl/bin/h2ph
perl/bin/a2p perl/bin/pod2latex perl/bin/pl2pm perl/bin/perlbug
perl/bin/pod2usage perl/bin/json_pp perl/bin/piconv perl/bin/ora_explain
perl/bin/cpan2dist perl/bin/pod2html perl/bin/dbilogstrip perl/bin/pstruct
perl/bin/splain perl/bin/psed perl/bin/pod2text perl/bin/c2ph
perl/bin/config_data perl/bin/podchecker perl/bin/enc2xs perl/bin/shasum
perl/bin/perlthanks perl/bin/prove perl/bin/cpan perl/bin/perlvp
perl/bin/dbiproxy perl/bin/perl perl/bin/ptargrep perl/bin/dbiprof
perl/bin/perldoc perl/bin/dproffpp perl/bin/instmodsh perl/bin/cpan
perl/bin/podselect perl/bin/libnetcfg perl/bin/cpan-run-perl
perl/bin/perl5.14.1 perl/bin/find2perl perl/bin/pod2man perl/bin/h2xs

installActions2013-06-29_12-50-04AM.log

perl/bin/corelist perl/lib/5.14.1/pwd.pl perl/lib/5.14.1/finddepth.pl
perl/lib/5.14.1/feature.pm perl/lib/5.14.1/Memoize.pm perl/lib/5.14.1/ctime.pl
perl/lib/5.14.1/getcwd.pl perl/lib/5.14.1/deprecate.pm
perl/lib/5.14.1/Exporter.pm perl/lib/5.14.1/utf8_heavy.pl
perl/lib/5.14.1/UNIVERSAL.pm perl/lib/5.14.1/charnames.pm
perl/lib/5.14.1/warnings.pm perl/lib/5.14.1/XSLoader.pm
perl/lib/5.14.1/Benchmark.pm perl/lib/5.14.1/sigtrap.pm perl/lib/5.14.1/if.pm
perl/lib/5.14.1/complete.pl perl/lib/5.14.1/bytes.pm
perl/lib/5.14.1/SelfLoader.pm perl/lib/5.14.1/diagnostics.pm
perl/lib/5.14.1/subs.pm perl/lib/5.14.1/fields.pm perl/lib/5.14.1/bigint.pl
perl/lib/5.14.1/flush.pl perl/lib/5.14.1/Shell.pm perl/lib/5.14.1/FindBin.pm
perl/lib/5.14.1/DBM_Filter.pm perl/lib/5.14.1/tainted.pl
perl/lib/5.14.1/PerlIO.pm perl/lib/5.14.1/autouse.pm perl/lib/5.14.1/CGI.pm
perl/lib/5.14.1/strict.pm perl/lib/5.14.1/open2.pl perl/lib/5.14.1/newgetopt.pl
perl/lib/5.14.1/fastcwd.pl perl/lib/5.14.1/look.pl perl/lib/5.14.1/version.pod
perl/lib/5.14.1/safe.pm perl/lib/5.14.1/timelocal.pl
perl/lib/5.14.1/Dumpvalue.pm perl/lib/5.14.1/dumpvar.pl
perl/lib/5.14.1/constant.pm perl/lib/5.14.1/sort.pm perl/lib/5.14.1/base.pm
perl/lib/5.14.1/abbrev.pl perl/lib/5.14.1/parent.pm
perl/lib/5.14.1/SelectSaver.pm perl/lib/5.14.1/bigint.pm
perl/lib/5.14.1/CORE.pod perl/lib/5.14.1/AnyDBM_File.pm perl/lib/5.14.1/open.pm
perl/lib/5.14.1/getopt.pl perl/lib/5.14.1/bigint.pm perl/lib/5.14.1/autodie.pm
perl/lib/5.14.1/exceptions.pl perl/lib/5.14.1/DB.pm
perl/lib/5.14.1/AutoLoader.pm perl/lib/5.14.1/FileCache.pm
perl/lib/5.14.1/utf8.pm perl/lib/5.14.1/termcap.pl
perl/lib/5.14.1/bytes_heavy.pl perl/lib/5.14.1/cacheout.pl
perl/lib/5.14.1/dotsh.pl perl/lib/5.14.1/DirHandle.pm perl/lib/5.14.1/stat.pl
perl/lib/5.14.1/getopts.pl perl/lib/5.14.1/bigint.pm perl/lib/5.14.1/Thread.pm
perl/lib/5.14.1/blib.pm perl/lib/5.14.1/CPANPLUS.pm perl/lib/5.14.1/CPAN.pm
perl/lib/5.14.1/locale.pm perl/lib/5.14.1/AutoSplit.pm
perl/lib/5.14.1/filetest.pm perl/lib/5.14.1/syslog.pl perl/lib/5.14.1/Env.pm
perl/lib/5.14.1/validate.pl perl/lib/5.14.1/overloading.pm
perl/lib/5.14.1/find.pl perl/lib/5.14.1/Fatal.pm perl/lib/5.14.1/overload.pm
perl/lib/5.14.1/open3.pl perl/lib/5.14.1/bigint.pl perl/lib/5.14.1/version.pm
perl/lib/5.14.1/Carp.pm perl/lib/5.14.1/assert.pl perl/lib/5.14.1/bigfloat.pl
perl/lib/5.14.1/perl5db.pl perl/lib/5.14.1/Symbol.pm perl/lib/5.14.1/vmsish.pm
perl/lib/5.14.1/English.pm perl/lib/5.14.1/integer.pm
perl/lib/5.14.1/importenv.pl perl/lib/5.14.1/Test.pm
perl/lib/5.14.1/shellwords.pl perl/lib/5.14.1/less.pm perl/lib/5.14.1/NEXT.pm
perl/lib/5.14.1/vars.pm perl/lib/5.14.1/hostname.pl perl/lib/5.14.1/Digest.pm
perl/lib/5.14.1/FileHandle.pm perl/lib/5.14.1/Archive/Tar.pm
perl/lib/5.14.1/Archive/Extract.pm perl/lib/5.14.1/Archive/Tar/Constant.pm
perl/lib/5.14.1/Archive/Tar/File.pm perl/lib/5.14.1/TAP/Harness.pm
perl/lib/5.14.1/TAP/Object.pm perl/lib/5.14.1/TAP/Base.pm
perl/lib/5.14.1/TAP/Parser.pm perl/lib/5.14.1/TAP/Harness/Beyond.pod
perl/lib/5.14.1/TAP/Parser/Result.pm perl/lib/5.14.1/TAP/Parser/Utils.pm
perl/lib/5.14.1/TAP/Parser/Aggregator.pm perl/lib/5.14.1/TAP/Parser/Iterator.pm
perl/lib/5.14.1/TAP/Parser/Scheduler.pm
perl/lib/5.14.1/TAP/Parser/ResultFactory.pm perl/lib/5.14.1/TAP/Parser/Source.pm
perl/lib/5.14.1/TAP/Parser/Multiplexer.pm
perl/lib/5.14.1/TAP/Parser/SourceHandler.pm
perl/lib/5.14.1/TAP/Parser/Grammar.pm
perl/lib/5.14.1/TAP/Parser/IteratorFactory.pm
perl/lib/5.14.1/TAP/Parser/Result/Version.pm
perl/lib/5.14.1/TAP/Parser/Result/YAML.pm
perl/lib/5.14.1/TAP/Parser/Result/Plan.pm
perl/lib/5.14.1/TAP/Parser/Result/Bailout.pm
perl/lib/5.14.1/TAP/Parser/Result/Comment.pm
perl/lib/5.14.1/TAP/Parser/Result/Pragma.pm
perl/lib/5.14.1/TAP/Parser/Result/Unknown.pm
perl/lib/5.14.1/TAP/Parser/Result/Test.pm
perl/lib/5.14.1/TAP/Parser/YAMLish/Reader.pm
perl/lib/5.14.1/TAP/Parser/YAMLish/Writer.pm
perl/lib/5.14.1/TAP/Parser/Iterator/Process.pm
perl/lib/5.14.1/TAP/Parser/Iterator/Stream.pm
perl/lib/5.14.1/TAP/Parser/Iterator/Array.pm
perl/lib/5.14.1/TAP/Parser/SourceHandler/File.pm
perl/lib/5.14.1/TAP/Parser/SourceHandler/RawTAP.pm

installActions2013-06-29_12-50-04AM.log

```
perl/lib/5.14.1/TAP/Parser/SourceHandler/Perl.pm
perl/lib/5.14.1/TAP/Parser/SourceHandler/Executable.pm
perl/lib/5.14.1/TAP/Parser/SourceHandler/Handle.pm
INFO: chmod 0700 perl/lib/5.14.1/TAP/Parser/Scheduler/Spinner.pm
perl/lib/5.14.1/TAP/Parser/Scheduler/Job.pm
perl/lib/5.14.1/TAP/Formatter/Color.pm perl/lib/5.14.1/TAP/Formatter/File.pm
perl/lib/5.14.1/TAP/Formatter/Console.pm
perl/lib/5.14.1/TAP/Formatter/Session.pm perl/lib/5.14.1/TAP/Formatter/Base.pm
perl/lib/5.14.1/TAP/Formatter/Console/Session.pm
perl/lib/5.14.1/TAP/Formatter/Console/ParallelSession.pm
perl/lib/5.14.1/TAP/Formatter/File/Session.pm
perl/lib/5.14.1/Attribute/Handlers.pm perl/lib/5.14.1/Unicode/UCD.pm
perl/lib/5.14.1/Unicode/Collate/allkeys.txt
perl/lib/5.14.1/Unicode/Collate/keys.txt
perl/lib/5.14.1/Unicode/Collate/CJK/GB2312.pm
perl/lib/5.14.1/Unicode/Collate/CJK/JISX0208.pm
perl/lib/5.14.1/Unicode/Collate/CJK/Pinyin.pm
perl/lib/5.14.1/Unicode/Collate/CJK/Big5.pm
perl/lib/5.14.1/Unicode/Collate/CJK/Stroke.pm
perl/lib/5.14.1/Unicode/Collate/CJK/Korean.pm
perl/lib/5.14.1/Unicode/Collate/Locale/wo.pl
perl/lib/5.14.1/Unicode/Collate/Locale/az.pl
perl/lib/5.14.1/Unicode/Collate/Locale/zh_strk.pl
perl/lib/5.14.1/Unicode/Collate/Locale/fi.pl
perl/lib/5.14.1/Unicode/Collate/Locale/haw.pl
perl/lib/5.14.1/Unicode/Collate/Locale/zh_big5.pl
perl/lib/5.14.1/Unicode/Collate/Locale/ru.pl
perl/lib/5.14.1/Unicode/Collate/Locale/ko.pl
perl/lib/5.14.1/Unicode/Collate/Locale/af.pl
perl/lib/5.14.1/Unicode/Collate/Locale/cs.pl
perl/lib/5.14.1/Unicode/Collate/Locale/de_phone.pl
perl/lib/5.14.1/Unicode/Collate/Locale/ja.pl
perl/lib/5.14.1/Unicode/Collate/Locale/es_trad.pl
perl/lib/5.14.1/Unicode/Collate/Locale/fil.pl
perl/lib/5.14.1/Unicode/Collate/Locale/hr.pl
perl/lib/5.14.1/Unicode/Collate/Locale/yo.pl
perl/lib/5.14.1/Unicode/Collate/Locale/fr.pl
perl/lib/5.14.1/Unicode/Collate/Locale/nn.pl
perl/lib/5.14.1/Unicode/Collate/Locale/ha.pl
perl/lib/5.14.1/Unicode/Collate/Locale/tr.pl
perl/lib/5.14.1/Unicode/Collate/Locale/kl.pl
perl/lib/5.14.1/Unicode/Collate/Locale/et.pl
perl/lib/5.14.1/Unicode/Collate/Locale/sv.pl
perl/lib/5.14.1/Unicode/Collate/Locale/sl.pl
perl/lib/5.14.1/Unicode/Collate/Locale/kk.pl
perl/lib/5.14.1/Unicode/Collate/Locale/vi.pl
perl/lib/5.14.1/Unicode/Collate/Locale/tn.pl
perl/lib/5.14.1/Unicode/Collate/Locale/om.pl
perl/lib/5.14.1/Unicode/Collate/Locale/zh_pin.pl
perl/lib/5.14.1/Unicode/Collate/Locale/eo.pl
perl/lib/5.14.1/Unicode/Collate/Locale/sq.pl
perl/lib/5.14.1/Unicode/Collate/Locale/ar.pl
perl/lib/5.14.1/Unicode/Collate/Locale/ca.pl
perl/lib/5.14.1/Unicode/Collate/Locale/lt.pl
perl/lib/5.14.1/Unicode/Collate/Locale/fo.pl
perl/lib/5.14.1/Unicode/Collate/Locale/da.pl
perl/lib/5.14.1/Unicode/Collate/Locale/nso.pl
perl/lib/5.14.1/Unicode/Collate/Locale/lv.pl
perl/lib/5.14.1/Unicode/Collate/Locale/zh.pl
perl/lib/5.14.1/Unicode/Collate/Locale/es.pl
perl/lib/5.14.1/Unicode/Collate/Locale/ig.pl
perl/lib/5.14.1/Unicode/Collate/Locale/uk.pl
perl/lib/5.14.1/Unicode/Collate/Locale/cy.pl
perl/lib/5.14.1/Unicode/Collate/Locale/ro.pl
perl/lib/5.14.1/Unicode/Collate/Locale/hu.pl
perl/lib/5.14.1/Unicode/Collate/Locale/is.pl
perl/lib/5.14.1/Unicode/Collate/Locale/sk.pl
perl/lib/5.14.1/Unicode/Collate/Locale/nb.pl
```

installActions2013-06-29_12-50-04AM.log

perl/lib/5.14.1/Unicode/Collate/Locale/mt.pl
perl/lib/5.14.1/Unicode/Collate/Locale/to.pl
perl/lib/5.14.1/Unicode/Collate/Locale/zh_gb.pl
perl/lib/5.14.1/Unicode/Collate/Locale/pl.pl
perl/lib/5.14.1/Unicode/Collate/Locale/hy.pl
perl/lib/5.14.1/Unicode/Collate/Locale/sw.pl
perl/lib/5.14.1/Unicode/Collate/Locale/se.pl perl/lib/5.14.1/autodie/hints.pm
perl/lib/5.14.1/autodie/exception.pm perl/lib/5.14.1/autodie/exception/system.pm
perl/lib/5.14.1/User/pwent.pm perl/lib/5.14.1/User/grent.pm
perl/lib/5.14.1/Encode/Changes.e2x perl/lib/5.14.1/Encode/ConfigLocal_PM.e2x
perl/lib/5.14.1/Encode/_T.e2x perl/lib/5.14.1/Encode/Makefile_PL.e2x
perl/lib/5.14.1/Encode/encode.h perl/lib/5.14.1/Encode/PerlIO.pod
perl/lib/5.14.1/Encode/Supported.pod perl/lib/5.14.1/Encode/README.e2x
perl/lib/5.14.1/Encode/_PM.e2x perl/lib/5.14.1/Term/ANSIColor.pm
perl/lib/5.14.1/Term/UI.pm perl/lib/5.14.1/Term/ReadLine.pm
perl/lib/5.14.1/Term/Cap.pm perl/lib/5.14.1/Term/Complete.pm
perl/lib/5.14.1/Term/UI/History.pm perl/lib/5.14.1/inc/latest.pm
perl/lib/5.14.1/inc/latest/private.pm perl/lib/5.14.1/HTTP/Tiny.pm
perl/lib/5.14.1/Carp/Heavy.pm perl/lib/5.14.1/warnings/register.pm
perl/lib/5.14.1/B/Deparse.pm perl/lib/5.14.1/B/Lint.pm
perl/lib/5.14.1/B/Debug.pm perl/lib/5.14.1/B/Lint/Debug.pm
perl/lib/5.14.1/Digest/file.pm perl/lib/5.14.1/Digest/base.pm
perl/lib/5.14.1/unicore/Decomposition.pl perl/lib/5.14.1/unicore/Name.pl
perl/lib/5.14.1/unicore/Blocks.txt perl/lib/5.14.1/unicore/CaseFolding.txt
perl/lib/5.14.1/unicore/NamedSequences.txt perl/lib/5.14.1/unicore/version
perl/lib/5.14.1/unicore/CombiningClass.pl perl/lib/5.14.1/unicore/Heavy.pl
perl/lib/5.14.1/unicore/SpecialCasing.txt perl/lib/5.14.1/unicore/To/Hst.pl
perl/lib/5.14.1/unicore/To/Fold.pl perl/lib/5.14.1/unicore/To/Nt.pl
perl/lib/5.14.1/unicore/To/Na1.pl perl/lib/5.14.1/unicore/To/Sc.pl
perl/lib/5.14.1/unicore/To/Bmg.pl perl/lib/5.14.1/unicore/To/GCB.pl
perl/lib/5.14.1/unicore/To/Lb.pl perl/lib/5.14.1/unicore/To/TITLE.pl
perl/lib/5.14.1/unicore/To/Jg.pl perl/lib/5.14.1/unicore/To/NFDQC.pl
perl/lib/5.14.1/unicore/To/NFKCQC.pl perl/lib/5.14.1/unicore/To/_suc.pl
perl/lib/5.14.1/unicore/To/WB.pl perl/lib/5.14.1/unicore/To/Bc.pl
perl/lib/5.14.1/unicore/To/_stc.pl perl/lib/5.14.1/unicore/To/Lower.pl
perl/lib/5.14.1/unicore/To/Digit.pl perl/lib/5.14.1/unicore/To/NFKDQC.pl
perl/lib/5.14.1/unicore/To/Jt.pl perl/lib/5.14.1/unicore/To/Upper.pl
perl/lib/5.14.1/unicore/To/Age.pl perl/lib/5.14.1/unicore/To/SB.pl
perl/lib/5.14.1/unicore/To/Dt.pl perl/lib/5.14.1/unicore/To/NFCQC.pl
perl/lib/5.14.1/unicore/To/_slc.pl perl/lib/5.14.1/unicore/To/Ea.pl
perl/lib/5.14.1/unicore/To/NFKCCF.pl perl/lib/5.14.1/unicore/To/Gc.pl
perl/lib/5.14.1/unicore/To/Nv.pl perl/lib/5.14.1/unicore/lib/UIdeo/Y.pl
perl/lib/5.14.1/unicore/lib/UIdeo/N.pl perl/lib/5.14.1/unicore/lib/IDeo/Y.pl
perl/lib/5.14.1/unicore/lib/IDSB/N.pl perl/lib/5.14.1/unicore/lib/IDSB/Y.pl
perl/lib/5.14.1/unicore/lib/IDSB/N.pl perl/lib/5.14.1/unicore/lib/Dash/Y.pl
perl/lib/5.14.1/unicore/lib/Dash/N.pl perl/lib/5.14.1/unicore/lib/SD/Y.pl
perl/lib/5.14.1/unicore/lib/SD/N.pl perl/lib/5.14.1/unicore/lib/Nv/42.pl
perl/lib/5.14.1/unicore/lib/Nv/700.pl perl/lib/5.14.1/unicore/lib/Nv/100.pl
perl/lib/5.14.1/unicore/lib/Nv/43.pl perl/lib/5.14.1/unicore/lib/Nv/11_2.pl
perl/lib/5.14.1/unicore/lib/Nv/_1_2.pl perl/lib/5.14.1/unicore/lib/Nv/25.pl
perl/lib/5.14.1/unicore/lib/Nv/36.pl perl/lib/5.14.1/unicore/lib/Nv/300.pl
perl/lib/5.14.1/unicore/lib/Nv/3_5.pl perl/lib/5.14.1/unicore/lib/Nv/38.pl
perl/lib/5.14.1/unicore/lib/Nv/800.pl perl/lib/5.14.1/unicore/lib/Nv/1_7.pl
perl/lib/5.14.1/unicore/lib/Nv/9000.pl perl/lib/5.14.1/unicore/lib/Nv/9_2.pl
perl/lib/5.14.1/unicore/lib/Nv/80000.pl perl/lib/5.14.1/unicore/lib/Nv/7_2.pl
perl/lib/5.14.1/unicore/lib/Nv/6.pl perl/lib/5.14.1/unicore/lib/Nv/1_6.pl
perl/lib/5.14.1/unicore/lib/Nv/31.pl perl/lib/5.14.1/unicore/lib/Nv/0.pl
perl/lib/5.14.1/unicore/lib/Nv/15_2.pl perl/lib/5.14.1/unicore/lib/Nv/19.pl
perl/lib/5.14.1/unicore/lib/Nv/1_3.pl perl/lib/5.14.1/unicore/lib/Nv/5_8.pl
perl/lib/5.14.1/unicore/lib/Nv/7000.pl perl/lib/5.14.1/unicore/lib/Nv/4_5.pl
perl/lib/5.14.1/unicore/lib/Nv/1000.pl perl/lib/5.14.1/unicore/lib/Nv/1_5.pl
perl/lib/5.14.1/unicore/lib/Nv/49.pl perl/lib/5.14.1/unicore/lib/Nv/10000.pl
perl/lib/5.14.1/unicore/lib/Nv/2000.pl perl/lib/5.14.1/unicore/lib/Nv/29.pl
perl/lib/5.14.1/unicore/lib/Nv/50000.pl perl/lib/5.14.1/unicore/lib/Nv/4.pl
perl/lib/5.14.1/unicore/lib/Nv/1.pl perl/lib/5.14.1/unicore/lib/Nv/8000.pl
perl/lib/5.14.1/unicore/lib/Nv/2.pl perl/lib/5.14.1/unicore/lib/Nv/1_4.pl
perl/lib/5.14.1/unicore/lib/Nv/48.pl perl/lib/5.14.1/unicore/lib/Nv/3_8.pl
perl/lib/5.14.1/unicore/lib/Nv/12.pl perl/lib/5.14.1/unicore/lib/Nv/3000.pl

installActions2013-06-29_12-50-04AM.log

perl/lib/5.14.1/unicore/lib/Nv/4000.pl perl/lib/5.14.1/unicore/lib/Nv/30.pl
perl/lib/5.14.1/unicore/lib/Nv/7_8.pl perl/lib/5.14.1/unicore/lib/Nv/80.pl
perl/lib/5.14.1/unicore/lib/Nv/32.pl perl/lib/5.14.1/unicore/lib/Nv/60000.pl
perl/lib/5.14.1/unicore/lib/Nv/70.pl perl/lib/5.14.1/unicore/lib/Nv/24.pl
perl/lib/5.14.1/unicore/lib/Nv/1_8.pl perl/lib/5.14.1/unicore/lib/Nv/1_16.pl
perl/lib/5.14.1/unicore/lib/Nv/7.pl perl/lib/5.14.1/unicore/lib/Nv/17.pl
perl/lib/5.14.1/unicore/lib/Nv/14.pl perl/lib/5.14.1/unicore/lib/Nv/13_2.pl
perl/lib/5.14.1/unicore/lib/Nv/5_2.pl perl/lib/5.14.1/unicore/lib/Nv/600.pl
perl/lib/5.14.1/unicore/lib/Nv/100000.pl perl/lib/5.14.1/unicore/lib/Nv/27.pl
perl/lib/5.14.1/unicore/lib/Nv/200.pl perl/lib/5.14.1/unicore/lib/Nv/21.pl
perl/lib/5.14.1/unicore/lib/Nv/39.pl perl/lib/5.14.1/unicore/lib/Nv/10.pl
perl/lib/5.14.1/unicore/lib/Nv/10000002.pl perl/lib/5.14.1/unicore/lib/Nv/41.pl
perl/lib/5.14.1/unicore/lib/Nv/500.pl perl/lib/5.14.1/unicore/lib/Nv/3.pl
perl/lib/5.14.1/unicore/lib/Nv/5.pl perl/lib/5.14.1/unicore/lib/Nv/28.pl
perl/lib/5.14.1/unicore/lib/Nv/46.pl perl/lib/5.14.1/unicore/lib/Nv/5000.pl
perl/lib/5.14.1/unicore/lib/Nv/33.pl perl/lib/5.14.1/unicore/lib/Nv/5_6.pl
perl/lib/5.14.1/unicore/lib/Nv/8.pl perl/lib/5.14.1/unicore/lib/Nv/3_16.pl
perl/lib/5.14.1/unicore/lib/Nv/90000.pl perl/lib/5.14.1/unicore/lib/Nv/40.pl
perl/lib/5.14.1/unicore/lib/Nv/30000.pl perl/lib/5.14.1/unicore/lib/Nv/70000.pl
perl/lib/5.14.1/unicore/lib/Nv/2_5.pl perl/lib/5.14.1/unicore/lib/Nv/90.pl
perl/lib/5.14.1/unicore/lib/Nv/18.pl perl/lib/5.14.1/unicore/lib/Nv/NaN.pl
perl/lib/5.14.1/unicore/lib/Nv/900.pl perl/lib/5.14.1/unicore/lib/Nv/47.pl
perl/lib/5.14.1/unicore/lib/Nv/20.pl perl/lib/5.14.1/unicore/lib/Nv/3_2.pl
perl/lib/5.14.1/unicore/lib/Nv/400.pl perl/lib/5.14.1/unicore/lib/Nv/1_2.pl
perl/lib/5.14.1/unicore/lib/Nv/44.pl perl/lib/5.14.1/unicore/lib/Nv/26.pl
perl/lib/5.14.1/unicore/lib/Nv/37.pl perl/lib/5.14.1/unicore/lib/Nv/35.pl
perl/lib/5.14.1/unicore/lib/Nv/23.pl perl/lib/5.14.1/unicore/lib/Nv/40000.pl
perl/lib/5.14.1/unicore/lib/Nv/17_2.pl perl/lib/5.14.1/unicore/lib/Nv/11.pl
perl/lib/5.14.1/unicore/lib/Nv/45.pl
INFO: chmod 0700 perl/lib/5.14.1/unicore/lib/Nv/20000.pl
perl/lib/5.14.1/unicore/lib/Nv/34.pl perl/lib/5.14.1/unicore/lib/Nv/9.pl
perl/lib/5.14.1/unicore/lib/Nv/1_10.pl perl/lib/5.14.1/unicore/lib/Nv/1_9.pl
perl/lib/5.14.1/unicore/lib/Nv/22.pl perl/lib/5.14.1/unicore/lib/Nv/3_4.pl
perl/lib/5.14.1/unicore/lib/Nv/16.pl perl/lib/5.14.1/unicore/lib/Nv/6000.pl
perl/lib/5.14.1/unicore/lib/Nv/60.pl perl/lib/5.14.1/unicore/lib/Nv/13.pl
perl/lib/5.14.1/unicore/lib/Nv/15.pl perl/lib/5.14.1/unicore/lib/Nv/50.pl
perl/lib/5.14.1/unicore/lib/Nv/10000000.pl perl/lib/5.14.1/unicore/lib/Nv/2_3.pl
perl/lib/5.14.1/unicore/lib/Ccc/AR.pl perl/lib/5.14.1/unicore/lib/Ccc/91.pl
perl/lib/5.14.1/unicore/lib/Ccc/VR.pl perl/lib/5.14.1/unicore/lib/Ccc/25.pl
perl/lib/5.14.1/unicore/lib/Ccc/36.pl perl/lib/5.14.1/unicore/lib/Ccc/L.pl
perl/lib/5.14.1/unicore/lib/Ccc/ATA.pl perl/lib/5.14.1/unicore/lib/Ccc/IS.pl
perl/lib/5.14.1/unicore/lib/Ccc/ATB.pl perl/lib/5.14.1/unicore/lib/Ccc/BL.pl
perl/lib/5.14.1/unicore/lib/Ccc/31.pl perl/lib/5.14.1/unicore/lib/Ccc/19.pl
perl/lib/5.14.1/unicore/lib/Ccc/122.pl perl/lib/5.14.1/unicore/lib/Ccc/KV.pl
perl/lib/5.14.1/unicore/lib/Ccc/A.pl perl/lib/5.14.1/unicore/lib/Ccc/29.pl
perl/lib/5.14.1/unicore/lib/Ccc/DB.pl perl/lib/5.14.1/unicore/lib/Ccc/12.pl
perl/lib/5.14.1/unicore/lib/Ccc/30.pl perl/lib/5.14.1/unicore/lib/Ccc/32.pl
perl/lib/5.14.1/unicore/lib/Ccc/24.pl perl/lib/5.14.1/unicore/lib/Ccc/103.pl
perl/lib/5.14.1/unicore/lib/Ccc/NR.pl perl/lib/5.14.1/unicore/lib/Ccc/17.pl
perl/lib/5.14.1/unicore/lib/Ccc/14.pl perl/lib/5.14.1/unicore/lib/Ccc/132.pl
perl/lib/5.14.1/unicore/lib/Ccc/27.pl perl/lib/5.14.1/unicore/lib/Ccc/21.pl
perl/lib/5.14.1/unicore/lib/Ccc/10.pl perl/lib/5.14.1/unicore/lib/Ccc/28.pl
perl/lib/5.14.1/unicore/lib/Ccc/33.pl perl/lib/5.14.1/unicore/lib/Ccc/ATBL.pl
perl/lib/5.14.1/unicore/lib/Ccc/R.pl perl/lib/5.14.1/unicore/lib/Ccc/ATAR.pl
perl/lib/5.14.1/unicore/lib/Ccc/B.pl perl/lib/5.14.1/unicore/lib/Ccc/18.pl
perl/lib/5.14.1/unicore/lib/Ccc/BR.pl perl/lib/5.14.1/unicore/lib/Ccc/129.pl
perl/lib/5.14.1/unicore/lib/Ccc/20.pl perl/lib/5.14.1/unicore/lib/Ccc/OV.pl
perl/lib/5.14.1/unicore/lib/Ccc/26.pl perl/lib/5.14.1/unicore/lib/Ccc/35.pl
perl/lib/5.14.1/unicore/lib/Ccc/23.pl perl/lib/5.14.1/unicore/lib/Ccc/AL.pl
perl/lib/5.14.1/unicore/lib/Ccc/11.pl perl/lib/5.14.1/unicore/lib/Ccc/34.pl
perl/lib/5.14.1/unicore/lib/Ccc/22.pl perl/lib/5.14.1/unicore/lib/Ccc/16.pl
perl/lib/5.14.1/unicore/lib/Ccc/84.pl perl/lib/5.14.1/unicore/lib/Ccc/118.pl
perl/lib/5.14.1/unicore/lib/Ccc/DA.pl perl/lib/5.14.1/unicore/lib/Ccc/13.pl
perl/lib/5.14.1/unicore/lib/Ccc/NK.pl perl/lib/5.14.1/unicore/lib/Ccc/15.pl
perl/lib/5.14.1/unicore/lib/Ccc/107.pl perl/lib/5.14.1/unicore/lib/Ccc/130.pl
perl/lib/5.14.1/unicore/lib/SB/SE.pl perl/lib/5.14.1/unicore/lib/SB/EX.pl
perl/lib/5.14.1/unicore/lib/SB/SC.pl perl/lib/5.14.1/unicore/lib/SB/LE.pl
perl/lib/5.14.1/unicore/lib/SB/UP.pl perl/lib/5.14.1/unicore/lib/SB/FO.pl

installActions2013-06-29_12-50-04AM.log

perl/lib/5.14.1/unicore/lib/SB/LO.pl perl/lib/5.14.1/unicore/lib/SB/CL.pl
perl/lib/5.14.1/unicore/lib/SB/XX.pl perl/lib/5.14.1/unicore/lib/SB/ST.pl
perl/lib/5.14.1/unicore/lib/SB/Sp.pl perl/lib/5.14.1/unicore/lib/SB/AT.pl
perl/lib/5.14.1/unicore/lib/NChar/Y.pl perl/lib/5.14.1/unicore/lib/NChar/N.pl
perl/lib/5.14.1/unicore/lib/Term/Y.pl perl/lib/5.14.1/unicore/lib/Term/N.pl
perl/lib/5.14.1/unicore/lib/NFDQC/Y.pl perl/lib/5.14.1/unicore/lib/NFDQC/N.pl
perl/lib/5.14.1/unicore/lib/Space/Y.pl perl/lib/5.14.1/unicore/lib/Space/N.pl
perl/lib/5.14.1/unicore/lib/Hst/NA.pl perl/lib/5.14.1/unicore/lib/Dt/Fra.pl
perl/lib/5.14.1/unicore/lib/Dt/Nb.pl perl/lib/5.14.1/unicore/lib/Dt/None.pl
perl/lib/5.14.1/unicore/lib/Dt/NonCanon.pl perl/lib/5.14.1/unicore/lib/Dt/Med.pl
perl/lib/5.14.1/unicore/lib/Dt/Font.pl perl/lib/5.14.1/unicore/lib/Dt/Sub.pl
perl/lib/5.14.1/unicore/lib/Dt/Iso.pl perl/lib/5.14.1/unicore/lib/Dt/Sup.pl
perl/lib/5.14.1/unicore/lib/Dt/Com.pl perl/lib/5.14.1/unicore/lib/Dt/Vert.pl
perl/lib/5.14.1/unicore/lib/Dt/Enc.pl perl/lib/5.14.1/unicore/lib/Dt/Init.pl
perl/lib/5.14.1/unicore/lib/Dt/Sml.pl perl/lib/5.14.1/unicore/lib/Dt/Nar.pl
perl/lib/5.14.1/unicore/lib/Dt/Sqr.pl perl/lib/5.14.1/unicore/lib/Dt/Fin.pl
perl/lib/5.14.1/unicore/lib/OLower/Y.pl perl/lib/5.14.1/unicore/lib/OLower/N.pl
perl/lib/5.14.1/unicore/lib/IDST/Y.pl perl/lib/5.14.1/unicore/lib/IDST/N.pl
perl/lib/5.14.1/unicore/lib/CI/Y.pl perl/lib/5.14.1/unicore/lib/CI/N.pl
perl/lib/5.14.1/unicore/lib/CWKCF/Y.pl perl/lib/5.14.1/unicore/lib/CWKCF/N.pl
perl/lib/5.14.1/unicore/lib/OUpper/Y.pl perl/lib/5.14.1/unicore/lib/OUpper/N.pl
perl/lib/5.14.1/unicore/lib/PatWS/Y.pl perl/lib/5.14.1/unicore/lib/PatWS/N.pl
perl/lib/5.14.1/unicore/lib/Alpha/Y.pl perl/lib/5.14.1/unicore/lib/Alpha/N.pl
perl/lib/5.14.1/unicore/lib/CWL/Y.pl perl/lib/5.14.1/unicore/lib/CWL/N.pl
perl/lib/5.14.1/unicore/lib/NFKCQC/Y.pl perl/lib/5.14.1/unicore/lib/NFKCQC/N.pl
perl/lib/5.14.1/unicore/lib/NFKCQC/M.pl perl/lib/5.14.1/unicore/lib/Bc/ON.pl
perl/lib/5.14.1/unicore/lib/Bc/L.pl perl/lib/5.14.1/unicore/lib/Bc/PDF.pl
perl/lib/5.14.1/unicore/lib/Bc/ES.pl perl/lib/5.14.1/unicore/lib/Bc/RLO.pl
perl/lib/5.14.1/unicore/lib/Bc/S.pl perl/lib/5.14.1/unicore/lib/Bc/ET.pl
perl/lib/5.14.1/unicore/lib/Bc/LRE.pl perl/lib/5.14.1/unicore/lib/Bc/CS.pl
perl/lib/5.14.1/unicore/lib/Bc/RLE.pl perl/lib/5.14.1/unicore/lib/Bc/WS.pl
perl/lib/5.14.1/unicore/lib/Bc/AN.pl perl/lib/5.14.1/unicore/lib/Bc/EN.pl
perl/lib/5.14.1/unicore/lib/Bc/R.pl perl/lib/5.14.1/unicore/lib/Bc/BN.pl
perl/lib/5.14.1/unicore/lib/Bc/B.pl perl/lib/5.14.1/unicore/lib/Bc/LRO.pl
perl/lib/5.14.1/unicore/lib/Bc/AL.pl perl/lib/5.14.1/unicore/lib/Bc/NSM.pl
perl/lib/5.14.1/unicore/lib/GrExt/N.pl perl/lib/5.14.1/unicore/lib/WB/MN.pl
perl/lib/5.14.1/unicore/lib/WB/EX.pl perl/lib/5.14.1/unicore/lib/WB/MB.pl
perl/lib/5.14.1/unicore/lib/WB/LE.pl perl/lib/5.14.1/unicore/lib/WB/ML.pl
perl/lib/5.14.1/unicore/lib/WB/KA.pl perl/lib/5.14.1/unicore/lib/WB/NL.pl
perl/lib/5.14.1/unicore/lib/WB/FO.pl perl/lib/5.14.1/unicore/lib/WB/NU.pl
perl/lib/5.14.1/unicore/lib/WB/XX.pl perl/lib/5.14.1/unicore/lib/OIDS/Y.pl
perl/lib/5.14.1/unicore/lib/OIDS/N.pl perl/lib/5.14.1/unicore/lib/CE/Y.pl
perl/lib/5.14.1/unicore/lib/CE/N.pl perl/lib/5.14.1/unicore/lib/STerm/Y.pl
perl/lib/5.14.1/unicore/lib/STerm/N.pl perl/lib/5.14.1/unicore/lib/CWCF/Y.pl
perl/lib/5.14.1/unicore/lib/CWCF/N.pl perl/lib/5.14.1/unicore/lib/NFKDQC/N.pl
perl/lib/5.14.1/unicore/lib/OMath/Y.pl perl/lib/5.14.1/unicore/lib/OMath/N.pl
perl/lib/5.14.1/unicore/lib/Jg/Beth.pl perl/lib/5.14.1/unicore/lib/Jg/Reh.pl
perl/lib/5.14.1/unicore/lib/Jg/Kaph.pl perl/lib/5.14.1/unicore/lib/Jg/Tah.pl
perl/lib/5.14.1/unicore/lib/Jg/Feh.pl perl/lib/5.14.1/unicore/lib/Jg/DalathRi.pl
perl/lib/5.14.1/unicore/lib/Jg/YudhHe.pl perl/lib/5.14.1/unicore/lib/Jg/Heth.pl
perl/lib/5.14.1/unicore/lib/Jg/Beh.pl perl/lib/5.14.1/unicore/lib/Jg/Zain.pl
perl/lib/5.14.1/unicore/lib/Jg/Lamadh.pl perl/lib/5.14.1/unicore/lib/Jg/Ain.pl
perl/lib/5.14.1/unicore/lib/Jg/Taw.pl perl/lib/5.14.1/unicore/lib/Jg/Syriacwa.pl
perl/lib/5.14.1/unicore/lib/Jg/E.pl perl/lib/5.14.1/unicore/lib/Jg/Shin.pl
perl/lib/5.14.1/unicore/lib/Jg/NoJoinin.pl
perl/lib/5.14.1/unicore/lib/Jg/Alaph.pl perl/lib/5.14.1/unicore/lib/Jg/Seen.pl
perl/lib/5.14.1/unicore/lib/Jg/Zhain.pl perl/lib/5.14.1/unicore/lib/Jg/Yeh.pl
perl/lib/5.14.1/unicore/lib/Jg/Qaph.pl
perl/lib/5.14.1/unicore/lib/Jg/TehMarbu.pl perl/lib/5.14.1/unicore/lib/Jg/Gaf.pl
perl/lib/5.14.1/unicore/lib/Jg/Noon.pl perl/lib/5.14.1/unicore/lib/Jg/HehGoal.pl
perl/lib/5.14.1/unicore/lib/Jg/YehBarre.pl
perl/lib/5.14.1/unicore/lib/Jg/Burushas.pl perl/lib/5.14.1/unicore/lib/Jg/Pe.pl
perl/lib/5.14.1/unicore/lib/Jg/FarsiYeh.pl
perl/lib/5.14.1/unicore/lib/Jg/Meem.pl
perl/lib/5.14.1/unicore/lib/Jg/YehwithT.pl perl/lib/5.14.1/unicore/lib/Jg/Heh.pl
perl/lib/5.14.1/unicore/lib/Jg/He.pl perl/lib/5.14.1/unicore/lib/Jg/Alef.pl
perl/lib/5.14.1/unicore/lib/Jg/Dal.pl perl/lib/5.14.1/unicore/lib/Jg/Sad.pl
perl/lib/5.14.1/unicore/lib/Jg/Sadhe.pl perl/lib/5.14.1/unicore/lib/Jg/Teth.pl

installActions2013-06-29_12-50-04AM.log

perl/lib/5.14.1/unicore/lib/Jg/Reversed.pl perl/lib/5.14.1/unicore/lib/Jg/Nya.pl
perl/lib/5.14.1/unicore/lib/Jg/FinalSem.pl perl/lib/5.14.1/unicore/lib/Jg/Fe.pl
perl/lib/5.14.1/unicore/lib/Jg/Kaf.pl perl/lib/5.14.1/unicore/lib/Jg/Semkath.pl
perl/lib/5.14.1/unicore/lib/Jg/TehMarb2.pl
perl/lib/5.14.1/unicore/lib/Jg/KnottedH.pl
perl/lib/5.14.1/unicore/lib/Jg/Khaph.pl perl/lib/5.14.1/unicore/lib/Jg/Yudh.pl
perl/lib/5.14.1/unicore/lib/Jg/Lam.pl perl/lib/5.14.1/unicore/lib/Jg/Gamal.pl
perl/lib/5.14.1/unicore/lib/Jg/SwashKaf.pl perl/lib/5.14.1/unicore/lib/Jg/Hah.pl
perl/lib/5.14.1/unicore/lib/Jg/Qaf.pl perl/lib/5.14.1/unicore/lib/Jg/Mim.pl
perl/lib/5.14.1/unicore/lib/Jg/waw.pl perl/lib/5.14.1/unicore/lib/Jg/Nun.pl
perl/lib/5.14.1/unicore/lib/ODI/Y.pl perl/lib/5.14.1/unicore/lib/ODI/N.pl
perl/lib/5.14.1/unicore/lib/Upper/Y.pl perl/lib/5.14.1/unicore/lib/Upper/N.pl
perl/lib/5.14.1/unicore/lib/QMark/Y.pl perl/lib/5.14.1/unicore/lib/QMark/N.pl
perl/lib/5.14.1/unicore/lib/Sc/Ugar.pl perl/lib/5.14.1/unicore/lib/Sc/Phnx.pl
perl/lib/5.14.1/unicore/lib/Sc/Tam1.pl perl/lib/5.14.1/unicore/lib/Sc/Bugi.pl
perl/lib/5.14.1/unicore/lib/Sc/Lydi.pl perl/lib/5.14.1/unicore/lib/Sc/Lyci.pl
perl/lib/5.14.1/unicore/lib/Sc/Han.pl perl/lib/5.14.1/unicore/lib/Sc/Hira.pl
perl/lib/5.14.1/unicore/lib/Sc/Tglg.pl perl/lib/5.14.1/unicore/lib/Sc/Cans.pl
perl/lib/5.14.1/unicore/lib/Sc/Ethi.pl perl/lib/5.14.1/unicore/lib/Sc/Geor.pl
perl/lib/5.14.1/unicore/lib/Sc/Zyyp.pl perl/lib/5.14.1/unicore/lib/Sc/Hebr.pl
perl/lib/5.14.1/unicore/lib/Sc/Khmr.pl perl/lib/5.14.1/unicore/lib/Sc/Sund.pl
perl/lib/5.14.1/unicore/lib/Sc/Cham.pl perl/lib/5.14.1/unicore/lib/Sc/Tagb.pl
perl/lib/5.14.1/unicore/lib/Sc/Telu.pl perl/lib/5.14.1/unicore/lib/Sc/Lao.pl
perl/lib/5.14.1/unicore/lib/Sc/Xsux.pl perl/lib/5.14.1/unicore/lib/Sc/Khar.pl
perl/lib/5.14.1/unicore/lib/Sc/Bamu.pl
INFO: chmod 0700 perl/lib/5.14.1/unicore/lib/Sc/Batk.pl
perl/lib/5.14.1/unicore/lib/Sc/Sinh.pl perl/lib/5.14.1/unicore/lib/Sc/Beng.pl
perl/lib/5.14.1/unicore/lib/Sc/Lepc.pl perl/lib/5.14.1/unicore/lib/Sc/Arab.pl
perl/lib/5.14.1/unicore/lib/Sc/Cyrl.pl perl/lib/5.14.1/unicore/lib/Sc/Armi.pl
perl/lib/5.14.1/unicore/lib/Sc/Talu.pl perl/lib/5.14.1/unicore/lib/Sc/Samr.pl
perl/lib/5.14.1/unicore/lib/Sc/Phli.pl perl/lib/5.14.1/unicore/lib/Sc/Orkh.pl
perl/lib/5.14.1/unicore/lib/Sc/Grek.pl perl/lib/5.14.1/unicore/lib/Sc/Syrc.pl
perl/lib/5.14.1/unicore/lib/Sc/Mymr.pl perl/lib/5.14.1/unicore/lib/Sc/Copt.pl
perl/lib/5.14.1/unicore/lib/Sc/Buhd.pl perl/lib/5.14.1/unicore/lib/Sc/Tale.pl
perl/lib/5.14.1/unicore/lib/Sc/Hang.pl perl/lib/5.14.1/unicore/lib/Sc/Knda.pl
perl/lib/5.14.1/unicore/lib/Sc/Vai.pl perl/lib/5.14.1/unicore/lib/Sc/Goth.pl
perl/lib/5.14.1/unicore/lib/Sc/Bopo.pl perl/lib/5.14.1/unicore/lib/Sc/Java.pl
perl/lib/5.14.1/unicore/lib/Sc/Mong.pl perl/lib/5.14.1/unicore/lib/Sc/Mtei.pl
perl/lib/5.14.1/unicore/lib/Sc/Zzzz.pl perl/lib/5.14.1/unicore/lib/Sc/Bali.pl
perl/lib/5.14.1/unicore/lib/Sc/Thai.pl perl/lib/5.14.1/unicore/lib/Sc/Guru.pl
perl/lib/5.14.1/unicore/lib/Sc/Hano.pl perl/lib/5.14.1/unicore/lib/Sc/Sylo.pl
perl/lib/5.14.1/unicore/lib/Sc/Kana.pl perl/lib/5.14.1/unicore/lib/Sc/Flag.pl
perl/lib/5.14.1/unicore/lib/Sc/Brah.pl perl/lib/5.14.1/unicore/lib/Sc/Lana.pl
perl/lib/5.14.1/unicore/lib/Sc/Linb.pl perl/lib/5.14.1/unicore/lib/Sc/Egyp.pl
perl/lib/5.14.1/unicore/lib/Sc/Tavt.pl perl/lib/5.14.1/unicore/lib/Sc/Ogam.pl
perl/lib/5.14.1/unicore/lib/Sc/Cari.pl perl/lib/5.14.1/unicore/lib/Sc/Deva.pl
perl/lib/5.14.1/unicore/lib/Sc/kthi.pl perl/lib/5.14.1/unicore/lib/Sc/Mand.pl
perl/lib/5.14.1/unicore/lib/Sc/Nko.pl perl/lib/5.14.1/unicore/lib/Sc/Orya.pl
perl/lib/5.14.1/unicore/lib/Sc/Tfng.pl perl/lib/5.14.1/unicore/lib/Sc/Thaa.pl
perl/lib/5.14.1/unicore/lib/Sc/Osma.pl perl/lib/5.14.1/unicore/lib/Sc/Ital.pl
perl/lib/5.14.1/unicore/lib/Sc/Cher.pl perl/lib/5.14.1/unicore/lib/Sc/Tibt.pl
perl/lib/5.14.1/unicore/lib/Sc/Saur.pl perl/lib/5.14.1/unicore/lib/Sc/Avst.pl
perl/lib/5.14.1/unicore/lib/Sc/Zinh.pl perl/lib/5.14.1/unicore/lib/Sc/Cprt.pl
perl/lib/5.14.1/unicore/lib/Sc/Armn.pl perl/lib/5.14.1/unicore/lib/Sc/Xpeo.pl
perl/lib/5.14.1/unicore/lib/Sc/Rjng.pl perl/lib/5.14.1/unicore/lib/Sc/Mlym.pl
perl/lib/5.14.1/unicore/lib/Sc/Runr.pl perl/lib/5.14.1/unicore/lib/Sc/Gujr.pl
perl/lib/5.14.1/unicore/lib/Sc/Phag.pl perl/lib/5.14.1/unicore/lib/Sc/Prti.pl
perl/lib/5.14.1/unicore/lib/Sc/Latn.pl perl/lib/5.14.1/unicore/lib/Sc/Yi.pl
perl/lib/5.14.1/unicore/lib/Sc/Limb.pl perl/lib/5.14.1/unicore/lib/Sc/Cased/Y.pl
perl/lib/5.14.1/unicore/lib/Sc/Cased/N.pl perl/lib/5.14.1/unicore/lib/Dia/Y.pl
perl/lib/5.14.1/unicore/lib/Dia/N.pl perl/lib/5.14.1/unicore/lib/Lower/Y.pl
perl/lib/5.14.1/unicore/lib/Lower/N.pl perl/lib/5.14.1/unicore/lib/Jt/D.pl
perl/lib/5.14.1/unicore/lib/Jt/C.pl perl/lib/5.14.1/unicore/lib/Jt/U.pl
perl/lib/5.14.1/unicore/lib/Jt/R.pl perl/lib/5.14.1/unicore/lib/Jt/T.pl
perl/lib/5.14.1/unicore/lib/In/4_1.pl perl/lib/5.14.1/unicore/lib/In/5_1.pl
perl/lib/5.14.1/unicore/lib/In/2_0.pl perl/lib/5.14.1/unicore/lib/In/4_0.pl
perl/lib/5.14.1/unicore/lib/In/5_2.pl perl/lib/5.14.1/unicore/lib/In/3_0.pl
perl/lib/5.14.1/unicore/lib/In/3_2.pl perl/lib/5.14.1/unicore/lib/In/5_0.pl

installActions2013-06-29_12-50-04AM.log

perl/lib/5.14.1/unicore/lib/In/2_1.pl perl/lib/5.14.1/unicore/lib/In/3_1.pl
perl/lib/5.14.1/unicore/lib/In/6_0.pl
perl/lib/5.14.1/unicore/lib/Blk/Gujarati.pl
perl/lib/5.14.1/unicore/lib/Blk/Enclose4.pl
perl/lib/5.14.1/unicore/lib/Blk/HangulSy.pl
perl/lib/5.14.1/unicore/lib/Blk/Miscella.pl
perl/lib/5.14.1/unicore/lib/Blk/CJKUnif2.pl
perl/lib/5.14.1/unicore/lib/Blk/LowSurro.pl
perl/lib/5.14.1/unicore/lib/Blk/Avestan.pl
perl/lib/5.14.1/unicore/lib/Blk/NoBlock.pl
perl/lib/5.14.1/unicore/lib/Blk/Mongolia.pl
perl/lib/5.14.1/unicore/lib/Blk/HangulJ3.pl
perl/lib/5.14.1/unicore/lib/Blk/Modifier.pl
perl/lib/5.14.1/unicore/lib/Blk/Malayala.pl
perl/lib/5.14.1/unicore/lib/Blk/Dingbats.pl
perl/lib/5.14.1/unicore/lib/Blk/Bopomofo.pl
perl/lib/5.14.1/unicore/lib/Blk/Bopomof2.pl
perl/lib/5.14.1/unicore/lib/Blk/Limbu.pl
perl/lib/5.14.1/unicore/lib/Blk/LatinExt.pl
perl/lib/5.14.1/unicore/lib/Blk/Devanag2.pl
perl/lib/5.14.1/unicore/lib/Blk/Japanese.pl
perl/lib/5.14.1/unicore/lib/Blk/BlockEle.pl
perl/lib/5.14.1/unicore/lib/Blk/Ethiopi4.pl
perl/lib/5.14.1/unicore/lib/Blk/Cuneifor.pl
perl/lib/5.14.1/unicore/lib/Blk/Ugaritic.pl
perl/lib/5.14.1/unicore/lib/Blk/Kanbun.pl
perl/lib/5.14.1/unicore/lib/Blk/Canadian.pl
perl/lib/5.14.1/unicore/lib/Blk/HangulJa.pl
perl/lib/5.14.1/unicore/lib/Blk/Arrows.pl
perl/lib/5.14.1/unicore/lib/Blk/BraillieP.pl
perl/lib/5.14.1/unicore/lib/Blk/GreekExt.pl
perl/lib/5.14.1/unicore/lib/Blk/Enclose3.pl
perl/lib/5.14.1/unicore/lib/Blk/NewTaiLu.pl
perl/lib/5.14.1/unicore/lib/Blk/LatinEx5.pl
perl/lib/5.14.1/unicore/lib/Blk/Tamil.pl
perl/lib/5.14.1/unicore/lib/Blk/Counting.pl
perl/lib/5.14.1/unicore/lib/Blk/RumiNume.pl
perl/lib/5.14.1/unicore/lib/Blk/Specials.pl
perl/lib/5.14.1/unicore/lib/Blk/Imperial.pl
perl/lib/5.14.1/unicore/lib/Blk/YijingHe.pl
perl/lib/5.14.1/unicore/lib/Blk/PrivateU.pl
perl/lib/5.14.1/unicore/lib/Blk/Balinese.pl
perl/lib/5.14.1/unicore/lib/Blk/Letterli.pl
perl/lib/5.14.1/unicore/lib/Blk/Tifinagh.pl
perl/lib/5.14.1/unicore/lib/Blk/OpticalC.pl
perl/lib/5.14.1/unicore/lib/Blk/AncientG.pl
perl/lib/5.14.1/unicore/lib/Blk/KayahLi.pl
perl/lib/5.14.1/unicore/lib/Blk/Kaithi.pl
perl/lib/5.14.1/unicore/lib/Blk/Cyrillic.pl
perl/lib/5.14.1/unicore/lib/Blk/Sinhala.pl
perl/lib/5.14.1/unicore/lib/Blk/Supplem2.pl
perl/lib/5.14.1/unicore/lib/Blk/Cyrilli4.pl
perl/lib/5.14.1/unicore/lib/Blk/CJKComp4.pl
perl/lib/5.14.1/unicore/lib/Blk/KangxiRa.pl
perl/lib/5.14.1/unicore/lib/Blk/Tibetan.pl
perl/lib/5.14.1/unicore/lib/Blk/Supplem5.pl
perl/lib/5.14.1/unicore/lib/Blk/Rejang.pl
perl/lib/5.14.1/unicore/lib/Blk/AncientS.pl
perl/lib/5.14.1/unicore/lib/Blk/CJKUnif3.pl
perl/lib/5.14.1/unicore/lib/Blk/KanaSupp.pl
perl/lib/5.14.1/unicore/lib/Blk/Hanunoo.pl
perl/lib/5.14.1/unicore/lib/Blk/HighPriv.pl
perl/lib/5.14.1/unicore/lib/Blk/Hebrew.pl
perl/lib/5.14.1/unicore/lib/Blk/Enclose2.pl
perl/lib/5.14.1/unicore/lib/Blk/Mathemat.pl
perl/lib/5.14.1/unicore/lib/Blk/Ogham.pl
perl/lib/5.14.1/unicore/lib/Blk/Alphabet.pl
perl/lib/5.14.1/unicore/lib/Blk/ASCII.pl

installActions2013-06-29_12-50-04AM.log

perl/lib/5.14.1/unicore/lib/Blk/Arabic.pl
perl/lib/5.14.1/unicore/lib/Blk/Cham.pl
perl/lib/5.14.1/unicore/lib/Blk/Gothic.pl
perl/lib/5.14.1/unicore/lib/Blk/Variatio.pl
perl/lib/5.14.1/unicore/lib/Blk/Inscript.pl
perl/lib/5.14.1/unicore/lib/Blk/Myanmar.pl
perl/lib/5.14.1/unicore/lib/Blk/OldPersi.pl
perl/lib/5.14.1/unicore/lib/Blk/CJKComp3.pl
perl/lib/5.14.1/unicore/lib/Blk/Lao.pl
perl/lib/5.14.1/unicore/lib/Blk/DominoTi.pl
perl/lib/5.14.1/unicore/lib/Blk/BoxDrawi.pl
perl/lib/5.14.1/unicore/lib/Blk/CJKComp2.pl
perl/lib/5.14.1/unicore/lib/Blk/ControlP.pl
perl/lib/5.14.1/unicore/lib/Blk/HangulCo.pl
perl/lib/5.14.1/unicore/lib/Blk/Tags.pl
perl/lib/5.14.1/unicore/lib/Blk/Miscell5.pl
perl/lib/5.14.1/unicore/lib/Blk/Variati2.pl
perl/lib/5.14.1/unicore/lib/Blk/Egyptian.pl
perl/lib/5.14.1/unicore/lib/Blk/Supplem3.pl
perl/lib/5.14.1/unicore/lib/Blk/Brahmi.pl
perl/lib/5.14.1/unicore/lib/Blk/Miscell4.pl
perl/lib/5.14.1/unicore/lib/Blk/LatinEx4.pl
perl/lib/5.14.1/unicore/lib/Blk/GeneralP.pl
perl/lib/5.14.1/unicore/lib/Blk/Currency.pl
perl/lib/5.14.1/unicore/lib/Blk/MeeteiMa.pl
perl/lib/5.14.1/unicore/lib/Blk/Telugu.pl
perl/lib/5.14.1/unicore/lib/Blk/Greek.pl
perl/lib/5.14.1/unicore/lib/Blk/Ethiopi2.pl
perl/lib/5.14.1/unicore/lib/Blk/TaiLe.pl
perl/lib/5.14.1/unicore/lib/Blk/SpacingM.pl
perl/lib/5.14.1/unicore/lib/Blk/Ethiopi3.pl
perl/lib/5.14.1/unicore/lib/Blk/Katakana.pl
perl/lib/5.14.1/unicore/lib/Blk/YiRadica.pl
perl/lib/5.14.1/unicore/lib/Blk/Cyrilli2.pl
perl/lib/5.14.1/unicore/lib/Blk/Miscell6.pl
perl/lib/5.14.1/unicore/lib/Blk/Syriac.pl
perl/lib/5.14.1/unicore/lib/Blk/Kharosht.pl
perl/lib/5.14.1/unicore/lib/Blk/HighSurr.pl
perl/lib/5.14.1/unicore/lib/Blk/CJKStrok.pl
perl/lib/5.14.1/unicore/lib/Blk/CJKUnif5.pl
perl/lib/5.14.1/unicore/lib/Blk/Gurmukhi.pl
perl/lib/5.14.1/unicore/lib/Blk/Bamum.pl
perl/lib/5.14.1/unicore/lib/Blk/Lycian.pl perl/lib/5.14.1/unicore/lib/Blk/Vai.pl
perl/lib/5.14.1/unicore/lib/Blk/Mandaic.pl
perl/lib/5.14.1/unicore/lib/Blk/Sundanese.pl
perl/lib/5.14.1/unicore/lib/Blk/Kannada.pl
perl/lib/5.14.1/unicore/lib/Blk/KhmerSym.pl
perl/lib/5.14.1/unicore/lib/Blk/Combin4.pl
perl/lib/5.14.1/unicore/lib/Blk/SyloTiNa.pl
perl/lib/5.14.1/unicore/lib/Blk/Batak.pl
perl/lib/5.14.1/unicore/lib/Blk/Oriya.pl
perl/lib/5.14.1/unicore/lib/Blk/ArabicSu.pl
perl/lib/5.14.1/unicore/lib/Blk/Tagbanwa.pl
perl/lib/5.14.1/unicore/lib/Blk/Lisu.pl
perl/lib/5.14.1/unicore/lib/Blk/Saurasht.pl
perl/lib/5.14.1/unicore/lib/Blk/Inscrip2.pl
perl/lib/5.14.1/unicore/lib/Blk/Enclosed.pl
perl/lib/5.14.1/unicore/lib/Blk/Thai.pl
perl/lib/5.14.1/unicore/lib/Blk/Supleme.pl
perl/lib/5.14.1/unicore/lib/Blk/Superscr.pl
perl/lib/5.14.1/unicore/lib/Blk/YiSyllab.pl
perl/lib/5.14.1/unicore/lib/Blk/UnifiedC.pl
perl/lib/5.14.1/unicore/lib/Blk/Ancient2.pl
perl/lib/5.14.1/unicore/lib/Blk/LinearBI.pl
perl/lib/5.14.1/unicore/lib/Blk/Tagalog.pl
perl/lib/5.14.1/unicore/lib/Blk/Combinin.pl
perl/lib/5.14.1/unicore/lib/Blk/vertical.pl
perl/lib/5.14.1/unicore/lib/Blk/MahjongT.pl

installActions2013-06-29_12-50-04AM.log

perl/lib/5.14.1/unicore/lib/Blk/Georgian.pl
perl/lib/5.14.1/unicore/lib/Blk/PhagsPa.pl
perl/lib/5.14.1/unicore/lib/Blk/Cherokee.pl
perl/lib/5.14.1/unicore/lib/Blk/Phonetic.pl
perl/lib/5.14.1/unicore/lib/Blk/PlayingC.pl
perl/lib/5.14.1/unicore/lib/Blk/CJKUnifi.pl
perl/lib/5.14.1/unicore/lib/Blk/HangulJ2.pl
perl/lib/5.14.1/unicore/lib/Blk/Ethiopic.pl
perl/lib/5.14.1/unicore/lib/Blk/CJKCompa.pl
perl/lib/5.14.1/unicore/lib/Blk/SmallFor.pl
perl/lib/5.14.1/unicore/lib/Blk/Combini2.pl
perl/lib/5.14.1/unicore/lib/Blk/CommonIn.pl
perl/lib/5.14.1/unicore/lib/Blk/CJKSymbo.pl
perl/lib/5.14.1/unicore/lib/Blk/ArabicP2.pl
perl/lib/5.14.1/unicore/lib/Blk/OldItali.pl
perl/lib/5.14.1/unicore/lib/Blk/Georgia2.pl
perl/lib/5.14.1/unicore/lib/Blk/Deseret.pl
perl/lib/5.14.1/unicore/lib/Blk/NumberFo.pl
perl/lib/5.14.1/unicore/lib/Blk/Cuneifo2.pl
perl/lib/5.14.1/unicore/lib/Blk/LatinEx3.pl
perl/lib/5.14.1/unicore/lib/Blk/Byzantin.pl
perl/lib/5.14.1/unicore/lib/Blk/Bengali.pl
perl/lib/5.14.1/unicore/lib/Blk/Miscell13.pl
perl/lib/5.14.1/unicore/lib/Blk/Shavian.pl
perl/lib/5.14.1/unicore/lib/Blk/khmer.pl
perl/lib/5.14.1/unicore/lib/Blk/Supplem6.pl
perl/lib/5.14.1/unicore/lib/Blk/Transpor.pl
perl/lib/5.14.1/unicore/lib/Blk/CJKUnif4.pl
perl/lib/5.14.1/unicore/lib/Blk/Buhid.pl
perl/lib/5.14.1/unicore/lib/Blk/LatinEx2.pl
perl/lib/5.14.1/unicore/lib/Blk/Emoticon.pl
perl/lib/5.14.1/unicore/lib/Blk/Hiragana.pl
INFO: chmod 0700 perl/lib/5.14.1/unicore/lib/Blk/TaiViet.pl
perl/lib/5.14.1/unicore/lib/Blk/Buginese.pl
perl/lib/5.14.1/unicore/lib/Blk/Glagolit.pl
perl/lib/5.14.1/unicore/lib/Blk/OlChiki.pl
perl/lib/5.14.1/unicore/lib/Blk/Devanaga.pl
perl/lib/5.14.1/unicore/lib/Blk/BamumSup.pl
perl/lib/5.14.1/unicore/lib/Blk/Coptic.pl
perl/lib/5.14.1/unicore/lib/Blk/MyanmarE.pl
perl/lib/5.14.1/unicore/lib/Blk/Carian.pl
perl/lib/5.14.1/unicore/lib/Blk/Lepcha.pl
perl/lib/5.14.1/unicore/lib/Blk/TaiXuanJ.pl
perl/lib/5.14.1/unicore/lib/Blk/CJKRadix.pl
perl/lib/5.14.1/unicore/lib/Blk/Cyrilli3.pl
perl/lib/5.14.1/unicore/lib/Blk/TaiTham.pl
perl/lib/5.14.1/unicore/lib/Blk/LinearBS.pl
perl/lib/5.14.1/unicore/lib/Blk/AegeanNu.pl
perl/lib/5.14.1/unicore/lib/Blk/NKO.pl
perl/lib/5.14.1/unicore/lib/Blk/Armenian.pl
perl/lib/5.14.1/unicore/lib/Blk/Mathema2.pl
perl/lib/5.14.1/unicore/lib/Blk/Musicals.pl
perl/lib/5.14.1/unicore/lib/Blk/Combini3.pl
perl/lib/5.14.1/unicore/lib/Blk/Alchemic.pl
perl/lib/5.14.1/unicore/lib/Blk/Miscell12.pl
perl/lib/5.14.1/unicore/lib/Blk/Osmanya.pl
perl/lib/5.14.1/unicore/lib/Blk/katakan2.pl
perl/lib/5.14.1/unicore/lib/Blk/OldSouth.pl
perl/lib/5.14.1/unicore/lib/Blk/Lyidian.pl
perl/lib/5.14.1/unicore/lib/Blk/VedicExt.pl
perl/lib/5.14.1/unicore/lib/Blk/Samarita.pl
perl/lib/5.14.1/unicore/lib/Blk/Ideograp.pl
perl/lib/5.14.1/unicore/lib/Blk/Geometri.pl
perl/lib/5.14.1/unicore/lib/Blk/Cypriots.pl
perl/lib/5.14.1/unicore/lib/Blk/IPAExten.pl
perl/lib/5.14.1/unicore/lib/Blk/Thaana.pl
perl/lib/5.14.1/unicore/lib/Blk/Latin1.pl
perl/lib/5.14.1/unicore/lib/Blk/Halfwidt.pl

installActions2013-06-29_12-50-04AM.log

perl/lib/5.14.1/unicore/lib/Blk/ArabicPr.pl
perl/lib/5.14.1/unicore/lib/Blk/Supplem4.pl
perl/lib/5.14.1/unicore/lib/Blk/Phoenici.pl
perl/lib/5.14.1/unicore/lib/Blk/Runic.pl
perl/lib/5.14.1/unicore/lib/Blk/Phoneti2.pl
perl/lib/5.14.1/unicore/lib/Blk/OldTurki.pl
perl/lib/5.14.1/unicore/lib/Blk/Phaistos.pl
perl/lib/5.14.1/unicore/lib/CompEx/Y.pl perl/lib/5.14.1/unicore/lib/CompEx/N.pl
perl/lib/5.14.1/unicore/lib/CWT/Y.pl perl/lib/5.14.1/unicore/lib/CWT/N.pl
perl/lib/5.14.1/unicore/lib/Ea/N.pl perl/lib/5.14.1/unicore/lib/Ea/A.pl
perl/lib/5.14.1/unicore/lib/Ea/H.pl perl/lib/5.14.1/unicore/lib/Ea/F.pl
perl/lib/5.14.1/unicore/lib/Ea/Na.pl perl/lib/5.14.1/unicore/lib/Ea/W.pl
perl/lib/5.14.1/unicore/lib/GrBase/Y.pl perl/lib/5.14.1/unicore/lib/GrBase/N.pl
perl/lib/5.14.1/unicore/lib/OGrExt/Y.pl perl/lib/5.14.1/unicore/lib/OGrExt/N.pl
perl/lib/5.14.1/unicore/lib/DI/Y.pl perl/lib/5.14.1/unicore/lib/DI/N.pl
perl/lib/5.14.1/unicore/lib/IDC/Y.pl perl/lib/5.14.1/unicore/lib/IDC/N.pl
perl/lib/5.14.1/unicore/lib/IDS/Y.pl perl/lib/5.14.1/unicore/lib/IDS/N.pl
perl/lib/5.14.1/unicore/lib/JoinC/Y.pl perl/lib/5.14.1/unicore/lib/JoinC/N.pl
perl/lib/5.14.1/unicore/lib/CWU/Y.pl perl/lib/5.14.1/unicore/lib/CWU/N.pl
perl/lib/5.14.1/unicore/lib/OIDC/Y.pl perl/lib/5.14.1/unicore/lib/OIDC/N.pl
perl/lib/5.14.1/unicore/lib/OAlpha/Y.pl perl/lib/5.14.1/unicore/lib/OAlpha/N.pl
perl/lib/5.14.1/unicore/lib/Math/Y.pl perl/lib/5.14.1/unicore/lib/Math/N.pl
perl/lib/5.14.1/unicore/lib/VS/Y.pl perl/lib/5.14.1/unicore/lib/VS/N.pl
perl/lib/5.14.1/unicore/lib/BidiM/Y.pl perl/lib/5.14.1/unicore/lib/BidiM/N.pl
perl/lib/5.14.1/unicore/lib/PatSyn/Y.pl perl/lib/5.14.1/unicore/lib/PatSyn/N.pl
perl/lib/5.14.1/unicore/lib/XIDC/Y.pl perl/lib/5.14.1/unicore/lib/XIDC/N.pl
perl/lib/5.14.1/unicore/lib/Hex/Y.pl perl/lib/5.14.1/unicore/lib/Hex/N.pl
perl/lib/5.14.1/unicore/lib/Hyphen/Y.pl perl/lib/5.14.1/unicore/lib/Hyphen/N.pl
perl/lib/5.14.1/unicore/lib/Nt/Di.pl perl/lib/5.14.1/unicore/lib/Nt/De.pl
perl/lib/5.14.1/unicore/lib/Nt/Nu.pl perl/lib/5.14.1/unicore/lib/BidiC/Y.pl
perl/lib/5.14.1/unicore/lib/BidiC/N.pl
perl/lib/5.14.1/unicore/lib/Perl/PosixBla.pl
perl/lib/5.14.1/unicore/lib/Perl/PosixDig.pl
perl/lib/5.14.1/unicore/lib/Perl/XPosixPu.pl
perl/lib/5.14.1/unicore/lib/Perl/SpacePer.pl
perl/lib/5.14.1/unicore/lib/Perl/PosixAln.pl
perl/lib/5.14.1/unicore/lib/Perl/Title.pl
perl/lib/5.14.1/unicore/lib/Perl/VertSpac.pl
perl/lib/5.14.1/unicore/lib/Perl/_XLVLVTV.pl
perl/lib/5.14.1/unicore/lib/Perl/PosixLow.pl
perl/lib/5.14.1/unicore/lib/Perl/PosixCnt.pl
perl/lib/5.14.1/unicore/lib/Perl/_XBegin.pl
perl/lib/5.14.1/unicore/lib/Perl/PerlWord.pl
perl/lib/5.14.1/unicore/lib/Perl/word.pl
perl/lib/5.14.1/unicore/lib/Perl/Graph.pl
perl/lib/5.14.1/unicore/lib/Perl/PosixSpa.pl
perl/lib/5.14.1/unicore/lib/Perl/Print.pl
perl/lib/5.14.1/unicore/lib/Perl/PosixAlp.pl
perl/lib/5.14.1/unicore/lib/Perl/Assigned.pl
perl/lib/5.14.1/unicore/lib/Perl/PerlSpac.pl
perl/lib/5.14.1/unicore/lib/Perl/Blank.pl
perl/lib/5.14.1/unicore/lib/Perl/Any.pl
perl/lib/5.14.1/unicore/lib/Perl/_XExtend.pl
perl/lib/5.14.1/unicore/lib/Perl/Alnum.pl
perl/lib/5.14.1/unicore/lib/Perl/PosixGra.pl
perl/lib/5.14.1/unicore/lib/Perl/PosixUpp.pl
perl/lib/5.14.1/unicore/lib/Perl/PosixPri.pl
perl/lib/5.14.1/unicore/lib/Perl/PosixPun.pl
perl/lib/5.14.1/unicore/lib/CWCM/Y.pl perl/lib/5.14.1/unicore/lib/CWCM/N.pl
perl/lib/5.14.1/unicore/lib/LOE/N.pl perl/lib/5.14.1/unicore/lib/AHex/Y.pl
perl/lib/5.14.1/unicore/lib/AHex/N.pl perl/lib/5.14.1/unicore/lib/NFCQC/Y.pl
perl/lib/5.14.1/unicore/lib/GCB/L.pl perl/lib/5.14.1/unicore/lib/GCB/EX.pl
perl/lib/5.14.1/unicore/lib/GCB/CN.pl perl/lib/5.14.1/unicore/lib/GCB/SM.pl
perl/lib/5.14.1/unicore/lib/GCB/LF.pl perl/lib/5.14.1/unicore/lib/GCB/CR.pl
perl/lib/5.14.1/unicore/lib/GCB/LVT.pl perl/lib/5.14.1/unicore/lib/GCB/LV.pl
perl/lib/5.14.1/unicore/lib/GCB/XX.pl perl/lib/5.14.1/unicore/lib/GCB/T.pl
perl/lib/5.14.1/unicore/lib/GCB/V.pl perl/lib/5.14.1/unicore/lib/GCB/PP.pl
perl/lib/5.14.1/unicore/lib/Dep/Y.pl perl/lib/5.14.1/unicore/lib/Dep/N.pl

installActions2013-06-29_12-50-04AM.log

perl/lib/5.14.1/unicore/lib/Lb/EX.pl perl/lib/5.14.1/unicore/lib/Lb/IS.pl
 perl/lib/5.14.1/unicore/lib/Lb/BK.pl perl/lib/5.14.1/unicore/lib/Lb/CP.pl
 perl/lib/5.14.1/unicore/lib/Lb/QU.pl perl/lib/5.14.1/unicore/lib/Lb/IN.pl
 perl/lib/5.14.1/unicore/lib/Lb/ID.pl perl/lib/5.14.1/unicore/lib/Lb/GL.pl
 perl/lib/5.14.1/unicore/lib/Lb/BA.pl perl/lib/5.14.1/unicore/lib/Lb/SY.pl
 perl/lib/5.14.1/unicore/lib/Lb/OP.pl perl/lib/5.14.1/unicore/lib/Lb/PR.pl
 perl/lib/5.14.1/unicore/lib/Lb/NL.pl perl/lib/5.14.1/unicore/lib/Lb/B2.pl
 perl/lib/5.14.1/unicore/lib/Lb/CM.pl perl/lib/5.14.1/unicore/lib/Lb/NU.pl
 perl/lib/5.14.1/unicore/lib/Lb/SA.pl perl/lib/5.14.1/unicore/lib/Lb/ZW.pl
 perl/lib/5.14.1/unicore/lib/Lb/CL.pl perl/lib/5.14.1/unicore/lib/Lb/WJ.pl
 perl/lib/5.14.1/unicore/lib/Lb/SP.pl perl/lib/5.14.1/unicore/lib/Lb/AI.pl
 perl/lib/5.14.1/unicore/lib/Lb/HY.pl perl/lib/5.14.1/unicore/lib/Lb/PO.pl
 perl/lib/5.14.1/unicore/lib/Lb/BB.pl perl/lib/5.14.1/unicore/lib/Lb/XX.pl
 perl/lib/5.14.1/unicore/lib/Lb/AL.pl perl/lib/5.14.1/unicore/lib/Lb/SG.pl
 perl/lib/5.14.1/unicore/lib/Lb/NS.pl perl/lib/5.14.1/unicore/lib/Lb/CB.pl
 perl/lib/5.14.1/unicore/lib/Radical/Y.pl
 perl/lib/5.14.1/unicore/lib/Radical/N.pl perl/lib/5.14.1/unicore/lib/Age/4_1.pl
 perl/lib/5.14.1/unicore/lib/Age/5_1.pl perl/lib/5.14.1/unicore/lib/Age/2_0.pl
 perl/lib/5.14.1/unicore/lib/Age/4_0.pl perl/lib/5.14.1/unicore/lib/Age/1_1.pl
 perl/lib/5.14.1/unicore/lib/Age/5_2.pl perl/lib/5.14.1/unicore/lib/Age/3_0.pl
 perl/lib/5.14.1/unicore/lib/Age/3_2.pl perl/lib/5.14.1/unicore/lib/Age/5_0.pl
 perl/lib/5.14.1/unicore/lib/Age/2_1.pl perl/lib/5.14.1/unicore/lib/Age/3_1.pl
 perl/lib/5.14.1/unicore/lib/Age/Unassign.pl
 perl/lib/5.14.1/unicore/lib/Age/6_0.pl perl/lib/5.14.1/unicore/lib/Gc/zs.pl
 perl/lib/5.14.1/unicore/lib/Gc/L.pl perl/lib/5.14.1/unicore/lib/Gc/So.pl
 perl/lib/5.14.1/unicore/lib/Gc/C.pl perl/lib/5.14.1/unicore/lib/Gc/Sc.pl
 perl/lib/5.14.1/unicore/lib/Gc/N.pl perl/lib/5.14.1/unicore/lib/Gc/Sk.pl
 perl/lib/5.14.1/unicore/lib/Gc/Mc.pl perl/lib/5.14.1/unicore/lib/Gc/Mn.pl
 perl/lib/5.14.1/unicore/lib/Gc/S.pl perl/lib/5.14.1/unicore/lib/Gc/Co.pl
 perl/lib/5.14.1/unicore/lib/Gc/Nl.pl perl/lib/5.14.1/unicore/lib/Gc/Ll.pl
 perl/lib/5.14.1/unicore/lib/Gc/Zp.pl perl/lib/5.14.1/unicore/lib/Gc/Lu.pl
 perl/lib/5.14.1/unicore/lib/Gc/Z.pl perl/lib/5.14.1/unicore/lib/Gc/P.pl
 perl/lib/5.14.1/unicore/lib/Gc/Pi.pl perl/lib/5.14.1/unicore/lib/Gc/Me.pl
 perl/lib/5.14.1/unicore/lib/Gc/Cs.pl perl/lib/5.14.1/unicore/lib/Gc/Cn.pl
 perl/lib/5.14.1/unicore/lib/Gc/Lm.pl perl/lib/5.14.1/unicore/lib/Gc/Cc.pl
 perl/lib/5.14.1/unicore/lib/Gc/Pe.pl perl/lib/5.14.1/unicore/lib/Gc/No.pl
 perl/lib/5.14.1/unicore/lib/Gc/Pd.pl perl/lib/5.14.1/unicore/lib/Gc/Lc.pl
 perl/lib/5.14.1/unicore/lib/Gc/Cf.pl perl/lib/5.14.1/unicore/lib/Gc/Sm.pl
 perl/lib/5.14.1/unicore/lib/Gc/M.pl perl/lib/5.14.1/unicore/lib/Gc/Pf.pl
 perl/lib/5.14.1/unicore/lib/Gc/Zl.pl perl/lib/5.14.1/unicore/lib/Gc/Lo.pl
 perl/lib/5.14.1/unicore/lib/Gc/Po.pl perl/lib/5.14.1/unicore/lib/Gc/Ps.pl
 perl/lib/5.14.1/unicore/lib/Ext/Y.pl perl/lib/5.14.1/unicore/lib/Ext/N.pl
 perl/lib/5.14.1/unicore/lib/XIDS/Y.pl perl/lib/5.14.1/unicore/lib/XIDS/N.pl
 perl/lib/5.14.1/JSON/PP.pm perl/lib/5.14.1/JSON/PP/Boolean.pm
 perl/lib/5.14.1/x86_64-linux-thread-multi/DB_File.pm
 perl/lib/5.14.1/x86_64-linux-thread-multi/re.pm
 perl/lib/5.14.1/x86_64-linux-thread-multi/Encode.pm
 perl/lib/5.14.1/x86_64-linux-thread-multi/ops.pm
 perl/lib/5.14.1/x86_64-linux-thread-multi/B.pm
 perl/lib/5.14.1/x86_64-linux-thread-multi/NDBM_File.pm
 perl/lib/5.14.1/x86_64-linux-thread-multi/POSIX.pm
 perl/lib/5.14.1/x86_64-linux-thread-multi/Opcodes.pm
 perl/lib/5.14.1/x86_64-linux-thread-multi/IO.pm
 perl/lib/5.14.1/x86_64-linux-thread-multi/attributes.pm
 perl/lib/5.14.1/x86_64-linux-thread-multi/encoding.pm
 perl/lib/5.14.1/x86_64-linux-thread-multi/Errno.pm
 perl/lib/5.14.1/x86_64-linux-thread-multi/DynaLoader.pm
 perl/lib/5.14.1/x86_64-linux-thread-multi/Config.pm
 perl/lib/5.14.1/x86_64-linux-thread-multi/Config.pod
 perl/lib/5.14.1/x86_64-linux-thread-multi/Config_heavy.pl
 perl/lib/5.14.1/x86_64-linux-thread-multi/Storable.pm
 perl/lib/5.14.1/x86_64-linux-thread-multi/SDBM_File.pm
 perl/lib/5.14.1/x86_64-linux-thread-multi/O.pm
 perl/lib/5.14.1/x86_64-linux-thread-multi/threads.pm
 perl/lib/5.14.1/x86_64-linux-thread-multi/Fcntl.pm
 perl/lib/5.14.1/x86_64-linux-thread-multi/mro.pm
 perl/lib/5.14.1/x86_64-linux-thread-multi/lib.pm
 perl/lib/5.14.1/x86_64-linux-thread-multi/Socket.pm

installActions2013-06-29_12-50-04AM.log

perl/lib/5.14.1/x86_64-linux-thread-multi/GDBM_File.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Cwd.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Config_git.pl
perl/lib/5.14.1/x86_64-linux-thread-multi/POSIX.pod
perl/lib/5.14.1/x86_64-linux-thread-multi/perllocal.pod
perl/lib/5.14.1/x86_64-linux-thread-multi/Unicode/Normalize.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Unicode/Collate.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Unicode/Collate/Locale.pm
INFO: chmod 0700 perl/lib/5.14.1/x86_64-linux-thread-multi/List/Util.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/List/Util/XS.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/List/Util/PP.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Encode/GSM0338.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Encode/JP.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Encode/KR.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Encode/TW.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Encode/Guess.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Encode/Alias.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Encode/Config.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Encode/EBCDIC.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Encode/CN.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Encode/Unicode.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Encode/Encoding.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Encode/Byte.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Encode/Encoder.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Encode/Symbol.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Encode/CJKConstants.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Encode/Unicode/UTF7.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Encode/MIME/Header.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Encode/MIME/Name.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Encode/MIME/Header/ISO_2022_JP.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Encode/JP/H2Z.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Encode/JP/JIS7.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Encode/CN/HZ.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Encode/KR/2022_KR.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/B/Terse.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/B/Xref.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/B/Concise.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/B/Showlex.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Digest/MD5.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Digest/SHA.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Sys/Syslog.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Sys/Hostname.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/MIME/QuotedPrint.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/MIME/Base64.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Filter/Util/Call.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/IPC/SysV.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/IPC/SharedMem.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/IPC/Semaphore.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/IPC/Msg.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Hash/Util.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Hash/Util/FieldHash.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Text/Soundex.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/PerlIO/via.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/PerlIO/encoding.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/PerlIO/scalar.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Time/HiRes.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Time/Seconds.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Time/Piece.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/IO/Select.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/IO/Pipe.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/IO/Dir.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/IO/File.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/IO/Seekable.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/IO/Socket.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/IO/Handle.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/IO/Poll.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/IO/Socket/UNIX.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/IO/Socket/INET.pm

installActions2013-06-29_12-50-04AM.log

perl/lib/5.14.1/x86_64-linux-thread-multi/auto/attributes/attributes.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/attributes/attributes.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Unicode/Collate/Collate.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Unicode/Collate/Collate.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Unicode/Normalize/Normalize.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Unicode/Normalize/Normalize.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Storable/Storable.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Storable/Storable.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/List/Util/Util.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/List/Util/Util.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Encode/Encode.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Encode/Encode.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Encode/Unicode/Unicode.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Encode/Unicode/Unicode.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Encode/EBCDIC/EBCDIC.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Encode/EBCDIC/EBCDIC.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Encode/Byte/Byte.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Encode/Byte/Byte.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Encode/TW/TW.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Encode/TW/TW.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Encode/Symbol/Symbol.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Encode/Symbol/Symbol.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Encode/JP/JP.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Encode/JP/JP.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Encode/CN/CN.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Encode/CN/CN.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Encode/KR/KR.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Encode/KR/KR.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/B/B.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/B/B.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Digest/SHA/SHA.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Digest/SHA/SHA.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Digest/MD5/MD5.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Digest/MD5/MD5.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Sys/Hostname/Hostname.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Sys/Hostname/Hostname.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Sys/Syslog/Syslog.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Sys/Syslog/Syslog.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/mro/mro.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/mro/mro.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/MIME/Base64/Base64.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/MIME/Base64/Base64.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/re/re.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/re/re.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Filter/Util/Call/Call.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Filter/Util/Call/Call.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/IPC/SysV/SysV.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/IPC/SysV/SysV.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Hash/Util/Util.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Hash/Util/Util.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Hash/Util/FieldHash/FieldHash.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Hash/Util/FieldHash/FieldHash.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Text/Soundex/Soundex.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Text/Soundex/Soundex.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Opcode/Opcode.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Opcode/Opcode.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/PerlIO/encoding/encoding.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/PerlIO/encoding/encoding.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/PerlIO/scalar/scalar.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/PerlIO/scalar/scalar.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/PerlIO/via/via.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/PerlIO/via/via.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Fcntl/Fcntl.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Fcntl/Fcntl.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Time/HiRes/HiRes.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Time/HiRes/HiRes.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Time/Piece/Piece.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Time/Piece/Piece.bs

installActions2013-06-29_12-50-04AM.log

perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/setbuf.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/ldiv.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/autosplit.ix
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/localtime.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/rand.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/fork.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/creat.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/strlen.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/log.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/getc.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/atan2.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/fdopen.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/pow.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/atoi.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/fstat.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/getlogin.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/getenv.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/bsearch.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/toupper.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/strtok.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/offsetof.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/execvp.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/atol.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/getchar.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/fcntl.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/setjmp.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/link.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/isatty.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/rmdir.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/memmove.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/sigsetjmp.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/strcmp.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/puts.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/opendir.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/fprintf.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/execv.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/vfprintf.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/exit.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/calloc.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/ungetc.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/execvp.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/putchar.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/system.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/getpid.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/perror.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/fgetc.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/wait.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/srand.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/mkdir.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/getgid.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/getgrgid.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/geteuid.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/sprintf.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/getpwnam.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/strstr.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/setvbuf.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/strchr.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/strncmp.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/exp.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/free.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/strpbrk.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/umask.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/putc.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/freopen.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/remove.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/getppid.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/fseek.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/assert.a

installActions2013-06-29_12-50-04AM.log

```
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/POSIX.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/siglongjmp.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/cos.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/atoi.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/tolower.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/atexit.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/errno.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/redef.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/sqrt.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/getgrnam.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/stat.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/raise.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/fopen.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/getpos.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/fabs.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/chdir.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/vsprintf.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/getegid.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/tmpfile.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/ferror.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/sscanf.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/strerror.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/getgroups.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/div.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/waitpid.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/memcmp.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/scanf.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/realloc.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/POSIX.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/load_imports.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/longjmp.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/getpgrp.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/feof.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/abs.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/usage.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/printf.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/closedir.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/rewind.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/labs.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/memcpy.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/sin.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/kill.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/fsync.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/gmtime.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/strncat.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/ftell.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/exec1.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/strcat.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/readdir.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/getpwuid.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/unlink.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/strncpy.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/strchr.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/rename.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/gets.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/clearerr.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/fwrite.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/fputs.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/fread.al
INFO: chmod 0700 perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/execl.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/malloc.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/fileno.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/time.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/memchr.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/chown.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/strcpy.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/chmod.al
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/fsetpos.al
```


installActions2013-06-29_12-50-04AM.log

perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/strspn.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/vprintf.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/vsort.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/unimpl.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/fflush.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/utime.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/strcspn.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/execve.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/getuid.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/memset.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/fgets.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/fscanf.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/sleep.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/fputc.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/fclose.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/rewinddir.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/alarm.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/SigAction/new.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/SigAction/flags.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/SigAction/safe.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/SigAction/handler.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/SigAction/mask.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/SigRt/_check.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/SigRt/_getsig.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/SigRt/new.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/SigRt/FETCH.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/SigRt/SCALAR.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/SigRt/CLEAR.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/SigRt/STORE.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/SigRt/_init.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/SigRt/_croak.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/SigRt/EXISTS.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/SigRt/_exist.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/POSIX/SigRt/DELETE.a
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/IO/IO.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/IO/IO.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/SDBM_File/SDBM_File.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/SDBM_File/SDBM_File.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Cwd/Cwd.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Cwd/Cwd.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/NDBM_File/NDBM_File.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/NDBM_File/NDBM_File.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/File/Glob/Glob.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/File/Glob/Glob.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Math/BigInt/FastCalc/FastCalc.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Math/BigInt/FastCalc/FastCalc.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Data/Dumper/Dumper.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Data/Dumper/Dumper.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/DB_File/autosplit.ix
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/DB_File/DB_File.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/DB_File/DB_File.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/threads/threads.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/threads/threads.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/threads/shared/shared.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/threads/shared/shared.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Tie/Hash/NamedCapture/NamedCapture.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Tie/Hash/NamedCapture/NamedCapture.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/I18N/Langinfo/Langinfo.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/I18N/Langinfo/Langinfo.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/GDBM_File/GDBM_File.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/GDBM_File/GDBM_File.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/sdbm/extralibs.ld
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Compress/Raw/Zlib/autosplit.ix
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Compress/Raw/Zlib/Zlib.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Compress/Raw/Zlib/Zlib.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Compress/Raw/Bzip2/autosplit.ix
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Compress/Raw/Bzip2/Bzip2.bs

installActions2013-06-29_12-50-04AM.log

perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Compress/Raw/Bzip2/Bzip2.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Socket/Socket.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Socket/Socket.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Devel/PPPort/PPPort.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Devel/PPPort/PPPort.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Devel/Peek/Peek.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Devel/Peek/Peek.so
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Devel/DProf/DProf.bs
perl/lib/5.14.1/x86_64-linux-thread-multi/auto/Devel/DProf/DProf.so
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/bitcount.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/regnodes.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/unixish.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/intrpvar.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/perl.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/op_reg_common.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/keywords.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/time64_config.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/nostdio.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/cop.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/malloc_ctl.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/regcharclass.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/fakethr.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/config.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/EXTERN.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/util.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/gv.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/pp_proto.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/op.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/iperlsys.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/perlio.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/perlvars.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/l1_char_class_tab.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/patchlevel.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/embedvar.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/dosish.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/fakesdio.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/overload.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/perlsvio.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/metaconfig.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/uconfig.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/sv.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/av.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/perly.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/reentr.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/libperl.a
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/warnings.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/pad.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/perlapi.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/handy.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/proto.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/mydtrace.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/opnames.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/thread.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/XSUB.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/time64.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/hv.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/perlsvio.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/embed.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/regexp.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/mg.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/form.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/utf8.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/opcode.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/utf8bcdic.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/parser.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/cv.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/pp.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/perliol.h

installActions2013-06-29_12-50-04AM.log

perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/git_version.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/INTERN.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/scope.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/uudmap.h
perl/lib/5.14.1/x86_64-linux-thread-multi/CORE/regcomp.h
perl/lib/5.14.1/x86_64-linux-thread-multi/File/Glob.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/File/Spec.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/File/Spec/Functions.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/File/Spec/VMS.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/File/Spec/Unix.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/File/Spec/win32.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/File/Spec/Epoc.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/File/Spec/Cygwin.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/File/Spec/OS2.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/File/Spec/Mac.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Math/BigInt/FastCalc.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Data/Dumper.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/threads/shared.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Tie/Hash/NamedCapture.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/I18N/Langinfo.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Compress/Raw/Bzip2.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Compress/Raw/Zlib.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Scalar/Util.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Scalar/Util/PP.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Devel/Peek.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Devel/DProf.pm
perl/lib/5.14.1/x86_64-linux-thread-multi/Devel/PPPport.pm
perl/lib/5.14.1/DBM_Filter/int32.pm perl/lib/5.14.1/DBM_Filter/utf8.pm
perl/lib/5.14.1/DBM_Filter/compress.pm perl/lib/5.14.1/DBM_Filter/encode.pm
perl/lib/5.14.1/DBM_Filter/null.pm perl/lib/5.14.1/version/Requirements.pm
perl/lib/5.14.1/pod/perl5135delta.pod perl/lib/5.14.1/pod/perlaix.pod
perl/lib/5.14.1/pod/perl5122delta.pod perl/lib/5.14.1/pod/perlbs2000.pod
perl/lib/5.14.1/pod/perlbook.pod perl/lib/5.14.1/pod/perluniintro.pod
perl/lib/5.14.1/pod/perlmodstyle.pod perl/lib/5.14.1/pod/perl594delta.pod
perl/lib/5.14.1/pod/perlmacos.pod perl/lib/5.14.1/pod/perl51311delta.pod
perl/lib/5.14.1/pod/perlirix.pod perl/lib/5.14.1/pod/perlfaq2.pod
perl/lib/5.14.1/pod/perl5004delta.pod perl/lib/5.14.1/pod/perl570delta.pod
perl/lib/5.14.1/pod/perl5400.pod perl/lib/5.14.1/pod/perl581delta.pod
perl/lib/5.14.1/pod/perllinux.pod perl/lib/5.14.1/pod/perlcn.pod
perl/lib/5.14.1/pod/perl595delta.pod perl/lib/5.14.1/pod/perlamiga.pod
perl/lib/5.14.1/pod/perl5123delta.pod perl/lib/5.14.1/pod/perl5doc.pod
perl/lib/5.14.1/pod/perl.pod perl/lib/5.14.1/pod/perl5tie.pod
perl/lib/5.14.1/pod/perlfaq3.pod perl/lib/5.14.1/pod/perl5dbmfilter.pod
perl/lib/5.14.1/pod/perl5openbsd.pod perl/lib/5.14.1/pod/perl5vms.pod
perl/lib/5.14.1/pod/perl5thrtut.pod perl/lib/5.14.1/pod/perl5syn.pod
perl/lib/5.14.1/pod/perl56delta.pod perl/lib/5.14.1/pod/perl5pod.pod
perl/lib/5.14.1/pod/perl582delta.pod perl/lib/5.14.1/pod/perl5cygwin.pod
perl/lib/5.14.1/pod/perl5sec.pod perl/lib/5.14.1/pod/perl5115delta.pod
perl/lib/5.14.1/pod/perl591delta.pod perl/lib/5.14.1/pod/perl5reref.pod
perl/lib/5.14.1/pod/perl5win32.pod perl/lib/5.14.1/pod/perl5policy.pod
perl/lib/5.14.1/pod/perl5frebsd.pod perl/lib/5.14.1/pod/perl573delta.pod
perl/lib/5.14.1/pod/perl5dgux.pod perl/lib/5.14.1/pod/perl5os2.pod
perl/lib/5.14.1/pod/perl51310delta.pod perl/lib/5.14.1/pod/perl5120delta.pod
perl/lib/5.14.1/pod/perl5mroapi.pod perl/lib/5.14.1/pod/perl5faq.pod
perl/lib/5.14.1/pod/perl590delta.pod perl/lib/5.14.1/pod/perl588delta.pod
perl/lib/5.14.1/pod/perl5a2p.pod perl/lib/5.14.1/pod/perl5luts.pod
perl/lib/5.14.1/pod/perl5111delta.pod perl/lib/5.14.1/pod/perl5solaris.pod
perl/lib/5.14.1/pod/perl5faq4.pod perl/lib/5.14.1/pod/perl5func.pod
perl/lib/5.14.1/pod/perl5ref.pod perl/lib/5.14.1/pod/perl5134delta.pod
perl/lib/5.14.1/pod/perl5faq6.pod perl/lib/5.14.1/pod/perl5reftut.pod
perl/lib/5.14.1/pod/perl5rebackslash.pod perl/lib/5.14.1/pod/perl5136delta.pod
perl/lib/5.14.1/pod/perl5newmod.pod perl/lib/5.14.1/pod/perl5137delta.pod
perl/lib/5.14.1/pod/perl5hacktips.pod perl/lib/5.14.1/pod/perl5005delta.pod
perl/lib/5.14.1/pod/perl5101delta.pod perl/lib/5.14.1/pod/perl571delta.pod
perl/lib/5.14.1/pod/perl5call.pod perl/lib/5.14.1/pod/perl5podstyle.pod
perl/lib/5.14.1/pod/perl5symbian.pod perl/lib/5.14.1/pod/perl5epoc.pod
perl/lib/5.14.1/pod/perl5haiku.pod perl/lib/5.14.1/pod/perl5packtut.pod
perl/lib/5.14.1/pod/perl5bot.pod perl/lib/5.14.1/pod/perl5intro.pod

installActions2013-06-29_12-50-04AM.log

perl/lib/5.14.1/Locale/Constants.pod perl/lib/5.14.1/Locale/Maketext/Guts.pm
perl/lib/5.14.1/Locale/Maketext/Cookbook.pod
perl/lib/5.14.1/Locale/Maketext/TPJ13.pod
perl/lib/5.14.1/Locale/Maketext/GutsLoader.pm
perl/lib/5.14.1/Locale/Maketext/Simple.pm
perl/lib/5.14.1/Locale/Codes/Language.pm
perl/lib/5.14.1/Locale/Codes/Changes.pod perl/lib/5.14.1/Locale/Codes/Country.pm
perl/lib/5.14.1/Locale/Codes/Currency.pm perl/lib/5.14.1/Locale/Codes/Script.pm
perl/lib/5.14.1/Text/Parsewords.pm perl/lib/5.14.1/Text/Abbrev.pm
perl/lib/5.14.1/Text/wrap.pm perl/lib/5.14.1/Text/Balanced.pm
perl/lib/5.14.1/Text/Tabs.pm perl/lib/5.14.1/Pod/Functions.pm
perl/lib/5.14.1/Pod/Perldoc.pm perl/lib/5.14.1/Pod/Select.pm
perl/lib/5.14.1/Pod/Simple.pod perl/lib/5.14.1/Pod/ParseUtils.pm
perl/lib/5.14.1/Pod/InputObjects.pm perl/lib/5.14.1/Pod/LaTeX.pm
perl/lib/5.14.1/Pod/Text.pm perl/lib/5.14.1/Pod/Escapes.pm
perl/lib/5.14.1/Pod/Usage.pm perl/lib/5.14.1/Pod/Html.pm
perl/lib/5.14.1/Pod/ParseLink.pm perl/lib/5.14.1/Pod/Parser.pm
perl/lib/5.14.1/Pod/Man.pm perl/lib/5.14.1/Pod/Checker.pm
perl/lib/5.14.1/Pod/Find.pm perl/lib/5.14.1/Pod/PlainText.pm
perl/lib/5.14.1/Pod/Simple.pm perl/lib/5.14.1/Pod/Perldoc/ToRtf.pm
perl/lib/5.14.1/Pod/Perldoc/ToMan.pm perl/lib/5.14.1/Pod/Perldoc/ToNroff.pm
perl/lib/5.14.1/Pod/Perldoc/ToTk.pm perl/lib/5.14.1/Pod/Perldoc/ToXml.pm
perl/lib/5.14.1/Pod/Perldoc/ToChecker.pm perl/lib/5.14.1/Pod/Perldoc/BaseTo.pm
perl/lib/5.14.1/Pod/Perldoc/ToPod.pm perl/lib/5.14.1/Pod/Perldoc/GetOptsOO.pm
perl/lib/5.14.1/Pod/Perldoc/ToText.pm perl/lib/5.14.1/Pod/Text/Color.pm
perl/lib/5.14.1/Pod/Text/Termcap.pm perl/lib/5.14.1/Pod/Text/Overstrike.pm
perl/lib/5.14.1/Pod/Simple/Search.pm
perl/lib/5.14.1/Pod/Simple/PullParserToken.pm
perl/lib/5.14.1/Pod/Simple/PullParserEndToken.pm
perl/lib/5.14.1/Pod/Simple/TiedOutFH.pm
perl/lib/5.14.1/Pod/Simple/Subclassing.pod
perl/lib/5.14.1/Pod/Simple/LinkSection.pm
perl/lib/5.14.1/Pod/Simple/HTMLLegacy.pm perl/lib/5.14.1/Pod/Simple/HTML.pm
perl/lib/5.14.1/Pod/Simple/RTF.pm perl/lib/5.14.1/Pod/Simple/DumpAsText.pm
perl/lib/5.14.1/Pod/Simple/TranscodeSmart.pm
perl/lib/5.14.1/Pod/Simple/TranscodeDumb.pm
perl/lib/5.14.1/Pod/Simple/DumpAsXML.pm perl/lib/5.14.1/Pod/Simple/HTMLBatch.pm
perl/lib/5.14.1/Pod/Simple/PullParserTextToken.pm
perl/lib/5.14.1/Pod/Simple/PullParserStartToken.pm
perl/lib/5.14.1/Pod/Simple/SimpleTree.pm perl/lib/5.14.1/Pod/Simple/BlackBox.pm
perl/lib/5.14.1/Pod/Simple/XHTML.pm perl/lib/5.14.1/Pod/Simple/TextContent.pm
perl/lib/5.14.1/Pod/Simple/Progress.pm perl/lib/5.14.1/Pod/Simple/Text.pm
perl/lib/5.14.1/Pod/Simple/Methody.pm perl/lib/5.14.1/Pod/Simple/XMLOutputStream.pm
perl/lib/5.14.1/Pod/Simple/Checker.pm perl/lib/5.14.1/Pod/Simple/PullParser.pm
perl/lib/5.14.1/Pod/Simple/Transcode.pm perl/lib/5.14.1/Pod/Simple/Debug.pm
perl/lib/5.14.1/CGI/Switch.pm perl/lib/5.14.1/CGI/Push.pm
perl/lib/5.14.1/CGI/Apache.pm perl/lib/5.14.1/CGI/Cookie.pm
perl/lib/5.14.1/CGI/Pretty.pm perl/lib/5.14.1/CGI/Carp.pm
perl/lib/5.14.1/CGI/Fast.pm perl/lib/5.14.1/CGI/Util.pm
perl/lib/5.14.1/Getopt/Long.pm perl/lib/5.14.1/Getopt/Std.pm
perl/lib/5.14.1/PerlIO/via/QuotedPrint.pm perl/lib/5.14.1/ExtUtils/Miniperl.pm
perl/lib/5.14.1/ExtUtils/MM_win32.pm perl/lib/5.14.1/ExtUtils/Install.pm
perl/lib/5.14.1/ExtUtils/typemap perl/lib/5.14.1/ExtUtils/MM_VMS.pm
perl/lib/5.14.1/ExtUtils/MM_Unix.pm perl/lib/5.14.1/ExtUtils/xsubpp
perl/lib/5.14.1/ExtUtils/CBuilder.pm perl/lib/5.14.1/ExtUtils/Mkbootstrap.pm
perl/lib/5.14.1/ExtUtils/MM_Cygwin.pm perl/lib/5.14.1/ExtUtils/Constant.pm
perl/lib/5.14.1/ExtUtils/MM_VOS.pm perl/lib/5.14.1/ExtUtils/MM_NW5.pm
perl/lib/5.14.1/ExtUtils/Manifest.pm perl/lib/5.14.1/ExtUtils/MM_Darwin.pm
perl/lib/5.14.1/ExtUtils/MANIFEST.SKIP perl/lib/5.14.1/ExtUtils/MY.pm
perl/lib/5.14.1/ExtUtils/MM_AIX.pm perl/lib/5.14.1/ExtUtils/MM_Any.pm
perl/lib/5.14.1/ExtUtils/ParseXS.pm perl/lib/5.14.1/ExtUtils/MM_win95.pm
perl/lib/5.14.1/ExtUtils/MM.pm perl/lib/5.14.1/ExtUtils/MM_UWIN.pm
perl/lib/5.14.1/ExtUtils/MakeMaker.pm perl/lib/5.14.1/ExtUtils/MM_BeOS.pm
perl/lib/5.14.1/ExtUtils/Liblist.pm perl/lib/5.14.1/ExtUtils/Packlist.pm
perl/lib/5.14.1/ExtUtils/MM_QNX.pm perl/lib/5.14.1/ExtUtils/MM_MacOS.pm
perl/lib/5.14.1/ExtUtils/MM_DOS.pm perl/lib/5.14.1/ExtUtils/Mksymlists.pm
perl/lib/5.14.1/ExtUtils/Embed.pm perl/lib/5.14.1/ExtUtils/MM_OS2.pm
perl/lib/5.14.1/ExtUtils/Installed.pm perl/lib/5.14.1/ExtUtils/Command.pm

installActions2013-06-29_12-50-04AM.log

```
perl/lib/5.14.1/ExtUtils/testlib.pm
INFO: chmod 0700 perl/lib/5.14.1/ExtUtils/Liblist/Kid.pm
perl/lib/5.14.1/ExtUtils/Command/MM.pm perl/lib/5.14.1/ExtUtils/CBuilder/Base.pm
perl/lib/5.14.1/ExtUtils/CBuilder/Platform/aix.pm
perl/lib/5.14.1/ExtUtils/CBuilder/Platform/VMS.pm
perl/lib/5.14.1/ExtUtils/CBuilder/Platform/Windows.pm
perl/lib/5.14.1/ExtUtils/CBuilder/Platform/Unix.pm
perl/lib/5.14.1/ExtUtils/CBuilder/Platform/os2.pm
perl/lib/5.14.1/ExtUtils/CBuilder/Platform/cygwin.pm
perl/lib/5.14.1/ExtUtils/CBuilder/Platform/darwin.pm
perl/lib/5.14.1/ExtUtils/CBuilder/Platform/dec_osf.pm
perl/lib/5.14.1/ExtUtils/CBuilder/Platform/Windows/MSVC.pm
perl/lib/5.14.1/ExtUtils/CBuilder/Platform/Windows/BCC.pm
perl/lib/5.14.1/ExtUtils/CBuilder/Platform/Windows/GCC.pm
perl/lib/5.14.1/ExtUtils/Constant/Utils.pm
perl/lib/5.14.1/ExtUtils/Constant/XS.pm
perl/lib/5.14.1/ExtUtils/Constant/Base.pm
perl/lib/5.14.1/ExtUtils/Constant/ProxySubs.pm
perl/lib/5.14.1/ExtUtils/MakeMaker/Tutorial.pod
perl/lib/5.14.1/ExtUtils/MakeMaker/YAML.pm
perl/lib/5.14.1/ExtUtils/MakeMaker/FAQ.pod
perl/lib/5.14.1/ExtUtils/MakeMaker/Config.pm perl/lib/5.14.1/CPANPLUS/Dist.pm
perl/lib/5.14.1/CPANPLUS/Backend.pm perl/lib/5.14.1/CPANPLUS/Module.pm
perl/lib/5.14.1/CPANPLUS/Shell.pm perl/lib/5.14.1/CPANPLUS/Configure.pm
perl/lib/5.14.1/CPANPLUS/Internals.pm perl/lib/5.14.1/CPANPLUS/Error.pm
perl/lib/5.14.1/CPANPLUS/FAQ.pod perl/lib/5.14.1/CPANPLUS/Config.pm
perl/lib/5.14.1/CPANPLUS/Selfupdate.pm perl/lib/5.14.1/CPANPLUS/Hacking.pod
perl/lib/5.14.1/CPANPLUS/Configure/Setup.pm
perl/lib/5.14.1/CPANPLUS/Dist/Autobundle.pm
perl/lib/5.14.1/CPANPLUS/Dist/Sample.pm perl/lib/5.14.1/CPANPLUS/Dist/MM.pm
perl/lib/5.14.1/CPANPLUS/Dist/Build.pm perl/lib/5.14.1/CPANPLUS/Dist/Base.pm
perl/lib/5.14.1/CPANPLUS/Dist/Build/Constants.pm
perl/lib/5.14.1/CPANPLUS/Shell/Default.pm
perl/lib/5.14.1/CPANPLUS/Shell/Classic.pm
perl/lib/5.14.1/CPANPLUS/Shell/Default/Plugins/Remote.pm
perl/lib/5.14.1/CPANPLUS/Shell/Default/Plugins/CustomSource.pm
perl/lib/5.14.1/CPANPLUS/Shell/Default/Plugins/HOWTO.pod
perl/lib/5.14.1/CPANPLUS/Shell/Default/Plugins/Source.pm
perl/lib/5.14.1/CPANPLUS/Internals/Search.pm
perl/lib/5.14.1/CPANPLUS/Internals/Utils.pm
perl/lib/5.14.1/CPANPLUS/Internals/Constants.pm
perl/lib/5.14.1/CPANPLUS/Internals/Report.pm
perl/lib/5.14.1/CPANPLUS/Internals/Fetch.pm
perl/lib/5.14.1/CPANPLUS/Internals/Source.pm
perl/lib/5.14.1/CPANPLUS/Internals/Extract.pm
perl/lib/5.14.1/CPANPLUS/Internals/Source/Memory.pm
perl/lib/5.14.1/CPANPLUS/Internals/Source/SQLite.pm
perl/lib/5.14.1/CPANPLUS/Internals/Source/SQLite/Tie.pm
perl/lib/5.14.1/CPANPLUS/Internals/Utils/Autoflush.pm
perl/lib/5.14.1/CPANPLUS/Internals/Constants/Report.pm
perl/lib/5.14.1/CPANPLUS/Backend/RV.pm perl/lib/5.14.1/CPANPLUS/Module/Author.pm
perl/lib/5.14.1/CPANPLUS/Module/Checksums.pm
perl/lib/5.14.1/CPANPLUS/Module/Fake.pm
perl/lib/5.14.1/CPANPLUS/Module/Signature.pm
perl/lib/5.14.1/CPANPLUS/Module/Author/Fake.pm perl/lib/5.14.1/Time/tm.pm
perl/lib/5.14.1/Time/Local.pm perl/lib/5.14.1/Time/gmtime.pm
perl/lib/5.14.1/Time/localtime.pm perl/lib/5.14.1/Thread/Queue.pm
perl/lib/5.14.1/Thread/Semaphore.pm perl/lib/5.14.1/Search/Dict.pm
perl/lib/5.14.1/Net/libnetFAQ.pod perl/lib/5.14.1/Net/FTP.pm
perl/lib/5.14.1/Net/netent.pm perl/lib/5.14.1/Net/SMTP.pm
perl/lib/5.14.1/Net/Cmd.pm perl/lib/5.14.1/Net/Config.pm
perl/lib/5.14.1/Net/hostent.pm perl/lib/5.14.1/Net/NNTP.pm
perl/lib/5.14.1/Net/Time.pm perl/lib/5.14.1/Net/POP3.pm
perl/lib/5.14.1/Net/servent.pm perl/lib/5.14.1/Net/Netrc.pm
perl/lib/5.14.1/Net/protoent.pm perl/lib/5.14.1/Net/Domain.pm
perl/lib/5.14.1/Net/Ping.pm perl/lib/5.14.1/Net/FTP/E.pm
perl/lib/5.14.1/Net/FTP/I.pm perl/lib/5.14.1/Net/FTP/L.pm
perl/lib/5.14.1/Net/FTP/A.pm perl/lib/5.14.1/Net/FTP/dataconn.pm
```

installActions2013-06-29_12-50-04AM.log

perl/lib/5.14.1/Memoize/NDBM_File.pm perl/lib/5.14.1/Memoize/ExpireTest.pm
perl/lib/5.14.1/Memoize/Expire.pm perl/lib/5.14.1/Memoize/Storable.pm
perl/lib/5.14.1/Memoize/AnyDBM_File.pm perl/lib/5.14.1/Memoize/SDBM_File.pm
perl/lib/5.14.1/Memoize/ExpireFile.pm perl/lib/5.14.1/IO/Zlib.pm
perl/lib/5.14.1/IO/Uncompress/AnyUncompress.pm
perl/lib/5.14.1/IO/Uncompress/Bunzip2.pm
perl/lib/5.14.1/IO/Uncompress/Inflate.pm perl/lib/5.14.1/IO/Uncompress/Gunzip.pm
perl/lib/5.14.1/IO/Uncompress/Unzip.pm
perl/lib/5.14.1/IO/Uncompress/AnyInflate.pm
perl/lib/5.14.1/IO/Uncompress/RawInflate.pm
perl/lib/5.14.1/IO/Uncompress/Base.pm
perl/lib/5.14.1/IO/Uncompress/Adapter/Bunzip2.pm
perl/lib/5.14.1/IO/Uncompress/Adapter/Inflate.pm
perl/lib/5.14.1/IO/Uncompress/Adapter/Identity.pm
perl/lib/5.14.1/IO/Compress/RawDeflate.pm perl/lib/5.14.1/IO/Compress/Bzip2.pm
perl/lib/5.14.1/IO/Compress/Zip.pm perl/lib/5.14.1/IO/Compress/Gzip.pm
perl/lib/5.14.1/IO/Compress/Base.pm perl/lib/5.14.1/IO/Compress/Deflate.pm
perl/lib/5.14.1/IO/Compress/Zlib/Extra.pm
perl/lib/5.14.1/IO/Compress/Zlib/Constants.pm
perl/lib/5.14.1/IO/Compress/Gzip/Constants.pm
perl/lib/5.14.1/IO/Compress/Zip/Constants.pm
perl/lib/5.14.1/IO/Compress/Base/Common.pm
perl/lib/5.14.1/IO/Compress/Adapter/Bzip2.pm
perl/lib/5.14.1/IO/Compress/Adapter/Identity.pm
perl/lib/5.14.1/IO/Compress/Adapter/Deflate.pm perl/lib/5.14.1/Log/Message.pm
perl/lib/5.14.1/Log/Message/Config.pm perl/lib/5.14.1/Log/Message/Handlers.pm
perl/lib/5.14.1/Log/Message/Simple.pm perl/lib/5.14.1/Log/Message/Item.pm
perl/lib/5.14.1/Package/Constants.pm perl/lib/5.14.1/encoding/warnings.pm
perl/lib/5.14.1/version/Internals.pod perl/lib/5.14.1/CPAN/Bundle.pm
perl/lib/5.14.1/CPAN/Version.pm perl/lib/5.14.1/CPAN/FirstTime.pm
perl/lib/5.14.1/CPAN/FTP.pm perl/lib/5.14.1/CPAN/CacheMgr.pm
perl/lib/5.14.1/CPAN/Module.pm perl/lib/5.14.1/CPAN/Kwalify.pm
perl/lib/5.14.1/CPAN/Nox.pm perl/lib/5.14.1/CPAN/Shell.pm
perl/lib/5.14.1/CPAN/Mirrors.pm perl/lib/5.14.1/CPAN/Author.pm
perl/lib/5.14.1/CPAN/Tarzip.pm perl/lib/5.14.1/CPAN/Prompt.pm
perl/lib/5.14.1/CPAN/Queue.pm perl/lib/5.14.1/CPAN/InfoObj.pm
perl/lib/5.14.1/CPAN/Distrostatus.pm perl/lib/5.14.1/CPAN/DeferredCode.pm
perl/lib/5.14.1/CPAN/Index.pm perl/lib/5.14.1/CPAN/Meta.pm
perl/lib/5.14.1/CPAN/HandleConfig.pm perl/lib/5.14.1/CPAN/Distribution.pm
perl/lib/5.14.1/CPAN/Complete.pm perl/lib/5.14.1/CPAN/URL.pm
perl/lib/5.14.1/CPAN/Distroprefs.pm perl/lib/5.14.1/CPAN/Debug.pm
perl/lib/5.14.1/CPAN/HTTP/Client.pm perl/lib/5.14.1/CPAN/HTTP/Credentials.pm
perl/lib/5.14.1/CPAN/FTP/netrc.pm perl/lib/5.14.1/CPAN/API/HOWTO.pod
perl/lib/5.14.1/CPAN/kwalify/distroprefs.yml
perl/lib/5.14.1/CPAN/kwalify/distroprefs.dd perl/lib/5.14.1/CPAN/Meta/History.pm
perl/lib/5.14.1/CPAN/Meta/YAML.pm perl/lib/5.14.1/CPAN/Meta/Validator.pm
perl/lib/5.14.1/CPAN/Meta/Prereqs.pm perl/lib/5.14.1/CPAN/Meta/Feature.pm
perl/lib/5.14.1/CPAN/Meta/Spec.pm perl/lib/5.14.1/CPAN/Meta/Converter.pm
perl/lib/5.14.1/CPAN/Exception/RecursiveDependency.pm
perl/lib/5.14.1/CPAN/Exception/blocked_urllist.pm
perl/lib/5.14.1/CPAN/Exception/yaml_not_installed.pm
perl/lib/5.14.1/CPAN/LWP/UserAgent.pm perl/lib/5.14.1/File/stat.pm
perl/lib/5.14.1/File/Compare.pm perl/lib/5.14.1/File/Fetch.pm
perl/lib/5.14.1/File/GlobMapper.pm perl/lib/5.14.1/File/CheckTree.pm
perl/lib/5.14.1/File/DosGlob.pm perl/lib/5.14.1/File/Basename.pm
perl/lib/5.14.1/File/Temp.pm perl/lib/5.14.1/File/Path.pm
perl/lib/5.14.1/File/Find.pm perl/lib/5.14.1/File/Copy.pm
perl/lib/5.14.1/Math/Trig.pm perl/lib/5.14.1/Math/BigInt.pm
perl/lib/5.14.1/Math/BigFloat.pm perl/lib/5.14.1/Math/Complex.pm
perl/lib/5.14.1/Math/BigRat.pm perl/lib/5.14.1/Math/BigInt/Trace.pm
perl/lib/5.14.1/Math/BigInt/CalcEmu.pm perl/lib/5.14.1/Math/BigInt/Calc.pm
perl/lib/5.14.1/Math/BigFloat/Trace.pm perl/lib/5.14.1/Exporter/Heavy.pm
perl/lib/5.14.1/Tie/SubstrHash.pm perl/lib/5.14.1/Tie/Memoize.pm
perl/lib/5.14.1/Tie/Scalar.pm perl/lib/5.14.1/Tie/RefHash.pm
perl/lib/5.14.1/Tie/StdHandle.pm perl/lib/5.14.1/Tie/File.pm
perl/lib/5.14.1/Tie/Hash.pm perl/lib/5.14.1/Tie/Handle.pm
perl/lib/5.14.1/Tie/Array.pm perl/lib/5.14.1/Perl/OSType.pm
perl/lib/5.14.1/Params/Check.pm perl/lib/5.14.1/Test/Tutorial.pod

installActions2013-06-29_12-50-04AM.log
perl/lib/5.14.1/Test/Harness.pm perl/lib/5.14.1/Test/Builder.pm
perl/lib/5.14.1/Test/More.pm perl/lib/5.14.1/Test/Simple.pm
perl/lib/5.14.1/Test/Builder/Module.pm perl/lib/5.14.1/Test/Builder/Tester.pm
perl/lib/5.14.1/Test/Builder/Tester/Color.pm perl/lib/5.14.1/I18N/Collate.pm
perl/lib/5.14.1/I18N/LangTags.pm perl/lib/5.14.1/I18N/LangTags/Detect.pm
perl/lib/5.14.1/I18N/LangTags/List.pm perl/lib/5.14.1/overload/numbers.pm
perl/lib/5.14.1/Class/Struct.pm perl/lib/5.14.1/Module/Load.pm
perl/lib/5.14.1/Module/Metadata.pm perl/lib/5.14.1/Module/Pluggable.pm
perl/lib/5.14.1/Module/Build.pm perl/lib/5.14.1/Module/Loaded.pm
perl/lib/5.14.1/Module/CoreList.pm perl/lib/5.14.1/Module/Load/Conditional.pm
perl/lib/5.14.1/Module/Pluggable/Object.pm
perl/lib/5.14.1/Module/Build/Version.pm perl/lib/5.14.1/Module/Build/Dumper.pm
perl/lib/5.14.1/Module/Build/API.pod perl/lib/5.14.1/Module/Build/PPMaker.pm
perl/lib/5.14.1/Module/Build/Cookbook.pm perl/lib/5.14.1/Module/Build/YAML.pm
perl/lib/5.14.1/Module/Build/Notes.pm perl/lib/5.14.1/Module/Build/Bundling.pod
perl/lib/5.14.1/Module/Build/Config.pm perl/lib/5.14.1/Module/Build/PodParser.pm
perl/lib/5.14.1/Module/Build/ModuleInfo.pm
perl/lib/5.14.1/Module/Build/Compat.pm
perl/lib/5.14.1/Module/Build/ConfigData.pm perl/lib/5.14.1/Module/Build/Base.pm
perl/lib/5.14.1/Module/Build/Authoring.pod
perl/lib/5.14.1/Module/Build/Platform/RiscOS.pm
perl/lib/5.14.1/Module/Build/Platform/aix.pm
perl/lib/5.14.1/Module/Build/Platform/VMS.pm
perl/lib/5.14.1/Module/Build/Platform/Default.pm
perl/lib/5.14.1/Module/Build/Platform/MacOS.pm
perl/lib/5.14.1/Module/Build/Platform/Windows.pm
perl/lib/5.14.1/Module/Build/Platform/Unix.pm
perl/lib/5.14.1/Module/Build/Platform/EBCDIC.pm
perl/lib/5.14.1/Module/Build/Platform/Amiga.pm
perl/lib/5.14.1/Module/Build/Platform/os2.pm
perl/lib/5.14.1/Module/Build/Platform/cygwin.pm
perl/lib/5.14.1/Module/Build/Platform/VOS.pm
INFO: chmod 0700 perl/lib/5.14.1/Module/Build/Platform/darwin.pm
perl/lib/5.14.1/Module/Build/Platform/MPEix.pm
perl/lib/5.14.1/Parse/CPAN/Meta.pm perl/lib/5.14.1/Compress/Zlib.pm
perl/lib/5.14.1/Devel/InnerPackage.pm perl/lib/5.14.1/Devel/SelfStubber.pm
perl/lib/5.14.1/App/Cpan.pm perl/lib/5.14.1/App/Prove.pm
perl/lib/5.14.1/App/Prove/State.pm perl/lib/5.14.1/App/Prove/State/Result.pm
perl/lib/5.14.1/App/Prove/State/Result/Test.pm
INFO: chmod 0600 lib/libexpat.so.1 lib/libexpat.so.1.5.2 lib/libexpat.la
lib/libexpat.so lib/libexpat.a
INFO: chmod 0700 bin/xmlwf
INFO: chmod 0700 perl/lib/site_perl/5.14.1/LWP.pm
perl/lib/site_perl/5.14.1/lwptut.pod perl/lib/site_perl/5.14.1/URI.pm
perl/lib/site_perl/5.14.1/lwpcook.pod perl/lib/site_perl/5.14.1/HTML/Tagset.pm
perl/lib/site_perl/5.14.1/HTML/Form.pm
perl/lib/site_perl/5.14.1/Encode/Locale.pm
perl/lib/site_perl/5.14.1/Apache/AuthDBI.pm
perl/lib/site_perl/5.14.1/Apache/DBI.pm
perl/lib/site_perl/5.14.1/HTTP/Response.pm
perl/lib/site_perl/5.14.1/HTTP/Status.pm
perl/lib/site_perl/5.14.1/HTTP/Negotiate.pm
perl/lib/site_perl/5.14.1/HTTP/Config.pm perl/lib/site_perl/5.14.1/HTTP/Date.pm
perl/lib/site_perl/5.14.1/HTTP/Daemon.pm
perl/lib/site_perl/5.14.1/HTTP/Headers.pm
perl/lib/site_perl/5.14.1/HTTP/Cookies.pm
perl/lib/site_perl/5.14.1/HTTP/Request.pm
perl/lib/site_perl/5.14.1/HTTP/Message.pm
perl/lib/site_perl/5.14.1/HTTP/Cookies/Netscape.pm
perl/lib/site_perl/5.14.1/HTTP/Cookies/Microsoft.pm
perl/lib/site_perl/5.14.1/HTTP/Request/Common.pm
perl/lib/site_perl/5.14.1/HTTP/Headers/Auth.pm
perl/lib/site_perl/5.14.1/HTTP/Headers/ETag.pm
perl/lib/site_perl/5.14.1/HTTP/Headers/Util.pm
perl/lib/site_perl/5.14.1/Bundle/PIRPC.pm
perl/lib/site_perl/5.14.1/Digest/HMAC_SHA1.pm
perl/lib/site_perl/5.14.1/Digest/HMAC_MD5.pm
perl/lib/site_perl/5.14.1/Digest/HMAC.pm

installActions2013-06-29_12-50-04AM.log

perl/lib/site_perl/5.14.1/www/RobotRules.pm
perl/lib/site_perl/5.14.1/www/RobotRules/AnyDBM_File.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/oraperl.ph
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/Oraperl.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/dbixs_rev.pl
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/HTML/LinkExtor.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/HTML/Entities.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/HTML/Filter.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/HTML/TokeParser.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/HTML/Parser.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/HTML/HeadParser.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/HTML/PullParser.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/LWPExternEnt.pl
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Expat.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Encodings/iso-8859-2. enc
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Encodings/iso-8859-3. enc
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Encodings/x-sjis-unicode. enc
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Encodings/iso-8859-4. enc
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Encodings/windows-1250. enc
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Encodings/big5. enc
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Encodings/koi8-r. enc
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Encodings/iso-8859-7. enc
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Encodings/windows-1255. enc
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Encodings/windows-1252. enc
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Encodings/ibm866. enc
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Encodings/iso-8859-9. enc
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Encodings/README
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Encodings/x-sjis-jisx0221. enc
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Encodings/x-euc-jp-jisx0221. enc
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Encodings/iso-8859-5. enc
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Encodings/x-sjis-jdk117. enc
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Encodings/Japanese_Encodings. msg
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Encodings/x-sjis-cp932. enc
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Encodings/iso-8859-8. enc
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Encodings/euc-kr. enc
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Encodings/x-euc-jp-unicode. enc
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Encodings/windows-1251. enc
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Style/Tree.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Style/Subs.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Style/Stream.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Style/Objects.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/XML/Parser/Style/Debug.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/Term/ReadKey.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/Bundle/DBI.pm

installActions2013-06-29_12-50-04AM.log

perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/Digest/SHA1.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/Digest/MD2.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBD/NullP.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBD/Gofer.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBD/File.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBD/Proxy.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBD/DBM.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBD/Sponge.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBD/ExampleP.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBD/Oracle.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBD/Gofer/Policy/classic.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBD/Gofer/Policy/pedantic.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBD/Gofer/Policy/rush.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBD/Gofer/Policy/Base.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBD/Gofer/Transport/stream.p
m
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBD/Gofer/Transport/corostre
am.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBD/Gofer/Transport/Base.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBD/Gofer/Transport/pipeone.
pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBD/Gofer/Transport/null.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBD/File/Roadmap.pod
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBD/File/HowTo.pod
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBD/File/Developers.pod
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBD/Oracle/GetInfo.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBD/Oracle/Object.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/Changes.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/W32ODBC.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/ProxyServer.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/ProfileData.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/ProfileSubs.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/Profile.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/FAQ.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/DBD.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/ProfileDumper.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/PurePerl.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/Gofer/Response.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/Gofer/Execute.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/Gofer/Request.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/Gofer/Serializer/Storabl
e.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/Gofer/Serializer/DataDum
per.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/Gofer/Serializer/Base.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/Gofer/Transport/stream.p
m
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/Gofer/Transport/Base.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/Gofer/Transport/pipeone.
pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/Const/GetInfoReturn.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/Const/GetInfoType.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/Const/GetInfo/ANSI.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/Const/GetInfo/ODBC.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/Util/_accessor.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/Util/CacheMemory.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/DBD/Metadata.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/DBD/SqlEngine.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/DBD/SqlEngine/HowTo.pod
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/DBD/SqlEngine/Developers
.pod
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/SQL/Nano.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/DBI/ProfileDumper/Apache.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/HTML/Parser/Parser.bs
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/HTML/Parser/Parser.so
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/XML/Parser/Expat/Expat.
so
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/XML/Parser/Expat/Expat.
bs

installActions2013-06-29_12-50-04AM.log

```
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/Term/ReadKey/autosplit.
ix
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/Term/ReadKey/ReadKey.so
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/Term/ReadKey/ReadKey.bs
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/Digest/MD2/MD2.bs
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/Digest/MD2/MD2.so
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/Digest/SHA1/SHA1.so
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/Digest/SHA1/SHA1.bs
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/DBD/Oracle/Oracle.h
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/DBD/Oracle/mk.pm
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/DBD/Oracle/Oracle.bs
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/DBD/Oracle/Oracle.so
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/DBD/Oracle/dbdimp.h
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/DBD/Oracle/ocitrace.h
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/DBI/DBI.bs
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/DBI/dbiport.h
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/DBI/dbi_sql.h
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/DBI/dbivport.h
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/DBI/dbd_xsh.h
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/DBI/dbixs_rev.h
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/DBI/DBI.so
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/DBI/Driver_xst.h
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/DBI/DBIXS.h
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/auto/DBI/Driver.xst
perl/lib/site_perl/5.14.1/x86_64-linux-thread-multi/win32/DBIODBC.pm
perl/lib/site_perl/5.14.1/URI/rlogin.pm
perl/lib/site_perl/5.14.1/URI/withBase.pm
perl/lib/site_perl/5.14.1/URI/_userpass.pm perl/lib/site_perl/5.14.1/URI/sips.pm
perl/lib/site_perl/5.14.1/URI/https.pm perl/lib/site_perl/5.14.1/URI/nntp.pm
perl/lib/site_perl/5.14.1/URI/sip.pm perl/lib/site_perl/5.14.1/URI/_query.pm
perl/lib/site_perl/5.14.1/URI/_idna.pm perl/lib/site_perl/5.14.1/URI/ssh.pm
perl/lib/site_perl/5.14.1/URI/rsync.pm perl/lib/site_perl/5.14.1/URI/_segment.pm
perl/lib/site_perl/5.14.1/URI/telnet.pm perl/lib/site_perl/5.14.1/URI/ldap.pm
perl/lib/site_perl/5.14.1/URI/rtsp.pm perl/lib/site_perl/5.14.1/URI/file.pm
perl/lib/site_perl/5.14.1/URI/_ldap.pm perl/lib/site_perl/5.14.1/URI/mailto.pm
perl/lib/site_perl/5.14.1/URI/ftp.pm perl/lib/site_perl/5.14.1/URI/snews.pm
perl/lib/site_perl/5.14.1/URI/IRI.pm perl/lib/site_perl/5.14.1/URI/mms.pm
perl/lib/site_perl/5.14.1/URI/urn.pm perl/lib/site_perl/5.14.1/URI/_server.pm
perl/lib/site_perl/5.14.1/URI/pop.pm perl/lib/site_perl/5.14.1/URI/data.pm
perl/lib/site_perl/5.14.1/URI/Split.pm perl/lib/site_perl/5.14.1/URI/http.pm
perl/lib/site_perl/5.14.1/URI/ldap.pm perl/lib/site_perl/5.14.1/URI/Escape.pm
perl/lib/site_perl/5.14.1/URI/rtspu.pm
perl/lib/site_perl/5.14.1/URI/Heuristic.pm
perl/lib/site_perl/5.14.1/URI/_punycode.pm
perl/lib/site_perl/5.14.1/URI/gopher.pm
perl/lib/site_perl/5.14.1/URI/_generic.pm perl/lib/site_perl/5.14.1/URI/ldapi.pm
perl/lib/site_perl/5.14.1/URI/URL.pm perl/lib/site_perl/5.14.1/URI/tn3270.pm
perl/lib/site_perl/5.14.1/URI/QueryParam.pm
perl/lib/site_perl/5.14.1/URI/_foreign.pm perl/lib/site_perl/5.14.1/URI/news.pm
perl/lib/site_perl/5.14.1/URI/_login.pm
perl/lib/site_perl/5.14.1/URI/file/FAT.pm
perl/lib/site_perl/5.14.1/URI/file/Unix.pm
perl/lib/site_perl/5.14.1/URI/file/win32.pm
perl/lib/site_perl/5.14.1/URI/file/QNX.pm
perl/lib/site_perl/5.14.1/URI/file/Base.pm
perl/lib/site_perl/5.14.1/URI/file/OS2.pm
perl/lib/site_perl/5.14.1/URI/file/Mac.pm
perl/lib/site_perl/5.14.1/URI/urn/oid.pm
perl/lib/site_perl/5.14.1/URI/urn/isbn.pm perl/lib/site_perl/5.14.1/Net/HTTP.pm
perl/lib/site_perl/5.14.1/Net/HTTPS.pm perl/lib/site_perl/5.14.1/Net/Daemon.pm
perl/lib/site_perl/5.14.1/Net/HTTP/Methods.pm
perl/lib/site_perl/5.14.1/Net/HTTP/NB.pm
perl/lib/site_perl/5.14.1/Net/Daemon/Log.pm
perl/lib/site_perl/5.14.1/Net/Daemon/Test.pm
perl/lib/site_perl/5.14.1/File/Listing.pm
perl/lib/site_perl/5.14.1/RPC/PlClient.pm
perl/lib/site_perl/5.14.1/RPC/PlServer.pm
perl/lib/site_perl/5.14.1/RPC/PlServer/Comm.pm
```

installActions2013-06-29_12-50-04AM.log

perl/lib/site_perl/5.14.1/RPC/PlServer/Test.pm
perl/lib/site_perl/5.14.1/RPC/PlClient/Comm.pm
perl/lib/site_perl/5.14.1/LWP/media.types
perl/lib/site_perl/5.14.1/LWP/RobotUA.pm
perl/lib/site_perl/5.14.1/LWP/Protocol.pm
perl/lib/site_perl/5.14.1/LWP/MemberMixin.pm
perl/lib/site_perl/5.14.1/LWP/MediaTypes.pm
perl/lib/site_perl/5.14.1/LWP/ConnCache.pm
perl/lib/site_perl/5.14.1/LWP/DebugFile.pm
perl/lib/site_perl/5.14.1/LWP/UserAgent.pm
perl/lib/site_perl/5.14.1/LWP/Simple.pm perl/lib/site_perl/5.14.1/LWP/Debug.pm
perl/lib/site_perl/5.14.1/LWP/Authen/Ntlm.pm
perl/lib/site_perl/5.14.1/LWP/Authen/Basic.pm
perl/lib/site_perl/5.14.1/LWP/Authen/Digest.pm
perl/lib/site_perl/5.14.1/LWP/Protocol/cpan.pm
perl/lib/site_perl/5.14.1/LWP/Protocol/nntp.pm
perl/lib/site_perl/5.14.1/LWP/Protocol/file.pm
perl/lib/site_perl/5.14.1/LWP/Protocol/nogo.pm
perl/lib/site_perl/5.14.1/LWP/Protocol/mailto.pm
perl/lib/site_perl/5.14.1/LWP/Protocol/ftp.pm
perl/lib/site_perl/5.14.1/LWP/Protocol/data.pm
perl/lib/site_perl/5.14.1/LWP/Protocol/http.pm
perl/lib/site_perl/5.14.1/LWP/Protocol/GHHTTP.pm
perl/lib/site_perl/5.14.1/LWP/Protocol/gopher.pm
perl/lib/site_perl/5.14.1/LWP/Protocol/loopback.pm
perl/lib/site_perl/5.14.1/Mail/Sender.pm
perl/lib/site_perl/5.14.1/Mail/Sender/CType/win32.pm
perl/lib/site_perl/5.14.1/Mail/Sender/CType/Ext.pm

INFO:

INFO: Start output from spawned process:

INFO: -----
INFO:

INFO: chmod:
INFO: invalid mode: `source_perms`
INFO:

INFO: Try `chmod --help` for more information.

INFO: chmod:
INFO: invalid mode: `source_perms`
INFO:

INFO: Try `chmod --help` for more information.

INFO: chmod:
INFO: cannot access `bin/cmadmin`
INFO: : No such file or directory
INFO:

INFO: chmod:
INFO: cannot access `bin/cmctl`
INFO: : No such file or directory
INFO:

INFO: chmod:
INFO: cannot access `bin/cmgw`
INFO: : No such file or directory
INFO:

INFO: chmod:
INFO: cannot access `bin/cmmigr`
INFO: : No such file or directory
INFO:

INFO: End output from spawned process.

INFO: -----

installActions2013-06-29_12-50-04AM.log

```
INFO: DONE Executing permissions file from
:/tmp/OraInstall2013-06-29_12-50-04AM/fastcopy/setperms1.sh
INFO: InstallProgressMonitor: Starting phase 2
INFO: Installation in progress
INFO: Installation in progress
INFO: Copying files for 'Sun JDK 1.6.0.37.0 '
INFO: Copying files for 'Sun JDK 1.6.0.37.0 '
INFO: 6/29/13 12:56:04 AM EDT: Starting install Install Phase 1 of component Sun
JDK
INFO: Calling Action unixActions10.2.0.3.0 createLink
      source = jcontrol
      destination =
/u01/app/oracle/product/12.1.0/db_1/jdk/jre/bin/ControlPanel
      overwriteExistingLink = true
      overwriteExistingDir = null

INFO: creating link 'jcontrol' for
'/u01/app/oracle/product/12.1.0/db_1/jdk/jre/bin/ControlPanel'
INFO: creating link 'jcontrol' for
'/u01/app/oracle/product/12.1.0/db_1/jdk/jre/bin/ControlPanel'
INFO: Calling Action unixActions10.2.0.3.0 createLink
      source = jcontrol
      destination = /u01/app/oracle/product/12.1.0/db_1/jdk/bin/ControlPanel
      overwriteExistingLink = true
      overwriteExistingDir = null

INFO: creating link 'jcontrol' for
'/u01/app/oracle/product/12.1.0/db_1/jdk/bin/ControlPanel'
INFO: creating link 'jcontrol' for
'/u01/app/oracle/product/12.1.0/db_1/jdk/bin/ControlPanel'
INFO: Calling Action unixActions10.2.0.3.0 createLink
      source = ../libjsig.so
      destination =
/u01/app/oracle/product/12.1.0/db_1/jdk/jre/lib/amd64/server/libjsig.so
      overwriteExistingLink = true
      overwriteExistingDir = null

INFO: creating link '../libjsig.so' for
'/u01/app/oracle/product/12.1.0/db_1/jdk/jre/lib/amd64/server/libjsig.so'
INFO: creating link '../libjsig.so' for
'/u01/app/oracle/product/12.1.0/db_1/jdk/jre/lib/amd64/server/libjsig.so'
INFO: Calling Action unixActions10.2.0.3.0 createLink
      source = ../bin/javaws
      destination = /u01/app/oracle/product/12.1.0/db_1/jdk/jre/javaws/javaws
      overwriteExistingLink = true
      overwriteExistingDir = null

INFO: creating link '../bin/javaws' for
'/u01/app/oracle/product/12.1.0/db_1/jdk/jre/javaws/javaws'
INFO: creating link '../bin/javaws' for
'/u01/app/oracle/product/12.1.0/db_1/jdk/jre/javaws/javaws'
INFO: Copying files for 'oracle.swd.oui.core.min 12.1.0.1.0 '
INFO: Copying files for 'oracle.swd.oui.core.min 12.1.0.1.0 '
INFO: 6/29/13 12:56:04 AM EDT: Starting install Install Phase 1 of component
oracle.swd.oui.core.min
INFO: Copying files for 'Installer SDK Component 12.1.0.1.0 '
INFO: Copying files for 'Installer SDK Component 12.1.0.1.0 '
INFO: 6/29/13 12:56:04 AM EDT: Starting install Install Phase 1 of component
Installer SDK Component
INFO: Setting variable 'platDir' to 'linux64'. Received the value from a code
block.
INFO: Setting variable 'MSVCREDIST_LOC' to ''. Received the value from a code
block.
INFO: Setting variable 'MSVCREDIST_FLAGS' to ''. Received the value from a code
block.
INFO: Setting variable 'MSVCREDIST_INSTALL' to ''. Received the value from a
code block.
INFO: Calling Query areasQueries10.2.0.1.0 getProductHome
```

name = oracle.jdk

startVersion = 1.6

endVersion = 1.6

acceptCompatible = null

INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1/jdk

INFO: Setting variable 'JRE_LOCATION' to '/u01/app/oracle/product/12.1.0/db_1/jdk'. Received the value from a code block.

INFO: Setting variable 'JRE_LOCATION' to '/u01/app/oracle/product/12.1.0/db_1/jdk/jre'. Received the value from a code block.

INFO: Setting variable 'JRE_LOCATION' to '/u01/app/oracle/product/12.1.0/db_1/jdk/jre'. Received the value from a code block.

INFO: Setting variable 'ABSOLUTE_JRE_LOCATION' to '/u01/app/oracle/product/12.1.0/db_1/jdk/jre'. Received the value from a code block.

INFO: Setting variable 'JRE_LOCATION' to '/jdk/jre'. Received the value from a code block.

INFO: Setting variable 'JRE_LOCATION' to 'jdk/jre'. Received the value from a code block.

INFO: Setting variable 'JRE_LOCATION' to '../../jdk/jre'. Received the value from a code block.

INFO: Setting variable 'JRE_LOCATION' to '../../jdk/jre'. Received the value from a code block.

INFO: Setting variable 'ABSOLUTE_JRE_LOCATION' to '/u01/app/oracle/product/12.1.0/db_1/jdk/jre'. Received the value from a code block.

INFO: Setting variable 'JRE_MEMORY_OPTIONS' to '" -mx150m -XX:MaxPermSize=128M"'. Received the value from a code block.

INFO: Calling Action fileActions11.2.0.2.0 moveFile

selectedNodes = null

source =

/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/runInstaller.var

destination =

/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/runInstaller.sh

INFO: moving

'/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/runInstaller.var' to

'/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/runInstaller.sh'

INFO: moving

'/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/runInstaller.var' to

'/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/runInstaller.sh'

INFO: Calling Action fileActions11.2.0.2.0 instantiateFileEx

source =

/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/runInstaller.sh

destination =

/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/runInstaller.sh

variables = null

delimiter = null

encoding = null

INFO: instantiating

'/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/runInstaller.sh'.

INFO: instantiating

'/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/runInstaller.sh'.

INFO: Calling Action fileActions11.2.0.2.0 instantiateFileEx

source = /u01/app/oracle/product/12.1.0/db_1/oui/oraparam.ini

destination = /u01/app/oracle/product/12.1.0/db_1/oui/oraparam.ini

variables = null

delimiter = null

encoding = null

```

installActions2013-06-29_12-50-04AM.log
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/oui/oraparam.ini'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/oui/oraparam.ini'.
INFO: Copying files for 'Oracle One-Off Patch Installer 12.1.0.1.0 '
INFO: Copying files for 'Oracle One-Off Patch Installer 12.1.0.1.0 '
INFO: 6/29/13 12:56:04 AM EDT: Starting install Install Phase 1 of component
Oracle One-Off Patch Installer
INFO: Calling Action fileActions11.2.0.2.0 instantiateFileEx
      source = /u01/app/oracle/product/12.1.0/db_1/OPatch/patch.ini
      destination = /u01/app/oracle/product/12.1.0/db_1/OPatch/patch.ini
      variables = null
      delimiter = null
      encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/OPatch/patch.ini'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/OPatch/patch.ini'.
INFO: Copying files for 'Oracle Universal Installer 12.1.0.1.0 '
INFO: Copying files for 'Oracle Universal Installer 12.1.0.1.0 '
INFO: 6/29/13 12:56:04 AM EDT: Starting install Install Phase 1 of component
Oracle Universal Installer
INFO: Setting variable 'platDir' to 'linux64'. Received the value from a code
block.
INFO: Calling Query areasQueries10.2.0.1.0 getProductHome

name = oracle.jdk

startVersion = 1.6

endVersion = 1.6

acceptCompatible = null
INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1/jdk
INFO: Setting variable 'JRE_LOCATION' to
'/u01/app/oracle/product/12.1.0/db_1/jdk'. Received the value from a code block.
INFO: Setting variable 'JRE_LOCATION' to
'/u01/app/oracle/product/12.1.0/db_1/jdk/jre'. Received the value from a code
block.
INFO: Setting variable 'JRE_LOCATION' to
'/u01/app/oracle/product/12.1.0/db_1/jdk/jre'. Received the value from a code
block.
INFO: Setting variable 'ABSOLUTE_JRE_LOCATION' to
'/u01/app/oracle/product/12.1.0/db_1/jdk/jre'. Received the value from a code
block.
INFO: Setting variable 'JRE_LOCATION' to '/jdk/jre'. Received the value from a
code block.
INFO: Setting variable 'JRE_LOCATION' to 'jdk/jre'. Received the value from a
code block.
INFO: Setting variable 'JRE_LOCATION' to '../../jdk/jre'. Received the value
from a code block.
INFO: Setting variable 'JRE_LOCATION' to '../../jdk/jre'. Received the value
from a code block.
INFO: Setting variable 'ABSOLUTE_JRE_LOCATION' to
'/u01/app/oracle/product/12.1.0/db_1/jdk/jre'. Received the value from a code
block.
INFO: Setting variable 'JRE_MEMORY_OPTIONS' to '" -mx150m
-XX:MaxPermSize=128M"'. Received the value from a code block.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFileEx
      source =
/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/attachHome.sh
      destination =
/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/attachHome.sh
      variables = null
      delimiter = null
      encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/attachHome.sh'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/attachHome.sh'.

```

```

installActions2013-06-29_12-50-04AM.log
INFO: Calling Action fileActions11.2.0.2.0 instantiateFileEx
      source =
/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/detachHome.sh
      destination =
/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/detachHome.sh
      variables = null
      delimiter = null
      encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/detachHome.sh'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/detachHome.sh'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFileEx
      source =
/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/addLangs.sh
      destination =
/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/addLangs.sh
      variables = null
      delimiter = null
      encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/addLangs.sh'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/addLangs.sh'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFileEx
      source =
/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/runConfig.sh
      destination =
/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/runConfig.sh
      variables = null
      delimiter = null
      encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/runConfig.sh'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/runConfig.sh'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFileEx
      source = /u01/app/oracle/product/12.1.0/db_1/oui/clusterparam.ini
      destination = /u01/app/oracle/product/12.1.0/db_1/oui/clusterparam.ini
      variables = null
      delimiter = null
      encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/oui/clusterparam.ini'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/oui/clusterparam.ini'.
INFO: Copying files for 'Oracle USM Deconfiguration 12.1.0.1.0 '
INFO: Copying files for 'Oracle USM Deconfiguration 12.1.0.1.0 '
INFO: 6/29/13 12:56:04 AM EDT: Starting install Install Phase 1 of component
Oracle USM Deconfiguration
INFO: Copying files for 'Oracle Configuration Manager Deconfiguration 10.3.1.0.0
'
INFO: Copying files for 'Oracle Configuration Manager Deconfiguration 10.3.1.0.0
'
INFO: 6/29/13 12:56:04 AM EDT: Starting install Install Phase 1 of component
Oracle Configuration Manager Deconfiguration
INFO: Copying files for 'Oracle RAC Deconfiguration 12.1.0.1.0 '
INFO: Copying files for 'Oracle RAC Deconfiguration 12.1.0.1.0 '
INFO: 6/29/13 12:56:04 AM EDT: Starting install Install Phase 1 of component
Oracle RAC Deconfiguration
INFO: Copying files for 'Oracle DBCA Deconfiguration 12.1.0.1.0 '
INFO: Copying files for 'Oracle DBCA Deconfiguration 12.1.0.1.0 '
INFO: 6/29/13 12:56:04 AM EDT: Starting install Install Phase 1 of component
Oracle DBCA Deconfiguration
INFO: Copying files for 'Oracle Database Plugin for Oracle Virtual Assembly
Builder 12.1.0.1.0 '

```


installActions2013-06-29_12-50-04AM.log

INFO: Copying files for 'Oracle Database Plugin for Oracle Virtual Assembly Builder 12.1.0.1.0 '
INFO: 6/29/13 12:56:04 AM EDT: Starting install Install Phase 1 of component Oracle Database Plugin for Oracle Virtual Assembly Builder
INFO: Copying files for 'Oracle Configuration Manager Client 10.3.2.1.0 '
INFO: Copying files for 'Oracle Configuration Manager Client 10.3.2.1.0 '
INFO: 6/29/13 12:56:04 AM EDT: Starting install Install Phase 1 of component Oracle Configuration Manager Client
INFO: Copying files for 'Oracle Configuration Manager 10.3.7.0.3 '
INFO: Copying files for 'Oracle Configuration Manager 10.3.7.0.3 '
INFO: 6/29/13 12:56:04 AM EDT: Starting install Install Phase 1 of component Oracle Configuration Manager
INFO: Setting variable 's_OPSNodeInfoString' to 'NO_VALUE'. Received the value from a code block.
INFO: Calling query filequeries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/sysman/install/ccr.zip

INFO: Query Returned: true

INFO: Calling Action jarActions10.2.0.0.0 copyJarContents
JarLoc = /u01/app/oracle/product/12.1.0/db_1/sysman/install/ccr.zip
DestDir = /u01/app/oracle/product/12.1.0/db_1
permissions = null
owner = null
group = null

INFO: extracting '/u01/app/oracle/product/12.1.0/db_1/sysman/install/ccr.zip'
INFO: extracting '/u01/app/oracle/product/12.1.0/db_1/sysman/install/ccr.zip'
INFO: extracting file 'README.pdf' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/README.pdf'
INFO: extracting file 'README.pdf' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/README.pdf'
INFO: extracting file 'OCMJarUtil.class' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/bin/OCMJarUtil.class'
INFO: extracting file 'OCMJarUtil.class' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/bin/OCMJarUtil.class'
INFO: extracting file 'deployPackages' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/bin/deployPackages'
INFO: extracting file 'deployPackages' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/bin/deployPackages'
INFO: extracting file 'emSnapshotEnv' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/bin/emSnapshotEnv'
INFO: extracting file 'emSnapshotEnv' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/bin/emSnapshotEnv'
INFO: extracting file 'lockfile' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/bin/lockfile'
INFO: extracting file 'lockfile' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/bin/lockfile'
INFO: extracting file 'strip_path.awk' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/bin/strip_path.awk'
INFO: extracting file 'strip_path.awk' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/bin/strip_path.awk'
INFO: extracting file 'ccr.properties' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/config/ccr.properties'
INFO: extracting file 'ccr.properties' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/config/ccr.properties'
INFO: extracting file 'ccr.properties' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/config/default/ccr.properties'
INFO: extracting file 'ccr.properties' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/config/default/ccr.properties'
INFO: extracting file 'jsse_license.html' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/doc/jsse_license.html'
INFO: extracting file 'jsse_license.html' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/doc/jsse_license.html'
INFO: extracting file 'core.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/inventory/pending/core.jar'
INFO: extracting file 'core.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/inventory/pending/core.jar'
INFO: extracting file 'engines.jar' from

installActions2013-06-29_12-50-04AM.log

'/u01/app/oracle/product/12.1.0/db_1/ccr/inventory/pending/engines.jar'
INFO: extracting file 'engines.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/inventory/pending/engines.jar'
INFO: extracting file 'metricdata.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/inventory/pending/metricdata.jar'
INFO: extracting file 'metricdata.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/inventory/pending/metricdata.jar'
INFO: extracting file 'rda.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/inventory/pending/rda.jar'
INFO: extracting file 'rda.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/inventory/pending/rda.jar'
INFO: extracting file 'rdacelin.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/inventory/pending/rdacelin.jar'
INFO: extracting file 'rdacelin.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/inventory/pending/rdacelin.jar'
INFO: extracting file 'scripts.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/inventory/pending/scripts.jar'
INFO: extracting file 'scripts.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/inventory/pending/scripts.jar'
INFO: extracting file 'OsInfo.class' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/lib/OsInfo.class'
INFO: extracting file 'OsInfo.class' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/lib/OsInfo.class'
INFO: extracting file 'emocmcInt-14.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/lib/emocmcInt-14.jar'
INFO: extracting file 'emocmcInt-14.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/lib/emocmcInt-14.jar'
INFO: extracting file 'emocmcInt.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/lib/emocmcInt.jar'
INFO: extracting file 'emocmcInt.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/lib/emocmcInt.jar'
INFO: extracting file 'emocmcommon.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/lib/emocmcommon.jar'
INFO: extracting file 'emocmcommon.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/lib/emocmcommon.jar'
INFO: extracting file 'http_client.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/lib/http_client.jar'
INFO: extracting file 'http_client.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/lib/http_client.jar'
INFO: extracting file 'jcert.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/lib/jcert.jar'
INFO: extracting file 'jcert.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/lib/jcert.jar'
INFO: extracting file 'jnet.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/lib/jnet.jar'
INFO: extracting file 'jnet.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/lib/jnet.jar'
INFO: extracting file 'jsse.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/lib/jsse.jar'
INFO: extracting file 'jsse.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/lib/jsse.jar'
INFO: extracting file 'log4j-core.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/lib/log4j-core.jar'
INFO: extracting file 'log4j-core.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/lib/log4j-core.jar'
INFO: extracting file 'osdt_core3.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/lib/osdt_core3.jar'
INFO: extracting file 'osdt_core3.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/lib/osdt_core3.jar'
INFO: extracting file 'osdt_jce.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/lib/osdt_jce.jar'
INFO: extracting file 'osdt_jce.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/lib/osdt_jce.jar'
INFO: extracting file 'regex.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/lib/regex.jar'
INFO: extracting file 'regex.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/lib/regex.jar'
INFO: extracting file 'xmlparserv2.jar' from

```

installActions2013-06-29_12-50-04AM.log
'/u01/app/oracle/product/12.1.0/db_1/ccr/lib/xmlparserv2.jar'
INFO: extracting file 'xmlparserv2.jar' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/lib/xmlparserv2.jar'
INFO: extracting file 'emocmrsp' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/bin/emocmrsp'
INFO: extracting file 'emocmrsp' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/bin/emocmrsp'
INFO: extracting file 'setupCCR' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/bin/setupCCR'
INFO: extracting file 'setupCCR' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/bin/setupCCR'
INFO: extracting file 'common' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/bin/common'
INFO: extracting file 'common' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/bin/common'
INFO: extracting file 'ocmJarUtil' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/bin/ocmJarUtil'
INFO: extracting file 'ocmJarUtil' from
'/u01/app/oracle/product/12.1.0/db_1/ccr/bin/ocmJarUtil'
INFO: Calling Action fileActions11.2.0.2.0 removeFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/sysman/install/ccr.zip

INFO: deleting '/u01/app/oracle/product/12.1.0/db_1/sysman/install/ccr.zip'
INFO: deleting '/u01/app/oracle/product/12.1.0/db_1/sysman/install/ccr.zip'
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/install/ocm/ocm.rsp
INFO: Query Returned: false
INFO: Copying files for 'Oracle ODBC Driverfor Instant Client 12.1.0.1.0 '
INFO: Copying files for 'Oracle ODBC Driverfor Instant Client 12.1.0.1.0 '
INFO: 6/29/13 12:56:05 AM EDT: Starting install Install Phase 1 of component
Oracle ODBC Driverfor Instant Client
INFO: Setting variable 's_windowsSystemDirectory' to 'foo'. Received the value
from a code block.
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = foo\oraodbc.ini
INFO: Query Returned: false
INFO: Copying files for 'LDAP Required Support Files 12.1.0.1.0 '
INFO: Copying files for 'LDAP Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:05 AM EDT: Starting install Install Phase 1 of component
LDAP Required Support Files
INFO: Copying files for 'Expat libraries 2.0.1.0.2 '
INFO: Copying files for 'Expat libraries 2.0.1.0.2 '
INFO: 6/29/13 12:56:05 AM EDT: Starting install Install Phase 1 of component
Expat libraries
INFO: Copying files for 'Oracle Bali Share 11.1.1.6.0 '
INFO: Copying files for 'Oracle Bali Share 11.1.1.6.0 '
INFO: 6/29/13 12:56:05 AM EDT: Starting install Install Phase 1 of component
Oracle Bali Share
INFO: Copying files for 'SSL Required Support Files for InstantClient 12.1.0.1.0
'
INFO: Copying files for 'SSL Required Support Files for InstantClient 12.1.0.1.0
'
INFO: 6/29/13 12:56:05 AM EDT: Starting install Install Phase 1 of component SSL
Required Support Files for InstantClient
INFO: Copying files for 'Oracle Net Required Support Files 12.1.0.1.0 '
INFO: Copying files for 'Oracle Net Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:05 AM EDT: Starting install Install Phase 1 of component
Oracle Net Required Support Files
INFO: Calling Action fileActions11.2.0.2.0 moveFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/lib/libntcps12_ee.a.db1
destination = /u01/app/oracle/product/12.1.0/db_1/lib/libntcps12.a

INFO: moving '/u01/app/oracle/product/12.1.0/db_1/lib/libntcps12_ee.a.db1' to
'/u01/app/oracle/product/12.1.0/db_1/lib/libntcps12.a'

```

```

installActions2013-06-29_12-50-04AM.log
INFO: moving '/u01/app/oracle/product/12.1.0/db_1/lib/libntcps12_ee.a.db1' to
'/u01/app/oracle/product/12.1.0/db_1/lib/libntcps12.a'
INFO: Calling Action fileActions11.2.0.2.0 moveFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/lib/naet_ee.o.db1
destination = /u01/app/oracle/product/12.1.0/db_1/lib/naet.o

INFO: moving '/u01/app/oracle/product/12.1.0/db_1/lib/naet_ee.o.db1' to
'/u01/app/oracle/product/12.1.0/db_1/lib/naet.o'
INFO: moving '/u01/app/oracle/product/12.1.0/db_1/lib/naet_ee.o.db1' to
'/u01/app/oracle/product/12.1.0/db_1/lib/naet.o'
INFO: Calling Action fileActions11.2.0.2.0 moveFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/lib/naet_ee.o.db1
destination = /u01/app/oracle/product/12.1.0/db_1/lib/naet.o

INFO: moving '/u01/app/oracle/product/12.1.0/db_1/lib/naet_ee.o.db1' to
'/u01/app/oracle/product/12.1.0/db_1/lib/naet.o'
INFO: moving '/u01/app/oracle/product/12.1.0/db_1/lib/naet_ee.o.db1' to
'/u01/app/oracle/product/12.1.0/db_1/lib/naet.o'
INFO: Calling Action fileActions11.2.0.2.0 moveFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/lib/nautab_ee.o.db1
destination = /u01/app/oracle/product/12.1.0/db_1/lib/nautab.o

INFO: moving '/u01/app/oracle/product/12.1.0/db_1/lib/nautab_ee.o.db1' to
'/u01/app/oracle/product/12.1.0/db_1/lib/nautab.o'
INFO: moving '/u01/app/oracle/product/12.1.0/db_1/lib/nautab_ee.o.db1' to
'/u01/app/oracle/product/12.1.0/db_1/lib/nautab.o'
INFO: Copying files for 'Oracle R Enterprise Server Files 12.1.0.1.0 '
INFO: Copying files for 'Oracle R Enterprise Server Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:05 AM EDT: Starting install Install Phase 1 of component
Oracle R Enterprise Server Files
INFO: Copying files for 'Oracle Real Application Testing 12.1.0.1.0 '
INFO: Copying files for 'Oracle Real Application Testing 12.1.0.1.0 '
INFO: 6/29/13 12:56:05 AM EDT: Starting install Install Phase 1 of component
Oracle Real Application Testing
INFO: Copying files for 'Oracle Label Security 12.1.0.1.0 '
INFO: Copying files for 'Oracle Label Security 12.1.0.1.0 '
INFO: 6/29/13 12:56:05 AM EDT: Starting install Install Phase 1 of component
Oracle Label Security
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source =
/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/olsadmintool.sbs
destination = /u01/app/oracle/product/12.1.0/db_1/bin/olsadmintool
variables = null
encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/olsadmintool.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/olsadmintool.sbs'.
INFO: Calling Action unixActions10.2.0.3.0 changePermissions
source = /u01/app/oracle/product/12.1.0/db_1/bin/olsadmintool
permissions = 755

INFO: changing permissions for
'/u01/app/oracle/product/12.1.0/db_1/bin/olsadmintool'
INFO: changing permissions for
'/u01/app/oracle/product/12.1.0/db_1/bin/olsadmintool'
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source =
/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/olsoidsync.sbs
destination = /u01/app/oracle/product/12.1.0/db_1/bin/olsoidsync
variables = null
encoding = null

```

installActions2013-06-29_12-50-04AM.log

```
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/olsoidsync.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/olsoidsync.sbs'.
INFO: Calling Action unixActions10.2.0.3.0 changePermissions
      source = /u01/app/oracle/product/12.1.0/db_1/bin/olsoidsync
      permissions = 755

INFO: changing permissions for
'/u01/app/oracle/product/12.1.0/db_1/bin/olsoidsync'
INFO: changing permissions for
'/u01/app/oracle/product/12.1.0/db_1/bin/olsoidsync'
INFO: Copying files for 'Oracle Data Mining RDBMS Files 12.1.0.1.0 '
INFO: Copying files for 'Oracle Data Mining RDBMS Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:05 AM EDT: Starting install Install Phase 1 of component
Oracle Data Mining RDBMS Files
INFO: Calling Query globalVarQueries12.1.0.1.0 getGlobalVariable

variable = oracle.server.bundleName
INFO:
Query Exception: VariableNotFoundException
Query Exception Class: class oracle.sysman.oii.oii1.Oii1QueryException
INFO: EE
INFO: Setting variable 'oracle_install_db_InstallEdition' to 'EE'. Received the
value from a code block.
INFO: Copying files for 'Oracle OLAP RDBMS Files 12.1.0.1.0 '
INFO: Copying files for 'Oracle OLAP RDBMS Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:05 AM EDT: Starting install Install Phase 1 of component
Oracle OLAP RDBMS Files
INFO: Copying files for 'Oracle OLAP API 12.1.0.1.0 '
INFO: Copying files for 'Oracle OLAP API 12.1.0.1.0 '
INFO: 6/29/13 12:56:05 AM EDT: Starting install Install Phase 1 of component
Oracle OLAP API
INFO: Copying files for 'SQL*Plus Required Support Files 12.1.0.1.0 '
INFO: Copying files for 'SQL*Plus Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:05 AM EDT: Starting install Install Phase 1 of component
SQL*Plus Required Support Files
INFO: Copying files for 'Oracle Database Vault option 12.1.0.1.0 '
INFO: Copying files for 'Oracle Database Vault option 12.1.0.1.0 '
INFO: 6/29/13 12:56:05 AM EDT: Starting install Install Phase 1 of component
Oracle Database Vault option
INFO: Copying files for 'XDK Required Support Files 12.1.0.1.0 '
INFO: Copying files for 'XDK Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:05 AM EDT: Starting install Install Phase 1 of component XDK
Required Support Files
INFO: Copying files for 'Oracle Notification Service for Instant Client
12.1.0.1.0 '
INFO: Copying files for 'Oracle Notification Service for Instant Client
12.1.0.1.0 '
INFO: 6/29/13 12:56:05 AM EDT: Starting install Install Phase 1 of component
Oracle Notification Service for Instant Client
INFO: Copying files for 'Platform Required Support Files 12.1.0.1.0 '
INFO: Copying files for 'Platform Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:05 AM EDT: Starting install Install Phase 1 of component
Platform Required Support Files
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes =
      source = /u01/app/oracle/product/12.1.0/db_1/install/utl/rootmacro.sbs
      destination =
/u01/app/oracle/product/12.1.0/db_1/install/utl/rootmacro.sh
      variables = null
      encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/install/utl/rootmacro.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/install/utl/rootmacro.sbs'.
```

installActions2013-06-29_12-50-04AM.log

INFO: Copying files for 'Oracle RAC Required Support Files-HAS 12.1.0.1.0 '
INFO: Copying files for 'Oracle RAC Required Support Files-HAS 12.1.0.1.0 '
INFO: 6/29/13 12:56:05 AM EDT: Starting install Install Phase 1 of component
Oracle RAC Required Support Files-HAS
INFO: Copying files for 'Oracle JDBC Server Support Package 12.1.0.1.0 '
INFO: Copying files for 'Oracle JDBC Server Support Package 12.1.0.1.0 '
INFO: 6/29/13 12:56:05 AM EDT: Starting install Install Phase 1 of component
Oracle JDBC Server Support Package
INFO: Copying files for 'Oracle SQL Developer 12.1.0.1.0 '
INFO: Copying files for 'Oracle SQL Developer 12.1.0.1.0 '
INFO: 6/29/13 12:56:05 AM EDT: Starting install Install Phase 1 of component
Oracle SQL Developer
INFO: Copying files for 'Oracle Application Express 12.1.0.1.0 '
INFO: Copying files for 'Oracle Application Express 12.1.0.1.0 '
INFO: 6/29/13 12:56:05 AM EDT: Starting install Install Phase 1 of component
Oracle Application Express
INFO: Copying files for 'RDBMS Required Support Files Runtime 12.1.0.1.0 '
INFO: Copying files for 'RDBMS Required Support Files Runtime 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
RDBMS Required Support Files Runtime
INFO: Copying files for 'RDBMS Required Support Files for Instant Client
12.1.0.1.0 '
INFO: Copying files for 'RDBMS Required Support Files for Instant Client
12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
RDBMS Required Support Files for Instant Client
INFO: Calling Action unixActions10.2.0.3.0 createLink
 source = libocci.so.12.1
 destination = /u01/app/oracle/product/12.1.0/db_1/lib/libocci.so
 overwriteExistingLink = null
 overwriteExistingDir = null

INFO: creating link 'libocci.so.12.1' for
'/u01/app/oracle/product/12.1.0/db_1/lib/libocci.so'
INFO: creating link 'libocci.so.12.1' for
'/u01/app/oracle/product/12.1.0/db_1/lib/libocci.so'
INFO: Copying files for 'SQLJ Runtime 12.1.0.1.0 '
INFO: Copying files for 'SQLJ Runtime 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
SQLJ Runtime
INFO: Copying files for 'Database workspace Manager 12.1.0.1.0 '
INFO: Copying files for 'Database workspace Manager 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Database Workspace Manager
INFO: Copying files for 'Precompiler Common Files for Core 12.1.0.1.0 '
INFO: Copying files for 'Precompiler Common Files for Core 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Precompiler Common Files for Core
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
 selectedNodes = null
 source = /u01/app/oracle/product/12.1.0/db_1/bin/ott
 destination = /u01/app/oracle/product/12.1.0/db_1/bin/ott
 variables = null
 encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/bin/ott'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/bin/ott'.
INFO: Copying files for 'Parser Generator Required Support Files 12.1.0.1.0 '
INFO: Copying files for 'Parser Generator Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Parser Generator Required Support Files
INFO: Copying files for 'Oracle Globalization Support 12.1.0.1.0 '
INFO: Copying files for 'Oracle Globalization Support 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Oracle Globalization Support
INFO: Copying files for 'Oracle Notification Service (eONS) 12.1.0.1.0 '
INFO: Copying files for 'Oracle Notification Service (eONS) 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component

installActions2013-06-29_12-50-04AM.log

Oracle Notification Service (eONS)

INFO: Copying files for 'Oracle Text ATG Language Support Files 12.1.0.1.0 '
INFO: Copying files for 'Oracle Text ATG Language Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Oracle Text ATG Language Support Files
INFO: Copying files for 'Oracle Text for Core 12.1.0.1.0 '
INFO: Copying files for 'Oracle Text for Core 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Oracle Text for Core
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes =
source = /u01/app/oracle/product/12.1.0/db_1/ctx/admin/dr0ulib.sql.sbs
destination = /u01/app/oracle/product/12.1.0/db_1/ctx/admin/dr0ulib.sql
variables = null
encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/ctx/admin/dr0ulib.sql.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/ctx/admin/dr0ulib.sql.sbs'.
INFO: Calling Action fileActions11.2.0.2.0 removeFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/ctx/admin/dr0ulib.sql.sbs

INFO: deleting '/u01/app/oracle/product/12.1.0/db_1/ctx/admin/dr0ulib.sql.sbs'
INFO: deleting '/u01/app/oracle/product/12.1.0/db_1/ctx/admin/dr0ulib.sql.sbs'
INFO: Copying files for 'Oracle Text Required Support Files 12.1.0.1.0 '
INFO: Copying files for 'Oracle Text Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Oracle Text Required Support Files
INFO: Copying files for 'Precompiler Required Support Files 12.1.0.1.0 '
INFO: Copying files for 'Precompiler Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Precompiler Required Support Files
INFO: Copying files for 'Oracle Database 12c Multimedia Files 12.1.0.1.0 '
INFO: Copying files for 'Oracle Database 12c Multimedia Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Oracle Database 12c Multimedia Files
INFO: Copying files for 'Oracle Multimedia Java Advanced Imaging 12.1.0.1.0 '
INFO: Copying files for 'Oracle Multimedia Java Advanced Imaging 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Oracle Multimedia Java Advanced Imaging
INFO: Copying files for 'Oracle JDBC/OCI Instant Client 12.1.0.1.0 '
INFO: Copying files for 'Oracle JDBC/OCI Instant Client 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Oracle JDBC/OCI Instant Client
INFO: Copying files for 'Oracle Multimedia Locator Java Required Support Files
12.1.0.1.0 '
INFO: Copying files for 'Oracle Multimedia Locator Java Required Support Files
12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Oracle Multimedia Locator Java Required Support Files
INFO: Copying files for 'Oracle Multimedia Locator RDBMS Files 12.1.0.1.0 '
INFO: Copying files for 'Oracle Multimedia Locator RDBMS Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Oracle Multimedia Locator RDBMS Files
INFO: Copying files for 'Oracle Core Required Support Files for Core DB
12.1.0.1.0 '
INFO: Copying files for 'Oracle Core Required Support Files for Core DB
12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Oracle Core Required Support Files for Core DB
INFO: Copying files for 'Oracle Core Required Support Files 12.1.0.1.0 '
INFO: Copying files for 'Oracle Core Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Oracle Core Required Support Files
INFO: Copying files for 'Sample Schema Data 12.1.0.1.0 '
INFO: Copying files for 'Sample Schema Data 12.1.0.1.0 '

```

installActions2013-06-29_12-50-04AM.log
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Sample Schema Data
INFO: Copying files for 'Oracle Starter Database 12.1.0.1.0 '
INFO: Copying files for 'Oracle Starter Database 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Oracle Starter Database
INFO: Copying files for 'Oracle Message Gateway Common Files 12.1.0.1.0 '
INFO: Copying files for 'Oracle Message Gateway Common Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Oracle Message Gateway Common Files
INFO: Calling Action fileActions11.2.0.2.0 createDir
      selectedNodes = null
      destination = /u01/app/oracle/product/12.1.0/db_1/mgw/log
      permissions = null
      owner = null
      group = null

INFO: Calling Action fileActions11.2.0.2.0 createDir
      selectedNodes = null
      destination = /u01/app/oracle/product/12.1.0/db_1/mgw/doc
      permissions = null
      owner = null
      group = null

INFO: Copying files for 'Oracle XML Query 12.1.0.1.0 '
INFO: Copying files for 'Oracle XML Query 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Oracle XML Query
INFO: Copying files for 'Oracle Core XML Development Kit 12.1.0.1.0 '
INFO: Copying files for 'Oracle Core XML Development Kit 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Oracle Core XML Development Kit
INFO: Copying files for 'XML Parser for Oracle JVM 12.1.0.1.0 '
INFO: Copying files for 'XML Parser for Oracle JVM 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component XML
Parser for Oracle JVM
INFO: Copying files for 'Oracle JFC Extended windowing Toolkit 11.1.1.6.0 '
INFO: Copying files for 'Oracle JFC Extended windowing Toolkit 11.1.1.6.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Oracle JFC Extended windowing Toolkit
INFO: Copying files for 'Oracle Globalization Support For Core 12.1.0.1.0 '
INFO: Copying files for 'Oracle Globalization Support For Core 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Oracle Globalization Support For Core
INFO: Copying files for 'Oracle Database Deconfiguration 12.1.0.1.0 '
INFO: Copying files for 'Oracle Database Deconfiguration 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Oracle Database Deconfiguration
INFO: Copying files for 'Oracle Quality of Service Management (Client)
12.1.0.1.0 '
INFO: Copying files for 'Oracle Quality of Service Management (Client)
12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Oracle Quality of Service Management (Client)
INFO: Copying files for 'Oracle Locale Builder 12.1.0.1.0 '
INFO: Copying files for 'Oracle Locale Builder 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Oracle Locale Builder
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null
      source = /u01/app/oracle/product/12.1.0/db_1/nls/lbuilder/lbuilder
      destination = /u01/app/oracle/product/12.1.0/db_1/nls/lbuilder/lbuilder
      variables = null
      encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/nls/lbuilder/lbuilder'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/nls/lbuilder/lbuilder'.
INFO: Calling Action unixActions10.2.0.3.0 changePermissions

```


installActions2013-06-29_12-50-04AM.log
source = /u01/app/oracle/product/12.1.0/db_1/nls/lbuilder/lbuilder
permissions = 755

INFO: changing permissions for
'/u01/app/oracle/product/12.1.0/db_1/nls/lbuilder/lbuilder'
INFO: changing permissions for
'/u01/app/oracle/product/12.1.0/db_1/nls/lbuilder/lbuilder'
INFO: Calling Action unixActions10.2.0.3.0 createLink
source = /u01/app/oracle/product/12.1.0/db_1/nls/lbuilder/lbuilder
destination = /u01/app/oracle/product/12.1.0/db_1/bin/lbuilder
overwriteExistingLink = true
overwriteExistingDir = null

INFO: creating link '/u01/app/oracle/product/12.1.0/db_1/nls/lbuilder/lbuilder'
for '/u01/app/oracle/product/12.1.0/db_1/bin/lbuilder'
INFO: creating link '/u01/app/oracle/product/12.1.0/db_1/nls/lbuilder/lbuilder'
for '/u01/app/oracle/product/12.1.0/db_1/bin/lbuilder'
INFO: Copying files for 'JAccelerator (COMPANION) 12.1.0.1.0 '
INFO: Copying files for 'JAccelerator (COMPANION) 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
JAccelerator (COMPANION)
INFO: Copying files for 'Oracle Containers for Java 12.1.0.1.0 '
INFO: Copying files for 'Oracle Containers for Java 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Oracle Containers for Java
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename =
/u01/app/oracle/product/12.1.0/db_1/oc4j/j2ee/home/config/jazn.security.props
INFO: Query Returned: true
INFO: Calling Action unixActions10.2.0.3.0 changePermissions
source =
/u01/app/oracle/product/12.1.0/db_1/oc4j/j2ee/home/config/jazn.security.props
permissions = 444

INFO: changing permissions for
'/u01/app/oracle/product/12.1.0/db_1/oc4j/j2ee/home/config/jazn.security.props'
INFO: changing permissions for
'/u01/app/oracle/product/12.1.0/db_1/oc4j/j2ee/home/config/jazn.security.props'
INFO: Calling Action fileActions11.2.0.2.0 createDirRecurse
destination = /u01/app/oracle/product/12.1.0/db_1/oc4j/j2ee/home/log
selectedNodes = null
permissions = null
owner = null
group = null

INFO: Calling Action fileActions11.2.0.2.0 createDirRecurse
destination =
/u01/app/oracle/product/12.1.0/db_1/oc4j/j2ee/home/persistence
selectedNodes = null
permissions = null
owner = null
group = null

INFO: Copying files for 'Oracle JVM For Core 12.1.0.1.0 '
INFO: Copying files for 'Oracle JVM For Core 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Oracle JVM For Core
INFO: Copying files for 'Perl Modules 5.14.1.0.0 '
INFO: Copying files for 'Perl Modules 5.14.1.0.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Perl Modules
INFO: Copying files for 'RDBMS Required Support Files 12.1.0.1.0 '
INFO: Copying files for 'RDBMS Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
RDBMS Required Support Files
INFO: Calling Action fileActions11.2.0.2.0 moveFile
selectedNodes = null

```
installActions2013-06-29_12-50-04AM.log
source = /u01/app/oracle/product/12.1.0/db_1/lib/libvsn12_ee.a.db1
destination = /u01/app/oracle/product/12.1.0/db_1/lib/libvsn12.a
```

```
INFO: moving '/u01/app/oracle/product/12.1.0/db_1/lib/libvsn12_ee.a.db1' to
'/u01/app/oracle/product/12.1.0/db_1/lib/libvsn12.a'
```

```
INFO: moving '/u01/app/oracle/product/12.1.0/db_1/lib/libvsn12_ee.a.db1' to
'/u01/app/oracle/product/12.1.0/db_1/lib/libvsn12.a'
```

```
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/eusm.sbs
destination = /u01/app/oracle/product/12.1.0/db_1/bin/eusm
variables = null
encoding = null
```

```
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/eusm.sbs'.
```

```
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/eusm.sbs'.
```

```
INFO: Calling Action unixActions10.2.0.3.0 changePermissions
source = /u01/app/oracle/product/12.1.0/db_1/bin/eusm
permissions = 755
```

```
INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/eusm'
```

```
INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/eusm'
```

```
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/umu.sbs
destination = /u01/app/oracle/product/12.1.0/db_1/bin/umu
variables = null
encoding = null
```

```
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/umu.sbs'.
```

```
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/umu.sbs'.
```

```
INFO: Calling Action unixActions10.2.0.3.0 changePermissions
source = /u01/app/oracle/product/12.1.0/db_1/bin/umu
permissions = 755
```

```
INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/umu'
```

```
INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/umu'
```

```
INFO: Copying files for 'Secure Socket Layer 12.1.0.1.0 '
```

```
INFO: Copying files for 'Secure Socket Layer 12.1.0.1.0 '
```

```
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
```

```
Secure Socket Layer
```

```
INFO: Copying files for 'Oracle Universal Connection Pool 12.1.0.1.0 '
```

```
INFO: Copying files for 'Oracle Universal Connection Pool 12.1.0.1.0 '
```

```
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
```

```
Oracle Universal Connection Pool
```

```
INFO: Copying files for 'Oracle JDBC/THIN Interfaces 12.1.0.1.0 '
```

```
INFO: Copying files for 'Oracle JDBC/THIN Interfaces 12.1.0.1.0 '
```

```
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
```

```
Oracle JDBC/THIN Interfaces
```

```
INFO: Copying files for 'Oracle Multimedia Client Option 12.1.0.1.0 '
```

```
INFO: Copying files for 'Oracle Multimedia Client Option 12.1.0.1.0 '
```

```
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
```

```
Oracle Multimedia Client Option
```

```
INFO: Copying files for 'Oracle Java Client 12.1.0.1.0 '
```

```
INFO: Copying files for 'Oracle Java Client 12.1.0.1.0 '
```

```
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
```

```
Oracle Java Client
```

```
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
```

```
selectedNodes = null
```

```
source =
```

```
/u01/app/oracle/product/12.1.0/db_1/javavm/install/sbs/statusnc.sbs
```

```
destination = /u01/app/oracle/product/12.1.0/db_1/bin/statusnc
```

```
variables = null
```

```
encoding = null
```

installActions2013-06-29_12-50-04AM.log

```
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/javavm/install/sbs/statusnc.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/javavm/install/sbs/statusnc.sbs'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
    selectedNodes = null
    source =
/u01/app/oracle/product/12.1.0/db_1/javavm/install/sbs/ncomp.sbs
    destination = /u01/app/oracle/product/12.1.0/db_1/bin/ncomp
    variables = null
    encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/javavm/install/sbs/ncomp.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/javavm/install/sbs/ncomp.sbs'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
    selectedNodes = null
    source =
/u01/app/oracle/product/12.1.0/db_1/javavm/install/sbs/deploync.sbs
    destination = /u01/app/oracle/product/12.1.0/db_1/bin/deploync
    variables = null
    encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/javavm/install/sbs/deploync.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/javavm/install/sbs/deploync.sbs'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
    selectedNodes = null
    source =
/u01/app/oracle/product/12.1.0/db_1/javavm/install/sbs/loadjava.sbs
    destination = /u01/app/oracle/product/12.1.0/db_1/bin/loadjava
    variables = null
    encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/javavm/install/sbs/loadjava.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/javavm/install/sbs/loadjava.sbs'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
    selectedNodes = null
    source =
/u01/app/oracle/product/12.1.0/db_1/javavm/install/sbs/dropjava.sbs
    destination = /u01/app/oracle/product/12.1.0/db_1/bin/dropjava
    variables = null
    encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/javavm/install/sbs/dropjava.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/javavm/install/sbs/dropjava.sbs'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
    selectedNodes = null
    source =
/u01/app/oracle/product/12.1.0/db_1/javavm/install/sbs/ojvmjava.sbs
    destination = /u01/app/oracle/product/12.1.0/db_1/bin/ojvmjava
    variables = null
    encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/javavm/install/sbs/ojvmjava.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/javavm/install/sbs/ojvmjava.sbs'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
    selectedNodes = null
    source =
```

```

installActions2013-06-29_12-50-04AM.log
/u01/app/oracle/product/12.1.0/db_1/javavm/install/sbs/ojvmtc.sbs
destination = /u01/app/oracle/product/12.1.0/db_1/bin/ojvmtc
variables = null
encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/javavm/install/sbs/ojvmtc.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/javavm/install/sbs/ojvmtc.sbs'.
INFO: Calling Action unixActions10.2.0.3.0 changePermissions
source = /u01/app/oracle/product/12.1.0/db_1/bin/statusnc
permissions = 755

INFO: changing permissions for
'/u01/app/oracle/product/12.1.0/db_1/bin/statusnc'
INFO: changing permissions for
'/u01/app/oracle/product/12.1.0/db_1/bin/statusnc'
INFO: Calling Action unixActions10.2.0.3.0 changePermissions
source = /u01/app/oracle/product/12.1.0/db_1/bin/ncomp
permissions = 755

INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/ncomp'
INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/ncomp'
INFO: Calling Action unixActions10.2.0.3.0 changePermissions
source = /u01/app/oracle/product/12.1.0/db_1/bin/deploync
permissions = 755

INFO: changing permissions for
'/u01/app/oracle/product/12.1.0/db_1/bin/deploync'
INFO: changing permissions for
'/u01/app/oracle/product/12.1.0/db_1/bin/deploync'
INFO: Calling Action unixActions10.2.0.3.0 changePermissions
source = /u01/app/oracle/product/12.1.0/db_1/bin/dropjava
permissions = 755

INFO: changing permissions for
'/u01/app/oracle/product/12.1.0/db_1/bin/dropjava'
INFO: changing permissions for
'/u01/app/oracle/product/12.1.0/db_1/bin/dropjava'
INFO: Calling Action unixActions10.2.0.3.0 changePermissions
source = /u01/app/oracle/product/12.1.0/db_1/bin/loadjava
permissions = 755

INFO: changing permissions for
'/u01/app/oracle/product/12.1.0/db_1/bin/loadjava'
INFO: changing permissions for
'/u01/app/oracle/product/12.1.0/db_1/bin/loadjava'
INFO: Calling Action unixActions10.2.0.3.0 changePermissions
source = /u01/app/oracle/product/12.1.0/db_1/bin/ojvmjava
permissions = 755

INFO: changing permissions for
'/u01/app/oracle/product/12.1.0/db_1/bin/ojvmjava'
INFO: changing permissions for
'/u01/app/oracle/product/12.1.0/db_1/bin/ojvmjava'
INFO: Calling Action unixActions10.2.0.3.0 changePermissions
source = /u01/app/oracle/product/12.1.0/db_1/bin/ojvmtc
permissions = 755

INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/ojvmtc'
INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/ojvmtc'
INFO: Copying files for 'Database Migration Assistant for Unicode 12.1.0.1.0 '
INFO: Copying files for 'Database Migration Assistant for Unicode 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Database Migration Assistant for Unicode
INFO: Copying files for 'Perl Interpreter 5.14.1.0.0 '
INFO: Copying files for 'Perl Interpreter 5.14.1.0.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component

```

installActions2013-06-29_12-50-04AM.log

Perl Interpreter

INFO: Copying files for 'PL/SQL Embedded Gateway 12.1.0.1.0 '
INFO: Copying files for 'PL/SQL Embedded Gateway 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
PL/SQL Embedded Gateway
INFO: Copying files for 'OLAP SQL Scripts 12.1.0.1.0 '
INFO: Copying files for 'OLAP SQL Scripts 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
OLAP SQL Scripts
INFO: Copying files for 'Database SQL Scripts 12.1.0.1.0 '
INFO: Copying files for 'Database SQL Scripts 12.1.0.1.0 '
INFO: 6/29/13 12:56:06 AM EDT: Starting install Install Phase 1 of component
Database SQL Scripts
INFO: Copying files for 'Oracle Globalization Support 12.1.0.1.0 '
INFO: Copying files for 'Oracle Globalization Support 12.1.0.1.0 '
INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component
Oracle Globalization Support
INFO: Copying files for 'Oracle Extended Windowing Toolkit 11.1.1.6.0 '
INFO: Copying files for 'Oracle Extended Windowing Toolkit 11.1.1.6.0 '
INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component
Oracle Extended Windowing Toolkit
INFO: Copying files for 'SQL*Plus Files for Instant Client 12.1.0.1.0 '
INFO: Copying files for 'SQL*Plus Files for Instant Client 12.1.0.1.0 '
INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component
SQL*Plus Files for Instant Client
INFO: Copying files for 'Required Support Files 12.1.0.1.0 '
INFO: Copying files for 'Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component
Required Support Files
INFO: Copying files for 'Oracle ODBC Driver 12.1.0.1.0 '
INFO: Copying files for 'Oracle ODBC Driver 12.1.0.1.0 '
INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component
Oracle ODBC Driver
INFO: Copying files for 'Precompilers 12.1.0.1.0 '
INFO: Copying files for 'Precompilers 12.1.0.1.0 '
INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component
Precompilers
INFO: Setting variable 's_architecture' to '64'. Received the value from a code
block.
INFO: Copying files for 'Precompiler Common Files 12.1.0.1.0 '
INFO: Copying files for 'Precompiler Common Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component
Precompiler Common Files
INFO: Copying files for 'Deinstallation Tool 12.1.0.1.0 '
INFO: Copying files for 'Deinstallation Tool 12.1.0.1.0 '
INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component
Deinstallation Tool
INFO: Copying files for 'Oracle Recovery Manager 12.1.0.1.0 '
INFO: Copying files for 'Oracle Recovery Manager 12.1.0.1.0 '
INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component
Oracle Recovery Manager
INFO: Copying files for 'Oracle Net Java Required Support Files 12.1.0.1.0 '
INFO: Copying files for 'Oracle Net Java Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component
Oracle Net Java Required Support Files
INFO: Copying files for 'XML Parser for Java 12.1.0.1.0 '
INFO: Copying files for 'XML Parser for Java 12.1.0.1.0 '
INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component XML
Parser for Java
INFO: Copying files for 'Oracle Security Developer Tools 12.1.0.1.0 '
INFO: Copying files for 'Oracle Security Developer Tools 12.1.0.1.0 '
INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component
Oracle Security Developer Tools
INFO: Copying files for 'Oracle wallet Manager 12.1.0.1.0 '
INFO: Copying files for 'Oracle wallet Manager 12.1.0.1.0 '
INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component
Oracle Wallet Manager
INFO: Calling Action unixActions10.2.0.3.0 changePermissions

```
installActions2013-06-29_12-50-04AM.log
source = /u01/app/oracle/product/12.1.0/db_1/bin/owm
permissions = 755
```

```
INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/owm'
INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/owm'
INFO: Copying files for 'Cluster Verification Utility Common Files 12.1.0.1.0 '
INFO: Copying files for 'Cluster Verification Utility Common Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component
Cluster Verification Utility Common Files
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/cv/remenv/exectask.sh
destination = /u01/app/oracle/product/12.1.0/db_1/cv/remenv/exectask.sh
variables = null
encoding = null
```

```
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/cv/remenv/exectask.sh'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/cv/remenv/exectask.sh'.
INFO: Copying files for 'Oracle Clusterware RDBMS Files 12.1.0.1.0 '
INFO: Copying files for 'Oracle Clusterware RDBMS Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component
Oracle Clusterware RDBMS Files
INFO: Copying files for 'Oracle Ice Browser 11.1.1.6.0 '
INFO: Copying files for 'Oracle Ice Browser 11.1.1.6.0 '
INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component
Oracle Ice Browser
INFO: Copying files for 'Installation Plugin Files 12.1.0.1.0 '
INFO: Copying files for 'Installation Plugin Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component
Installation Plugin Files
INFO: Copying files for 'Installation Common Files 12.1.0.1.0 '
INFO: Copying files for 'Installation Common Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component
Installation Common Files
INFO: Calling Query areasQueries10.2.0.1.0 getProductHome
```

```
name = oracle.jdk
```

```
startVersion = 1.6.0
```

```
endVersion = 9.9.9
```

```
acceptCompatible = null
```

```
INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1/jdk
INFO: Setting variable 's_jreProductLocation' to
'/u01/app/oracle/product/12.1.0/db_1/jdk'. Received the value from a code block.
INFO: Setting variable 's_jreProductLocation' to
'/u01/app/oracle/product/12.1.0/db_1/jdk/jre/'. Received the value from a code
block.
INFO: Calling Query fileQueries10.1.0.3.0 exists
```

```
filename = /u01/app/oracle/product/12.1.0/db_1/clone/bin/clone.pl.sbs
```

```
INFO: Query Returned: true
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes =
source = /u01/app/oracle/product/12.1.0/db_1/clone/bin/clone.pl.sbs
destination = /u01/app/oracle/product/12.1.0/db_1/clone/bin/clone.pl
variables = null
encoding = null
```

```
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/clone/bin/clone.pl.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/clone/bin/clone.pl.sbs'.
INFO: Calling Action fileActions11.2.0.2.0 createDir
selectedNodes =
destination = /u01/app/oracle/product/12.1.0/db_1/install
permissions = null
```

```
installActions2013-06-29_12-50-04AM.log
owner = null
group = null
```

```
INFO: Calling Action generalActions10.2.0.9.0 setenv
selectedNodes =
name = ORACLE_HOME
value = /u01/app/oracle/product/12.1.0/db_1
append = null
replace = null
doNotPersistEnv = null
```

```
INFO: setting environment variable 'ORACLE_HOME' to
'/u01/app/oracle/product/12.1.0/db_1'
INFO: setting environment variable 'ORACLE_HOME' to
'/u01/app/oracle/product/12.1.0/db_1'
```

```
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes =
source = /u01/app/oracle/product/12.1.0/db_1/bin/bndlchk
destination = /u01/app/oracle/product/12.1.0/db_1/bin/bndlchk
variables = null
encoding = null
```

```
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/bin/bndlchk'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/bin/bndlchk'.
```

```
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes =
source = /u01/app/oracle/product/12.1.0/db_1/install/orabasetab
destination = /u01/app/oracle/product/12.1.0/db_1/install/orabasetab
variables = null
encoding = null
```

```
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/install/orabasetab'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/install/orabasetab'.
```

```
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes =
source = /u01/app/oracle/product/12.1.0/db_1/install/utl/rootinstall.sh
destination =
/u01/app/oracle/product/12.1.0/db_1/install/utl/rootinstall.sh
variables = null
encoding = null
```

```
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/install/utl/rootinstall.sh'.
```

```
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/install/utl/rootinstall.sh'.
```

```
INFO: Calling Action fileActions11.2.0.2.0 appendStringToFile
source = /u01/app/oracle/product/12.1.0/db_1/root.sh
stringToAppend = .
/u01/app/oracle/product/12.1.0/db_1/install/utl/rootmacro.sh "$@"
```

```
INFO: updating '/u01/app/oracle/product/12.1.0/db_1/root.sh'.
INFO: updating '/u01/app/oracle/product/12.1.0/db_1/root.sh'.
INFO: Calling Action fileActions11.2.0.2.0 appendStringToFile
source = /u01/app/oracle/product/12.1.0/db_1/root.sh
stringToAppend = .
/u01/app/oracle/product/12.1.0/db_1/install/utl/rootinstall.sh
```

```
INFO: updating '/u01/app/oracle/product/12.1.0/db_1/root.sh'.
INFO: updating '/u01/app/oracle/product/12.1.0/db_1/root.sh'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes =
source =
/u01/app/oracle/product/12.1.0/db_1/install/config/oracle.rdbms.util.xml
destination =
/u01/app/oracle/product/12.1.0/db_1/install/config/oracle.rdbms.util.xml
variables = null
encoding = null
```

installActions2013-06-29_12-50-04AM.log

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/install/config/oracle.rdbms.util.xml'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/install/config/oracle.rdbms.util.xml'.
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/addnode/addnode.sh
INFO: Query Returned: true
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes =
source = /u01/app/oracle/product/12.1.0/db_1/addnode/addnode.sh
destination = /u01/app/oracle/product/12.1.0/db_1/addnode/addnode.sh
variables = null
encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/addnode/addnode.sh'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/addnode/addnode.sh'.
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/addnode/addnode.bat
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/addnode/addnode_oraparam.ini.sbs
INFO: Query Returned: true
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes =
source =
/u01/app/oracle/product/12.1.0/db_1/addnode/addnode_oraparam.ini.sbs
destination =
/u01/app/oracle/product/12.1.0/db_1/addnode/addnode_oraparam.ini
variables = null
encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/addnode/addnode_oraparam.ini.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/addnode/addnode_oraparam.ini.sbs'.
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/clone/clone_oraparam.ini.sbs
INFO: Query Returned: true
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes =
source =
/u01/app/oracle/product/12.1.0/db_1/clone/clone_oraparam.ini.sbs
destination =
/u01/app/oracle/product/12.1.0/db_1/clone/clone_oraparam.ini
variables = null
encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/clone/clone_oraparam.ini.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/clone/clone_oraparam.ini.sbs'.
INFO: Calling query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/bin/registerDll.bat.sbs
INFO: Query Returned: false
INFO: Copying files for 'Oracle LDAP administration 12.1.0.1.0 '
INFO: Copying files for 'Oracle LDAP administration 12.1.0.1.0 '
INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component
Oracle LDAP administration
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes =
source =
/u01/app/oracle/product/12.1.0/db_1/ldap/install/ldifmigrator.ora
destination = /u01/app/oracle/product/12.1.0/db_1/bin/ldifmigrator


```
installActions2013-06-29_12-50-04AM.log
variables = null
encoding = null
```

```
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/ldap/install/ldifmigrator.orc'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/ldap/install/ldifmigrator.orc'.
INFO: Calling Action unixActions10.2.0.3.0 changePermissions
      source = /u01/app/oracle/product/12.1.0/db_1/bin/ldifmigrator
      permissions = 755

INFO: changing permissions for
'/u01/app/oracle/product/12.1.0/db_1/bin/ldifmigrator'
INFO: changing permissions for
'/u01/app/oracle/product/12.1.0/db_1/bin/ldifmigrator'
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes =
      source =
/u01/app/oracle/product/12.1.0/db_1/ldap/install/oidprovtool.orc
      destination = /u01/app/oracle/product/12.1.0/db_1/bin/oidprovtool
      variables = null
      encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/ldap/install/oidprovtool.orc'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/ldap/install/oidprovtool.orc'.
INFO: Calling Action unixActions10.2.0.3.0 changePermissions
      source = /u01/app/oracle/product/12.1.0/db_1/bin/oidprovtool
      permissions = 755

INFO: changing permissions for
'/u01/app/oracle/product/12.1.0/db_1/bin/oidprovtool'
INFO: changing permissions for
'/u01/app/oracle/product/12.1.0/db_1/bin/oidprovtool'
INFO: Calling Action fileActions11.2.0.2.0 removeFile
      selectedNodes =
      source =
/u01/app/oracle/product/12.1.0/db_1/ldap/install/ldifmigrator.orc

INFO: deleting
'/u01/app/oracle/product/12.1.0/db_1/ldap/install/ldifmigrator.orc'
INFO: deleting
'/u01/app/oracle/product/12.1.0/db_1/ldap/install/ldifmigrator.orc'
INFO: Calling Action fileActions11.2.0.2.0 removeFile
      selectedNodes =
      source =
/u01/app/oracle/product/12.1.0/db_1/ldap/install/oidprovtool.orc

INFO: deleting
'/u01/app/oracle/product/12.1.0/db_1/ldap/install/oidprovtool.orc'
INFO: deleting
'/u01/app/oracle/product/12.1.0/db_1/ldap/install/oidprovtool.orc'
INFO: Copying files for 'Buildtools Common Files 12.1.0.1.0 '
INFO: Copying files for 'Buildtools Common Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component
Buildtools Common Files
INFO: Copying files for 'Oracle Java Layout Engine 11.0.0.0.0 '
INFO: Copying files for 'Oracle Java Layout Engine 11.0.0.0.0 '
INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component
Oracle Java Layout Engine
INFO: Copying files for 'Oracle Database User Interface 11.0.0.0.0 '
INFO: Copying files for 'Oracle Database User Interface 11.0.0.0.0 '
INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component
Oracle Database User Interface
INFO: Copying files for 'Oracle Help Share Library 11.1.1.6.0 '
INFO: Copying files for 'Oracle Help Share Library 11.1.1.6.0 '
INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component
```

installActions2013-06-29_12-50-04AM.log

Oracle Help Share Library

INFO: Copying files for 'Oracle Help for Java 11.1.1.6.0 '

INFO: Copying files for 'Oracle Help for Java 11.1.1.6.0 '

INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component

Oracle Help for Java

INFO: Copying files for 'HAS Common Files 12.1.0.1.0 '

INFO: Copying files for 'HAS Common Files 12.1.0.1.0 '

INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component HAS
Common Files

INFO: Calling Action fileActions11.2.0.2.0 instantiateFile

selectedNodes = null

source = /u01/app/oracle/product/12.1.0/db_1/crs/sbs/srvctl.sbs

destination = /u01/app/oracle/product/12.1.0/db_1/bin/srvctl

variables = null

encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/crs/sbs/srvctl.sbs'.

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/crs/sbs/srvctl.sbs'.

INFO: Calling Action fileActions11.2.0.2.0 createDirRecurse

destination = /u01/app/oracle/product/12.1.0/db_1/cdata/localhost

selectedNodes = null

permissions = 755

owner = null

group = null

INFO: Calling Action fileActions11.2.0.2.0 createDirRecurse

destination = /u01/app/oracle/product/12.1.0/db_1/css/init

selectedNodes = null

permissions = 755

owner = null

group = null

INFO: Calling Action fileActions11.2.0.2.0 createDirRecurse

destination = /u01/app/oracle/product/12.1.0/db_1/css/log

selectedNodes = null

permissions = 755

owner = null

group = null

INFO: Calling Action fileActions11.2.0.2.0 createDirRecurse

destination = /u01/app/oracle/product/12.1.0/db_1/css/auth

selectedNodes = null

permissions = 755

owner = null

group = null

INFO: Copying files for 'PL/SQL 12.1.0.1.0 '

INFO: Copying files for 'PL/SQL 12.1.0.1.0 '

INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component

PL/SQL

INFO: Copying files for 'Assistant Common Files 12.1.0.1.0 '

INFO: Copying files for 'Assistant Common Files 12.1.0.1.0 '

INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component

Assistant Common Files

INFO: Calling Query areasQueries10.2.0.1.0 getProductHome

name = oracle.jdk

startVersion = 1.6.0.0.0

endVersion = 9.9.9.9.9

acceptCompatible = null

INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1/jdk

INFO: Setting variable 's_jreProductLocation' to

'/u01/app/oracle/product/12.1.0/db_1/jdk'. Received the value from a code block.

INFO: Setting variable 's_jreProductLocation' to

'/u01/app/oracle/product/12.1.0/db_1/jdk/jre/'. Received the value from a code

block.

INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/assistants/bin/rconfig.sbs

INFO: Query Returned: true

INFO: Calling Action fileActions11.2.0.2.0 instantiateFile

selectedNodes = null

source = /u01/app/oracle/product/12.1.0/db_1/assistants/bin/rconfig.sbs

destination = /u01/app/oracle/product/12.1.0/db_1/bin/rconfig

variables = null

encoding = null

INFO: instantiating

'/u01/app/oracle/product/12.1.0/db_1/assistants/bin/rconfig.sbs'.

INFO: instantiating

'/u01/app/oracle/product/12.1.0/db_1/assistants/bin/rconfig.sbs'.

INFO: Calling Action fileActions11.2.0.2.0 removeFile

selectedNodes = null

source = /u01/app/oracle/product/12.1.0/db_1/assistants/bin/rconfig.sbs

INFO: deleting '/u01/app/oracle/product/12.1.0/db_1/assistants/bin/rconfig.sbs'

INFO: deleting '/u01/app/oracle/product/12.1.0/db_1/assistants/bin/rconfig.sbs'

INFO: Calling Action unixActions10.2.0.3.0 changePermissions

source = /u01/app/oracle/product/12.1.0/db_1/bin/rconfig

permissions = 755

INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/rconfig'

INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/rconfig'

INFO: Calling Action fileActions11.2.0.2.0 instantiateFile

selectedNodes = null

source =

/u01/app/oracle/product/12.1.0/db_1/assistants/bin/platform_common.sbs

destination = /u01/app/oracle/product/12.1.0/db_1/bin/platform_common

variables = null

encoding = null

INFO: instantiating

'/u01/app/oracle/product/12.1.0/db_1/assistants/bin/platform_common.sbs'.

INFO: instantiating

'/u01/app/oracle/product/12.1.0/db_1/assistants/bin/platform_common.sbs'.

INFO: Copying files for 'Oracle Notification Service 12.1.0.1.0 '

INFO: Copying files for 'Oracle Notification Service 12.1.0.1.0 '

INFO: 6/29/13 12:56:08 AM EDT: Starting install Install Phase 1 of component

Oracle Notification Service

INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/lib/libons.so.db1

INFO: Query Returned: false

INFO: Calling Action fileActions11.2.0.2.0 createDir

selectedNodes = null

destination = /u01/app/oracle/product/12.1.0/db_1/opmn/logs

permissions = 700

owner = null

group = null

INFO: Calling Action fileActions11.2.0.2.0 createDir

selectedNodes = null

destination = /u01/app/oracle/product/12.1.0/db_1/opmn/conf

permissions = 750

owner = null

group = null

INFO: Calling Query generalPortQueries2.1.0.19.8 getFreePort

lowerPortNumber = 6150

upperPortNumber = 6199

```

installActions2013-06-29_12-50-04AM.log
currentOracleHome = /u01/app/oracle/product/12.1.0/db_1
portName = Oracle Notification Server Local port
oracleHomes = /u01/app/oracle/product/12.1.0/db_1
configurationPath = /u01/app/oracle/product/12.1.0/db_1/opmn/ons.config
attributeName = local
UDPFlag = null
INFO: Query Returned: 6150
INFO: Setting variable 's_opmnLocalPort' to '6150'. Received the value from a
code block.
INFO: Calling Query generalPortQueries2.1.0.19.8 getFreePort
LowerPortNumber = 6250
upperPortNumber = 6299
currentOracleHome = /u01/app/oracle/product/12.1.0/db_1
portName = Oracle Notification Server Remote port
oracleHomes = /u01/app/oracle/product/12.1.0/db_1
configurationPath = /u01/app/oracle/product/12.1.0/db_1/opmn/ons.config
attributeName = remote
UDPFlag = null
INFO: Query Returned: 6250
INFO: Setting variable 's_opmnRemotePort' to '6250'. Received the value from a
code block.
INFO: Copying files for 'Oracle Net 12.1.0.1.0 '
INFO: Copying files for 'Oracle Net 12.1.0.1.0 '
INFO: 6/29/13 12:56:11 AM EDT: Starting install Install Phase 1 of component
Oracle Net
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
    selectedNodes = null
    source =
/u01/app/oracle/product/12.1.0/db_1/network/install/sbs/trcasst.sbs
    destination = /u01/app/oracle/product/12.1.0/db_1/bin/trcasst
    variables = null
    encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/network/install/sbs/trcasst.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/network/install/sbs/trcasst.sbs'.
INFO: Calling Action fileActions11.2.0.2.0 removeFile
    selectedNodes = null
    source =
/u01/app/oracle/product/12.1.0/db_1/network/install/sbs/trcasst.sbs

INFO: deleting
'/u01/app/oracle/product/12.1.0/db_1/network/install/sbs/trcasst.sbs'
INFO: deleting
'/u01/app/oracle/product/12.1.0/db_1/network/install/sbs/trcasst.sbs'
INFO: Calling Action unixActions10.2.0.3.0 changePermissions
    source = /u01/app/oracle/product/12.1.0/db_1/bin/trcasst
    permissions = 755

INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/trcasst'
INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/trcasst'
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
    selectedNodes = null
    source =

```

```

installActions2013-06-29_12-50-04AM.log
/u01/app/oracle/product/12.1.0/db_1/network/install/sbs/netmgr.sbs
destination = /u01/app/oracle/product/12.1.0/db_1/bin/netmgr
variables = null
encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/network/install/sbs/netmgr.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/network/install/sbs/netmgr.sbs'.
INFO: Calling Action unixActions10.2.0.3.0 changePermissions
source = /u01/app/oracle/product/12.1.0/db_1/bin/netmgr
permissions = 755

INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/netmgr'
INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/netmgr'
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename =
/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/mgr_help.jar
INFO: Query Returned: true
INFO: Calling Action jarActions10.2.0.0.0 copyJarContents
JarLoc =
/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/mgr_help.jar
DestDir =
/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/
permissions = null
owner = null
group = null

INFO: extracting
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/mgr_help.jar'
INFO: extracting
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/mgr_help.jar'
INFO: extracting file 'blafdoc.css' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/blafdoc.css'
INFO: extracting file 'blafdoc.css' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/blafdoc.css'
INFO: extracting file 'eHelp.xml' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/eHelp.xml'
INFO: extracting file 'eHelp.xml' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/eHelp.xml'
INFO: extracting file 'mgr.brs' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/mgr.brs'
INFO: extracting file 'mgr.brs' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/mgr.brs'
INFO: extracting file 'mgr.glo' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/mgr.glo'
INFO: extracting file 'mgr.glo' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/mgr.glo'
INFO: extracting file 'mgr.hhc' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/mgr.hhc'
INFO: extracting file 'mgr.hhc' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/mgr.hhc'
INFO: extracting file 'mgr.hs' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/mgr.hs'
INFO: extracting file 'mgr.hs' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/mgr.hs'
INFO: extracting file 'mgr.idx' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/mgr.idx'
INFO: extracting file 'mgr.idx' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/mgr.idx'
INFO: extracting file 'mgr.map' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/mgr.map'
INFO: extracting file 'mgr.map' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/mgr.map'
INFO: extracting file 'n8ahelpabout_oracle_advanced_security.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpabout_oracle_advanced_security.htm'

```

installActions2013-06-29_12-50-04AM.log

INFO: extracting file 'n8ahelpabout_oracle_advanced_security.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpabout_oracle_advanced_security.htm'
INFO: extracting file 'n8ahelpaccepted.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpaccepted.htm'
INFO: extracting file 'n8ahelpaccepted.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpaccepted.htm'
INFO: extracting file 'n8ahelpaddress.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpaddress.htm'
INFO: extracting file 'n8ahelpaddress.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpaddress.htm'
INFO: extracting file 'n8ahelpaddress_list_options_dialog_box.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpaddress_list_options_dialog_box.htm'
INFO: extracting file 'n8ahelpaddress_list_options_dialog_box.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpaddress_list_options_dialog_box.htm'
INFO: extracting file 'n8ahelpaddresslist.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpaddresslist.htm'
INFO: extracting file 'n8ahelpaddresslist.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpaddresslist.htm'
INFO: extracting file 'n8ahelpadvanced_service_options_dialog_.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpadvanced_service_options_dialog_.htm'
INFO: extracting file 'n8ahelpadvanced_service_options_dialog_.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpadvanced_service_options_dialog_.htm'
INFO: extracting file 'n8ahelpauthentication_method.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpauthentication_method.htm'
INFO: extracting file 'n8ahelpauthentication_method.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpauthentication_method.htm'
INFO: extracting file 'n8ahelpchange_the_oracle_context.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpchange_the_oracle_context.htm'
INFO: extracting file 'n8ahelpchange_the_oracle_context.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpchange_the_oracle_context.htm'
INFO: extracting file 'n8ahelpchoose_listener_name_dialog_box.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpchoose_listener_name_dialog_box.htm'
INFO: extracting file 'n8ahelpchoose_listener_name_dialog_box.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpchoose_listener_name_dialog_box.htm'
INFO: extracting file 'n8ahelpchoose_new_context_dialog_box.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpchoose_new_context_dialog_box.htm'
INFO: extracting file 'n8ahelpchoose_new_context_dialog_box.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpchoose_new_context_dialog_box.htm'
INFO: extracting file 'n8ahelpclient_load_balancing.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpclient_load_balancing.htm'
INFO: extracting file 'n8ahelpclient_load_balancing.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpclient_load_balancing.htm'
INFO: extracting file 'n8ahelpcmanora_file.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpcmanora_file.htm'
INFO: extracting file 'n8ahelpcmanora_file.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpcmanora_file.htm'

file.htm'

INFO: extracting file 'n8ahelpcommand_menu.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpcommand_ menu.htm'

INFO: extracting file 'n8ahelpcommand_menu.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpcommand_ menu.htm'

INFO: extracting file 'n8ahelpconfigure_a_connect_desc00000028.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigur e_a_connect_desc00000028.htm'

INFO: extracting file 'n8ahelpconfigure_a_connect_desc00000028.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigur e_a_connect_desc00000028.htm'

INFO: extracting file 'n8ahelpconfigure_a_connect_desc00000029.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigur e_a_connect_desc00000029.htm'

INFO: extracting file 'n8ahelpconfigure_a_connect_desc00000029.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigur e_a_connect_desc00000029.htm'

INFO: extracting file 'n8ahelpconfigure_a_connect_descheterog.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigur e_a_connect_descheterog.htm'

INFO: extracting file 'n8ahelpconfigure_a_connect_descheterog.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigur e_a_connect_descheterog.htm'

INFO: extracting file 'n8ahelpconfigure_a_connect_descrdb.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigur e_a_connect_descrdb.htm'

INFO: extracting file 'n8ahelpconfigure_a_connect_descrdb.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigur e_a_connect_descrdb.htm'

INFO: extracting file 'n8ahelpconfigure_advanced_connect_data_.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigur e_advanced_connect_data_.htm'

INFO: extracting file 'n8ahelpconfigure_advanced_connect_data_.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigur e_advanced_connect_data_.htm'

INFO: extracting file 'n8ahelpconfigure_advanced_profile_infor.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigur e_advanced_profile_infor.htm'

INFO: extracting file 'n8ahelpconfigure_advanced_profile_infor.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigur e_advanced_profile_infor.htm'

INFO: extracting file 'n8ahelpconfigure_default_domains_for_cl.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigur e_default_domains_for_cl.htm'

INFO: extracting file 'n8ahelpconfigure_default_domains_for_cl.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigur e_default_domains_for_cl.htm'

INFO: extracting file 'n8ahelpconfigure_encryption.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigur e_encryption.htm'

INFO: extracting file 'n8ahelpconfigure_encryption.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigur e_encryption.htm'

INFO: extracting file 'n8ahelpconfigure_external_naming_method.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigur e_external_naming_method.htm'

INFO: extracting file 'n8ahelpconfigure_external_naming_method.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigur e_external_naming_method.htm'

INFO: extracting file 'n8ahelpconfigure_external_procedures_fo.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigur e_external_procedures_fo.htm'

INFO: extracting file 'n8ahelpconfigure_external_procedures_fo.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigur e_external_procedures_fo.htm'

INFO: extracting file 'n8ahelpconfigure_heterogeneous_services.htm' from

installActions2013-06-29_12-50-04AM.log
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigure_heterogeneous_services.htm'
INFO: extracting file 'n8ahelpconfigure_heterogeneous_services.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigure_heterogeneous_services.htm'
INFO: extracting file 'n8ahelpconfigure_integrity.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigure_integrity.htm'
INFO: extracting file 'n8ahelpconfigure_integrity.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigure_integrity.htm'
INFO: extracting file 'n8ahelpconfigure_listener_addresses.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigure_listener_addresses.htm'
INFO: extracting file 'n8ahelpconfigure_listener_addresses.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigure_listener_addresses.htm'
INFO: extracting file 'n8ahelpconfigure_listener_logging_and_t.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigure_listener_logging_and_t.htm'
INFO: extracting file 'n8ahelpconfigure_listener_logging_and_t.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigure_listener_logging_and_t.htm'
INFO: extracting file 'n8ahelpconfigure_multiple_address_optio.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigure_multiple_address_optio.htm'
INFO: extracting file 'n8ahelpconfigure_multiple_address_optio.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigure_multiple_address_optio.htm'
INFO: extracting file 'n8ahelpconfigure_oracle_advance00000211.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigure_oracle_advance00000211.htm'
INFO: extracting file 'n8ahelpconfigure_oracle_advance00000211.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigure_oracle_advance00000211.htm'
INFO: extracting file 'n8ahelpconfigure_oracle_advance00000212.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigure_oracle_advance00000212.htm'
INFO: extracting file 'n8ahelpconfigure_oracle_advance00000212.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigure_oracle_advance00000212.htm'
INFO: extracting file 'n8ahelpconfigure_password_auth00000051.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigure_password_auth00000051.htm'
INFO: extracting file 'n8ahelpconfigure_password_auth00000051.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigure_password_auth00000051.htm'
INFO: extracting file 'n8ahelpconfigure_profile_logging_and_tr.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigure_profile_logging_and_tr.htm'
INFO: extracting file 'n8ahelpconfigure_profile_logging_and_tr.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconfigure_profile_logging_and_tr.htm'
INFO: extracting file 'n8ahelpconnect_data.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconnect_data.htm'
INFO: extracting file 'n8ahelpconnect_data.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconnect_data.htm'
INFO: extracting file 'n8ahelpconnect_descriptor.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconnect_descriptor.htm'
INFO: extracting file 'n8ahelpconnect_descriptor.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconnect_descriptor.htm'
INFO: extracting file 'n8ahelpconnect_identififier.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconnect_identififier.htm'

installActions2013-06-29_12-50-04AM.log

INFO: extracting file 'n8ahelpconnect_identifier.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconnect_Identifier.htm'
INFO: extracting file 'n8ahelpconnect_string.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconnect_string.htm'
INFO: extracting file 'n8ahelpconnect_string.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconnect_string.htm'
INFO: extracting file 'n8ahelpconnectdata.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconnectdata.htm'
INFO: extracting file 'n8ahelpconnectdata.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconnectdata.htm'
INFO: extracting file 'n8ahelpconnection_load_balancing.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconnection_load_balancing.htm'
INFO: extracting file 'n8ahelpconnection_load_balancing.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconnection_load_balancing.htm'
INFO: extracting file 'n8ahelpconnecttime_failover.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconnecttime_failover.htm'
INFO: extracting file 'n8ahelpconnecttime_failover.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpconnecttime_failover.htm'
INFO: extracting file 'n8ahelpcreate_a_listener.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpcreate_a_listener.htm'
INFO: extracting file 'n8ahelpcreate_a_listener.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpcreate_a_listener.htm'
INFO: extracting file 'n8ahelpcreate_a_net_service_name.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpcreate_a_net_service_name.htm'
INFO: extracting file 'n8ahelpcreate_a_net_service_name.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpcreate_a_net_service_name.htm'
INFO: extracting file 'n8ahelpcreate_additional_protocol_adre.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpcreate_additional_protocol_adre.htm'
INFO: extracting file 'n8ahelpcreate_additional_protocol_adre.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpcreate_additional_protocol_adre.htm'
INFO: extracting file 'n8ahelpcreate_network_route_information.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpcreate_network_route_information.htm'
INFO: extracting file 'n8ahelpcreate_network_route_information.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpcreate_network_route_information.htm'
INFO: extracting file 'n8ahelpcybersafe.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpcybersafe.htm'
INFO: extracting file 'n8ahelpcybersafe.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpcybersafe.htm'
INFO: extracting file 'n8ahelpdatabase_identification_by_servi.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdatabase_identification_by_servi.htm'
INFO: extracting file 'n8ahelpdatabase_identification_by_servi.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdatabase_identification_by_servi.htm'
INFO: extracting file 'n8ahelpdatabase_link.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdatabase_link.htm'
INFO: extracting file 'n8ahelpdatabase_link.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdatabase_link.htm'

_link.htm'

INFO: extracting file 'n8ahelpdatabase_services.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdatabase_services.htm'

INFO: extracting file 'n8ahelpdatabase_services.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdatabase_services.htm'

INFO: extracting file 'n8ahelpdedicated_server.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdedicated_server.htm'

INFO: extracting file 'n8ahelpdedicated_server.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdedicated_server.htm'

INFO: extracting file 'n8ahelpdirectory_information_tree_dit.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdirectory_information_tree_dit.htm'

INFO: extracting file 'n8ahelpdirectory_information_tree_dit.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdirectory_information_tree_dit.htm'

INFO: extracting file 'n8ahelpdirectory_naming.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdirectory_naming.htm'

INFO: extracting file 'n8ahelpdirectory_naming.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdirectory_naming.htm'

INFO: extracting file 'n8ahelpdirectory_naming_configuration_o.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdirectory_naming_configuration_o.htm'

INFO: extracting file 'n8ahelpdirectory_naming_configuration_o.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdirectory_naming_configuration_o.htm'

INFO: extracting file 'n8ahelpdirectory_naming_context.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdirectory_naming_context.htm'

INFO: extracting file 'n8ahelpdirectory_naming_context.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdirectory_naming_context.htm'

INFO: extracting file 'n8ahelpdirectory_naming_overview.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdirectory_naming_overview.htm'

INFO: extracting file 'n8ahelpdirectory_naming_overview.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdirectory_naming_overview.htm'

INFO: extracting file 'n8ahelpdirectory_naming_requirements_fo.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdirectory_naming_requirements_fo.htm'

INFO: extracting file 'n8ahelpdirectory_naming_requirements_fo.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdirectory_naming_requirements_fo.htm'

INFO: extracting file 'n8ahelpdirectory_server.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdirectory_server.htm'

INFO: extracting file 'n8ahelpdirectory_server.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdirectory_server.htm'

INFO: extracting file 'n8ahelpdirectory_server_authentication_.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdirectory_server_authentication_.htm'

INFO: extracting file 'n8ahelpdirectory_server_authentication_.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdirectory_server_authentication_.htm'

INFO: extracting file 'n8ahelpdiscovery.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdiscovery.htm'

INFO: extracting file 'n8ahelpdiscovery.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdiscovery.htm'

INFO: extracting file 'n8ahelpdistinguished_name_dn.htm' from

installActions2013-06-29_12-50-04AM.log

'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdistinguished_name_dn.htm'
INFO: extracting file 'n8ahelpdistinguished_name_dn.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdistinguished_name_dn.htm'
INFO: extracting file 'n8ahelpdomain.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdomain.htm'
INFO: extracting file 'n8ahelpdomain.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdomain.htm'
INFO: extracting file 'n8ahelpdomain_name_system_dns.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdomain_name_system_dns.htm'
INFO: extracting file 'n8ahelpdomain_name_system_dns.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpdomain_name_system_dns.htm'
INFO: extracting file 'n8ahelpedit_menu.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpedit_menu.htm'
INFO: extracting file 'n8ahelpedit_menu.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpedit_menu.htm'
INFO: extracting file 'n8ahelpencryption.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpencryption.htm'
INFO: extracting file 'n8ahelpencryption.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpencryption.htm'
INFO: extracting file 'n8ahelpexport_oracle_names_entries_to_d.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpexport_oracle_names_entries_to_d.htm'
INFO: extracting file 'n8ahelpexport_oracle_names_entries_to_d.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpexport_oracle_names_entries_to_d.htm'
INFO: extracting file 'n8ahelpexport_tnsnamesora_file_entries_.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpexport_tnsnamesora_file_entries_.htm'
INFO: extracting file 'n8ahelpexport_tnsnamesora_file_entries_.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpexport_tnsnamesora_file_entries_.htm'
INFO: extracting file 'n8ahelpexternal_naming.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpexternal_naming.htm'
INFO: extracting file 'n8ahelpexternal_naming.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpexternal_naming.htm'
INFO: extracting file 'n8ahelpexternal_procedures.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpexternal_procedures.htm'
INFO: extracting file 'n8ahelpexternal_procedures.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpexternal_procedures.htm'
INFO: extracting file 'n8ahelpfile_menu.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpfile_menu.htm'
INFO: extracting file 'n8ahelpfile_menu.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpfile_menu.htm'
INFO: extracting file 'n8ahelpgeneral_access_rights.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpgeneral_access_rights.htm'
INFO: extracting file 'n8ahelpgeneral_access_rights.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpgeneral_access_rights.htm'
INFO: extracting file 'n8ahelpgeneral_advanced.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpgeneral_advanced.htm'

installActions2013-06-29_12-50-04AM.log

INFO: extracting file 'n8ahelpgeneral_advanced.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpgeneral_
advanced.htm'
INFO: extracting file 'n8ahelpgeneral_logging.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpgeneral_
logging.htm'
INFO: extracting file 'n8ahelpgeneral_logging.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpgeneral_
logging.htm'
INFO: extracting file 'n8ahelpgeneral_parameters_authenticatio.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpgeneral_
parameters_authenticatio.htm'
INFO: extracting file 'n8ahelpgeneral_parameters_authenticatio.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpgeneral_
parameters_authenticatio.htm'
INFO: extracting file 'n8ahelpgeneral_parameters_general.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpgeneral_
parameters_general.htm'
INFO: extracting file 'n8ahelpgeneral_parameters_general.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpgeneral_
parameters_general.htm'
INFO: extracting file 'n8ahelpgeneral_parameters_logging__trac.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpgeneral_
parameters_logging__trac.htm'
INFO: extracting file 'n8ahelpgeneral_parameters_logging__trac.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpgeneral_
parameters_logging__trac.htm'
INFO: extracting file 'n8ahelpgeneral_routing.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpgeneral_
routing.htm'
INFO: extracting file 'n8ahelpgeneral_routing.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpgeneral_
routing.htm'
INFO: extracting file 'n8ahelpgeneral_tracing.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpgeneral_
tracing.htm'
INFO: extracting file 'n8ahelpgeneral_tracing.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpgeneral_
tracing.htm'
INFO: extracting file 'n8ahelpglobal_database_name.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpglobal_d
atabase_name.htm'
INFO: extracting file 'n8ahelpglobal_database_name.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpglobal_d
atabase_name.htm'
INFO: extracting file 'n8ahelphelp_menu.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelphelp_men
u.htm'
INFO: extracting file 'n8ahelphelp_menu.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelphelp_men
u.htm'
INFO: extracting file 'n8ahelpheterogeneous_services.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpheteroge
neous_services.htm'
INFO: extracting file 'n8ahelpheterogeneous_services.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpheteroge
neous_services.htm'
INFO: extracting file 'n8ahelphost_naming.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelphost_nam
ing.htm'
INFO: extracting file 'n8ahelphost_naming.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelphost_nam
ing.htm'
INFO: extracting file 'n8ahelpinitialization_parameter_file.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpinitiali
zation_parameter_file.htm'
INFO: extracting file 'n8ahelpinitialization_parameter_file.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpinitiali

zation_parameter_file.htm'
INFO: extracting file 'n8ahelpinstance.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpinstance.htm'
INFO: extracting file 'n8ahelpinstance.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpinstance.htm'
INFO: extracting file 'n8ahelpinstance_name.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpinstance_name.htm'
INFO: extracting file 'n8ahelpinstance_name.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpinstance_name.htm'
INFO: extracting file 'n8ahelpintegrity.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpintegrity.htm'
INFO: extracting file 'n8ahelpintegrity.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpintegrity.htm'
INFO: extracting file 'n8ahelpip_address.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpip_address.htm'
INFO: extracting file 'n8ahelpip_address.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpip_address.htm'
INFO: extracting file 'n8ahelpkerberosv5.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpkerberosv5.htm'
INFO: extracting file 'n8ahelpkerberosv5.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpkerberosv5.htm'
INFO: extracting file 'n8ahelpldapora_file.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpldapora_file.htm'
INFO: extracting file 'n8ahelpldapora_file.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpldapora_file.htm'
INFO: extracting file 'n8ahelp lightweight_directory_access_pro.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelp lightweight_directory_access_pro.htm'
INFO: extracting file 'n8ahelp lightweight_directory_access_pro.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelp lightweight_directory_access_pro.htm'
INFO: extracting file 'n8ahelp link_qualifier.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelp link_qualifier.htm'
INFO: extracting file 'n8ahelp link_qualifier.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelp link_qualifier.htm'
INFO: extracting file 'n8ahelp listener.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelp listener.htm'
INFO: extracting file 'n8ahelp listener.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelp listener.htm'
INFO: extracting file 'n8ahelp listener_configuration_overview.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelp listener_configuration_overview.htm'
INFO: extracting file 'n8ahelp listener_configuration_overview.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelp listener_configuration_overview.htm'
INFO: extracting file 'n8ahelp listener_overview.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelp listener_overview.htm'
INFO: extracting file 'n8ahelp listener_overview.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelp listener_overview.htm'
INFO: extracting file 'n8ahelp listenerora_file.htm' from

installActions2013-06-29_12-50-04AM.log

'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelplistener_ora_file.htm'
INFO: extracting file 'n8ahelplistener_ora_file.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelplistener_ora_file.htm'
INFO: extracting file 'n8ahelplistening_locations.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelplistening_locations.htm'
INFO: extracting file 'n8ahelplistening_locations.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelplistening_locations.htm'
INFO: extracting file 'n8ahelplocal_naming00000018.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelplocal_naming00000018.htm'
INFO: extracting file 'n8ahelplocal_naming00000018.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelplocal_naming00000018.htm'
INFO: extracting file 'n8ahelplocal_naming00000153.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelplocal_naming00000153.htm'
INFO: extracting file 'n8ahelplocal_naming00000153.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelplocal_naming00000153.htm'
INFO: extracting file 'n8ahelplocal_naming_configuration_overv.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelplocal_naming_configuration_overv.htm'
INFO: extracting file 'n8ahelplocal_naming_configuration_overv.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelplocal_naming_configuration_overv.htm'
INFO: extracting file 'n8ahelplogging.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelplogging.htm'
INFO: extracting file 'n8ahelplogging.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelplogging.htm'
INFO: extracting file 'n8ahelplsructl_utility.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelplsructl_utility.htm'
INFO: extracting file 'n8ahelplsructl_utility.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelplsructl_utility.htm'
INFO: extracting file 'n8ahelpmicrosoft_active_directory.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpmicrosoft_active_directory.htm'
INFO: extracting file 'n8ahelpmicrosoft_active_directory.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpmicrosoft_active_directory.htm'
INFO: extracting file 'n8ahelpnaming_external.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpnaming_external.htm'
INFO: extracting file 'n8ahelpnaming_external.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpnaming_external.htm'
INFO: extracting file 'n8ahelpnaming_method.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpnaming_method.htm'
INFO: extracting file 'n8ahelpnaming_method.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpnaming_method.htm'
INFO: extracting file 'n8ahelpnaming_methods.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpnaming_methods.htm'
INFO: extracting file 'n8ahelpnaming_methods.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpnaming_methods.htm'
INFO: extracting file 'n8ahelpnet8_assistant_key_features.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpnet8_assistant_key_features.htm'

installActions2013-06-29_12-50-04AM.log

INFO: extracting file 'n8ahelpnet8_assistant_key_features.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpnet8_assistant_key_features.htm'
INFO: extracting file 'n8ahelpnet8_configuration_assistant.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpnet8_configuration_assistant.htm'
INFO: extracting file 'n8ahelpnet8_configuration_assistant.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpnet8_configuration_assistant.htm'
INFO: extracting file 'n8ahelpnet8_configuration_overview.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpnet8_configuration_overview.htm'
INFO: extracting file 'n8ahelpnet8_configuration_overview.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpnet8_configuration_overview.htm'
INFO: extracting file 'n8ahelpnet8_connectivity_overview.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpnet8_connectivity_overview.htm'
INFO: extracting file 'n8ahelpnet8_connectivity_overview.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpnet8_connectivity_overview.htm'
INFO: extracting file 'n8ahelpnet8_entries_in_a_directory.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpnet8_entries_in_a_directory.htm'
INFO: extracting file 'n8ahelpnet8_entries_in_a_directory.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpnet8_entries_in_a_directory.htm'
INFO: extracting file 'n8ahelpnet8_entries_in_a_directory_dit.gif' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpnet8_entries_in_a_directory_dit.gif'
INFO: extracting file 'n8ahelpnet8_entries_in_a_directory_dit.gif' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpnet8_entries_in_a_directory_dit.gif'
INFO: extracting file 'n8ahelpnet8_overview.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpnet8_overview.htm'
INFO: extracting file 'n8ahelpnet8_overview.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpnet8_overview.htm'
INFO: extracting file 'n8ahelpnet_service_name.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpnet_service_name.htm'
INFO: extracting file 'n8ahelpnet_service_name.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpnet_service_name.htm'
INFO: extracting file 'n8ahelpnetwork_information_service_nis.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpnetwork_information_service_nis.htm'
INFO: extracting file 'n8ahelpnetwork_information_service_nis.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpnetwork_information_service_nis.htm'
INFO: extracting file 'n8ahelpnts.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpnts.htm'
INFO: extracting file 'n8ahelpnts.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpnts.htm'
INFO: extracting file 'n8ahelporacle_advanced_security.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelporacle_advanced_security.htm'
INFO: extracting file 'n8ahelporacle_advanced_security.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelporacle_advanced_security.htm'
INFO: extracting file 'n8ahelporacle_advanced_security_authent.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelporacle_advanced_security_authent.htm'
INFO: extracting file 'n8ahelporacle_advanced_security_authent.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelporacle_advanced_security_authent.htm'
INFO: extracting file 'n8ahelporacle_advanced_security_encrypt.htm' from

installActions2013-06-29_12-50-04AM.log

'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelporacle_advanced_security_encrypt.htm'
INFO: extracting file 'n8ahelporacle_advanced_security_encrypt.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelporacle_advanced_security_encrypt.htm'
INFO: extracting file 'n8ahelporacle_advanced_security_integri.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelporacle_advanced_security_integri.htm'
INFO: extracting file 'n8ahelporacle_advanced_security_integri.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelporacle_advanced_security_integri.htm'
INFO: extracting file 'n8ahelporacle_advanced_security_other_p.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelporacle_advanced_security_other_p.htm'
INFO: extracting file 'n8ahelporacle_advanced_security_other_p.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelporacle_advanced_security_other_p.htm'
INFO: extracting file 'n8ahelporacle_advanced_security_ssl.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelporacle_advanced_security_ssl.htm'
INFO: extracting file 'n8ahelporacle_advanced_security_ssl.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelporacle_advanced_security_ssl.htm'
INFO: extracting file 'n8ahelporacle_connection_manager.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelporacle_connection_manager.htm'
INFO: extracting file 'n8ahelporacle_connection_manager.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelporacle_connection_manager.htm'
INFO: extracting file 'n8ahelporacle_context.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelporacle_context.htm'
INFO: extracting file 'n8ahelporacle_context.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelporacle_context.htm'
INFO: extracting file 'n8ahelporacle_enterprise_manager.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelporacle_enterprise_manager.htm'
INFO: extracting file 'n8ahelporacle_enterprise_manager.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelporacle_enterprise_manager.htm'
INFO: extracting file 'n8ahelporacle_internet_directory.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelporacle_internet_directory.htm'
INFO: extracting file 'n8ahelporacle_internet_directory.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelporacle_internet_directory.htm'
INFO: extracting file 'n8ahelporacle_rdb_database.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelporacle_rdb_database.htm'
INFO: extracting file 'n8ahelporacle_rdb_database.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelporacle_rdb_database.htm'
INFO: extracting file 'n8ahelporacle_system_identifider_sid.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelporacle_system_identifider_sid.htm'
INFO: extracting file 'n8ahelporacle_system_identifider_sid.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelporacle_system_identifider_sid.htm'
INFO: extracting file 'n8ahelpother_services.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpother_services.htm'
INFO: extracting file 'n8ahelpother_services.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpother_services.htm'
INFO: extracting file 'n8ahelpoverview_of_the_net8_assistant_e.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpoverview_of_the_net8_assistant_e.htm'

installActions2013-06-29_12-50-04AM.log

INFO: extracting file 'n8ahelpoverview_of_the_net8_assistant_e.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpoverview_of_the_net8_assistant_e.htm'
INFO: extracting file 'n8ahelpooled_server.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpooled_server.htm'
INFO: extracting file 'n8ahelpooled_server.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpooled_server.htm'
INFO: extracting file 'n8ahelpprioritize_naming_methods.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpprioritize_naming_methods.htm'
INFO: extracting file 'n8ahelpprioritize_naming_methods.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpprioritize_naming_methods.htm'
INFO: extracting file 'n8ahelpprofile.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpprofile.htm'
INFO: extracting file 'n8ahelpprofile.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpprofile.htm'
INFO: extracting file 'n8ahelpprofile_overview.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpprofile_overview.htm'
INFO: extracting file 'n8ahelpprofile_overview.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpprofile_overview.htm'
INFO: extracting file 'n8ahelpprotocol.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpprotocol.htm'
INFO: extracting file 'n8ahelpprotocol.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpprotocol.htm'
INFO: extracting file 'n8ahelpprotocol_address.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpprotocol_address.htm'
INFO: extracting file 'n8ahelpprotocol_address.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpprotocol_address.htm'
INFO: extracting file 'n8ahelpprotocol_parameters.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpprotocol_parameters.htm'
INFO: extracting file 'n8ahelpprotocol_parameters.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpprotocol_parameters.htm'
INFO: extracting file 'n8ahelpradius.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpradius.htm'
INFO: extracting file 'n8ahelpradius.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpradius.htm'
INFO: extracting file 'n8ahelprecommended_port_numbers.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelprecommended_port_numbers.htm'
INFO: extracting file 'n8ahelprecommended_port_numbers.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelprecommended_port_numbers.htm'
INFO: extracting file 'n8ahelprecord_type.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelprecord_type.htm'
INFO: extracting file 'n8ahelprecord_type.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelprecord_type.htm'
INFO: extracting file 'n8ahelpregion_database.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpregion_database.htm'
INFO: extracting file 'n8ahelpregion_database.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpregion_database.htm'

atabase.htm'

INFO: extracting file 'n8ahelprejected.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelprejected.htm'

INFO: extracting file 'n8ahelprejected.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelprejected.htm'

INFO: extracting file 'n8ahelprelative_distinguished_name_rdn.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelprelative_distinguished_name_rdn.htm'

INFO: extracting file 'n8ahelprelative_distinguished_name_rdn.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelprelative_distinguished_name_rdn.htm'

INFO: extracting file 'n8ahelprequested.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelprequeste.htm'

INFO: extracting file 'n8ahelprequested.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelprequeste.htm'

INFO: extracting file 'n8ahelprequired.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelprequired.htm'

INFO: extracting file 'n8ahelprequired.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelprequired.htm'

INFO: extracting file 'n8ahelproute_connection_requests.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelproute_co.htm'

INFO: extracting file 'n8ahelproute_connection_requests.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelproute_co.htm'

INFO: extracting file 'n8ahelpschema.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpschema.htm'

INFO: extracting file 'n8ahelpschema.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpschema.htm'

INFO: extracting file 'n8ahelpservice_handler.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpservice_handler.htm'

INFO: extracting file 'n8ahelpservice_handler.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpservice_handler.htm'

INFO: extracting file 'n8ahelpservice_identification.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpservice_identification.htm'

INFO: extracting file 'n8ahelpservice_identification.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpservice_identification.htm'

INFO: extracting file 'n8ahelpservice_name.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpservice_name.htm'

INFO: extracting file 'n8ahelpservice_name.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpservice_name.htm'

INFO: extracting file 'n8ahelpservice_registration.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpservice_registration.htm'

INFO: extracting file 'n8ahelpservice_registration.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpservice_registration.htm'

INFO: extracting file 'n8ahelpsession_data_unit_sdu.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpsession_data_unit_sdu.htm'

INFO: extracting file 'n8ahelpsession_data_unit_sdu.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpsession_data_unit_sdu.htm'

INFO: extracting file 'n8ahelpset_authentication_credentials.htm' from

installActions2013-06-29_12-50-04AM.log

INFO: extracting file 'n8ahelpset_authentication_credentials.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpset_authentication_credentials.htm'
INFO: extracting file 'n8ahelpshared_server.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpshared_server.htm'
INFO: extracting file 'n8ahelpshared_server.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpshared_server.htm'
INFO: extracting file 'n8ahelpsingle_signon.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpsingle_signon.htm'
INFO: extracting file 'n8ahelpsingle_signon.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpsingle_signon.htm'
INFO: extracting file 'n8ahelpsource_routing.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpsource_routing.htm'
INFO: extracting file 'n8ahelpsource_routing.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpsource_routing.htm'
INFO: extracting file 'n8ahelpsqlnetora_file.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpsqlnetora_file.htm'
INFO: extracting file 'n8ahelpsqlnetora_file.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpsqlnetora_file.htm'
INFO: extracting file 'n8ahelpssl_authentication_method.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpssl_authentication_method.htm'
INFO: extracting file 'n8ahelpssl_authentication_method.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpssl_authentication_method.htm'
INFO: extracting file 'n8ahelpssl_profile.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpssl_profile.htm'
INFO: extracting file 'n8ahelpssl_profile.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpssl_profile.htm'
INFO: extracting file 'n8ahelpstatically_configure_database_se.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpstatically_configure_database_se.htm'
INFO: extracting file 'n8ahelpstatically_configure_database_se.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpstatically_configure_database_se.htm'
INFO: extracting file 'n8ahelptask_overview.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelptask_overview.htm'
INFO: extracting file 'n8ahelptask_overview.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelptask_overview.htm'
INFO: extracting file 'n8ahelptest_connectivity.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelptest_connectivity.htm'
INFO: extracting file 'n8ahelptest_connectivity.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelptest_connectivity.htm'
INFO: extracting file 'n8ahelptimetolive_ttl.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelptimetolive_ttl.htm'
INFO: extracting file 'n8ahelptimetolive_ttl.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelptimetolive_ttl.htm'
INFO: extracting file 'n8ahelptnsnamesora_file.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelptnsnamesora_file.htm'

installActions2013-06-29_12-50-04AM.log

INFO: extracting file 'n8ahelptnsnamesora_file.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelptnsnamesora_file.htm'
INFO: extracting file 'n8ahelptoolbar.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelptoolbar.htm'
INFO: extracting file 'n8ahelptoolbar.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelptoolbar.htm'
INFO: extracting file 'n8ahelptoolbar_toolbarhelp.gif' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelptoolbar_toolbarhelp.gif'
INFO: extracting file 'n8ahelptoolbar_toolbarhelp.gif' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelptoolbar_toolbarhelp.gif'
INFO: extracting file 'n8ahelptoolbar_tooldelete_0001.gif' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelptoolbar_tooldelete_0001.gif'
INFO: extracting file 'n8ahelptoolbar_tooldelete_0001.gif' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelptoolbar_tooldelete_0001.gif'
INFO: extracting file 'n8ahelptoolbar_toolplus.gif' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelptoolbar_toolplus.gif'
INFO: extracting file 'n8ahelptoolbar_toolplus.gif' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelptoolbar_toolplus.gif'
INFO: extracting file 'n8ahelptoolbar_tooltest.gif' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelptoolbar_tooltest.gif'
INFO: extracting file 'n8ahelptoolbar_tooltest.gif' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelptoolbar_tooltest.gif'
INFO: extracting file 'n8ahelptracing.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelptracing.htm'
INFO: extracting file 'n8ahelptracing.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelptracing.htm'
INFO: extracting file 'n8ahelptree_structure_and_hierarchical_.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelptree_structure_and_hierarchical_.htm'
INFO: extracting file 'n8ahelptree_structure_and_hierarchical_.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelptree_structure_and_hierarchical_.htm'
INFO: extracting file 'n8ahelpwelcome_to_the_net8_assistant.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpwelcome_to_the_net8_assistant.htm'
INFO: extracting file 'n8ahelpwelcome_to_the_net8_assistant.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpwelcome_to_the_net8_assistant.htm'
INFO: extracting file 'n8ahelpwindows_nt_native_authentication.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpwindows_nt_native_authentication.htm'
INFO: extracting file 'n8ahelpwindows_nt_native_authentication.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/n8ahelpwindows_nt_native_authentication.htm'
INFO: extracting file 'nmhelp_config_banners_unauthorized_access_auditing.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/nmhelp_config_banners_unauthorized_access_auditing.htm'
INFO: extracting file 'nmhelp_config_banners_unauthorized_access_auditing.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/nmhelp_config_banners_unauthorized_access_auditing.htm'
INFO: extracting file 'nmhelp_create_an_alias.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/nmhelp_create_an_alias.htm'

installActions2013-06-29_12-50-04AM.log

INFO: extracting file 'nmhelp_create_an_alias.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/nmhelp_create_a
n_alias.htm'
INFO: extracting file 'nmhelp_create_net_service_alias.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/nmhelp_create_n
et_service_alias.htm'
INFO: extracting file 'nmhelp_create_net_service_alias.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/nmhelp_create_n
et_service_alias.htm'
INFO: extracting file 'nmhelp_easyconnect.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/nmhelp_easyconn
ect.htm'
INFO: extracting file 'nmhelp_easyconnect.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/nmhelp_easyconn
ect.htm'
INFO: extracting file 'nmhelp_net_service_alias.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/nmhelp_net_serv
ice_alias.htm'
INFO: extracting file 'nmhelp_net_service_alias.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/nmhelp_net_serv
ice_alias.htm'
INFO: extracting file 'nmhelp_net_service_alias_details.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/nmhelp_net_serv
ice_alias_details.htm'
INFO: extracting file 'nmhelp_net_service_alias_details.htm' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/nmhelp_net_serv
ice_alias_details.htm'
INFO: extracting file 'RoboHHRE.lng' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/RoboHHRE.lng'
INFO: extracting file 'RoboHHRE.lng' from
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/RoboHHRE.lng'
INFO: Calling Action fileActions11.2.0.2.0 removeFile
selectedNodes = null
source =
/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/mgr_help.jar

INFO: deleting
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/mgr_help.jar'
INFO: deleting
'/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help/mgr_help.jar'
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename =
/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help_de/mgr_help_de.j
ar
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename =
/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help_es/mgr_help_es.j
ar
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename =
/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help_fr/mgr_help_fr.j
ar
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename =
/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help_it/mgr_help_it.j
ar
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename =
/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help_ja/mgr_help_ja.j

installActions2013-06-29_12-50-04AM.log

```
ar
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename =
/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help_ko/mgr_help_ko.j
ar
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename =
/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help_pt_BR/mgr_help_p
t_BR.jar
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename =
/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help_zh_CN/mgr_help_z
h_CN.jar
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename =
/u01/app/oracle/product/12.1.0/db_1/network/tools/help/mgr/help_zh_TW/mgr_help_z
h_TW.jar
INFO: Query Returned: false
INFO: Copying files for 'Oracle Database Utilities 12.1.0.1.0 '
INFO: Copying files for 'Oracle Database Utilities 12.1.0.1.0 '
INFO: 6/29/13 12:56:11 AM EDT: Starting install Install Phase 1 of component
Oracle Database Utilities
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
    selectedNodes =
    source = /u01/app/oracle/product/12.1.0/db_1/bin/aqxmlctl.template
    destination = /u01/app/oracle/product/12.1.0/db_1/bin/aqxmlctl
    variables = null
    encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/bin/aqxmlctl.template'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/bin/aqxmlctl.template'.
INFO: Calling Action fileActions11.2.0.2.0 removeFile
    selectedNodes = null
    source = /u01/app/oracle/product/12.1.0/db_1/bin/aqxmlctl.template

INFO: deleting '/u01/app/oracle/product/12.1.0/db_1/bin/aqxmlctl.template'
INFO: deleting '/u01/app/oracle/product/12.1.0/db_1/bin/aqxmlctl.template'
INFO: Calling Action fileActions11.2.0.2.0 appendStringToFile
    source = /u01/app/oracle/product/12.1.0/db_1/rdbms/demo/aqxml.conf
    stringToAppend =
# Advanced Queuing - AQ xml Servlet
<IfModule mod_jserv.c>
    ApJServMount /aqserv/servlet /root
    ApJServGroupMount /aqserv/servlet balance://group1/root
</IfModule>
#

INFO: updating '/u01/app/oracle/product/12.1.0/db_1/rdbms/demo/aqxml.conf'.
INFO: updating '/u01/app/oracle/product/12.1.0/db_1/rdbms/demo/aqxml.conf'.
INFO: Calling Action unixActions10.2.0.3.0 createLink
    source = libagtsh.so.1.0
    destination = /u01/app/oracle/product/12.1.0/db_1/lib/libagtsh.so
    overwriteExistingLink = null
    overwriteExistingDir = null

INFO: creating link 'libagtsh.so.1.0' for
'/u01/app/oracle/product/12.1.0/db_1/lib/libagtsh.so'
INFO: creating link 'libagtsh.so.1.0' for
'/u01/app/oracle/product/12.1.0/db_1/lib/libagtsh.so'
```

```

installActions2013-06-29_12-50-04AM.log
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null
      source =
/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/diagsetup.sbs
      destination = /u01/app/oracle/product/12.1.0/db_1/bin/diagsetup
      variables = null
      encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/diagsetup.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/diagsetup.sbs'.
INFO: Calling Action unixActions10.2.0.3.0 changePermissions
      source = /u01/app/oracle/product/12.1.0/db_1/bin/diagsetup
      permissions = 755

INFO: changing permissions for
'/u01/app/oracle/product/12.1.0/db_1/bin/diagsetup'
INFO: changing permissions for
'/u01/app/oracle/product/12.1.0/db_1/bin/diagsetup'
INFO: Copying files for 'Generic Connectivity Common Files 12.1.0.1.0 '
INFO: Copying files for 'Generic Connectivity Common Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:11 AM EDT: Starting install Install Phase 1 of component
Generic Connectivity Common Files
INFO: Copying files for 'Oracle Database Gateway for ODBC 12.1.0.1.0 '
INFO: Copying files for 'Oracle Database Gateway for ODBC 12.1.0.1.0 '
INFO: 6/29/13 12:56:11 AM EDT: Starting install Install Phase 1 of component
Oracle Database Gateway for ODBC
INFO: Copying files for 'Oracle Programmer 12.1.0.1.0 '
INFO: Copying files for 'Oracle Programmer 12.1.0.1.0 '
INFO: 6/29/13 12:56:11 AM EDT: Starting install Install Phase 1 of component
Oracle Programmer
INFO: Copying files for 'Oracle Netca Client 12.1.0.1.0 '
INFO: Copying files for 'Oracle Netca Client 12.1.0.1.0 '
INFO: 6/29/13 12:56:11 AM EDT: Starting install Install Phase 1 of component
Oracle Netca Client
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/network/tools/NetProperties
INFO: Query Returned: true
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null
      source = /u01/app/oracle/product/12.1.0/db_1/network/tools/NetProperties
      destination =
/u01/app/oracle/product/12.1.0/db_1/network/tools/NetProperties
      variables = null
      encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/network/tools/NetProperties'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/network/tools/NetProperties'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null
      source = /u01/app/oracle/product/12.1.0/db_1/assistants/netca/netca.sbs
      destination = /u01/app/oracle/product/12.1.0/db_1/bin/netca
      variables = null
      encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/assistants/netca/netca.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/assistants/netca/netca.sbs'.
INFO: Calling Action unixActions10.2.0.3.0 changePermissions
      source = /u01/app/oracle/product/12.1.0/db_1/bin/netca
      permissions = 755

INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/netca'

```

```

installActions2013-06-29_12-50-04AM.log
INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/netca'
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
    selectedNodes = null
    source =
/u01/app/oracle/product/12.1.0/db_1/assistants/netca/netca_deinst.sbs
    destination = /u01/app/oracle/product/12.1.0/db_1/bin/netca_deinst.sh
    variables = null
    encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/assistants/netca/netca_deinst.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/assistants/netca/netca_deinst.sbs'.
INFO: Calling Action generalActions10.2.0.9.0 setenv
    selectedNodes = null
    name = LD_LIBRARY_PATH
    value = /u01/app/oracle/product/12.1.0/db_1/lib
    append = false
    replace = true
    doNotPersistEnv = null

INFO: setting environment variable 'LD_LIBRARY_PATH' to
'/u01/app/oracle/product/12.1.0/db_1/lib'
INFO: setting environment variable 'LD_LIBRARY_PATH' to
'/u01/app/oracle/product/12.1.0/db_1/lib'
INFO: Calling Action generalActions10.2.0.9.0 setenv
    selectedNodes = null
    name = LD_LIBRARY_PATH
    value = /u01/app/oracle/product/12.1.0/db_1/network/lib
    append = true
    replace = false
    doNotPersistEnv = null

INFO: setting environment variable 'LD_LIBRARY_PATH' to
'/u01/app/oracle/product/12.1.0/db_1/network/lib'
INFO: setting environment variable 'LD_LIBRARY_PATH' to
'/u01/app/oracle/product/12.1.0/db_1/network/lib'
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename =
/u01/app/oracle/product/12.1.0/db_1/network/tools/help/ca/help/ca_help.jar
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename =
/u01/app/oracle/product/12.1.0/db_1/network/tools/help/ca/help_de/ca_help_de.jar
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename =
/u01/app/oracle/product/12.1.0/db_1/network/tools/help/ca/help_es/ca_help_es.jar
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename =
/u01/app/oracle/product/12.1.0/db_1/network/tools/help/ca/help_fr/ca_help_fr.jar
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename =
/u01/app/oracle/product/12.1.0/db_1/network/tools/help/ca/help_it/ca_help_it.jar
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename =
/u01/app/oracle/product/12.1.0/db_1/network/tools/help/ca/help_ja/ca_help_ja.jar
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

```


installActions2013-06-29_12-50-04AM.log

filename =
/u01/app/oracle/product/12.1.0/db_1/network/tools/help/ca/help_ko/ca_help_ko.jar
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename =
/u01/app/oracle/product/12.1.0/db_1/network/tools/help/ca/help_pt_BR/ca_help_pt_BR.jar
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename =
/u01/app/oracle/product/12.1.0/db_1/network/tools/help/ca/help_zh_CN/ca_help_zh_CN.jar
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename =
/u01/app/oracle/product/12.1.0/db_1/network/tools/help/ca/help_zh_TW/ca_help_zh_TW.jar
INFO: Query Returned: false
INFO: Copying files for 'SQL*Plus 12.1.0.1.0 '
INFO: Copying files for 'SQL*Plus 12.1.0.1.0 '
INFO: 6/29/13 12:56:12 AM EDT: Starting install Install Phase 1 of component SQL*Plus
INFO: Copying files for 'Oracle Multimedia Locator 12.1.0.1.0 '
INFO: Copying files for 'Oracle Multimedia Locator 12.1.0.1.0 '
INFO: 6/29/13 12:56:12 AM EDT: Starting install Install Phase 1 of component Oracle Multimedia Locator
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
 selectedNodes = null
 source = /u01/app/oracle/product/12.1.0/db_1/md/admin/mddins.sql
 destination = /u01/app/oracle/product/12.1.0/db_1/md/admin/mddins.sql
 variables = null
 encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/md/admin/mddins.sql'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/md/admin/mddins.sql'.
INFO: Copying files for 'Oracle Multimedia 12.1.0.1.0 '
INFO: Copying files for 'Oracle Multimedia 12.1.0.1.0 '
INFO: 6/29/13 12:56:12 AM EDT: Starting install Install Phase 1 of component Oracle Multimedia
INFO: Copying files for 'Oracle Call Interface (OCI) 12.1.0.1.0 '
INFO: Copying files for 'Oracle Call Interface (OCI) 12.1.0.1.0 '
INFO: 6/29/13 12:56:12 AM EDT: Starting install Install Phase 1 of component Oracle Call Interface (OCI)
INFO: Copying files for 'Oracle XML Development Kit 12.1.0.1.0 '
INFO: Copying files for 'Oracle XML Development Kit 12.1.0.1.0 '
INFO: 6/29/13 12:56:12 AM EDT: Starting install Install Phase 1 of component Oracle XML Development Kit
INFO: Copying files for 'Database Configuration and Upgrade Assistants 12.1.0.1.0 '
INFO: Copying files for 'Database Configuration and Upgrade Assistants 12.1.0.1.0 '
INFO: 6/29/13 12:56:12 AM EDT: Starting install Install Phase 1 of component Database Configuration and Upgrade Assistants
INFO: Calling Action fileActions11.2.0.2.0 createDirRecurse
 destination = /u01/app/oracle/product/12.1.0/db_1/assistants/dbca/logs
 selectedNodes = null
 permissions = null
 owner = null
 group = null

INFO: Calling Action generalActions10.2.0.9.0 setenv
 selectedNodes = null
 name = ORACLE_HOME
 value = /u01/app/oracle/product/12.1.0/db_1

```
installActions2013-06-29_12-50-04AM.log
append = false
replace = true
doNotPersistEnv = null
```

```
INFO: setting environment variable 'ORACLE_HOME' to
'/u01/app/oracle/product/12.1.0/db_1'
INFO: setting environment variable 'ORACLE_HOME' to
'/u01/app/oracle/product/12.1.0/db_1'
INFO: Calling Action generalActions10.2.0.9.0 setenv
selectedNodes = null
name = LD_LIBRARY_PATH
value = /u01/app/oracle/product/12.1.0/db_1/lib
append = false
replace = true
doNotPersistEnv = null
```

```
INFO: setting environment variable 'LD_LIBRARY_PATH' to
'/u01/app/oracle/product/12.1.0/db_1/lib'
INFO: setting environment variable 'LD_LIBRARY_PATH' to
'/u01/app/oracle/product/12.1.0/db_1/lib'
INFO: Calling Action generalActions10.2.0.9.0 setenv
selectedNodes = null
name = LD_LIBRARY_PATH
value = /u01/app/oracle/product/12.1.0/db_1/network/lib
append = true
replace = false
doNotPersistEnv = null
```

```
INFO: setting environment variable 'LD_LIBRARY_PATH' to
'/u01/app/oracle/product/12.1.0/db_1/network/lib'
INFO: setting environment variable 'LD_LIBRARY_PATH' to
'/u01/app/oracle/product/12.1.0/db_1/network/lib'
INFO: Calling Action generalActions10.2.0.9.0 setenv
selectedNodes = null
name = ORACLE_SID
value = cdb12c
append = false
replace = true
doNotPersistEnv = null
```

```
INFO: setting environment variable 'ORACLE_SID' to 'cdb12c'
INFO: setting environment variable 'ORACLE_SID' to 'cdb12c'
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/assistants/dbua/dbua.sbs
destination = /u01/app/oracle/product/12.1.0/db_1/bin/dbua
variables = null
encoding = null
```

```
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/assistants/dbua/dbua.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/assistants/dbua/dbua.sbs'.
INFO: Calling Action fileActions11.2.0.2.0 removeFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/assistants/dbua/dbua.sbs
```

```
INFO: deleting '/u01/app/oracle/product/12.1.0/db_1/assistants/dbua/dbua.sbs'
INFO: deleting '/u01/app/oracle/product/12.1.0/db_1/assistants/dbua/dbua.sbs'
INFO: Calling Action unixActions10.2.0.3.0 changePermissions
source = /u01/app/oracle/product/12.1.0/db_1/bin/dbua
permissions = 755
```

```
INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/dbua'
INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/dbua'
INFO: Copying files for 'Oracle JVM 12.1.0.1.0 '
INFO: Copying files for 'Oracle JVM 12.1.0.1.0 '
INFO: 6/29/13 12:56:12 AM EDT: Starting install Install Phase 1 of component
```

Oracle JVM

INFO: Calling Query fileQueries10.1.0.3.0 exists

filename =

/u01/app/oracle/product/12.1.0/db_1/javavm/install/update_javavm_binaries.pl

INFO: Query Returned: true

INFO: Calling Action fileActions11.2.0.2.0 instantiateFile

selectedNodes = null

source =

/u01/app/oracle/product/12.1.0/db_1/javavm/install/update_javavm_binaries.pl

destination =

/u01/app/oracle/product/12.1.0/db_1/javavm/install/update_javavm_binaries.pl

variables = null

encoding = null

INFO: instantiating

'/u01/app/oracle/product/12.1.0/db_1/javavm/install/update_javavm_binaries.pl'.

INFO: instantiating

'/u01/app/oracle/product/12.1.0/db_1/javavm/install/update_javavm_binaries.pl'.

INFO: Calling Action SpawnActions10.1.0.3.4 Spawn

installcommand = /u01/app/oracle/product/12.1.0/db_1/perl/bin/perl

-I/u01/app/oracle/product/12.1.0/db_1/perl/lib

/u01/app/oracle/product/12.1.0/db_1/javavm/install/update_javavm_binaries.pl

-install

deinstallcommand =

waitForCompletion = null

INFO: spawning '/u01/app/oracle/product/12.1.0/db_1/perl/bin/perl

-I/u01/app/oracle/product/12.1.0/db_1/perl/lib

/u01/app/oracle/product/12.1.0/db_1/javavm/install/update_javavm_binaries.pl

-install'

INFO: spawning '/u01/app/oracle/product/12.1.0/db_1/perl/bin/perl

-I/u01/app/oracle/product/12.1.0/db_1/perl/lib

/u01/app/oracle/product/12.1.0/db_1/javavm/install/update_javavm_binaries.pl

-install'

INFO:

INFO: Start output from spawned process:

INFO: -----

INFO:

INFO: End output from spawned process.

INFO: -----

INFO: Copying files for 'Oracle Advanced Security 12.1.0.1.0 '

INFO: Copying files for 'Oracle Advanced Security 12.1.0.1.0 '

INFO: 6/29/13 12:56:12 AM EDT: Starting install Install Phase 1 of component

Oracle Advanced Security

INFO: Calling Action unixActions10.2.0.3.0 registerForMake

installMakePath = /usr/bin/make

installMakeFileName = NA

installTarget = NA

installArguments =

undoMakeFileName =

/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk

undoTarget = ioracle

undoArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1

logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log

progMsg = Linking oracle executables

INFO: Calling Action unixActions10.2.0.3.0 registerForMake

installMakePath = /usr/bin/make

installMakeFileName = NA

installTarget = NA

installArguments =

undoMakeFileName =

/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_net_client.mk

undoTarget = client_sharedlib

undoArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1

```
installActions2013-06-29_12-50-04AM.log
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Building client shared library
```

```
INFO: Calling Action unixActions10.2.0.3.0 make
installMakePath = /usr/bin/make
installMakeFileName = NA
installTarget = NA
installArguments =
undoMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_net_client.mk
undoTarget = ntcontab.o
undoArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = null
```

```
INFO: Calling Action unixActions10.2.0.3.0 make
installMakePath = /usr/bin/make
installMakeFileName = NA
installTarget = NA
installArguments =
undoMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_net_client.mk
undoTarget = nnfgt.o
undoArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = null
```

```
INFO: Calling Action fileActions11.2.0.2.0 moveFile
selectedNodes = null
source =
/u01/app/oracle/product/12.1.0/db_1/network/jlib/netentrust6.jar.db1
destination =
/u01/app/oracle/product/12.1.0/db_1/network/jlib/netentrust6.jar
```

```
INFO: moving
'/u01/app/oracle/product/12.1.0/db_1/network/jlib/netentrust6.jar.db1' to
'/u01/app/oracle/product/12.1.0/db_1/network/jlib/netentrust6.jar'
```

```
INFO: moving
'/u01/app/oracle/product/12.1.0/db_1/network/jlib/netentrust6.jar.db1' to
'/u01/app/oracle/product/12.1.0/db_1/network/jlib/netentrust6.jar'
```

```
INFO: Calling Action fileActions11.2.0.2.0 moveFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/bin/tnnfg.db1
destination = /u01/app/oracle/product/12.1.0/db_1/bin/tnnfg
```

```
INFO: moving '/u01/app/oracle/product/12.1.0/db_1/bin/tnnfg.db1' to
'/u01/app/oracle/product/12.1.0/db_1/bin/tnnfg'
```

```
INFO: moving '/u01/app/oracle/product/12.1.0/db_1/bin/tnnfg.db1' to
'/u01/app/oracle/product/12.1.0/db_1/bin/tnnfg'
```

```
INFO: Copying files for 'Oracle Internet Directory Client 12.1.0.1.0 '
```

```
INFO: Copying files for 'Oracle Internet Directory Client 12.1.0.1.0 '
```

```
INFO: 6/29/13 12:56:12 AM EDT: Starting install Install Phase 1 of component
Oracle Internet Directory Client
```

```
INFO: Calling Query fileQueries10.1.0.3.0 exists
```

```
filename = /u01/app/oracle/product/12.1.0/db_1/ldap/log
```

```
INFO: Query Returned: false
```

```
INFO: Calling Action fileActions11.2.0.2.0 createDirRecurse
destination = /u01/app/oracle/product/12.1.0/db_1/ldap/log
selectedNodes = null
permissions = 755
owner = null
group = null
```

```
INFO: Calling Action fileActions11.2.0.2.0 createDirRecurse
destination = /u01/app/oracle/product/12.1.0/db_1/ldap/admin/LOGS
selectedNodes = null
permissions = 755
```

```

installActions2013-06-29_12-50-04AM.log
owner = null
group = null

INFO: Calling Action fileActions11.2.0.2.0 createDirRecurse
destination = /u01/app/oracle/product/12.1.0/db_1/ldap/odi/data/import
selectedNodes = null
permissions = 755
owner = null
group = null

INFO: Calling Action fileActions11.2.0.2.0 createDirRecurse
destination = /u01/app/oracle/product/12.1.0/db_1/ldap/odi/data/export
selectedNodes = null
permissions = 755
owner = null
group = null

INFO: Calling Action fileActions11.2.0.2.0 createDirRecurse
destination = /u01/app/oracle/product/12.1.0/db_1/ldap/load
selectedNodes = null
permissions = 755
owner = null
group = null

INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/ldap/install/odisrvreg.orc
destination = /u01/app/oracle/product/12.1.0/db_1/bin/odisrvreg
variables = null
encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/ldap/install/odisrvreg.orc'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/ldap/install/odisrvreg.orc'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/ldap/install/schemasync.orc
destination = /u01/app/oracle/product/12.1.0/db_1/bin/schemasync
variables = null
encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/ldap/install/schemasync.orc'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/ldap/install/schemasync.orc'.
INFO: Calling Action fileActions11.2.0.2.0 removeFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/ldap/install/odisrvreg.orc

INFO: deleting '/u01/app/oracle/product/12.1.0/db_1/ldap/install/odisrvreg.orc'
INFO: deleting '/u01/app/oracle/product/12.1.0/db_1/ldap/install/odisrvreg.orc'
INFO: Calling Action fileActions11.2.0.2.0 removeFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/ldap/install/schemasync.orc

INFO: deleting '/u01/app/oracle/product/12.1.0/db_1/ldap/install/schemasync.orc'
INFO: deleting '/u01/app/oracle/product/12.1.0/db_1/ldap/install/schemasync.orc'
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/ldap/install/oidca.orc
destination = /u01/app/oracle/product/12.1.0/db_1/bin/oidca
variables = null
encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/ldap/install/oidca.orc'.
INFO: instantiating

```

```

installActions2013-06-29_12-50-04AM.log
'/u01/app/oracle/product/12.1.0/db_1/ldap/install/oidca.orc'.
INFO: Calling Action unixActions10.2.0.3.0 changePermissions
      source = /u01/app/oracle/product/12.1.0/db_1/bin/oidca
      permissions = 755

INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/oidca'
INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/oidca'
INFO: Copying files for 'Oracle Net Listener 12.1.0.1.0 '
INFO: Copying files for 'Oracle Net Listener 12.1.0.1.0 '
INFO: 6/29/13 12:56:12 AM EDT: Starting install Install Phase 1 of component
Oracle Net Listener
INFO: Copying files for 'HAS Files for DB 12.1.0.1.0 '
INFO: Copying files for 'HAS Files for DB 12.1.0.1.0 '
INFO: 6/29/13 12:56:12 AM EDT: Starting install Install Phase 1 of component HAS
Files for DB
INFO: Calling Action fileActions11.2.0.2.0 createDirRecurse
      destination = /u01/app/oracle/product/12.1.0/db_1/srvm/log
      selectedNodes =
      permissions = null
      owner = null
      group = null

INFO: Calling Action fileActions11.2.0.2.0 createDirRecurse
      destination = /u01/app/oracle/product/12.1.0/db_1/srvm/auth
      selectedNodes =
      permissions = null
      owner = null
      group = null

INFO: Calling Query fileQueries10.1.0.3.0 exists
filename = /u01/app/oracle/product/12.1.0/db_1/lib/libskgxp9.a
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists
filename = /u01/app/oracle/product/12.1.0/db_1/lib/libskgxp9.a
INFO: Query Returned: false
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null
      source = /u01/app/oracle/product/12.1.0/db_1/bin/srvconfig
      destination = /u01/app/oracle/product/12.1.0/db_1/bin/srvconfig
      variables = null
      encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/bin/srvconfig'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/bin/srvconfig'.
INFO: Calling Action fileActions11.2.0.2.0 createDirRecurse
      destination = /u01/app/oracle/product/12.1.0/db_1/srvm/config
      selectedNodes = null
      permissions = null
      owner = null
      group = null

INFO: Calling Action fileActions11.2.0.2.0 createDirRecurse
      destination = /u01/app/oracle/product/12.1.0/db_1/racg/log
      selectedNodes = null
      permissions = null
      owner = null
      group = null

INFO: Calling Action fileActions11.2.0.2.0 createDirRecurse
      destination = /u01/app/oracle/product/12.1.0/db_1/racg/tmp
      selectedNodes = null
      permissions = null
      owner = null
      group = null

INFO: Calling Action fileActions11.2.0.2.0 createDirRecurse

```

```
installActions2013-06-29_12-50-04AM.log
destination = /u01/app/oracle/product/12.1.0/db_1/racg/dump
selectedNodes = null
permissions = null
owner = null
group = null
```

```
INFO: Calling Query areasQueries10.2.0.1.0 getAllOracleHomes
INFO: Query Returned: /u01/app/oracle/product/12.1.0/db_1
INFO: Calling Query areasQueries10.2.0.1.0 productInstalled
```

```
location = /u01/app/oracle/product/12.1.0/db_1
```

```
name = oracle.crs
```

```
startVersion = 10.2.0.0.0
```

```
endVersion = 10.2.9.9.9
```

```
acceptCompatible = true
```

```
INFO: Query Returned: false
```

```
INFO: Calling Query fileQueries10.1.0.3.0 exists
```

```
filename = /u01/app/oracle/product/12.1.0/db_1/bin/cluvfyrac.sh
```

```
INFO: Query Returned: true
```

```
INFO: Calling Action fileActions11.2.0.2.0 copyFile
```

```
selectedNodes = null
```

```
source = /u01/app/oracle/product/12.1.0/db_1/bin/cluvfyrac.sh
```

```
destination = /u01/app/oracle/product/12.1.0/db_1/bin/cluvfy
```

```
permissions = 755
```

```
owner = null
```

```
group = null
```

```
INFO: copying '/u01/app/oracle/product/12.1.0/db_1/bin/cluvfyrac.sh'
```

```
INFO: copying '/u01/app/oracle/product/12.1.0/db_1/bin/cluvfyrac.sh'
```

```
INFO: Calling Query fileQueries10.1.0.3.0 exists
```

```
filename = /u01/app/oracle/product/12.1.0/db_1/bin/racgwrap.sbs
```

```
INFO: Query Returned: false
```

```
INFO: Copying files for 'Oracle Text 12.1.0.1.0 '
```

```
INFO: Copying files for 'Oracle Text 12.1.0.1.0 '
```

```
INFO: 6/29/13 12:56:12 AM EDT: Starting install Install Phase 1 of component
Oracle Text
```

```
INFO: Calling Action fileActions11.2.0.2.0 createDirRecurse
```

```
destination = /u01/app/oracle/product/12.1.0/db_1/ctx/log
```

```
selectedNodes = null
```

```
permissions = null
```

```
owner = null
```

```
group = null
```

```
INFO: Copying files for 'Oracle Net Services 12.1.0.1.0 '
```

```
INFO: Copying files for 'Oracle Net Services 12.1.0.1.0 '
```

```
INFO: 6/29/13 12:56:12 AM EDT: Starting install Install Phase 1 of component
Oracle Net Services
```

```
INFO: Copying files for 'Oracle Database 12c 12.1.0.1.0 '
```

```
INFO: Copying files for 'Oracle Database 12c 12.1.0.1.0 '
```

```
INFO: 6/29/13 12:56:12 AM EDT: Starting install Install Phase 1 of component
Oracle Database 12c
```

```
INFO: Calling Action fileActions11.2.0.2.0 createDir
```

```
selectedNodes =
```

```
destination = /u01/app/oracle/product/12.1.0/db_1/install
```

```
permissions = null
```

```
owner = null
```

```
group = null
```

```
INFO: Calling Action fileActions11.2.0.2.0 createDir
```

```
selectedNodes = null
```

```
destination = /u01/app/oracle/product/12.1.0/db_1/rdbms/log
```

```
permissions = null
```

```

installActions2013-06-29_12-50-04AM.log
owner = null
group = null

INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source =
/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/trcsess.sbs
destination = /u01/app/oracle/product/12.1.0/db_1/bin/trcsess
variables = null
encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/trcsess.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/trcsess.sbs'.
INFO: Calling Action unixActions10.2.0.3.0 changePermissions
source = /u01/app/oracle/product/12.1.0/db_1/bin/trcsess
permissions = 755

INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/trcsess'
INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/trcsess'
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source =
/u01/app/oracle/product/12.1.0/db_1/rdbms/install/rdbms/config.orc
destination = /u01/app/oracle/product/12.1.0/db_1/rdbms/lib/config.c
variables = null
encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/rdbms/config.orc'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/rdbms/config.orc'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes =
source =
/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/extusrupgrade.sbs
destination = /u01/app/oracle/product/12.1.0/db_1/bin/extusrupgrade
variables = null
encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/extusrupgrade.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/extusrupgrade.sbs'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source =
/u01/app/oracle/product/12.1.0/db_1/rdbms/install/rootadd_rdbms.sh
destination =
/u01/app/oracle/product/12.1.0/db_1/rdbms/install/rootadd_rdbms.sh
variables = null
encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/rootadd_rdbms.sh'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/rootadd_rdbms.sh'.
INFO: Calling query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/lib/libodm12.so
INFO: Query Returned: false
INFO: Calling Action unixActions10.2.0.3.0 createLink
source = libodm12.so
destination = /u01/app/oracle/product/12.1.0/db_1/lib/libodm12.so
overwriteExistingLink = null
overwriteExistingDir = null

```



```

installActions2013-06-29_12-50-04AM.log
INFO: creating link 'libodm12.so' for
'/u01/app/oracle/product/12.1.0/db_1/lib/libodm12.so'
INFO: creating link 'libodm12.so' for
'/u01/app/oracle/product/12.1.0/db_1/lib/libodm12.so'
INFO: Calling Action unixActions10.2.0.3.0 createLink
      source = libodm12.so
      destination = /u01/app/oracle/product/12.1.0/db_1/lib/libodm12.so
      overwriteExistingLink = null
      overwriteExistingDir = null

INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/lib/libodm12.so
INFO: Query Returned: true
INFO: Calling Action unixActions10.2.0.3.0 createLink
      source = libodm12.so
      destination = /u01/app/oracle/product/12.1.0/db_1/lib/libodm12.so
      overwriteExistingLink = null
      overwriteExistingDir = null

INFO: Calling Action fileActions11.2.0.2.0 createDirRecurse
      destination = /u01/app/oracle/product/12.1.0/db_1/demo/schema/log
      selectedNodes = null
      permissions = null
      owner = null
      group = null

INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null
      source =
/u01/app/oracle/product/12.1.0/db_1/demo/schema/order_entry/createUser.sql
      destination =
/u01/app/oracle/product/12.1.0/db_1/demo/schema/order_entry/createUser.sql
      variables = null
      encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/demo/schema/order_entry/createUser.sql'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/demo/schema/order_entry/createUser.sql'.
INFO: Copying files for 'Oracle OLAP 12.1.0.1.0 '
INFO: Copying files for 'Oracle OLAP 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Install Phase 1 of component
Oracle OLAP
INFO: Copying files for 'Oracle Spatial and Graph 12.1.0.1.0 '
INFO: Copying files for 'Oracle Spatial and Graph 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Install Phase 1 of component
Oracle Spatial and Graph
INFO: Calling Action fileActions11.2.0.2.0 instantiateFileEx
      source = /u01/app/oracle/product/12.1.0/db_1/md/admin/mdinst.sql
      destination = /u01/app/oracle/product/12.1.0/db_1/md/admin/mdinst.sql
      variables = null
      delimiter = null
      encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/md/admin/mdinst.sql'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/md/admin/mdinst.sql'.
INFO: Copying files for 'Oracle Partitioning 12.1.0.1.0 '
INFO: Copying files for 'Oracle Partitioning 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Install Phase 1 of component
Oracle Partitioning
INFO: Copying files for 'Enterprise Edition Options 12.1.0.1.0 '
INFO: Copying files for 'Enterprise Edition Options 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Install Phase 1 of component
Enterprise Edition Options
INFO: Copying files for 'Oracle Database 12c 12.1.0.1.0 '
INFO: Copying files for 'Oracle Database 12c 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Install Phase 1 of component

```

installActions2013-06-29_12-50-04AM.log

Oracle Database 12c

```
INFO: Calling Action SpawnActions10.1.0.3.4 Spawn
      installcommand =
      deinstallcommand = /bin/rm -rf /u01/app/oracle/product/12.1.0/db_1/bin
/u01/app/oracle/product/12.1.0/db_1/cdata
/u01/app/oracle/product/12.1.0/db_1/css /u01/app/oracle/product/12.1.0/db_1/demo
/u01/app/oracle/product/12.1.0/db_1/install
/u01/app/oracle/product/12.1.0/db_1/jdk /u01/app/oracle/product/12.1.0/db_1/ldap
/u01/app/oracle/product/12.1.0/db_1/network/lib
/u01/app/oracle/product/12.1.0/db_1/network/log
/u01/app/oracle/product/12.1.0/db_1/oc4j /u01/app/oracle/product/12.1.0/db_1/ord
/u01/app/oracle/product/12.1.0/db_1/perf
/u01/app/oracle/product/12.1.0/db_1/pg4appc
/u01/app/oracle/product/12.1.0/db_1/rdbms
/u01/app/oracle/product/12.1.0/db_1/tg4drda
/u01/app/oracle/product/12.1.0/db_1/sysman
      waitForCompletion = null
```

INFO: Calling Query generalQueries10.2.0.2.1 getenv

name = PATH

INFO: Query Returned:

```
/usr/bin:/usr/ccs/bin:/u01/app/oracle/product/12.1.0/db_1/bin:/usr/sbin:/usr/lib
64/qt-3.3/bin:/usr/local/bin:/usr/bin:/bin:/usr/local/sbin:/usr/sbin:/sbin:/home
oracle/bin:/tmp/12c/database/install
```

INFO: Setting variable 's_fullPath' to

```
'/u01/app/oracle/product/12.1.0/db_1/bin:/usr/bin:/usr/bin:/usr/ccs/bin:/u01/app
/oracle/product/12.1.0/db_1/bin:/usr/sbin:/usr/lib64/qt-3.3/bin:/usr/local/bin:/
usr/bin:/bin:/usr/local/sbin:/usr/sbin:/sbin:/home/oracle/bin:/tmp/12c/database/
install'. Received the value from a code block.
```

INFO: Calling Action generalActions10.2.0.9.0 setenv

selectedNodes = null

name = PATH

value =

```
/u01/app/oracle/product/12.1.0/db_1/bin:/usr/bin:/usr/bin:/usr/ccs/bin:/u01/app/
oracle/product/12.1.0/db_1/bin:/usr/sbin:/usr/lib64/qt-3.3/bin:/usr/local/bin:/u
sr/bin:/bin:/usr/local/sbin:/usr/sbin:/sbin:/home/oracle/bin:/tmp/12c/database/i
ninstall
```

append = false

replace = true

doNotPersistEnv = null

INFO: setting environment variable 'PATH' to

```
'/u01/app/oracle/product/12.1.0/db_1/bin:/usr/bin:/usr/bin:/usr/ccs/bin:/u01/app
/oracle/product/12.1.0/db_1/bin:/usr/sbin:/usr/lib64/qt-3.3/bin:/usr/local/bin:/
usr/bin:/bin:/usr/local/sbin:/usr/sbin:/sbin:/home/oracle/bin:/tmp/12c/database/
install'
```

INFO: setting environment variable 'PATH' to

```
'/u01/app/oracle/product/12.1.0/db_1/bin:/usr/bin:/usr/bin:/usr/ccs/bin:/u01/app
/oracle/product/12.1.0/db_1/bin:/usr/sbin:/usr/lib64/qt-3.3/bin:/usr/local/bin:/
usr/bin:/bin:/usr/local/sbin:/usr/sbin:/sbin:/home/oracle/bin:/tmp/12c/database/
install'
```

INFO: Calling Action generalActions10.2.0.9.0 setenv

selectedNodes = null

name = ORACLE_HOME

value = /u01/app/oracle/product/12.1.0/db_1

append = false

replace = true

doNotPersistEnv = null

INFO: setting environment variable 'ORACLE_HOME' to

```
'/u01/app/oracle/product/12.1.0/db_1'
```

INFO: setting environment variable 'ORACLE_HOME' to

```
'/u01/app/oracle/product/12.1.0/db_1'
```

INFO: Calling Action generalActions10.2.0.9.0 setenv

selectedNodes = null

name = LD_LIBRARY_PATH

value = /u01/app/oracle/product/12.1.0/db_1/lib

```
installActions2013-06-29_12-50-04AM.log
append = false
replace = true
doNotPersistEnv = null
```

```
INFO: setting environment variable 'LD_LIBRARY_PATH' to
'/u01/app/oracle/product/12.1.0/db_1/lib'
INFO: setting environment variable 'LD_LIBRARY_PATH' to
'/u01/app/oracle/product/12.1.0/db_1/lib'
INFO: Calling Action generalActions10.2.0.9.0 setenv
selectedNodes = null
name = LD_LIBRARY_PATH
value = /u01/app/oracle/product/12.1.0/db_1/network/lib
append = true
replace = false
doNotPersistEnv = null
```

```
INFO: setting environment variable 'LD_LIBRARY_PATH' to
'/u01/app/oracle/product/12.1.0/db_1/network/lib'
INFO: setting environment variable 'LD_LIBRARY_PATH' to
'/u01/app/oracle/product/12.1.0/db_1/network/lib'
INFO: Calling Action generalActions10.2.0.9.0 setenv
selectedNodes = null
name = ORACLE_BASE
value = /u01/app/oracle
append = false
replace = true
doNotPersistEnv = null
```

```
INFO: setting environment variable 'ORACLE_BASE' to '/u01/app/oracle'
INFO: setting environment variable 'ORACLE_BASE' to '/u01/app/oracle'
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/bin/chopt
destination = /u01/app/oracle/product/12.1.0/db_1/bin/chopt
variables = null
encoding = null
```

```
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/bin/chopt'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/bin/chopt'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/bin/chopt.pl
destination = /u01/app/oracle/product/12.1.0/db_1/bin/chopt.pl
variables = null
encoding = null
```

```
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/bin/chopt.pl'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/bin/chopt.pl'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/bin/chopt.ini
destination = /u01/app/oracle/product/12.1.0/db_1/bin/chopt.ini
variables = null
encoding = null
```

```
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/bin/chopt.ini'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/bin/chopt.ini'.
INFO: InstallProgressMonitor: Completed phase 2
INFO: Install Phase 1 JRE files in Scratch :0
INFO: Going to execute the post copy script
INFO: Post copy script loc : null
INFO: InstallProgressMonitor: Starting phase 4
INFO: Linking in progress
INFO: Linking in progress
INFO: Linking 'Sun JDK 1.6.0.37.0 '
INFO: Linking 'Sun JDK 1.6.0.37.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Sun JDK
INFO: Linking 'oracle.swd.oui.core.min 12.1.0.1.0 '
```

installActions2013-06-29_12-50-04AM.log

INFO: Linking 'oracle.swd.oui.core.min 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component
oracle.swd.oui.core.min
INFO: Linking 'Installer SDK Component 12.1.0.1.0 '
INFO: Linking 'Installer SDK Component 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component
Installer SDK Component
INFO: Linking 'Oracle One-Off Patch Installer 12.1.0.1.0 '
INFO: Linking 'Oracle One-Off Patch Installer 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
One-Off Patch Installer
INFO: Linking 'Oracle Universal Installer 12.1.0.1.0 '
INFO: Linking 'Oracle Universal Installer 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Universal Installer
INFO: Linking 'Oracle USM Deconfiguration 12.1.0.1.0 '
INFO: Linking 'Oracle USM Deconfiguration 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
USM Deconfiguration
INFO: Linking 'Oracle Configuration Manager Deconfiguration 10.3.1.0.0 '
INFO: Linking 'Oracle Configuration Manager Deconfiguration 10.3.1.0.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Configuration Manager Deconfiguration
INFO: Linking 'Oracle RAC Deconfiguration 12.1.0.1.0 '
INFO: Linking 'Oracle RAC Deconfiguration 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
RAC Deconfiguration
INFO: Linking 'Oracle DBCA Deconfiguration 12.1.0.1.0 '
INFO: Linking 'Oracle DBCA Deconfiguration 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
DBCA Deconfiguration
INFO: Linking 'Oracle Database Plugin for Oracle Virtual Assembly Builder
12.1.0.1.0 '
INFO: Linking 'Oracle Database Plugin for Oracle Virtual Assembly Builder
12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Database Plugin for Oracle Virtual Assembly Builder
INFO: Linking 'Oracle Configuration Manager Client 10.3.2.1.0 '
INFO: Linking 'Oracle Configuration Manager Client 10.3.2.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Configuration Manager Client
INFO: Linking 'Oracle Configuration Manager 10.3.7.0.3 '
INFO: Linking 'Oracle Configuration Manager 10.3.7.0.3 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Configuration Manager
INFO: Linking 'Oracle ODBC Driverfor Instant Client 12.1.0.1.0 '
INFO: Linking 'Oracle ODBC Driverfor Instant Client 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
ODBC Driverfor Instant Client
INFO: Linking 'LDAP Required Support Files 12.1.0.1.0 '
INFO: Linking 'LDAP Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component LDAP
Required Support Files
INFO: Linking 'Expat libraries 2.0.1.0.2 '
INFO: Linking 'Expat libraries 2.0.1.0.2 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Expat
libraries
INFO: Linking 'Oracle Bali Share 11.1.1.6.0 '
INFO: Linking 'Oracle Bali Share 11.1.1.6.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Bali Share
INFO: Linking 'SSL Required Support Files for InstantClient 12.1.0.1.0 '
INFO: Linking 'SSL Required Support Files for InstantClient 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component SSL
Required Support Files for InstantClient
INFO: Linking 'Oracle Net Required Support Files 12.1.0.1.0 '
INFO: Linking 'Oracle Net Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle

```

installActions2013-06-29_12-50-04AM.log
Net Required Support Files
INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_net_client.mk
installTarget = mkldflags
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking ldflags

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_net_client.mk
installTarget = ntcontab.o
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking ntcontab

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_net_client.mk
installTarget = nnfgt.o
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking nnfgt

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
installTarget = client_sharedlib
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Building Client Shared Libraries

INFO: Linking 'Oracle R Enterprise Server Files 12.1.0.1.0 '
INFO: Linking 'Oracle R Enterprise Server Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle R
Enterprise Server Files
INFO: Linking 'Oracle Real Application Testing 12.1.0.1.0 '
INFO: Linking 'Oracle Real Application Testing 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Real Application Testing
INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
installTarget = ioracle
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
undoTarget = ioracle
undoArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log

```

installActions2013-06-29_12-50-04AM.log
progMsg = Linking Oracle

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
installTarget = rat_on
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
undoTarget = rat_off
undoArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking olap Option

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
installTarget = ioracle
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
undoTarget = ioracle
undoArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking Oracle

INFO: Linking 'Oracle Label Security 12.1.0.1.0 '
INFO: Linking 'Oracle Label Security 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Label Security
INFO: Linking 'Oracle Data Mining RDBMS Files 12.1.0.1.0 '
INFO: Linking 'Oracle Data Mining RDBMS Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Data Mining RDBMS Files

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
installTarget = ioracle
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
undoTarget = ioracle
undoArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking Oracle

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
installTarget = dm_on
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
undoTarget = dm_off
undoArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking Label Security Option

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
installTarget = ioracle
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1

```

installActions2013-06-29_12-50-04AM.log
  undoMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
  undoTarget = ioracle
  undoArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
  logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
  progMsg = Linking Oracle

INFO: Linking 'Oracle OLAP RDBMS Files 12.1.0.1.0 '
INFO: Linking 'Oracle OLAP RDBMS Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
OLAP RDBMS Files
INFO: Calling Action unixActions10.2.0.3.0 registerForMake
  installMakePath = /usr/bin/make
  installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
  installTarget = ioracle
  installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
  undoMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
  undoTarget = ioracle
  undoArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
  logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
  progMsg = Linking Oracle

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
  installMakePath = /usr/bin/make
  installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
  installTarget = olap_on
  installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
  undoMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
  undoTarget = olap_off
  undoArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
  logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
  progMsg = Linking olap Option

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
  installMakePath = /usr/bin/make
  installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
  installTarget = ioracle
  installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
  undoMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
  undoTarget = ioracle
  undoArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
  logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
  progMsg = Linking Oracle

INFO: Linking 'Oracle OLAP API 12.1.0.1.0 '
INFO: Linking 'Oracle OLAP API 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
OLAP API
INFO: Linking 'SQL*Plus Required Support Files 12.1.0.1.0 '
INFO: Linking 'SQL*Plus Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component SQL*Plus
Required Support Files
INFO: Linking 'Oracle Database Vault option 12.1.0.1.0 '
INFO: Linking 'Oracle Database Vault option 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Database Vault option
INFO: Linking 'XDK Required Support Files 12.1.0.1.0 '
INFO: Linking 'XDK Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component XDK
Required Support Files
INFO: Linking 'Oracle Notification Service for Instant Client 12.1.0.1.0 '
INFO: Linking 'Oracle Notification Service for Instant Client 12.1.0.1.0 '

```

installActions2013-06-29_12-50-04AM.log

INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle Notification Service for Instant Client
INFO: Linking 'Platform Required Support Files 12.1.0.1.0 '
INFO: Linking 'Platform Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Platform Required Support Files
INFO: Linking 'Oracle RAC Required Support Files-HAS 12.1.0.1.0 '
INFO: Linking 'Oracle RAC Required Support Files-HAS 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle RAC Required Support Files-HAS
INFO: Linking 'Oracle JDBC Server Support Package 12.1.0.1.0 '
INFO: Linking 'Oracle JDBC Server Support Package 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle JDBC Server Support Package
INFO: Linking 'Oracle SQL Developer 12.1.0.1.0 '
INFO: Linking 'Oracle SQL Developer 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle SQL Developer
INFO: Linking 'Oracle Application Express 12.1.0.1.0 '
INFO: Linking 'Oracle Application Express 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle Application Express
INFO: Linking 'RDBMS Required Support Files Runtime 12.1.0.1.0 '
INFO: Linking 'RDBMS Required Support Files Runtime 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component RDBMS Required Support Files Runtime
INFO: Linking 'RDBMS Required Support Files for Instant Client 12.1.0.1.0 '
INFO: Linking 'RDBMS Required Support Files for Instant Client 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component RDBMS Required Support Files for Instant Client
INFO: Linking 'SQLJ Runtime 12.1.0.1.0 '
INFO: Linking 'SQLJ Runtime 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component SQLJ Runtime
INFO: Linking 'Database workspace Manager 12.1.0.1.0 '
INFO: Linking 'Database workspace Manager 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Database Workspace Manager
INFO: Linking 'Precompiler Common Files for Core 12.1.0.1.0 '
INFO: Linking 'Precompiler Common Files for Core 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Precompiler Common Files for Core
INFO: Linking 'Parser Generator Required Support Files 12.1.0.1.0 '
INFO: Linking 'Parser Generator Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Parser Generator Required Support Files
INFO: Linking 'Oracle Globalization Support 12.1.0.1.0 '
INFO: Linking 'Oracle Globalization Support 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle Globalization Support
INFO: Linking 'Oracle Notification Service (eONS) 12.1.0.1.0 '
INFO: Linking 'Oracle Notification Service (eONS) 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle Notification Service (eONS)
INFO: Linking 'Oracle Text ATG Language Support Files 12.1.0.1.0 '
INFO: Linking 'Oracle Text ATG Language Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle Text ATG Language Support Files
INFO: Linking 'Oracle Text for Core 12.1.0.1.0 '
INFO: Linking 'Oracle Text for Core 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle Text for Core
INFO: Linking 'Oracle Text Required Support Files 12.1.0.1.0 '
INFO: Linking 'Oracle Text Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle Text Required Support Files
INFO: Linking 'Precompiler Required Support Files 12.1.0.1.0 '
INFO: Linking 'Precompiler Required Support Files 12.1.0.1.0 '

installActions2013-06-29_12-50-04AM.log

```
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component
Precompiler Required Support Files
INFO: Linking 'Oracle Database 12c Multimedia Files 12.1.0.1.0 '
INFO: Linking 'Oracle Database 12c Multimedia Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Database 12c Multimedia Files
INFO: Linking 'Oracle Multimedia Java Advanced Imaging 12.1.0.1.0 '
INFO: Linking 'Oracle Multimedia Java Advanced Imaging 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Multimedia Java Advanced Imaging
INFO: Linking 'Oracle JDBC/OCI Instant Client 12.1.0.1.0 '
INFO: Linking 'Oracle JDBC/OCI Instant Client 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
JDBC/OCI Instant Client
INFO: Linking 'Oracle Multimedia Locator Java Required Support Files 12.1.0.1.0
'
INFO: Linking 'Oracle Multimedia Locator Java Required Support Files 12.1.0.1.0
'
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Multimedia Locator Java Required Support Files
INFO: Linking 'Oracle Multimedia Locator RDBMS Files 12.1.0.1.0 '
INFO: Linking 'Oracle Multimedia Locator RDBMS Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Multimedia Locator RDBMS Files
INFO: Calling Action unixActions10.2.0.3.0 registerForMake
      installMakePath = /usr/bin/make
      installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
      installTarget = ioracle
      installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
      undoMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
      undoTarget = ioracle
      undoArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
      logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
      progMsg = Linking Oracle

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
      installMakePath = /usr/bin/make
      installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
      installTarget = sdo_on
      installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
      undoMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
      undoTarget = sdo_off
      undoArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
      logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
      progMsg = Linking sdo Options

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
      installMakePath = /usr/bin/make
      installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
      installTarget = ioracle
      installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
      undoMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
      undoTarget = ioracle
      undoArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
      logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
      progMsg = Linking Oracle

INFO: Linking 'Oracle Core Required Support Files for Core DB 12.1.0.1.0 '
INFO: Linking 'Oracle Core Required Support Files for Core DB 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Core Required Support Files for Core DB
INFO: Linking 'Oracle Core Required Support Files 12.1.0.1.0 '
```

installActions2013-06-29_12-50-04AM.log

INFO: Linking 'Oracle Core Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Core Required Support Files
INFO: Linking 'Sample Schema Data 12.1.0.1.0 '
INFO: Linking 'Sample Schema Data 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Sample
Schema Data
INFO: Linking 'Oracle Starter Database 12.1.0.1.0 '
INFO: Linking 'Oracle Starter Database 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Starter Database
INFO: Linking 'Oracle Message Gateway Common Files 12.1.0.1.0 '
INFO: Linking 'Oracle Message Gateway Common Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Message Gateway Common Files
INFO: Linking 'Oracle XML Query 12.1.0.1.0 '
INFO: Linking 'Oracle XML Query 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
XML Query
INFO: Linking 'Oracle Core XML Development Kit 12.1.0.1.0 '
INFO: Linking 'Oracle Core XML Development Kit 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Core XML Development Kit
INFO: Linking 'XML Parser for Oracle JVM 12.1.0.1.0 '
INFO: Linking 'XML Parser for Oracle JVM 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component XML
Parser for Oracle JVM
INFO: Linking 'Oracle JFC Extended windowing Toolkit 11.1.1.6.0 '
INFO: Linking 'Oracle JFC Extended windowing Toolkit 11.1.1.6.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
JFC Extended windowing Toolkit
INFO: Linking 'Oracle Globalization Support For Core 12.1.0.1.0 '
INFO: Linking 'Oracle Globalization Support For Core 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Globalization Support For Core
INFO: Linking 'Oracle Database Deconfiguration 12.1.0.1.0 '
INFO: Linking 'Oracle Database Deconfiguration 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Database Deconfiguration
INFO: Linking 'Oracle Quality of Service Management (Client) 12.1.0.1.0 '
INFO: Linking 'Oracle Quality of Service Management (Client) 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Quality of Service Management (Client)
INFO: Linking 'Oracle Locale Builder 12.1.0.1.0 '
INFO: Linking 'Oracle Locale Builder 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Locale Builder
INFO: Linking 'JAccelerator (COMPANION) 12.1.0.1.0 '
INFO: Linking 'JAccelerator (COMPANION) 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component
JAccelerator (COMPANION)
INFO: Linking 'Oracle Containers for Java 12.1.0.1.0 '
INFO: Linking 'Oracle Containers for Java 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Containers for Java
INFO: Linking 'Oracle JVM For Core 12.1.0.1.0 '
INFO: Linking 'Oracle JVM For Core 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
JVM For Core
INFO: Linking 'Perl Modules 5.14.1.0.0 '
INFO: Linking 'Perl Modules 5.14.1.0.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Perl
Modules
INFO: Linking 'RDBMS Required Support Files 12.1.0.1.0 '
INFO: Linking 'RDBMS Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component RDBMS
Required Support Files
INFO: Calling Action unixActions10.2.0.3.0 registerForMake

```

installActions2013-06-29_12-50-04AM.log
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
installTarget = client_sharedlib
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Building Client Shared Libraries

INFO: Linking 'Secure Socket Layer 12.1.0.1.0 '
INFO: Linking 'Secure Socket Layer 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Secure
Socket Layer
INFO: Linking 'Oracle Universal Connection Pool 12.1.0.1.0 '
INFO: Linking 'Oracle Universal Connection Pool 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Universal Connection Pool
INFO: Linking 'Oracle JDBC/THIN Interfaces 12.1.0.1.0 '
INFO: Linking 'Oracle JDBC/THIN Interfaces 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
JDBC/THIN Interfaces
INFO: Linking 'Oracle Multimedia Client Option 12.1.0.1.0 '
INFO: Linking 'Oracle Multimedia Client Option 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Multimedia Client Option
INFO: Linking 'Oracle Java Client 12.1.0.1.0 '
INFO: Linking 'Oracle Java Client 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Java Client
INFO: Linking 'Database Migration Assistant for Unicode 12.1.0.1.0 '
INFO: Linking 'Database Migration Assistant for Unicode 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Database
Migration Assistant for Unicode
INFO: Linking 'Perl Interpreter 5.14.1.0.0 '
INFO: Linking 'Perl Interpreter 5.14.1.0.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Perl
Interpreter
INFO: Linking 'PL/SQL Embedded Gateway 12.1.0.1.0 '
INFO: Linking 'PL/SQL Embedded Gateway 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component PL/SQL
Embedded Gateway
INFO: Linking 'OLAP SQL Scripts 12.1.0.1.0 '
INFO: Linking 'OLAP SQL Scripts 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component OLAP SQL
Scripts
INFO: Linking 'Database SQL Scripts 12.1.0.1.0 '
INFO: Linking 'Database SQL Scripts 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Database
SQL Scripts
INFO: Linking 'Oracle Globalization Support 12.1.0.1.0 '
INFO: Linking 'Oracle Globalization Support 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Globalization Support
INFO: Linking 'Oracle Extended windowing Toolkit 11.1.1.6.0 '
INFO: Linking 'Oracle Extended windowing Toolkit 11.1.1.6.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Extended windowing Toolkit
INFO: Linking 'SQL*Plus Files for Instant Client 12.1.0.1.0 '
INFO: Linking 'SQL*Plus Files for Instant Client 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component SQL*Plus
Files for Instant Client
INFO: Linking 'Required Support Files 12.1.0.1.0 '
INFO: Linking 'Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Required
Support Files
INFO: Linking 'Oracle ODBC Driver 12.1.0.1.0 '

```

```

installActions2013-06-29_12-50-04AM.log
INFO: Linking 'Oracle ODBC Driver 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
ODBC Driver
INFO: Linking 'Precompilers 12.1.0.1.0 '
INFO: Linking 'Precompilers 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component
Precompilers
INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/precomp/lib/ins_precomp.mk
installTarget = procob
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking procob

INFO: Linking 'Precompiler Common Files 12.1.0.1.0 '
INFO: Linking 'Precompiler Common Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component
Precompiler Common Files
INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/precomp/lib/ins_precomp.mk
installTarget = links
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/precomp/lib/ins_precomp.mk
undoTarget = rmlinks
undoArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Creating symbolic links

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/precomp/lib/ins_precomp.mk
installTarget = proc
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking proc

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/precomp/lib/ins_precomp.mk
installTarget = gen_pcscfg
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Recreating pcscfg

INFO: Linking 'Deinstallation Tool 12.1.0.1.0 '
INFO: Linking 'Deinstallation Tool 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component
Deinstallation Tool
INFO: Linking 'Oracle Recovery Manager 12.1.0.1.0 '
INFO: Linking 'Oracle Recovery Manager 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Recovery Manager

```

```

installActions2013-06-29_12-50-04AM.log
INFO: Calling Action unixActions10.2.0.3.0 registerForMake
      installMakePath = /usr/bin/make
      installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
      installTarget = irman
      installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
      undoMakeFileName = null
      undoTarget = null
      undoArguments = null
      logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
      progMsg = Linking RMAN Utility

INFO: Linking 'Oracle Net Java Required Support Files 12.1.0.1.0 '
INFO: Linking 'Oracle Net Java Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Net Java Required Support Files
INFO: Linking 'XML Parser for Java 12.1.0.1.0 '
INFO: Linking 'XML Parser for Java 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component XML
Parser for Java
INFO: Linking 'Oracle Security Developer Tools 12.1.0.1.0 '
INFO: Linking 'Oracle Security Developer Tools 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Security Developer Tools
INFO: Linking 'Oracle wallet Manager 12.1.0.1.0 '
INFO: Linking 'Oracle wallet Manager 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Wallet Manager
INFO: Linking 'Cluster Verification Utility Common Files 12.1.0.1.0 '
INFO: Linking 'Cluster Verification Utility Common Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Cluster
Verification Utility Common Files
INFO: Linking 'Oracle Clusterware RDBMS Files 12.1.0.1.0 '
INFO: Linking 'Oracle Clusterware RDBMS Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Clusterware RDBMS Files
INFO: Linking 'Oracle Ice Browser 11.1.1.6.0 '
INFO: Linking 'Oracle Ice Browser 11.1.1.6.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Ice Browser
INFO: Linking 'Installation Plugin Files 12.1.0.1.0 '
INFO: Linking 'Installation Plugin Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component
Installation Plugin Files
INFO: Linking 'Installation Common Files 12.1.0.1.0 '
INFO: Linking 'Installation Common Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component
Installation Common Files
INFO: Linking 'Oracle LDAP administration 12.1.0.1.0 '
INFO: Linking 'Oracle LDAP administration 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
LDAP administration
INFO: Linking 'Buildtools Common Files 12.1.0.1.0 '
INFO: Linking 'Buildtools Common Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component
Buildtools Common Files
INFO: Linking 'Oracle Java Layout Engine 11.0.0.0.0 '
INFO: Linking 'Oracle Java Layout Engine 11.0.0.0.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Java Layout Engine
INFO: Linking 'Oracle Database User Interface 11.0.0.0.0 '
INFO: Linking 'Oracle Database User Interface 11.0.0.0.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Database User Interface
INFO: Linking 'Oracle Help Share Library 11.1.1.6.0 '
INFO: Linking 'Oracle Help Share Library 11.1.1.6.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Help Share Library

```

installActions2013-06-29_12-50-04AM.log

```
INFO: Linking 'Oracle Help for Java 11.1.1.6.0 '  
INFO: Linking 'Oracle Help for Java 11.1.1.6.0 '  
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle  
Help for Java  
INFO: Linking 'HAS Common Files 12.1.0.1.0 '  
INFO: Linking 'HAS Common Files 12.1.0.1.0 '  
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component HAS  
Common Files  
INFO: Linking 'PL/SQL 12.1.0.1.0 '  
INFO: Linking 'PL/SQL 12.1.0.1.0 '  
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component PL/SQL  
INFO: Calling Action unixActions10.2.0.3.0 registerForMake  
installMakePath = /usr/bin/make  
installMakeFileName =  
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk  
installTarget = client_sharedlib  
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1  
undoMakeFileName = null  
undoTarget = null  
undoArguments = null  
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log  
progMsg = Building Client Shared Libraries  
  
INFO: Calling Action unixActions10.2.0.3.0 registerForMake  
installMakePath = /usr/bin/make  
installMakeFileName =  
/u01/app/oracle/product/12.1.0/db_1/plsql/lib/ins_plsql.mk  
installTarget = install  
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1  
undoMakeFileName = null  
undoTarget = null  
undoArguments = null  
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log  
progMsg = Linking PLSQL Executables  
  
INFO: Linking 'Assistant Common Files 12.1.0.1.0 '  
INFO: Linking 'Assistant Common Files 12.1.0.1.0 '  
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component  
Assistant Common Files  
INFO: Linking 'Oracle Notification Service 12.1.0.1.0 '  
INFO: Linking 'Oracle Notification Service 12.1.0.1.0 '  
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle  
Notification Service  
INFO: Linking 'Oracle Net 12.1.0.1.0 '  
INFO: Linking 'Oracle Net 12.1.0.1.0 '  
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle  
Net  
INFO: Calling Action unixActions10.2.0.3.0 registerForMake  
installMakePath = /usr/bin/make  
installMakeFileName =  
/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_net_client.mk  
installTarget = preinstall  
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1  
undoMakeFileName = null  
undoTarget = null  
undoArguments = null  
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log  
progMsg = Linking Netclient Executables  
  
INFO: Calling Action unixActions10.2.0.3.0 registerForMake  
installMakePath = /usr/bin/make  
installMakeFileName =  
/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_net_client.mk  
installTarget = itrout  
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1  
undoMakeFileName = null  
undoTarget = null  
undoArguments = null
```

```
installActions2013-06-29_12-50-04AM.log
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking Netclient Executables
```

```
INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_net_client.mk
installTarget = itnsping
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking Netclient Executables
```

```
INFO: Linking 'Oracle Database Utilities 12.1.0.1.0 '
INFO: Linking 'Oracle Database Utilities 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Database Utilities
```

```
INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
installTarget = utilities
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking Utilities Executables
```

```
INFO: Linking 'Generic Connectivity Common Files 12.1.0.1.0 '
INFO: Linking 'Generic Connectivity Common Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Generic
Connectivity Common Files
```

```
INFO: Linking 'Oracle Database Gateway for ODBC 12.1.0.1.0 '
INFO: Linking 'Oracle Database Gateway for ODBC 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Database Gateway for ODBC
```

```
INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
installTarget = idg4odbc
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking dg4odbc Executables
```

```
INFO: Linking 'Oracle Programmer 12.1.0.1.0 '
INFO: Linking 'Oracle Programmer 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Programmer
```

```
INFO: Linking 'Oracle Netca Client 12.1.0.1.0 '
INFO: Linking 'Oracle Netca Client 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Netca Client
```

```
INFO: Linking 'SQL*Plus 12.1.0.1.0 '
INFO: Linking 'SQL*Plus 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component SQL*Plus
INFO: Calling Action unixActions10.2.0.3.0 registerForMake
```

```
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/sqlplus/lib/ins_sqlplus.mk
installTarget = install
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
```

```
installActions2013-06-29_12-50-04AM.log
undoMakeFileName = null
undoTarget = null
undoArguments = null
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking SQLPLUS Executables
```

```
INFO: Linking 'Oracle Multimedia Locator 12.1.0.1.0 '
INFO: Linking 'Oracle Multimedia Locator 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Multimedia Locator
INFO: Linking 'Oracle Multimedia 12.1.0.1.0 '
INFO: Linking 'Oracle Multimedia 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Multimedia
INFO: Linking 'Oracle Call Interface (OCI) 12.1.0.1.0 '
INFO: Linking 'Oracle Call Interface (OCI) 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Call Interface (OCI)
INFO: Linking 'Oracle XML Development Kit 12.1.0.1.0 '
INFO: Linking 'Oracle XML Development Kit 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
XML Development Kit
INFO: Linking 'Database Configuration and Upgrade Assistants 12.1.0.1.0 '
INFO: Linking 'Database Configuration and Upgrade Assistants 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Database
Configuration and Upgrade Assistants
INFO: Linking 'Oracle JVM 12.1.0.1.0 '
INFO: Linking 'Oracle JVM 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
JVM
INFO: Linking 'Oracle Advanced Security 12.1.0.1.0 '
INFO: Linking 'Oracle Advanced Security 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Advanced Security
INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_net_client.mk
installTarget = ntcontab.o
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking ntcontab

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_net_client.mk
installTarget = nnfgr.o
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking nnfgr

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_net_client.mk
installTarget = mklflags
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
```


installActions2013-06-29_12-50-04AM.log
progMsg = Linking ldflags Executables

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
installTarget = client_sharedlib
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Building Client Shared Libraries

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_net_client.mk
installTarget = install
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Building Network Install Executables

INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/rdbms/lib/libknlopt.a

INFO: Query Returned: true

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
installTarget = ioracle
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking Oracle Executables

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_nau.mk
installTarget = ioklist
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking Adapters

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_nau.mk
installTarget = iokinit
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking Adapters

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make

```

installActions2013-06-29_12-50-04AM.log
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_nau.mk
installTarget = iokdstry
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking Adapters

INFO: Linking 'Oracle Internet Directory Client 12.1.0.1.0 '
INFO: Linking 'Oracle Internet Directory Client 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Internet Directory Client
INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/ldap/lib/ins_ldap.mk
installTarget = clientonlyinstall
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = clientonlyinstall
undoArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking OID Client

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/ldap/lib/ins_ldap.mk
installTarget = clientonlyinstall
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/ldap/lib/ins_ldap.mk
undoTarget = clientonlyinstall
undoArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking Client-only Install

INFO: Linking 'Oracle Net Listener 12.1.0.1.0 '
INFO: Linking 'Oracle Net Listener 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Net Listener
INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_net_server.mk
installTarget = install
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking netclient Install Executables

INFO: Linking 'HAS Files for DB 12.1.0.1.0 '
INFO: Linking 'HAS Files for DB 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component HAS
Files for DB
INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
installTarget = all_no_orcl
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null

```

installActions2013-06-29_12-50-04AM.log
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking RDBMS Executables

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/srvmlib/ins_srvm.mk
installTarget = install
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking RDBMS Executables

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/racglib/ins_has.mk
installTarget = racg_install
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking RACG Executables

INFO: Linking 'Oracle Text 12.1.0.1.0 '
INFO: Linking 'Oracle Text 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Text

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbmslib/ins_rdbms.mk
installTarget = ioracle
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbmslib/ins_rdbms.mk
undoTarget = ioracle
undoArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking Oracle

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbmslib/ins_rdbms.mk
installTarget = ctx_on
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbmslib/ins_rdbms.mk
undoTarget = ctx_off
undoArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking Text Option

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbmslib/ins_rdbms.mk
installTarget = ioracle
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking Oracle

installActions2013-06-29_12-50-04AM.log

```
INFO: Calling Action unixActions10.2.0.3.0 registerForMake
      installMakePath = /usr/bin/make
      installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/ctx/lib/ins_ctx.mk
      installTarget = install
      installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
      undoMakeFileName = null
      undoTarget = null
      undoArguments = null
      logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
      progMsg = Linking Text executables

INFO: Linking 'Oracle Net Services 12.1.0.1.0 '
INFO: Linking 'Oracle Net Services 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Net Services
INFO: Linking 'Oracle Database 12c 12.1.0.1.0 '
INFO: Linking 'Oracle Database 12c 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Database 12c
INFO: Calling Action unixActions10.2.0.3.0 registerForMake
      installMakePath = /usr/bin/make
      installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
      installTarget = client_sharedlib
      installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
      undoMakeFileName = null
      undoTarget = null
      undoArguments = null
      logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
      progMsg = Building Client Shared Libraries

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
      installMakePath = /usr/bin/make
      installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
      installTarget = rac_off
      installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
      undoMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
      undoTarget = rac_off
      undoArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
      logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
      progMsg = Linking Cluster Option

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
      installMakePath = /usr/bin/make
      installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
      installTarget = dnfs_off
      installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
      undoMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
      undoTarget = dnfs_off
      undoArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
      logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
      progMsg = Linking dnfs

INFO: Calling Action unixActions10.2.0.3.0 registerForMake
      installMakePath = /usr/bin/make
      installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
      installTarget = ioracle
      installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
      undoMakeFileName = null
      undoTarget = null
      undoArguments = null
```

```
installActions2013-06-29_12-50-04AM.log
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking RDBMS Executables
```

```
INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
installTarget = all_no_orcl
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking RDBMS Executables
```

```
INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
installTarget = ipc_relink
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
undoTarget = ipc_none
undoArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking UDP
```

```
INFO: Linking 'Oracle OLAP 12.1.0.1.0 '
INFO: Linking 'Oracle OLAP 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
OLAP
INFO: Linking 'Oracle Spatial and Graph 12.1.0.1.0 '
INFO: Linking 'Oracle Spatial and Graph 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Spatial and Graph
INFO: Linking 'Oracle Partitioning 12.1.0.1.0 '
INFO: Linking 'Oracle Partitioning 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Partitioning
```

```
INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
installTarget = ioracle
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
undoTarget = ioracle
undoArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking Oracle
```

```
INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
installTarget = part_on
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
undoTarget = part_off
undoArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking Partioning Option
```

```
INFO: Calling Action unixActions10.2.0.3.0 registerForMake
installMakePath = /usr/bin/make
```

```

installActions2013-06-29_12-50-04AM.log
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
installTarget = ioracle
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
undoMakeFileName = null
undoTarget = null
undoArguments = null
logfile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
progMsg = Linking Oracle

INFO: Linking 'Enterprise Edition Options 12.1.0.1.0 '
INFO: Linking 'Enterprise Edition Options 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component
Enterprise Edition Options
INFO: Linking 'Oracle Database 12c 12.1.0.1.0 '
INFO: Linking 'Oracle Database 12c 12.1.0.1.0 '
INFO: 6/29/13 12:56:13 AM EDT: Starting install Link Phase of component Oracle
Database 12c
INFO: Linking in progress
INFO: Linking in progress
INFO: Link Phase JRE files in Scratch :0
INFO: Calling Action unixActions10.2.0.3.0 make
registerOnly = false
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
installTarget = rat_on part_on dm_on olap_on sdo_on rac_off dnfs_off
undoMakeFileName =
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
logfile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
undoTarget =
progMsg = Linking olap Option

INFO: Linking olap Option
INFO: Linking olap Option
INFO: The output of this make operation is also available at:
'/u01/app/oracle/product/12.1.0/db_1/install/make.log'
INFO:

INFO: Start output from spawned process:
INFO: -----
INFO:

INFO: /usr/bin/ar d /u01/app/oracle/product/12.1.0/db_1/rdbms/lib/libknlOPT.a
kecnr.o

INFO: /usr/bin/ar cr /u01/app/oracle/product/12.1.0/db_1/rdbms/lib/libknlOPT.a
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/kecwr.o

INFO: /usr/bin/ar d /u01/app/oracle/product/12.1.0/db_1/rdbms/lib/libknlOPT.a
ksnkppo.o

INFO: /usr/bin/ar cr /u01/app/oracle/product/12.1.0/db_1/rdbms/lib/libknlOPT.a
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/kkpoban.o

INFO: /usr/bin/ar d /u01/app/oracle/product/12.1.0/db_1/rdbms/lib/libknlOPT.a
dmndm.o

INFO: /usr/bin/ar cr /u01/app/oracle/product/12.1.0/db_1/rdbms/lib/libknlOPT.a
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/dmwdm.o

INFO: /usr/bin/ar d /u01/app/oracle/product/12.1.0/db_1/rdbms/lib/libknlOPT.a
xsnoolap.o

INFO: /usr/bin/ar cr /u01/app/oracle/product/12.1.0/db_1/rdbms/lib/libknlOPT.a
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/xsyeolap.o

INFO: /usr/bin/ar cr /u01/app/oracle/product/12.1.0/db_1/rdbms/lib/libknlOPT.a

```

```

installActions2013-06-29_12-50-04AM.log
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/kxmwsd.o
INFO: rm -f /u01/app/oracle/product/12.1.0/db_1/lib/libskgxp12.so
INFO: cp /u01/app/oracle/product/12.1.0/db_1/lib//libskgxp12.so
/u01/app/oracle/product/12.1.0/db_1/lib/libskgxp12.so
INFO: rm -f /u01/app/oracle/product/12.1.0/db_1/lib/libskgxn2.so
INFO: cp /u01/app/oracle/product/12.1.0/db_1/lib//libskgxns.so \
/u01/app/oracle/product/12.1.0/db_1/lib/libskgxn2.so
INFO: /usr/bin/ar cr /u01/app/oracle/product/12.1.0/db_1/rdbms/lib/libknlopt.a
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ksnkcs.o
INFO: rm -f /u01/app/oracle/product/12.1.0/db_1/lib/libodm12.so; cp
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/libodm12.so.dummy
/u01/app/oracle/product/12.1.0/db_1/lib/libodm12.so
INFO: End output from spawned process.
INFO: -----
INFO: Calling Action unixActions10.2.0.3.0 make
      registerOnly = false
      installMakePath = /usr/bin/make
      installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_net_client.mk
      installTarget = mklflags ntcontab.o nfgt.o
      undoMakeFileName =
      installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
      logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
      undoTarget =
      progMsg = Linking ldflags Executables
INFO: Linking ldflags Executables
INFO: Linking ldflags Executables
INFO: The output of this make operation is also available at:
'/u01/app/oracle/product/12.1.0/db_1/install/make.log'
INFO:
INFO: Start output from spawned process:
INFO: -----
INFO:
INFO: rm -f ntcontab.*
INFO: (if [ "assemble" = "compile" ] ; then \
      /u01/app/oracle/product/12.1.0/db_1/bin/gennttab > ntcontab.c ;\
      gcc -m64 -fPIC -c ntcontab.c ;\
      rm -f /u01/app/oracle/product/12.1.0/db_1/lib/ntcontab.o ;\
      mv ntcontab.o /u01/app/oracle/product/12.1.0/db_1/lib/ ;\
      /usr/bin/ar rv /u01/app/oracle/product/12.1.0/db_1/lib/libn12.a
/u01/app/oracle/product/12.1.0/db_1/lib/ntcontab.o ; fi)
INFO: (if [ "assemble" = "assemble" ] ; then \
      /u01/app/oracle/product/12.1.0/db_1/bin/gennttab > ntcontab.s ;\
      /usr/bin/as -o ntcontab.o ntcontab.s ;\
      rm -f /u01/app/oracle/product/12.1.0/db_1/lib/ntcontab.o ;\
      mv ntcontab.o /u01/app/oracle/product/12.1.0/db_1/lib/ ;\
      /usr/bin/ar rv /u01/app/oracle/product/12.1.0/db_1/lib/libn12.a
/u01/app/oracle/product/12.1.0/db_1/lib/ntcontab.o ; fi)
INFO: r - /u01/app/oracle/product/12.1.0/db_1/lib/ntcontab.o
INFO: (if [ "assemble" = "oratmp" ] ; then \
      /u01/app/oracle/product/12.1.0/db_1/bin/gennttab > ntcontab.c ;\
      /lib/idcpp ntcontab.c oratmp.c ;\
      -i oratmp.c -o oratmp.s -f ntcontab.c ;\
      /usr/bin/as -o ntcontab.o oratmp.s ;\

```

```

installActions2013-06-29_12-50-04AM.log
rm -f oratmp.c oratmp.s ;\
rm -f /u01/app/oracle/product/12.1.0/db_1/lib/ntcontab.o ;\
mv ntcontab.o /u01/app/oracle/product/12.1.0/db_1/lib/ ;\
/usr/bin/ar rv /u01/app/oracle/product/12.1.0/db_1/lib/libn12.a
/u01/app/oracle/product/12.1.0/db_1/lib/ntcontab.o ; f
INFO: i)

INFO: (if [ "assemble" = "binary" ] ; then \
/u01/app/oracle/product/12.1.0/db_1/bin/gennttab > ntcontab.c ;\
TARGET_BINARY_INTERFACE= ;\
export TARGET_BINARY_INTERFACE ;\
gcc -m64 -fPIC -c ntcontab.c ;\
-rm -f /u01/app/oracle/product/12.1.0/db_1/lib/ntcontab.o ;\
-mv ntcontab.o /u01/app/oracle/product/12.1.0/db_1/lib/ ;\
/usr/bin/ar rv /u01/app/oracle/product/12.1.0/db_1/lib/libn12.a
/u01/app/oracle/product/12.1.0/db_1/lib/ntcontab.o ; fi)

INFO: rm -f nnfgt.*

INFO: (if [ "assemble" = "compile" ] ; then \
/u01/app/oracle/product/12.1.0/db_1/bin/gennfgt > nnfgt.c ;\
gcc -m64 -fPIC -c nnfgt.c ;\
rm -f /u01/app/oracle/product/12.1.0/db_1/lib/nnfgt.o ;\
mv nnfgt.o /u01/app/oracle/product/12.1.0/db_1/lib/ ;\
/usr/bin/ar rv /u01/app/oracle/product/12.1.0/db_1/lib/libn12.a
/u01/app/oracle/product/12.1.0/db_1/lib/nnfgt.o ; fi)

INFO: (if [ "assemble" = "assemble" ] ; then \
/u01/app/oracle/product/12.1.0/db_1/bin/gennfgt > nnfgt.s ;\
/usr/bin/as -o nnfgt.o nnfgt.s ;\
rm -f /u01/app/oracle/product/12.1.0/db_1/lib/nnfgt.o ;\
mv nnfgt.o /u01/app/oracle/product/12.1.0/db_1/lib/ ;\
/usr/bin/ar rv /u01/app/oracle/product/12.1.0/db_1/lib/libn12.a
/u01/app/oracle/product/12.1.0/db_1/lib/nnfgt.o ; fi)

INFO: r - /u01/app/oracle/product/12.1.0/db_1/lib/nnfgt.o

INFO: (if [ "assemble" = "oratmp" ] ; then \
/u01/app/oracle/product/12.1.0/db_1/bin/gennfgt > nnfgt.c ;\
/lib/idcpp nnfgt.c oratmp.c ;\
-i oratmp.c -o oratmp.s -f nnfgt.c ;\
/usr/bin/as -o nnfgt.o oratmp.s ;\
rm -f oratmp.c oratmp.s ;\
rm -f /u01/app/oracle/product/12.1.0/db_1/lib/nnfgt.o ;\
mv nnfgt.o /u01/app/oracle/product/12.1.0/db_1/lib/ ;\
/usr/bin/ar rv /u01/app/oracle/product/12.1.0/db_1/lib/libn12.a
/u01/app/oracle/product/12.1.0/db_1/lib/nnfgt.o ; fi)

INFO: (if [ "assemble" = "binary" ] ; then \
/u01/app/oracle/product/12.1.0/db_1/bin/gennfgt > nnfgt.c ;\
TARGET_BINARY_INTERFACE= ;\
export TARGET_BINARY_INTERFACE ;\
gcc -m64 -fPIC -c nnfgt.c ;\
-rm -f /u01/app/oracle/product/12.1.0/db_1/lib/nnfgt.o ;\
-mv nnfgt.o /u01/app/oracle/product/12.1.0/db_1/lib/ ;\
/usr/bin/ar rv /u01/app/oracle/product/12.1.0/db_1/lib/libn12.a
/u01/app/oracle/product/12.1.0/db_1/lib/nnfgt.o ; fi)

INFO: End output from spawned process.
INFO: -----
INFO: Calling Action unixActions10.2.0.3.0 make
registerOnly = false
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
installTarget = client_sharedlib
undoMakeFileName =
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1

```



```
installActions2013-06-29_12-50-04AM.log
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
undoTarget =
progMsg = Building Client Shared Libraries
```

```
INFO: Building Client Shared Libraries
INFO: Building Client Shared Libraries
INFO: The output of this make operation is also available at:
'/u01/app/oracle/product/12.1.0/db_1/install/make.log'
INFO:
```

```
INFO: Start output from spawned process:
INFO: -----
INFO:
```

```
INFO: /u01/app/oracle/product/12.1.0/db_1/bin/genclntsh
```

```
INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald: line 31: exec: gcc: not
found
```

```
INFO: genclntsh: Failed to link libclntshcore.so.12.1
make: *** [client_sharedlib] Error 127
```

```
INFO: End output from spawned process.
INFO: -----
INFO: Exception thrown from action: make
Exception Name: MakefileException
Exception String: Error in invoking target 'client_sharedlib' of makefile
'/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk'. See
'/u01/app/oraInventory/logs/installActions2013-06-29_12-50-04AM.log' for
details.
Exception Severity: 1
INFO: Building Client Shared Libraries
INFO: Building Client Shared Libraries
INFO: The output of this make operation is also available at:
'/u01/app/oracle/product/12.1.0/db_1/install/make.log'
INFO:
```

```
INFO: Start output from spawned process:
INFO: -----
INFO:
```

```
INFO: /u01/app/oracle/product/12.1.0/db_1/bin/genclntsh
```

```
INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald: line 31: exec: gcc: not
found
```

```
INFO: genclntsh: Failed to link libclntshcore.so.12.1
make: *** [client_sharedlib] Error 127
```

```
INFO: End output from spawned process.
INFO: -----
INFO: Exception thrown from action: make
Exception Name: MakefileException
Exception String: Error in invoking target 'client_sharedlib' of makefile
'/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk'. See
'/u01/app/oraInventory/logs/installActions2013-06-29_12-50-04AM.log' for
details.
Exception Severity: 1
INFO: Building Client Shared Libraries
INFO: Building Client Shared Libraries
INFO: The output of this make operation is also available at:
'/u01/app/oracle/product/12.1.0/db_1/install/make.log'
INFO:
```

```
INFO: Start output from spawned process:
INFO: -----
INFO:
```

```

installActions2013-06-29_12-50-04AM.log
INFO: /u01/app/oracle/product/12.1.0/db_1/bin/genclntsh

INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald: line 31: exec: gcc: not
found

INFO: genclntsh: Failed to link libclntshcore.so.12.1
make: *** [client_sharedlib] Error 127

INFO: End output from spawned process.
INFO: -----
INFO: Exception thrown from action: make
Exception Name: MakefileException
Exception String: Error in invoking target 'client_sharedlib' of makefile
'/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk'. See
'/u01/app/oraInventory/logs/installActions2013-06-29_12-50-04AM.log' for
details.
Exception Severity: 1
INFO: Building Client Shared Libraries
INFO: Building Client Shared Libraries
INFO: The output of this make operation is also available at:
'/u01/app/oracle/product/12.1.0/db_1/install/make.log'
INFO:

INFO: Start output from spawned process:
INFO: -----
INFO:

INFO: /u01/app/oracle/product/12.1.0/db_1/bin/genclntsh

INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald: line 31: exec: gcc: not
found

INFO: genclntsh: Failed to link libclntshcore.so.12.1
make: *** [client_sharedlib] Error 127

INFO: End output from spawned process.
INFO: -----
INFO: Exception thrown from action: make
Exception Name: MakefileException
Exception String: Error in invoking target 'client_sharedlib' of makefile
'/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk'. See
'/u01/app/oraInventory/logs/installActions2013-06-29_12-50-04AM.log' for
details.
Exception Severity: 1
INFO: Calling Action unixActions10.2.0.3.0 make
      registerOnly = false
      installMakePath = /usr/bin/make
      installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/precomp/lib/ins_precomp.mk
      installTarget = links proc gen_pcscfg procob
      undoMakeFileName =
      installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
      logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
      undoTarget =
      progMsg = Creating symbolic links

INFO: Creating symbolic links
INFO: Creating symbolic links
INFO: The output of this make operation is also available at:
'/u01/app/oracle/product/12.1.0/db_1/install/make.log'
INFO:

INFO: Start output from spawned process:
INFO: -----
INFO:

INFO: (cd /u01/app/oracle/product/12.1.0/db_1/precomp/public/; rm -f SQLCA.H)

```

```

installActions2013-06-29_12-50-04AM.log
INFO: (cd /u01/app/oracle/product/12.1.0/db_1/precomp/public/; rm -f ORACA.H)
INFO: (cd /u01/app/oracle/product/12.1.0/db_1/precomp/public/; rm -f SQLDA.H)
INFO: (cd /u01/app/oracle/product/12.1.0/db_1/precomp/public/; rm -f SQLCA.COB)
INFO: (cd /u01/app/oracle/product/12.1.0/db_1/precomp/public/; rm -f ORACA.COB)
INFO: (cd /u01/app/oracle/product/12.1.0/db_1/precomp/public/; rm -f SQLCA.FOR)
INFO: (cd /u01/app/oracle/product/12.1.0/db_1/precomp/public/; rm -f ORACA.FOR)
INFO: (cd /u01/app/oracle/product/12.1.0/db_1/precomp/public/; rm -f BNDDSC.FOR)
INFO: (cd /u01/app/oracle/product/12.1.0/db_1/precomp/public/; rm -f SELDSC.FOR)
INFO: cd /u01/app/oracle/product/12.1.0/db_1/precomp/public/; test ! -f sqlca.h
    || ln -s sqlca.h    SQLCA.H
INFO: cd /u01/app/oracle/product/12.1.0/db_1/precomp/public/; test ! -f oraca.h
    || ln -s oraca.h    ORACA.H
INFO: cd /u01/app/oracle/product/12.1.0/db_1/precomp/public/; test ! -f sqlda.h
    || ln -s sqlda.h    SQLDA.H
INFO: cd /u01/app/oracle/product/12.1.0/db_1/precomp/public/; test ! -f
sqlca.cob || ln -s sqlca.cob SQLCA.COB
INFO: cd /u01/app/oracle/product/12.1.0/db_1/precomp/public/; test ! -f
oraca.cob || ln -s oraca.cob ORACA.COB
INFO: cd /u01/app/oracle/product/12.1.0/db_1/precomp/public/; test ! -f
sqlca.for || ln -s sqlca.for SQLCA.FOR
INFO: cd /u01/app/oracle/product/12.1.0/db_1/precomp/public/; test ! -f
oraca.for || ln -s oraca.for ORACA.FOR
INFO: cd /u01/app/oracle/product/12.1.0/db_1/precomp/public/; test ! -f
bnddsc.for || ln -s bnddsc.for BNDDSC.FOR
INFO: cd /u01/app/oracle/product/12.1.0/db_1/precomp/public/; test ! -f
seldsc.for || ln -s seldsc.for SELDSC.FOR
INFO: make -f /u01/app/oracle/product/12.1.0/db_1/precomp/lib/ins_precomp.mk
relink EXENAME=proc
INFO: make[1]: Entering directory
`/u01/app/oracle/product/12.1.0/db_1/precomp/lib'
INFO: Linking /u01/app/oracle/product/12.1.0/db_1/precomp/lib/proc
INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald: line 31: exec: gcc: not
found
INFO: /bin/chmod:
INFO: cannot access `/u01/app/oracle/product/12.1.0/db_1/precomp/lib/proc'
INFO: : No such file or directory
INFO:
INFO: make[1]: Leaving directory
`/u01/app/oracle/product/12.1.0/db_1/precomp/lib'
INFO: make[1]: *** [/u01/app/oracle/product/12.1.0/db_1/precomp/lib/proc] Error
1
make: *** [proc] Error 2
INFO: End output from spawned process.
INFO: -----

```

installActions2013-06-29_12-50-04AM.log

INFO: Exception thrown from action: make
Exception Name: MakefileException
Exception String: Error in invoking target 'links proc gen_pcscfg procob' of makefile '/u01/app/oracle/product/12.1.0/db_1/precomp/lib/ins_precomp.mk'. See '/u01/app/oraInventory/logs/installActions2013-06-29_12-50-04AM.log' for details.

Exception Severity: 1

INFO: Calling Action unixActions10.2.0.3.0 make

registerOnly = false
installMakePath = /usr/bin/make
installMakeFileName =

/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk

installTarget = idg4odbc
undoMakeFileName =
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
undoTarget =
progMsg = Linking dg4odbc Executables

INFO: Linking dg4odbc Executables

INFO: Linking dg4odbc Executables

INFO: The output of this make operation is also available at:

'/u01/app/oracle/product/12.1.0/db_1/install/make.log'

INFO:

INFO: Start output from spawned process:

INFO: -----

INFO:

INFO:

INFO: - Linking dg4odbc agent

INFO: rm -f /u01/app/oracle/product/12.1.0/db_1/rdbms/lib/dg4odbc

INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald -o
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/dg4odbc -m64 -z noexecstack
-w1,--disable-new-dtags -L/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/stubs/
/u01/app/oracle/product/12.1.0/db_1/hs/lib/dg4odbc.o
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/homts.o -lhgosh12
-lhggcon12 -lhgosh12 -lagtsh -lpthread -lclntsh -lclntshcore `cat
/u01/app/oracle/product/12.1.0

INFO: /db_1/lib/sysliblist` -w1, -rpath, /u01/app/oracle/product/12.1.0/db_1/lib
-lm `cat /u01/app/oracle/product/12.1.0/db_1/lib/sysliblist` -ldl -lm
-L/u01/app/oracle/product/12.1.0/db_1/lib -lnsgr12

INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald: line 31: exec: gcc: not found

INFO: make: *** [/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/dg4odbc] Error 127

INFO: End output from spawned process.

INFO: -----

INFO: Exception thrown from action: make

Exception Name: MakefileException

Exception String: Error in invoking target 'idg4odbc' of makefile '/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk'. See '/u01/app/oraInventory/logs/installActions2013-06-29_12-50-04AM.log' for details.

Exception Severity: 1

INFO: Calling Action unixActions10.2.0.3.0 make

registerOnly = false
installMakePath = /usr/bin/make
installMakeFileName =

/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_net_client.mk

```
installActions2013-06-29_12-50-04AM.log
installTarget = itnsping
undoMakeFileName =
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
undoTarget =
progMsg = Linking Netclient Executables
```

```
INFO: Linking Netclient Executables
INFO: Linking Netclient Executables
INFO: The output of this make operation is also available at:
'/u01/app/oracle/product/12.1.0/db_1/install/make.log'
INFO:
```

```
INFO: Start output from spawned process:
INFO: -----
INFO:
```

```
INFO: - Linking
```

```
INFO: rm -f tnsping
```

```
INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald -o tnsping -m64 -z
noexecstack -w1,--disable-new-dtags
-L/u01/app/oracle/product/12.1.0/db_1/network/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/stubs/
/u01/app/oracle/product/12.1.0/db_1/network/lib/s0nsping.o
/u01/app/oracle/product/12.1.0/db_1/network/lib/nsping.o -lclntsh -lclntshcore
`cat /u01/app/oracle/product/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12
-lnzjs12 -ln12 -lnl12 -lnro12 `cat /u01/app/oracle/
INFO: product/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12 -lnzjs12 -ln12
-lnl12 -lnnz12 -lzt12 -lztkg12 -lztkg12 -lclient12 -lnnetd12 -lvsn12 -lcommon12
-lgeneric12 -lmm -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lcore12 -lsnls12
-lnls12 -lxml12 -lcore12 -lunls12 -lsnls12 -lnls12 -lcore12 -lnls12 `cat
/u01/app/oracle/product/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12 -lnzjs12
-ln12 -lnl12 -lnro12 `cat /u01/app/oracle/product/12.1.0/db_1/lib/ldflags`
-lncrypt12 -lnsgr12 -lnzjs12 -ln12 -lnl12 -lclien
INFO: t12 -lnnetd12 -lvsn12 -lcommon12 -lgeneric12 -lsnls12 -lnls12 -lcore12
-lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lxml12 -lcore12 -lunls12 -lsnls12
-lnls12 -lcore12 -lnls12 -lclient12 -lnnetd12 -lvsn12 -lcommon12 -lgeneric12
-lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lxml12
-lcore12 -lunls12 -lsnls12 -lnls12 -lcore12 -lnls12 `cat
/u01/app/oracle/product/12.1.0/db_1/lib/sysliblist`
-w1,-rpath,/u01/app/oracle/product/12.1.0/db_1/lib -lm `cat
/u01/app/oracle/product/12.1.
INFO: 0/db_1/lib/sysliblist` -ldl -lm
-L/u01/app/oracle/product/12.1.0/db_1/lib
```

```
INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald: line 31: exec: gcc: not
found
```

```
INFO: make: *** [tnsping] Error 127
```

```
INFO: End output from spawned process.
```

```
INFO: -----
INFO: Exception thrown from action: make
Exception Name: MakefileException
Exception String: Error in invoking target 'itnsping' of makefile
'/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_net_client.mk'. See
'/u01/app/oraInventory/logs/installActions2013-06-29_12-50-04AM.log' for
details.
```

```
Exception Severity: 1
```

```
INFO: Calling Action unixActions10.2.0.3.0 make
registerOnly = false
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/ctx/lib/ins_ctx.mk
installTarget = install
```

```
installActions2013-06-29_12-50-04AM.log
undoMakeFileName =
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
undoTarget =
progMsg = Linking Text executables
```

```
INFO: Linking Text executables
INFO: Linking Text executables
INFO: The output of this make operation is also available at:
'/u01/app/oracle/product/12.1.0/db_1/install/make.log'
INFO:
```

```
INFO: Start output from spawned process:
INFO: -----
INFO:
```

```
INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald -o ctxload -m64 -z
noexecstack -w1,--disable-new-dtags
-L/u01/app/oracle/product/12.1.0/db_1/ctx/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/stubs/
/u01/app/oracle/product/12.1.0/db_1/ctx/lib/sdrz.o -lctxs12 -lctx12 -lctxs12
-lzx12 -lgx12 -lctx12 -lzx12 -lgx12 -lclntsh -lclntshcore `cat
/u01/app/oracle/product/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12 -lnzjs12
-ln12 -lnl12 -lnro12 `cat /u01/app/oracle/produ
INFO: t/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12 -lnzjs12 -ln12 -lnl12
-lnnz12 -lzt12 -lztkg12 -lztkg12 -lclient12 -lnnetd12 -lvsn12 -lcommon12
-lgeneric12 -lmm -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lcore12 -lsnls12
-lnls12 -lxml12 -lcore12 -lunls12 -lsnls12 -lnls12 -lcore12 -lnls12 `cat
/u01/app/oracle/product/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12 -lnzjs12
-ln12 -lnl12 -lnro12 `cat /u01/app/oracle/product/12.1.0/db_1/lib/ldflags`
-lncrypt12 -lnsgr12 -lnzjs12 -ln12 -lnl12 -lclient12 -l
INFO: nnetd12 -lvsn12 -lcommon12 -lgeneric12 -lsnls12 -lnls12 -lcore12
-lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lxml12 -lcore12 -lunls12 -lsnls12
-lnls12 -lcore12 -lnls12 -lclient12 -lnnetd12 -lvsn12 -lcommon12 -lgeneric12
-lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lxml12
-lcore12 -lunls12 -lsnls12 -lnls12 -lcore12 -lnls12 `cat
/u01/app/oracle/product/12.1.0/db_1/lib/sysliblist`
-w1,-rpath,/u01/app/oracle/product/12.1.0/db_1/lib -lm `cat
/u01/app/oracle/product/12.1.0/db_1
INFO: /lib/sysliblist` -ldl -lm -L/u01/app/oracle/product/12.1.0/db_1/lib
```

```
INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald: line 31: exec: gcc: not
found
```

```
INFO: make: *** [ctxload] Error 127
```

```
INFO: End output from spawned process.
INFO: -----
INFO: Exception thrown from action: make
Exception Name: MakefileException
Exception String: Error in invoking target 'install' of makefile
'/u01/app/oracle/product/12.1.0/db_1/ctx/lib/ins_ctx.mk'. See
'/u01/app/oraInventory/logs/installActions2013-06-29_12-50-04AM.log' for
details.
```

```
Exception Severity: 1
INFO: Calling Action unixActions10.2.0.3.0 make
registerOnly = false
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/racg/lib/ins_has.mk
installTarget = racg_install
undoMakeFileName =
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
undoTarget =
progMsg = Linking RACG Executables
```

```

installActions2013-06-29_12-50-04AM.log
INFO: Linking RACG Executables
INFO: Linking RACG Executables
INFO: The output of this make operation is also available at:
'/u01/app/oracle/product/12.1.0/db_1/install/make.log'
INFO:

INFO: Start output from spawned process:
INFO: -----
INFO:

INFO: rm -f /u01/app/oracle/product/12.1.0/db_1/racg/lib/racgchsn
/u01/app/oracle/product/12.1.0/db_1/racg/lib/racgeut
/u01/app/oracle/product/12.1.0/db_1/racg/lib/racgmdb
/u01/app/oracle/product/12.1.0/db_1/racg/lib/racgimon
/u01/app/oracle/product/12.1.0/db_1/racg/lib/racgmain
/u01/app/oracle/product/12.1.0/db_1/racg/lib/racgwrap
/u01/app/oracle/product/12.1.0/db_1/racg/lib/racgvip
/u01/app/oracle/product/12.1.0/db_1/racg/lib/racgons
/u01/app/oracle/product/12.1.0/db_1/racg/lib/racgevtf /u01/app/oracle/product/
INFO: 12.1.0/db_1/racg/lib/usrvip
/u01/app/oracle/product/12.1.0/db_1/racg/lib/asmproxy
/u01/app/oracle/product/12.1.0/db_1/racg/lib/appvipcfg

INFO: End output from spawned process.
INFO: -----
INFO: Calling Action unixActions10.2.0.3.0 make
      registerOnly = false
      installMakePath = /usr/bin/make
      installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_net_client.mk
      installTarget = preinstall
      undoMakeFileName =
      installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
      logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
      undoTarget =
      progMsg = Linking Netclient Executables

INFO: Linking Netclient Executables
INFO: Linking Netclient Executables
INFO: The output of this make operation is also available at:
'/u01/app/oracle/product/12.1.0/db_1/install/make.log'
INFO:

INFO: Start output from spawned process:
INFO: -----
INFO:

INFO: /bin/chmod 755 /u01/app/oracle/product/12.1.0/db_1/bin/

INFO: End output from spawned process.
INFO: -----
INFO: Calling Action unixActions10.2.0.3.0 make
      registerOnly = false
      installMakePath = /usr/bin/make
      installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
      installTarget = ctx_on
      undoMakeFileName =
      installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
      logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
      undoTarget =
      progMsg = Linking Text Option

INFO: Linking Text Option
INFO: Linking Text Option
INFO: The output of this make operation is also available at:
'/u01/app/oracle/product/12.1.0/db_1/install/make.log'
INFO:

```

installActions2013-06-29_12-50-04AM.log

INFO: Start output from spawned process:
INFO: -----
INFO:

INFO: /usr/bin/ar cr /u01/app/oracle/product/12.1.0/db_1/rdbms/lib/libknlopt.a
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/kciwcx.o

INFO: End output from spawned process.

INFO: -----
INFO: Calling Action unixActions10.2.0.3.0 make

registerOnly = false
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/plsql/lib/ins_plsql.mk
installTarget = install
undoMakeFileName =
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
undoTarget =
progMsg = Linking PLSQL Executables

INFO: Linking PLSQL Executables

INFO: Linking PLSQL Executables

INFO: The output of this make operation is also available at:
'/u01/app/oracle/product/12.1.0/db_1/install/make.log'

INFO:

INFO: Start output from spawned process:

INFO: -----
INFO:

INFO: chmod 755 /u01/app/oracle/product/12.1.0/db_1/bin

INFO: rm -f wrap

INFO: Linking wrap

INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald -o wrap -m64 -z noexecstack
-wl,--disable-new-dtags -L/u01/app/oracle/product/12.1.0/db_1/plsql/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/stubs/
/u01/app/oracle/product/12.1.0/db_1/plsql/lib/s0plsw.o -lcIntsh -lcIntshcore
-lpsa12 -lpls12 -lrt -lplp12 -lplc12 -lslax12 `cat
/u01/app/oracle/product/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12 -lnzjs12
-ln12 -lnl12 -lnro12 `cat /u01/app/oracle/product/12.1.0/db_1
INFO: /lib/ldflags` -lncrypt12 -lnsgr12 -lnzjs12 -ln12 -lnl12 -lnnz12 -lzt12
-lztkg12 -lztkg12 -lclient12 -lnnetd12 -lvsn12 -lcommon12 -lgeneric12 -lmm
-lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lxml12
-lcore12 -lnls12 -lsnls12 -lnls12 -lcore12 -lnls12 `cat
/u01/app/oracle/product/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12 -lnzjs12
-ln12 -lnl12 -lnro12 `cat /u01/app/oracle/product/12.1.0/db_1/lib/ldflags`
-lncrypt12 -lnsgr12 -lnzjs12 -ln12 -lnl12 -lclient12 -lnnetd12 -lvs
INFO: n12 -lcommon12 -lgeneric12 -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12
-lcore12 -lsnls12 -lnls12 -lxml12 -lcore12 -lnls12 -lsnls12 -lnls12 -lcore12
-lnls12 -lclient12 -lnnetd12 -lvsn12 -lcommon12 -lgeneric12 -lsnls12 -lnls12
-lcore12 -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lxml12 -lcore12 -lnls12
-lsnls12 -lnls12 -lcore12 -lnls12 -lpls12 -lrt -loraz -llzopro -lorabz2 -lipp_z
-lipp_bz2 -lippdcemerged -lippsemmerged -lippdcmerged -lippsmmerged -lippcore
`cat /u01/app/oracle/product/12.1.0/db_1/li
INFO: b/sysliblist` -wl,-rpath,/u01/app/oracle/product/12.1.0/db_1/lib -lm
`cat /u01/app/oracle/product/12.1.0/db_1/lib/sysliblist` -laio -lm
-L/u01/app/oracle/product/12.1.0/db_1/lib

INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald: line 31: exec: gcc: not
found

INFO: make: *** [wrap] Error 127

installActions2013-06-29_12-50-04AM.log

INFO: End output from spawned process.

INFO: -----

INFO: Exception thrown from action: make

Exception Name: MakefileException

Exception String: Error in invoking target 'install' of makefile
'/u01/app/oracle/product/12.1.0/db_1/plsql/lib/ins_plsql.mk'. See
'/u01/app/oraInventory/logs/installActions2013-06-29_12-50-04AM.log' for
details.

Exception Severity: 1

INFO: Calling Action unixActions10.2.0.3.0 make

registerOnly = false

installMakePath = /usr/bin/make

installMakeFileName =

/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk

installTarget = all_no_orcl

undoMakeFileName =

installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1

logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log

undoTarget =

progMsg = Linking RDBMS Executables

INFO: Linking RDBMS Executables

INFO: Linking RDBMS Executables

INFO: The output of this make operation is also available at:

'/u01/app/oracle/product/12.1.0/db_1/install/make.log'

INFO:

INFO: Start output from spawned process:

INFO: -----

INFO:

INFO: chmod 755 /u01/app/oracle/product/12.1.0/db_1/bin

INFO: rm -f oracle dbv tstshm maxmem orapwd dbfsz cursize genoci extproc
extproc32 hsalloca hsots hsdexpa dgmgrl dumpsga mapsga osh sbttest expdp impdp
imp exp sqldr rman /u01/app/oracle/product/12.1.0/db_1/rdbms/lib/dg4odbc
mkpatch /u01/app/oracle/product/12.1.0/db_1/rdbms/lib/dg4adbs
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/dg4db2
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/dg4ifmx
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/dg4ims
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/dg4msql /u01/app/
INFO: oracle/product/12.1.0/db_1/rdbms/lib/dg4sybs
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/dg4tera
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/dg4vsam nid adrci wrc extjob
extjobo jssu genezi kfod amdu kfed uidrvci diskmon setasmgid renamedg orion
skgxpinfo drdactl drdalsnr drdaproc
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ksms.s
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ksms.o

INFO:

INFO: - Linking DB*Verify utility (dbv)

INFO: rm -f /u01/app/oracle/product/12.1.0/db_1/rdbms/lib/dbv

INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald -o
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/dbv -m64 -z noexecstack
-wl,--disable-new-dtags -L/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/stubs/
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/s0kudbv.o -ldbtools12 -lsnls12
-lnls12 -lnls12 -lclntsh -lclntshcore -cat
/u01/app/oracle/product/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12 -lnzjs12
-ln12 -lnl12 -lnro12
INFO: cat /u01/app/oracle/product/12.1.0/db_1/lib/ldflags` -lncrypt12
-lnsgr12 -lnzjs12 -ln12 -lnl12 -lnnz12 -lzt12 -lztkg12 -lztkg12 -lclient12
-lnnetd12 -lvsn12 -lcommon12 -lgeneric12 -lmm -lsnls12 -lnls12 -lcore12

```
installActions2013-06-29_12-50-04AM.log
-lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lxml12 -lcore12 -lunls12 -lsnls12
-lnls12 -lcore12 -lnls12 `cat /u01/app/oracle/product/12.1.0/db_1/lib/ldflags`
-lncrypt12 -lnsgr12 -lnzjs12 -ln12 -lnl12 -lnro12 `cat
/u01/app/oracle/product/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12 -lnzjs12
```

```
INFO: -ln12 -lnl12 -lclient12 -lnnetd12 -lvsn12 -lcommon12 -lgeneric12
-lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lxml12
-lcore12 -lunls12 -lsnls12 -lnls12 -lcore12 -lnls12 -lclient12 -lnnetd12
-lvsn12 -lcommon12 -lgeneric12 -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12
-lcore12 -lsnls12 -lnls12 -lxml12 -lcore12 -lunls12 -lsnls12 -lnls12 -lcore12
-lnls12 `cat /u01/app/oracle/product/12.1.0/db_1/lib/sysliblist`
-wl,-rpath,/u01/app/oracle/product/12.1.0/db_1/lib -lm `cat /u01/app/
INFO: oracle/product/12.1.0/db_1/lib/sysliblist` -ldl -lm
-L/u01/app/oracle/product/12.1.0/db_1/lib -laio
```

```
INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald: line 31: exec: gcc: not
found
```

```
INFO: make: *** [/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/dbv] Error 127
```

```
INFO: End output from spawned process.
```

```
INFO: -----
INFO: Exception thrown from action: make
Exception Name: MakefileException
Exception String: Error in invoking target 'all_no_orcl' of makefile
'/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk'. See
'/u01/app/oraInventory/logs/installActions2013-06-29_12-50-04AM.log' for
details.
```

```
Exception Severity: 1
```

```
INFO: Calling Action unixActions10.2.0.3.0 make
registerOnly = false
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_net_client.mk
installTarget = install
undoMakeFileName =
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
undoTarget =
progMsg = Building Network Install Executables
```

```
INFO: Building Network Install Executables
```

```
INFO: Building Network Install Executables
```

```
INFO: The output of this make operation is also available at:
```

```
'/u01/app/oracle/product/12.1.0/db_1/install/make.log'
```

```
INFO:
```

```
INFO: Start output from spawned process:
```

```
INFO: -----
```

```
INFO:
```

```
INFO: /bin/chmod 755 /u01/app/oracle/product/12.1.0/db_1/bin/
```

```
INFO: - Linking trcroute
```

```
INFO: rm -f trcroute
```

```
INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald -o trcroute -m64 -z
noexecstack -wl,--disable-new-dtags
-L/u01/app/oracle/product/12.1.0/db_1/network/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/stubs/
/u01/app/oracle/product/12.1.0/db_1/network/lib/s0nur.o
/u01/app/oracle/product/12.1.0/db_1/network/lib/nur.o -lclntsh -lclntshcore
`cat /u01/app/oracle/product/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12
-lnzjs12 -ln12 -lnl12 -lnro12 `cat /u01/app/oracle/produ
INFO: ct/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12 -lnzjs12 -ln12 -lnl12
-lnnz12 -lzt12 -lztkg12 -lztkg12 -lclient12 -lnnetd12 -lvsn12 -lcommon12
```

```

installActions2013-06-29_12-50-04AM.log
-lgeneric12 -lmm -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lcore12 -lsnls12
-lnls12 -lxml12 -lcore12 -lnls12 -lsnls12 -lnls12 -lcore12 -lnls12 `cat
/u01/app/oracle/product/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12 -lnzjs12
-ln12 -lnl12 -lnro12 `cat /u01/app/oracle/product/12.1.0/db_1/lib/ldflags`
-lncrypt12 -lnsgr12 -lnzjs12 -ln12 -lnl12 -lclient12 -
INFO: lnnetd12 -lvsn12 -lcommon12 -lgeneric12 -lsnls12 -lnls12 -lcore12
-lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lxml12 -lcore12 -lnls12 -lsnls12
-lnls12 -lcore12 -lnls12 -lclient12 -lnnetd12 -lvsn12 -lcommon12 -lgeneric12
-lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lxml12
-lcore12 -lnls12 -lsnls12 -lnls12 -lcore12 -lnls12 `cat
/u01/app/oracle/product/12.1.0/db_1/lib/sysliblist`
-wl,-rpath,/u01/app/oracle/product/12.1.0/db_1/lib -lm `cat
/u01/app/oracle/product/12.1.0/db_
INFO: 1/lib/sysliblist` -ldl -lm -L/u01/app/oracle/product/12.1.0/db_1/lib

INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald: line 31: exec: gcc: not
found

INFO: make: *** [trcroute] Error 127

INFO: End output from spawned process.
INFO: -----
INFO: Exception thrown from action: make
Exception Name: MakefileException
Exception String: Error in invoking target 'install' of makefile
'/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_net_client.mk'. See
'/u01/app/oraInventory/logs/installActions2013-06-29_12-50-04AM.log' for
details.
Exception Severity: 1
INFO: Calling Action unixActions10.2.0.3.0 make
registerOnly = false
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
installTarget = ipc_relink
undoMakeFileName =
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
undoTarget =
progMsg = Linking UDP

INFO: Linking UDP
INFO: Linking UDP
INFO: The output of this make operation is also available at:
'/u01/app/oracle/product/12.1.0/db_1/install/make.log'
INFO:

INFO: Start output from spawned process:
INFO: -----
INFO:

INFO: (if /u01/app/oracle/product/12.1.0/db_1/bin/skgxpinfo | grep rds;\
INFO: then \
INFO: make -f /u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
ipc_rds; \
INFO: else \
INFO: make -f /u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk
ipc_g; \
INFO: fi)

INFO: make[1]: Entering directory
'/u01/app/oracle/product/12.1.0/db_1/rdbms/lib'

```

```

installActions2013-06-29_12-50-04AM.log
INFO: rm -f /u01/app/oracle/product/12.1.0/db_1/lib/libskgxp12.so

INFO: cp /u01/app/oracle/product/12.1.0/db_1/lib//libskgxp12.so
/u01/app/oracle/product/12.1.0/db_1/lib/libskgxp12.so

INFO: make[1]: Leaving directory `/u01/app/oracle/product/12.1.0/db_1/rdbms/lib'

INFO: End output from spawned process.
INFO: -----
INFO: Calling Action unixActions10.2.0.3.0 make
      registerOnly = false
      installMakePath = /usr/bin/make
      installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/sqlplus/lib/ins_sqlplus.mk
      installTarget = install
      undoMakeFileName =
      installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
      logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
      undoTarget =
      progMsg = Linking SQLPLUS Executables

INFO: Linking SQLPLUS Executables
INFO: Linking SQLPLUS Executables
INFO: The output of this make operation is also available at:
'/u01/app/oracle/product/12.1.0/db_1/install/make.log'
INFO:

INFO: Start output from spawned process:
INFO: -----
INFO:

INFO: mkdir -p /u01/app/oracle/product/12.1.0/db_1/sqlplus/bin

INFO: cp -f /u01/app/oracle/product/12.1.0/db_1/lib/libsqlplus.so \
/u01/app/oracle/product/12.1.0/db_1/sqlplus/lib/libsqlplus.so

INFO: Linking /u01/app/oracle/product/12.1.0/db_1/sqlplus/bin/sqlplus

INFO: rm -f /u01/app/oracle/product/12.1.0/db_1/sqlplus/bin/sqlplus

INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald -o
/u01/app/oracle/product/12.1.0/db_1/sqlplus/bin/sqlplus -m64 -z noexecstack
-wl,--disable-new-dtags -L/u01/app/oracle/product/12.1.0/db_1/sqlplus/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/stubs/
/u01/app/oracle/product/12.1.0/db_1/sqlplus/lib/s0afimai.o -lsqlplus -lclntsh
-lclntshcore `cat /u01/app/oracle/product/12.1.0/db_1/lib/ldflags`
-lncrypt12 -lnsgr12 -lnzjs12 -ln12 -lnl12 -lnro12 `cat /u01/app/oracle
INFO: /product/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12 -lnzjs12 -ln12
-lnl12 -lnnz12 -lzt12 -lztkg12 -lztkg12 -lclient12 -lnnetd12 -lvsn12 -lcommon12
-lgeneric12 -lmm -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lcore12 -lsnls12
-lnls12 -lxml12 -lcore12 -lunls12 -lsnls12 -lnls12 -lcore12 -lnls12 `cat
/u01/app/oracle/product/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12 -lnzjs12
-ln12 -lnl12 -lnro12 `cat /u01/app/oracle/product/12.1.0/db_1/lib/ldflags`
-lncrypt12 -lnsgr12 -lnzjs12 -ln12 -lnl12 -lclie
INFO: nt12 -lnnetd12 -lvsn12 -lcommon12 -lgeneric12 -lsnls12 -lnls12
-lcore12 -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lxml12 -lcore12 -lunls12
-lsnls12 -lnls12 -lcore12 -lnls12 -lclient12 -lnnetd12 -lvsn12 -lcommon12
-lgeneric12 -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lcore12 -lsnls12
-lnls12 -lxml12 -lcore12 -lunls12 -lsnls12 -lnls12 -lcore12 -lnls12 `cat
/u01/app/oracle/product/12.1.0/db_1/lib/sysliblist`
-wl,-rpath,/u01/app/oracle/product/12.1.0/db_1/lib -lm -lpthread `cat
/u01/app/oracle/pro
INFO: duct/12.1.0/db_1/lib/sysliblist` -ldl -lm -lpthread
-L/u01/app/oracle/product/12.1.0/db_1/lib

INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald: line 31: exec: gcc: not
found

```

installActions2013-06-29_12-50-04AM.log

INFO: make: *** [/u01/app/oracle/product/12.1.0/db_1/sqlplus/bin/sqlplus] Error 127

INFO: End output from spawned process.

INFO: -----

INFO: Exception thrown from action: make

Exception Name: MakefileException

Exception String: Error in invoking target 'install' of makefile '/u01/app/oracle/product/12.1.0/db_1/sqlplus/lib/ins_sqlplus.mk'. See '/u01/app/oraInventory/logs/installActions2013-06-29_12-50-04AM.log' for details.

Exception Severity: 1

INFO: Calling Action unixActions10.2.0.3.0 make

registerOnly = false

installMakePath = /usr/bin/make

installMakeFileName =

/u01/app/oracle/product/12.1.0/db_1/ldap/lib/ins_ldap.mk

installTarget = clientonlyinstall

undoMakeFileName =

installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1

logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log

undoTarget =

progMsg = Linking OID Client

INFO: Linking OID Client

INFO: Linking OID Client

INFO: The output of this make operation is also available at:

'/u01/app/oracle/product/12.1.0/db_1/install/make.log'

INFO:

INFO: Start output from spawned process:

INFO: -----

INFO:

INFO: rm -f ldapadd ldapbind ldapcompare ldapdelete ldapmodify ldapsearch ldapmoddn ldapaddmt ldapmodifymt dsm121dif

INFO: Building client shared library libclntsh.so ...

INFO: call script /u01/app/oracle/product/12.1.0/db_1/bin/genclntsh ...

INFO: /u01/app/oracle/product/12.1.0/db_1/bin/genclntsh -all

INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald: line 31: exec: gcc: not found

INFO: genclntsh: Failed to link libclntshcore.so.12.1

make: *** [/u01/app/oracle/product/12.1.0/db_1/lib/libclntsh.so] Error 127

INFO: End output from spawned process.

INFO: -----

INFO: Exception thrown from action: make

Exception Name: MakefileException

Exception String: Error in invoking target 'clientonlyinstall' of makefile '/u01/app/oracle/product/12.1.0/db_1/ldap/lib/ins_ldap.mk'. See '/u01/app/oraInventory/logs/installActions2013-06-29_12-50-04AM.log' for details.

Exception Severity: 1

INFO: Calling Action unixActions10.2.0.3.0 make

registerOnly = false

installMakePath = /usr/bin/make

installMakeFileName =

/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_nau.mk

installTarget = ioklist

undoMakeFileName =

installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1

logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log

installActions2013-06-29_12-50-04AM.log

undoTarget =
progMsg = Linking Adapters

INFO: Linking Adapters
INFO: Linking Adapters
INFO: The output of this make operation is also available at:
'/u01/app/oracle/product/12.1.0/db_1/install/make.log'
INFO:

INFO: Start output from spawned process:
INFO: -----
INFO:

INFO: - Linking

INFO: rm -f oklist

INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald -o oklist -m64 -z
noexecstack -w1,--disable-new-dtags
-L/u01/app/oracle/product/12.1.0/db_1/network/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/stubs/
/u01/app/oracle/product/12.1.0/db_1/network/lib/snauk5pt.o
/u01/app/oracle/product/12.1.0/db_1/network/lib/s0nauk5l.o -lclntsh -lclntshcore
`cat /u01/app/oracle/product/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12
-lnzjs12 -ln12 -lnl12 -lnro12 `cat /u01/app/oracle
INFO: /product/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12 -lnzjs12 -ln12
-lnl12 -lnnz12 -lzt12 -lztkg12 -lztkg12 -lclient12 -lnnetd12 -lvsn12 -lcommon12
-lgeneric12 -lmm -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lcore12 -lsnls12
-lnls12 -lxml12 -lcore12 -lunls12 -lsnls12 -lnls12 -lcore12 -lnls12 `cat
/u01/app/oracle/product/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12 -lnzjs12
-ln12 -lnl12 -lnro12 `cat /u01/app/oracle/product/12.1.0/db_1/lib/ldflags`
-lncrypt12 -lnsgr12 -lnzjs12 -ln12 -lnl12 -lclie
INFO: nt12 -lnnetd12 -lvsn12 -lcommon12 -lgeneric12 -lsnls12 -lnls12
-lcore12 -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lxml12 -lcore12 -lunls12
-lsnls12 -lnls12 -lcore12 -lnls12 -lclient12 -lnnetd12 -lvsn12 -lcommon12
-lgeneric12 -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lnls12 -lcore12 -lsnls12
-lnls12 -lxml12 -lcore12 -lunls12 -lsnls12 -lnls12 -lcore12 -lnls12 `cat
/u01/app/oracle/product/12.1.0/db_1/lib/sysliblist`
-w1,-rpath,/u01/app/oracle/product/12.1.0/db_1/lib -lm `cat
/u01/app/oracle/product/12.1
INFO: .0/db_1/lib/sysliblist` -ldl -lm
-L/u01/app/oracle/product/12.1.0/db_1/lib

INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald: line 31: exec: gcc: not
found

INFO: make: *** [oklist] Error 127

INFO: End output from spawned process.

INFO: -----
INFO: Exception thrown from action: make
Exception Name: MakefileException
Exception String: Error in invoking target 'ioklist' of makefile
'/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_nau.mk'. See
'/u01/app/oraInventory/logs/installActions2013-06-29_12-50-04AM.log' for
details.

Exception Severity: 1

INFO: Calling Action unixActions10.2.0.3.0 make
registerOnly = false
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/srvmlib/ins_srvmlib/ins_srvmlib.mk
installTarget = install
undoMakeFileName =
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
undoTarget =

installActions2013-06-29_12-50-04AM.log
progMsg = Linking RDBMS Executables

INFO: Linking RDBMS Executables
INFO: Linking RDBMS Executables
INFO: The output of this make operation is also available at:
'/u01/app/oracle/product/12.1.0/db_1/install/make.log'
INFO:

INFO: Start output from spawned process:
INFO: -----
INFO:

INFO:

INFO: - Linking Oracle GETCRSHOME tool

INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald -o getcrshome -m64 -z
noexecstack -w1,--disable-new-dtags -L/u01/app/oracle/product/12.1.0/db_1/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/stubs/
-L/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/
/u01/app/oracle/product/12.1.0/db_1/srvmlib/prgcrshm.o
/u01/app/oracle/product/12.1.0/db_1/srvmlib/sprgcrshm.o -locr12 -locrb12
-locrut12 -lhasgen12 -lclntsh -lclntshcore -lsnls12 -lnls12 -lcore12 -lsnls12
-lnls12 -l

INFO: core12 -lsnls12 -lnls12 -lxml12 -lcore12 -lunls12 -lsnls12 -lnls12
-lcore12 -lnls12 -lskgxn2 -lclntsh -lclntshcore -lsnls12 -lnls12 -lcore12
-lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lxml12 -lcore12 -lunls12 -lsnls12
-lnls12 -lcore12 -lnls12 `cat

/u01/app/oracle/product/12.1.0/db_1/lib/sysliblist` -lasmc1ntsh12 -lcell12
-lskgxp12 -lclntsh -lclntshcore `cat

/u01/app/oracle/product/12.1.0/db_1/lib/sysliblist`
-w1,-rpath,/u01/app/oracle/product/12.1.0/db_1/lib -lm `cat
/u01/app/oracle/product/12.1.0/d

INFO: b_1/lib/sysliblist` -lm -lm -L/u01/app/oracle/product/12.1.0/db_1/lib

INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald: line 31: exec: gcc: not
found

INFO: make: *** [getcrshome] Error 127

INFO: End output from spawned process.

INFO: -----
INFO: Exception thrown from action: make
Exception Name: MakefileException
Exception String: Error in invoking target 'install' of makefile
'/u01/app/oracle/product/12.1.0/db_1/srvmlib/ins_srvmlib.mk'. See
'/u01/app/oracle/product/12.1.0/db_1/install/make.log' for
details.

Exception Severity: 1

INFO: Calling Action unixActions10.2.0.3.0 make

registerOnly = false
installMakePath = /usr/bin/make
installMakeFileName =

/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk

installTarget = utilities

undoMakeFileName =

installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1

logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log

undoTarget =

progMsg = Linking Utilities Executables

INFO: Linking Utilities Executables

INFO: Linking Utilities Executables

INFO: The output of this make operation is also available at:
'/u01/app/oracle/product/12.1.0/db_1/install/make.log'

INFO:

installActions2013-06-29_12-50-04AM.log

INFO: Start output from spawned process:

INFO: -----

INFO:

INFO: - Linking Import utility (imp)

INFO: rm -f /u01/app/oracle/product/12.1.0/db_1/rdbms/lib/imp

INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald -o
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/imp -m64 -z noexecstack
-wl,--disable-new-dtags -L/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/stubs/
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/s0impdrv.o -ldbtools12 -lclntsh
-lclntshcore `cat /u01/app/oracle/product/12.1.0/db_1/lib/ldflags`
-lncrypt12 -lnsgr12 -lnzjs12 -ln12 -lnl12 -lnro12 `cat /u01/app/oracle/produ
INFO: ct/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12 -lnzjs12 -ln12 -lnl12
-lnnz12 -lzt12 -lztkg12 -lztkg12 -lclient12 -lnnetd12 -lvsn12 -lcommon12
-lgeneric12 -lmm -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lcore12 -lsnls12
-lnls12 -lxml12 -lcore12 -lunls12 -lsnls12 -lnls12 -lcore12 -lnls12 `cat
/u01/app/oracle/product/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12 -lnzjs12
-ln12 -lnl12 -lnro12 `cat /u01/app/oracle/product/12.1.0/db_1/lib/ldflags`
-lncrypt12 -lnsgr12 -lnzjs12 -ln12 -lnl12 -lclient12 -
INFO: lnnetd12 -lvsn12 -lcommon12 -lgeneric12 -lsnls12 -lnls12 -lcore12
-lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lxml12 -lcore12 -lunls12 -lsnls12
-lnls12 -lcore12 -lnls12 -lclient12 -lnnetd12 -lvsn12 -lcommon12 -lgeneric12
-lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lxml12
-lcore12 -lunls12 -lsnls12 -lnls12 -lcore12 -lnls12 `cat
/u01/app/oracle/product/12.1.0/db_1/lib/sysliblist`
-wl,-rpath,/u01/app/oracle/product/12.1.0/db_1/lib -lm `cat
/u01/app/oracle/product/12.1.0/db_
INFO: 1/lib/sysliblist` -ldl -lm -L/u01/app/oracle/product/12.1.0/db_1/lib

INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald: line 31: exec: gcc: not found

INFO: make: *** [/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/imp] Error 127

INFO: End output from spawned process.

INFO: -----

INFO: Exception thrown from action: make

Exception Name: MakefileException

Exception String: Error in invoking target 'utilities' of makefile

'/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk'. See
'/u01/app/oraInventory/logs/installActions2013-06-29_12-50-04AM.log' for
details.

Exception Severity: 1

INFO: Calling Action unixActions10.2.0.3.0 make

registerOnly = false

installMakePath = /usr/bin/make

installMakeFileName =

/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_nau.mk

installTarget = iokdstry iokinit

undoMakeFileName =

installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1

logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log

undoTarget =

progMsg = Linking Adapters

INFO: Linking Adapters

INFO: Linking Adapters

INFO: The output of this make operation is also available at:

'/u01/app/oracle/product/12.1.0/db_1/install/make.log'

INFO:

INFO: Start output from spawned process:

installActions2013-06-29_12-50-04AM.log

```
INFO: -----
INFO:
INFO: - Linking
INFO: rm -f okdstry
INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald -o okdstry -m64 -z
noexecstack -wl,--disable-new-dtags
-L/u01/app/oracle/product/12.1.0/db_1/network/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/stubs/
/u01/app/oracle/product/12.1.0/db_1/network/lib/snauk5pt.o
/u01/app/oracle/product/12.1.0/db_1/network/lib/s0nauk5d.o -lclntsh -lclntshcore
`cat /u01/app/oracle/product/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12
-lnzjs12 -ln12 -lnl12 -lnro12 `cat /u01/app/oracle
INFO: e/product/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12 -lnzjs12 -ln12
-lnl12 -lnnz12 -lzt12 -lztkg12 -lztkg12 -lclient12 -lnnetd12 -lvsn12 -lcommon12
-lgeneric12 -lmm -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lcore12 -lsnls12
-lnls12 -lxml12 -lcore12 -lunls12 -lsnls12 -lnls12 -lcore12 -lnls12 `cat
/u01/app/oracle/product/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12 -lnzjs12
-ln12 -lnl12 -lnro12 `cat /u01/app/oracle/product/12.1.0/db_1/lib/ldflags`
-lncrypt12 -lnsgr12 -lnzjs12 -ln12 -lnl12 -lcli
INFO: ent12 -lnnetd12 -lvsn12 -lcommon12 -lgeneric12 -lsnls12 -lnls12
-lcore12 -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lxml12 -lcore12 -lunls12
-lsnls12 -lnls12 -lcore12 -lnls12 -lclient12 -lnnetd12 -lvsn12 -lcommon12
-lgeneric12 -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lcore12 -lsnls12
-lnls12 -lxml12 -lcore12 -lunls12 -lsnls12 -lnls12 -lcore12 -lnls12 `cat
/u01/app/oracle/product/12.1.0/db_1/lib/sysliblist`
-wl,-rpath,/u01/app/oracle/product/12.1.0/db_1/lib -lm `cat
/u01/app/oracle/product/12.
INFO: 1.0/db_1/lib/sysliblist` -ldl -lm
-L/u01/app/oracle/product/12.1.0/db_1/lib
INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald: line 31: exec: gcc: not
found
INFO: make: *** [okdstry] Error 127
INFO: End output from spawned process.
INFO: -----
INFO: Exception thrown from action: make
Exception Name: MakefileException
Exception String: Error in invoking target 'iokdstry iokinit' of makefile
'/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_nau.mk'. See
'/u01/app/oraInventory/logs/installActions2013-06-29_12-50-04AM.log' for
details.
Exception Severity: 1
INFO: Calling Action unixActions10.2.0.3.0 make
registerOnly = false
installMakePath = /usr/bin/make
installMakeFileName =
/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_net_server.mk
installTarget = install
undoMakeFileName =
installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1
logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log
undoTarget =
progMsg = Linking netclient Install Executables
INFO: Linking netclient Install Executables
INFO: Linking netclient Install Executables
INFO: The output of this make operation is also available at:
'/u01/app/oracle/product/12.1.0/db_1/install/make.log'
INFO:
INFO: Start output from spawned process:
INFO: -----
```

installActions2013-06-29_12-50-04AM.log

INFO:

INFO: /bin/chmod 755 /u01/app/oracle/product/12.1.0/db_1/bin/

INFO: - Linking tnslnsr

INFO: rm -f tnslnsr

INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald -o tnslnsr -m64 -z
noexecstack -w1,--disable-new-dtags
-L/u01/app/oracle/product/12.1.0/db_1/network/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/stubs/
/u01/app/oracle/product/12.1.0/db_1/network/lib/s0nsgl.o
/u01/app/oracle/product/12.1.0/db_1/network/lib/snsglp.o -lclntsh -lclntshcore
`cat /u01/app/oracle/product/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12
-lnzjs12 -ln12 -lnl12 -lnro12 `cat /u01/app/oracle/pr
INFO: oduct/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12 -lnzjs12 -ln12
-lnl12 -lnnz12 -lzt12 -lztkg12 -lztkg12 -lclient12 -lnnetd12 -lvsn12 -lcommon12
-lgeneric12 -lmm -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lcore12 -lsnls12
-lnls12 -lxml12 -lcore12 -lunls12 -lsnls12 -lnls12 -lcore12 -lnls12 `cat
/u01/app/oracle/product/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12 -lnzjs12
-ln12 -lnl12 -lnro12 `cat /u01/app/oracle/product/12.1.0/db_1/lib/ldflags`
-lncrypt12 -lnsgr12 -lnzjs12 -ln12 -lnl12 -lclient1
INFO: 2 -lnnetd12 -lvsn12 -lcommon12 -lgeneric12 -lsnls12 -lnls12 -lcore12
-lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lxml12 -lcore12 -lunls12 -lsnls12
-lnls12 -lcore12 -lnls12 -lclient12 -lnnetd12 -lvsn12 -lcommon12 -lgeneric12
-lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lxml12
-lcore12 -lunls12 -lsnls12 -lnls12 -lcore12 -lnls12 `cat
/u01/app/oracle/product/12.1.0/db_1/lib/sysliblist`
-w1,-rpath,/u01/app/oracle/product/12.1.0/db_1/lib -lm `cat
/u01/app/oracle/product/12.1.0/
INFO: db_1/lib/sysliblist` -ldl -lm -L/u01/app/oracle/product/12.1.0/db_1/lib
-lons -lnl12 -ln12 -lnlsnr12 -lnlsnrc12 -lnsgr12 -lncm12 -lnro12 -ln12 -lnl12
-lnlsnr12 -lnlsnrc12 -lncm12 -ln12 -lm

INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald: line 31: exec: gcc: not
found

INFO: make: *** [tnslnsr] Error 127

INFO: End output from spawned process.

INFO: -----

INFO: Exception thrown from action: make

Exception Name: MakefileException

Exception String: Error in invoking target 'install' of makefile

'/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_net_server.mk'. See
'/u01/app/oraInventory/logs/installActions2013-06-29_12-50-04AM.log' for
details.

Exception Severity: 1

INFO: Calling Action unixActions10.2.0.3.0 make

registerOnly = false

installMakePath = /usr/bin/make

installMakeFileName =

/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_net_client.mk

installTarget = itrout

undoMakeFileName =

installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1

logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log

undoTarget =

progMsg = Linking Netclient Executables

INFO: Linking Netclient Executables

INFO: Linking Netclient Executables

INFO: The output of this make operation is also available at:

'/u01/app/oracle/product/12.1.0/db_1/install/make.log'

INFO:

installActions2013-06-29_12-50-04AM.log

INFO: Start output from spawned process:

INFO: -----

INFO:

INFO: - Linking trcroute

INFO: rm -f trcroute

INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald -o trcroute -m64 -z
noexecstack -w1,--disable-new-dtags
-L/u01/app/oracle/product/12.1.0/db_1/network/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/stubs/
/u01/app/oracle/product/12.1.0/db_1/network/lib/s0nur.o
/u01/app/oracle/product/12.1.0/db_1/network/lib/nur.o -lclntsh -lclntshcore
`cat /u01/app/oracle/product/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12
-lnzjs12 -ln12 -lnl12 -lnro12 `cat /u01/app/oracle/produ
INFO: ct/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12 -lnzjs12 -ln12 -lnl12
-lnnz12 -lzt12 -lztkg12 -lztkg12 -lclient12 -ltnetd12 -lvsn12 -lcommon12
-lgeneric12 -lmm -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lcore12 -lsnls12
-lnls12 -lxml12 -lcore12 -lunls12 -lsnls12 -lnls12 -lcore12 -lnls12 `cat
/u01/app/oracle/product/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12 -lnzjs12
-ln12 -lnl12 -lnro12 `cat /u01/app/oracle/product/12.1.0/db_1/lib/ldflags`
-lncrypt12 -lnsgr12 -lnzjs12 -ln12 -lnl12 -lclient12 -
INFO: ltnetd12 -lvsn12 -lcommon12 -lgeneric12 -lsnls12 -lnls12 -lcore12
-lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lxml12 -lcore12 -lunls12 -lsnls12
-lnls12 -lcore12 -lnls12 -lclient12 -ltnetd12 -lvsn12 -lcommon12 -lgeneric12
-lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lxml12
-lcore12 -lunls12 -lsnls12 -lnls12 -lcore12 -lnls12 `cat
/u01/app/oracle/product/12.1.0/db_1/lib/sysliblist`
-w1,-rpath,/u01/app/oracle/product/12.1.0/db_1/lib -lm `cat
/u01/app/oracle/product/12.1.0/db_
INFO: 1/lib/sysliblist` -ldl -lm -L/u01/app/oracle/product/12.1.0/db_1/lib

INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald: line 31: exec: gcc: not found

INFO: make: *** [trcroute] Error 127

INFO: End output from spawned process.

INFO: -----

INFO: Exception thrown from action: make

Exception Name: MakefileException

Exception String: Error in invoking target 'itrcroute' of makefile
'/u01/app/oracle/product/12.1.0/db_1/network/lib/ins_net_client.mk'. See
'/u01/app/oraInventory/logs/installActions2013-06-29_12-50-04AM.log' for
details.

Exception Severity: 1

INFO: Calling Action unixActions10.2.0.3.0 make

registerOnly = false

installMakePath = /usr/bin/make

installMakeFileName =

/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk

installTarget = irman ioracle

undoMakeFileName =

installArguments = ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1

logFile = /u01/app/oracle/product/12.1.0/db_1/install/make.log

undoTarget =

progMsg = Linking RMAN Utility

INFO: Linking RMAN Utility

INFO: Linking RMAN Utility

INFO: The output of this make operation is also available at:

'/u01/app/oracle/product/12.1.0/db_1/install/make.log'

INFO:

INFO: Start output from spawned process:

INFO: -----

installActions2013-06-29_12-50-04AM.log

INFO:

INFO:

INFO: - Linking recovery manager (rman)

INFO: rm -f /u01/app/oracle/product/12.1.0/db_1/rdbms/lib/rman

```
INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald -o
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/rman -m64 -z noexecstack
-wl,--disable-new-dtags -L/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/
-L/u01/app/oracle/product/12.1.0/db_1/lib/stubs/
/u01/app/oracle/product/12.1.0/db_1/lib/s0main.o
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/sskrmed.o
/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/skrmpt.o -ldbtools12 -lclient12
-lsql12 -lpls12 -lrt -lplp12 -lsnls12 -lu
INFO: nls12 -lnls12 -lslax12 -lpls12 -lrt -lplp12
/u01/app/oracle/product/12.1.0/db_1/lib/libplc12.a -lclntsh -lclntshcore `cat
/u01/app/oracle/product/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12 -lnzjs12
-ln12 -lnl12 -lnro12 `cat /u01/app/oracle/product/12.1.0/db_1/lib/ldflags`
-lncrypt12 -lnsgr12 -lnzjs12 -ln12 -lnl12 -lnnz12 -lzt12 -lztkg12 -lztkg12
-lclient12 -lnnetd12 -lvsn12 -lcommon12 -lgeneric12 -lmm -lsnls12 -lnls12
-lcore12 -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lxml12 -lcore12 -lunls12
INFO: -lsnls12 -lnls12 -lcore12 -lnls12 `cat
/u01/app/oracle/product/12.1.0/db_1/lib/ldflags` -lncrypt12 -lnsgr12 -lnzjs12
-ln12 -lnl12 -lnro12 `cat /u01/app/oracle/product/12.1.0/db_1/lib/ldflags`
-lncrypt12 -lnsgr12 -lnzjs12 -ln12 -lnl12 -lclient12 -lnnetd12 -lvsn12
-lcommon12 -lgeneric12 -lsnls12 -lnls12 -lcore12 -lsnls12 -lnls12 -lcore12
-lsnls12 -lnls12 -lxml12 -lcore12 -lunls12 -lsnls12 -lnls12 -lcore12 -lnls12
-lclient12 -lnnetd12 -lvsn12 -lcommon12 -lgeneric12 -lsnls12 -lnls12 -lcore12
-lsnls1
INFO: 2 -lnls12 -lcore12 -lsnls12 -lnls12 -lxml12 -lcore12 -lunls12 -lsnls12
-lnls12 -lcore12 -lnls12 `cat
/u01/app/oracle/product/12.1.0/db_1/lib/sysliblist`
-wl,-rpath,/u01/app/oracle/product/12.1.0/db_1/lib -lm `cat
/u01/app/oracle/product/12.1.0/db_1/lib/sysliblist` -ldl -lm
-L/u01/app/oracle/product/12.1.0/db_1/lib
```

INFO: /u01/app/oracle/product/12.1.0/db_1/bin/orald: line 31: exec: gcc: not found

INFO: make: *** [/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/rman] Error 127

INFO: End output from spawned process.

INFO: -----

INFO: Exception thrown from action: make

Exception Name: MakefileException

Exception String: Error in invoking target 'irman ioracle' of makefile

'/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/ins_rdbms.mk'. See

'/u01/app/oraInventory/logs/installActions2013-06-29_12-50-04AM.log' for

details.

Exception Severity: 1

INFO: InstallProgressMonitor: Completed phase 4

INFO: Checkpoint:checkpointfile

:/u01/app/oracle/checkpoints/oui/checkpoint_OraDB12Home1.xml not found,creating one for this session

INFO: Checkpoint:constructing checkpoint with name:oracle.installer.install in checkpoint factory

INFO: InstallProgressMonitor: Starting phase 8

INFO: Setup in progress

INFO: Setup in progress

INFO: Setting up 'Sun JDK 1.6.0.37.0 '

INFO: Setting up 'Sun JDK 1.6.0.37.0 '

INFO: 6/29/13 12:56:57 AM EDT: Starting install Install Phase 2 of component Sun JDK

INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

installActions2013-06-29_12-50-04AM.log

```
platGroup = UNIX
INFO: Query Returned: true
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/jdk/bin
INFO: Query Returned: true
INFO: Calling Action SpawnActions10.1.0.3.4 spawn
      installcommand = /bin/chmod -R u+w
/u01/app/oracle/product/12.1.0/db_1/jdk
      deinstallcommand = null
      waitForCompletion = true

INFO: spawning '/bin/chmod -R u+w /u01/app/oracle/product/12.1.0/db_1/jdk'
INFO: spawning '/bin/chmod -R u+w /u01/app/oracle/product/12.1.0/db_1/jdk'
INFO:

INFO: Start output from spawned process:
INFO: -----
INFO:

INFO: End output from spawned process.
INFO: -----
INFO: Setting up 'oracle.swd.oui.core.min 12.1.0.1.0 '
INFO: Setting up 'oracle.swd.oui.core.min 12.1.0.1.0 '
INFO: 6/29/13 12:56:57 AM EDT: Starting install Install Phase 2 of component
oracle.swd.oui.core.min
INFO: Setting up 'Installer SDK Component 12.1.0.1.0 '
INFO: Setting up 'Installer SDK Component 12.1.0.1.0 '
INFO: 6/29/13 12:56:57 AM EDT: Starting install Install Phase 2 of component
Installer SDK Component
INFO: Calling Action fileActions11.2.0.2.0 removeFile
      selectedNodes = null
      source =
/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/oraparam.ini

INFO: deleting
'/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/oraparam.ini'
INFO: deleting
'/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/oraparam.ini'
INFO: Calling Action fileActions11.2.0.2.0 removeFile
      selectedNodes = null
      source =
/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/clusterparam.ini

INFO: deleting
'/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/clusterparam.ini'
INFO: deleting
'/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/clusterparam.ini'
INFO: Calling Action fileActions11.2.0.2.0 removeFile
      selectedNodes = null
      source =
/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/unzip

INFO: deleting
'/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/unzip'
INFO: deleting
'/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64/unzip'
INFO: Calling Action fileActions11.2.0.2.0 copyFilesToDir
      selectedNodes = null
      source = /u01/app/oracle/product/12.1.0/db_1/oui/bin/platform/linux64
      destination = /u01/app/oracle/product/12.1.0/db_1/oui/bin

INFO: Calling Action fileActions11.2.0.2.0 removedir
      selectedNodes = null
      source = /u01/app/oracle/product/12.1.0/db_1/oui/bin/platform

INFO: deleting '/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform'
INFO: deleting '/u01/app/oracle/product/12.1.0/db_1/oui/bin/platform'
```

```

installActions2013-06-29_12-50-04AM.log
INFO: Calling Action fileActions11.2.0.2.0 copyFilesToDir
      selectedNodes = null
      source = /u01/app/oracle/product/12.1.0/db_1/oui/lib/linux64
      destination = /u01/app/oracle/product/12.1.0/db_1/oui/libplatform

INFO: Calling Action fileActions11.2.0.2.0 removeDir
      selectedNodes = null
      source = /u01/app/oracle/product/12.1.0/db_1/oui/lib

INFO: deleting '/u01/app/oracle/product/12.1.0/db_1/oui/lib'
INFO: deleting '/u01/app/oracle/product/12.1.0/db_1/oui/lib'
INFO: Calling Action fileActions11.2.0.2.0 copyFilesToDir
      selectedNodes = null
      source = /u01/app/oracle/product/12.1.0/db_1/oui/libplatform
      destination = /u01/app/oracle/product/12.1.0/db_1/oui/lib/linux64

INFO: Calling Action fileActions11.2.0.2.0 removeDir
      selectedNodes = null
      source = /u01/app/oracle/product/12.1.0/db_1/oui/libplatform

INFO: deleting '/u01/app/oracle/product/12.1.0/db_1/oui/libplatform'
INFO: deleting '/u01/app/oracle/product/12.1.0/db_1/oui/libplatform'
INFO: Setting up 'Oracle One-Off Patch Installer 12.1.0.1.0 '
INFO: Setting up 'Oracle One-Off Patch Installer 12.1.0.1.0 '
INFO: 6/29/13 12:56:57 AM EDT: Starting install Install Phase 2 of component
Oracle One-Off Patch Installer
INFO: Setting up 'Oracle Universal Installer 12.1.0.1.0 '
INFO: Setting up 'Oracle Universal Installer 12.1.0.1.0 '
INFO: 6/29/13 12:56:57 AM EDT: Starting install Install Phase 2 of component
Oracle Universal Installer
INFO: Setting up 'Oracle USM Deconfiguration 12.1.0.1.0 '
INFO: Setting up 'Oracle USM Deconfiguration 12.1.0.1.0 '
INFO: 6/29/13 12:56:57 AM EDT: Starting install Install Phase 2 of component
Oracle USM Deconfiguration
INFO: Setting up 'Oracle Configuration Manager Deconfiguration 10.3.1.0.0 '
INFO: Setting up 'Oracle Configuration Manager Deconfiguration 10.3.1.0.0 '
INFO: 6/29/13 12:56:57 AM EDT: Starting install Install Phase 2 of component
Oracle Configuration Manager Deconfiguration
INFO: Setting up 'Oracle RAC Deconfiguration 12.1.0.1.0 '
INFO: Setting up 'Oracle RAC Deconfiguration 12.1.0.1.0 '
INFO: 6/29/13 12:56:57 AM EDT: Starting install Install Phase 2 of component
Oracle RAC Deconfiguration
INFO: Setting up 'Oracle DBCA Deconfiguration 12.1.0.1.0 '
INFO: Setting up 'Oracle DBCA Deconfiguration 12.1.0.1.0 '
INFO: 6/29/13 12:56:57 AM EDT: Starting install Install Phase 2 of component
Oracle DBCA Deconfiguration
INFO: Setting up 'Oracle Database Plugin for Oracle Virtual Assembly Builder
12.1.0.1.0 '
INFO: Setting up 'Oracle Database Plugin for Oracle Virtual Assembly Builder
12.1.0.1.0 '
INFO: 6/29/13 12:56:57 AM EDT: Starting install Install Phase 2 of component
Oracle Database Plugin for Oracle Virtual Assembly Builder
INFO: Setting up 'Oracle Configuration Manager Client 10.3.2.1.0 '
INFO: Setting up 'Oracle Configuration Manager Client 10.3.2.1.0 '
INFO: 6/29/13 12:56:57 AM EDT: Starting install Install Phase 2 of component
Oracle Configuration Manager Client
INFO: Setting up 'Oracle Configuration Manager 10.3.7.0.3 '
INFO: Setting up 'Oracle Configuration Manager 10.3.7.0.3 '
INFO: 6/29/13 12:56:57 AM EDT: Starting install Install Phase 2 of component
Oracle Configuration Manager
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/ocm.rsp
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/ocm.rsp
INFO: Query Returned: false

```

```

installActions2013-06-29_12-50-04AM.log
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/ccr/bin/emocmrsp
INFO: Query Returned: true
INFO: Calling Action generalActions10.2.0.9.0 changePermissions
      source = /u01/app/oracle/product/12.1.0/db_1/ccr/bin/emocmrsp
      permissions = 0740

INFO: changing permission for
'/u01/app/oracle/product/12.1.0/db_1/ccr/bin/emocmrsp'
INFO: changing permission for
'/u01/app/oracle/product/12.1.0/db_1/ccr/bin/emocmrsp'
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/ccr/bin/setupCCR
INFO: Query Returned: true
INFO: Calling Action generalActions10.2.0.9.0 changePermissions
      source = /u01/app/oracle/product/12.1.0/db_1/ccr/bin/setupCCR
      permissions = 0740

INFO: changing permission for
'/u01/app/oracle/product/12.1.0/db_1/ccr/bin/setupCCR'
INFO: changing permission for
'/u01/app/oracle/product/12.1.0/db_1/ccr/bin/setupCCR'
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/ccr/bin/ocmJarUtil
INFO: Query Returned: true
INFO: Calling Action generalActions10.2.0.9.0 changePermissions
      source = /u01/app/oracle/product/12.1.0/db_1/ccr/bin/ocmJarUtil
      permissions = 0755

INFO: changing permission for
'/u01/app/oracle/product/12.1.0/db_1/ccr/bin/ocmJarUtil'
INFO: changing permission for
'/u01/app/oracle/product/12.1.0/db_1/ccr/bin/ocmJarUtil'
INFO: Calling Query generalQueries10.2.0.2.1 getenv

name = JAVA_HOME_CCR
INFO: Query Returned:
INFO: Setting variable 'java_ccr' to ''. Received the value from a code block.
INFO: Calling Query areasQueries10.2.0.1.0 getProductHome

name = oracle.swd.jre

startVersion = 1.2.0.0.0

endVersion = 9.99.9.9

acceptCompatible = null
INFO:
Query Exception: ProductNotFoundException
Query Exception Class: class oracle.sysman.oii.oii.OiiQueryException
INFO:
INFO: Setting variable 'java_ccr' to ''. Received the value from a code block.
INFO: component has plugIns in XML: no configlog.xml written
INFO: Setting up 'Oracle ODBC Driverfor Instant Client 12.1.0.1.0 '
INFO: Setting up 'Oracle ODBC Driverfor Instant Client 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component
Oracle ODBC Driverfor Instant Client
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1\ODBC\help\ja\sqora.htm
INFO: Query Returned: false
INFO: Setting up 'LDAP Required Support Files 12.1.0.1.0 '
INFO: Setting up 'LDAP Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component
LDAP Required Support Files

```

installActions2013-06-29_12-50-04AM.log

INFO: Setting up 'Expat libraries 2.0.1.0.2 '
INFO: Setting up 'Expat libraries 2.0.1.0.2 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component Expat libraries
INFO: Setting up 'Oracle Bali Share 11.1.1.6.0 '
INFO: Setting up 'Oracle Bali Share 11.1.1.6.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component Oracle Bali Share
INFO: Setting up 'SSL Required Support Files for InstantClient 12.1.0.1.0 '
INFO: Setting up 'SSL Required Support Files for InstantClient 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component SSL Required Support Files for InstantClient
INFO: Setting up 'Oracle Net Required Support Files 12.1.0.1.0 '
INFO: Setting up 'Oracle Net Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component Oracle Net Required Support Files
INFO: Calling Action fileActions11.2.0.2.0 createDir
 selectedNodes = null
 destination = /u01/app/oracle/product/12.1.0/db_1/network/log
 permissions = 770
 owner = null
 group = null

INFO: Calling Action fileActions11.2.0.2.0 createDir
 selectedNodes = null
 destination = /u01/app/oracle/product/12.1.0/db_1/network/trace
 permissions = 770
 owner = null
 group = null

INFO: Setting up 'Oracle R Enterprise Server Files 12.1.0.1.0 '
INFO: Setting up 'Oracle R Enterprise Server Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component Oracle R Enterprise Server Files
INFO: Setting up 'Oracle Real Application Testing 12.1.0.1.0 '
INFO: Setting up 'Oracle Real Application Testing 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component Oracle Real Application Testing
INFO: Setting up 'Oracle Label Security 12.1.0.1.0 '
INFO: Setting up 'Oracle Label Security 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component Oracle Label Security
INFO: Setting up 'Oracle Data Mining RDBMS Files 12.1.0.1.0 '
INFO: Setting up 'Oracle Data Mining RDBMS Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component Oracle Data Mining RDBMS Files
INFO: Setting up 'Oracle OLAP RDBMS Files 12.1.0.1.0 '
INFO: Setting up 'Oracle OLAP RDBMS Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component Oracle OLAP RDBMS Files
INFO: Setting up 'Oracle OLAP API 12.1.0.1.0 '
INFO: Setting up 'Oracle OLAP API 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component Oracle OLAP API
INFO: Setting up 'SQL*Plus Required Support Files 12.1.0.1.0 '
INFO: Setting up 'SQL*Plus Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component SQL*Plus Required Support Files
INFO: Setting up 'Oracle Database Vault option 12.1.0.1.0 '
INFO: Setting up 'Oracle Database Vault option 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component Oracle Database Vault option
INFO: Setting up 'XDK Required Support Files 12.1.0.1.0 '
INFO: Setting up 'XDK Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component XDK Required Support Files
INFO: Setting up 'Oracle Notification Service for Instant Client 12.1.0.1.0 '
INFO: Setting up 'Oracle Notification Service for Instant Client 12.1.0.1.0 '

installActions2013-06-29_12-50-04AM.log

INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component Oracle Notification Service for Instant Client
INFO: component has plugIns in XML: no configlog.xml written
INFO: Setting up 'Platform Required Support Files 12.1.0.1.0 '
INFO: Setting up 'Platform Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component Platform Required Support Files
INFO: Setting up 'Oracle RAC Required Support Files-HAS 12.1.0.1.0 '
INFO: Setting up 'Oracle RAC Required Support Files-HAS 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component Oracle RAC Required Support Files-HAS
INFO: Setting up 'Oracle JDBC Server Support Package 12.1.0.1.0 '
INFO: Setting up 'Oracle JDBC Server Support Package 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component Oracle JDBC Server Support Package
INFO: Setting up 'Oracle SQL Developer 12.1.0.1.0 '
INFO: Setting up 'Oracle SQL Developer 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component Oracle SQL Developer
INFO: Setting up 'Oracle Application Express 12.1.0.1.0 '
INFO: Setting up 'Oracle Application Express 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component Oracle Application Express
INFO: Setting up 'RDBMS Required Support Files Runtime 12.1.0.1.0 '
INFO: Setting up 'RDBMS Required Support Files Runtime 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component RDBMS Required Support Files Runtime
INFO: Setting up 'RDBMS Required Support Files for Instant Client 12.1.0.1.0 '
INFO: Setting up 'RDBMS Required Support Files for Instant Client 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component RDBMS Required Support Files for Instant Client
INFO: Setting up 'SQLJ Runtime 12.1.0.1.0 '
INFO: Setting up 'SQLJ Runtime 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component SQLJ Runtime
INFO: Setting up 'Database workspace Manager 12.1.0.1.0 '
INFO: Setting up 'Database workspace Manager 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component Database workspace Manager
INFO: Setting up 'Precompiler Common Files for Core 12.1.0.1.0 '
INFO: Setting up 'Precompiler Common Files for Core 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component Precompiler Common Files for Core
INFO: Setting up 'Parser Generator Required Support Files 12.1.0.1.0 '
INFO: Setting up 'Parser Generator Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component Parser Generator Required Support Files
INFO: Setting up 'Oracle Globalization Support 12.1.0.1.0 '
INFO: Setting up 'Oracle Globalization Support 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component Oracle Globalization Support
INFO: Setting up 'Oracle Notification Service (eONS) 12.1.0.1.0 '
INFO: Setting up 'Oracle Notification Service (eONS) 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component Oracle Notification Service (eONS)
INFO: Setting up 'Oracle Text ATG Language Support Files 12.1.0.1.0 '
INFO: Setting up 'Oracle Text ATG Language Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component Oracle Text ATG Language Support Files
INFO: Setting up 'Oracle Text for Core 12.1.0.1.0 '
INFO: Setting up 'Oracle Text for Core 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component Oracle Text for Core
INFO: Setting up 'Oracle Text Required Support Files 12.1.0.1.0 '
INFO: Setting up 'Oracle Text Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component Oracle Text Required Support Files
INFO: Setting up 'Precompiler Required Support Files 12.1.0.1.0 '

installActions2013-06-29_12-50-04AM.log

```
INFO: Setting up 'Precompiler Required Support Files 12.1.0.1.0 '  
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component  
Precompiler Required Support Files  
INFO: Setting up 'Oracle Database 12c Multimedia Files 12.1.0.1.0 '  
INFO: Setting up 'Oracle Database 12c Multimedia Files 12.1.0.1.0 '  
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component  
Oracle Database 12c Multimedia Files  
INFO: Setting up 'Oracle Multimedia Java Advanced Imaging 12.1.0.1.0 '  
INFO: Setting up 'Oracle Multimedia Java Advanced Imaging 12.1.0.1.0 '  
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component  
Oracle Multimedia Java Advanced Imaging  
INFO: Setting up 'Oracle JDBC/OCI Instant Client 12.1.0.1.0 '  
INFO: Setting up 'Oracle JDBC/OCI Instant Client 12.1.0.1.0 '  
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component  
Oracle JDBC/OCI Instant Client  
INFO: Calling Query fileQueries10.1.0.3.0 exists  
  
filename = /u01/app/oracle/product/12.1.0/db_1/Apache/Jserv/etc/jserv.properties  
INFO: Query Returned: false  
INFO: Setting up 'Oracle Multimedia Locator Java Required Support Files  
12.1.0.1.0 '  
INFO: Setting up 'Oracle Multimedia Locator Java Required Support Files  
12.1.0.1.0 '  
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component  
Oracle Multimedia Locator Java Required Support Files  
INFO: Setting up 'Oracle Multimedia Locator RDBMS Files 12.1.0.1.0 '  
INFO: Setting up 'Oracle Multimedia Locator RDBMS Files 12.1.0.1.0 '  
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component  
Oracle Multimedia Locator RDBMS Files  
INFO: Setting up 'Oracle Core Required Support Files for Core DB 12.1.0.1.0 '  
INFO: Setting up 'Oracle Core Required Support Files for Core DB 12.1.0.1.0 '  
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component  
Oracle Core Required Support Files for Core DB  
INFO: Setting up 'Oracle Core Required Support Files 12.1.0.1.0 '  
INFO: Setting up 'Oracle Core Required Support Files 12.1.0.1.0 '  
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component  
Oracle Core Required Support Files  
INFO: Setting up 'Sample Schema Data 12.1.0.1.0 '  
INFO: Setting up 'Sample Schema Data 12.1.0.1.0 '  
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component  
Sample Schema Data  
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile  
    selectedNodes = null  
    source = /u01/app/oracle/product/12.1.0/db_1/demo/schema/mk_dir.sql.sbs  
    destination = /u01/app/oracle/product/12.1.0/db_1/demo/schema/mk_dir.sql  
    variables = null  
    encoding = null  
  
INFO: instantiating  
'/u01/app/oracle/product/12.1.0/db_1/demo/schema/mk_dir.sql.sbs'.  
INFO: instantiating  
'/u01/app/oracle/product/12.1.0/db_1/demo/schema/mk_dir.sql.sbs'.  
INFO: Setting up 'Oracle Starter Database 12.1.0.1.0 '  
INFO: Setting up 'Oracle Starter Database 12.1.0.1.0 '  
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component  
Oracle Starter Database  
INFO: Setting up 'Oracle Message Gateway Common Files 12.1.0.1.0 '  
INFO: Setting up 'Oracle Message Gateway Common Files 12.1.0.1.0 '  
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component  
Oracle Message Gateway Common Files  
INFO: Setting up 'Oracle XML Query 12.1.0.1.0 '  
INFO: Setting up 'Oracle XML Query 12.1.0.1.0 '  
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component  
Oracle XML Query  
INFO: Setting up 'Oracle Core XML Development Kit 12.1.0.1.0 '  
INFO: Setting up 'Oracle Core XML Development Kit 12.1.0.1.0 '  
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component  
Oracle Core XML Development Kit
```

installActions2013-06-29_12-50-04AM.log

```
INFO: Setting up 'XML Parser for Oracle JVM 12.1.0.1.0 '  
INFO: Setting up 'XML Parser for Oracle JVM 12.1.0.1.0 '  
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component XML  
Parser for Oracle JVM  
INFO: Setting up 'Oracle JFC Extended windowing Toolkit 11.1.1.6.0 '  
INFO: Setting up 'Oracle JFC Extended windowing Toolkit 11.1.1.6.0 '  
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component  
Oracle JFC Extended windowing Toolkit  
INFO: Setting up 'Oracle Globalization Support For Core 12.1.0.1.0 '  
INFO: Setting up 'Oracle Globalization Support For Core 12.1.0.1.0 '  
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component  
Oracle Globalization Support For Core  
INFO: Setting up 'Oracle Database Deconfiguration 12.1.0.1.0 '  
INFO: Setting up 'Oracle Database Deconfiguration 12.1.0.1.0 '  
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component  
Oracle Database Deconfiguration  
INFO: Setting up 'Oracle Quality of Service Management (Client) 12.1.0.1.0 '  
INFO: Setting up 'Oracle Quality of Service Management (Client) 12.1.0.1.0 '  
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component  
Oracle Quality of Service Management (Client)  
INFO: Setting up 'Oracle Locale Builder 12.1.0.1.0 '  
INFO: Setting up 'Oracle Locale Builder 12.1.0.1.0 '  
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component  
Oracle Locale Builder  
INFO: Setting up 'JAccelerator (COMPANION) 12.1.0.1.0 '  
INFO: Setting up 'JAccelerator (COMPANION) 12.1.0.1.0 '  
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component  
JAccelerator (COMPANION)  
INFO: Setting up 'Oracle Containers for Java 12.1.0.1.0 '  
INFO: Setting up 'Oracle Containers for Java 12.1.0.1.0 '  
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component  
Oracle Containers for Java  
INFO: Setting up 'Oracle JVM For Core 12.1.0.1.0 '  
INFO: Setting up 'Oracle JVM For Core 12.1.0.1.0 '  
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component  
Oracle JVM For Core  
INFO: Setting up 'Perl Modules 5.14.1.0.0 '  
INFO: Setting up 'Perl Modules 5.14.1.0.0 '  
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component  
Perl Modules  
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile  
selectedNodes = null  
source =  
/u01/app/oracle/product/12.1.0/db_1/perl/lib/site_perl/5.14.1/x86_64-linux-threa  
d-multi/auto/DBD/Oracle/mk.pm  
destination =  
/u01/app/oracle/product/12.1.0/db_1/perl/lib/site_perl/5.14.1/x86_64-linux-threa  
d-multi/auto/DBD/Oracle/mk.pm  
variables = null  
encoding = null  
  
INFO: instantiating  
'/u01/app/oracle/product/12.1.0/db_1/perl/lib/site_perl/5.14.1/x86_64-linux-thre  
ad-multi/auto/DBD/Oracle/mk.pm'.  
INFO: instantiating  
'/u01/app/oracle/product/12.1.0/db_1/perl/lib/site_perl/5.14.1/x86_64-linux-thre  
ad-multi/auto/DBD/Oracle/mk.pm'.  
INFO: Setting up 'RDBMS Required Support Files 12.1.0.1.0 '  
INFO: Setting up 'RDBMS Required Support Files 12.1.0.1.0 '  
INFO: 6/29/13 12:56:58 AM EDT: Starting install Install Phase 2 of component  
RDBMS Required Support Files  
INFO: Calling Action unixActions10.2.0.3.0 createLink  
source = /u01/app/oracle/product/12.1.0/db_1/lib/libclntsh.so.12.1  
destination = /u01/app/oracle/product/12.1.0/db_1/lib/libclntsh.so  
overwriteExistingLink = true  
overwriteExistingDir = null  
  
INFO: creating link '/u01/app/oracle/product/12.1.0/db_1/lib/libclntsh.so.12.1'
```

```

installActions2013-06-29_12-50-04AM.log
for '/u01/app/oracle/product/12.1.0/db_1/lib/libclntsh.so'
INFO: creating link '/u01/app/oracle/product/12.1.0/db_1/lib/libclntsh.so.12.1'
for '/u01/app/oracle/product/12.1.0/db_1/lib/libclntsh.so'
INFO: Calling Action unixActions10.2.0.3.0 createLink
      source = /u01/app/oracle/product/12.1.0/db_1/lib/libclntshcore.so.12.1
      destination = /u01/app/oracle/product/12.1.0/db_1/lib/libclntshcore.so
      overwriteExistingLink = true
      overwriteExistingDir = null

INFO: creating link
'/u01/app/oracle/product/12.1.0/db_1/lib/libclntshcore.so.12.1' for
'/u01/app/oracle/product/12.1.0/db_1/lib/libclntshcore.so'
INFO: creating link
'/u01/app/oracle/product/12.1.0/db_1/lib/libclntshcore.so.12.1' for
'/u01/app/oracle/product/12.1.0/db_1/lib/libclntshcore.so'
INFO: Exception thrown from action: createLink
Exception Name: FileNotFoundException
Exception String: File not found: %fileName%
Exception Severity: 2
INFO: Exception handling set to prompt user with options to Retry Ignore
User Choice: Ignore
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/bin/orahomeuserctl.bat
INFO: Query Returned: false
INFO: Setting up 'Secure Socket Layer 12.1.0.1.0 '
INFO: Setting up 'Secure Socket Layer 12.1.0.1.0 '
INFO: 6/29/13 12:57:00 AM EDT: Starting install Install Phase 2 of component
Secure Socket Layer
INFO: Setting up 'Oracle Universal Connection Pool 12.1.0.1.0 '
INFO: Setting up 'Oracle Universal Connection Pool 12.1.0.1.0 '
INFO: 6/29/13 12:57:00 AM EDT: Starting install Install Phase 2 of component
Oracle Universal Connection Pool
INFO: Setting up 'Oracle JDBC/THIN Interfaces 12.1.0.1.0 '
INFO: Setting up 'Oracle JDBC/THIN Interfaces 12.1.0.1.0 '
INFO: 6/29/13 12:57:00 AM EDT: Starting install Install Phase 2 of component
Oracle JDBC/THIN Interfaces
INFO: Setting up 'Oracle Multimedia Client Option 12.1.0.1.0 '
INFO: Setting up 'Oracle Multimedia Client Option 12.1.0.1.0 '
INFO: 6/29/13 12:57:00 AM EDT: Starting install Install Phase 2 of component
Oracle Multimedia Client Option
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/Apache/Jserv/etc/jserv.properties
INFO: Query Returned: false
INFO: Setting up 'Oracle Java Client 12.1.0.1.0 '
INFO: Setting up 'Oracle Java Client 12.1.0.1.0 '
INFO: 6/29/13 12:57:00 AM EDT: Starting install Install Phase 2 of component
Oracle Java Client
INFO: Setting up 'Database Migration Assistant for Unicode 12.1.0.1.0 '
INFO: Setting up 'Database Migration Assistant for Unicode 12.1.0.1.0 '
INFO: 6/29/13 12:57:00 AM EDT: Starting install Install Phase 2 of component
Database Migration Assistant for Unicode
INFO: Setting up 'Perl Interpreter 5.14.1.0.0 '
INFO: Setting up 'Perl Interpreter 5.14.1.0.0 '
INFO: 6/29/13 12:57:00 AM EDT: Starting install Install Phase 2 of component
Perl Interpreter
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null
      source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/c2ph
      destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/c2ph
      variables = null
      encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/c2ph'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/c2ph'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null

```

```
installActions2013-06-29_12-50-04AM.log
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/config_data
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/config_data
variables = null
encoding = null
```

```
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/config_data'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/config_data'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/corelist
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/corelist
variables = null
encoding = null
```

```
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/corelist'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/corelist'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/cpan
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/cpan
variables = null
encoding = null
```

```
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/cpan'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/cpan'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/cpan2dist
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/cpan2dist
variables = null
encoding = null
```

```
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/cpan2dist'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/cpan2dist'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/cpanp
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/cpanp
variables = null
encoding = null
```

```
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/cpanp'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/cpanp'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/cpanp-run-perl
destination =
/u01/app/oracle/product/12.1.0/db_1/perl/bin/cpanp-run-perl
variables = null
encoding = null
```

```
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/perl/bin/cpanp-run-perl'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/perl/bin/cpanp-run-perl'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/dbilogstrip
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/dbilogstrip
variables = null
encoding = null
```

```
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/dbilogstrip'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/dbilogstrip'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/dbiprof
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/dbiprof
```

```
installActions2013-06-29_12-50-04AM.log
variables = null
encoding = null
```

```
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/dbiprof'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/dbiprof'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/dbiproxy
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/dbiproxy
variables = null
encoding = null
```

```
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/dbiproxy'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/dbiproxy'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/enc2xs
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/enc2xs
variables = null
encoding = null
```

```
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/enc2xs'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/enc2xs'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/find2perl
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/find2perl
variables = null
encoding = null
```

```
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/find2perl'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/find2perl'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/h2ph
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/h2ph
variables = null
encoding = null
```

```
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/h2ph'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/h2ph'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/h2xs
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/h2xs
variables = null
encoding = null
```

```
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/h2xs'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/h2xs'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/instmodsh
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/instmodsh
variables = null
encoding = null
```

```
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/instmodsh'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/instmodsh'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/json_pp
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/json_pp
variables = null
encoding = null
```

```
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/json_pp'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/json_pp'.
```

```

installActions2013-06-29_12-50-04AM.log
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null
      source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/libnetcfg
      destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/libnetcfg
      variables = null
      encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/libnetcfg'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/libnetcfg'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null
      source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/ora_explain
      destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/ora_explain
      variables = null
      encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/ora_explain'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/ora_explain'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null
      source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/perlbug
      destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/perlbug
      variables = null
      encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/perlbug'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/perlbug'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null
      source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/perldoc
      destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/perldoc
      variables = null
      encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/perldoc'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/perldoc'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null
      source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/perlvp
      destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/perlvp
      variables = null
      encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/perlvp'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/perlvp'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null
      source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/perlthanks
      destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/perlthanks
      variables = null
      encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/perlthanks'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/perlthanks'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null
      source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/piconv
      destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/piconv
      variables = null
      encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/piconv'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/piconv'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null
      source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/pl2pm
      destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/pl2pm
      variables = null

```

installActions2013-06-29_12-50-04AM.log
encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/pl2pm'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/pl2pm'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/pod2html
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/pod2html
variables = null
encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/pod2html'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/pod2html'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/pod2latex
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/pod2latex
variables = null
encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/pod2latex'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/pod2latex'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/pod2man
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/pod2man
variables = null
encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/pod2man'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/pod2man'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/pod2text
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/pod2text
variables = null
encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/pod2text'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/pod2text'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/pod2usage
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/pod2usage
variables = null
encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/pod2usage'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/pod2usage'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/podchecker
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/podchecker
variables = null
encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/podchecker'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/podchecker'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/podselect
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/podselect
variables = null
encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/podselect'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/podselect'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile


```

installActions2013-06-29_12-50-04AM.log
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/prove
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/prove
variables = null
encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/prove'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/prove'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/psed
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/psed
variables = null
encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/psed'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/psed'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/pstruct
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/pstruct
variables = null
encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/pstruct'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/pstruct'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/ptar
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/ptar
variables = null
encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/ptar'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/ptar'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/ptardiff
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/ptardiff
variables = null
encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/ptardiff'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/ptardiff'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/ptargrep
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/ptargrep
variables = null
encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/ptargrep'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/ptargrep'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/s2p
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/s2p
variables = null
encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/s2p'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/s2p'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/shasum
destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/shasum
variables = null
encoding = null

```

installActions2013-06-29_12-50-04AM.log

```
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/shasum'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/shasum'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null
      source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/splain
      destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/splain
      variables = null
      encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/splain'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/splain'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null
      source = /u01/app/oracle/product/12.1.0/db_1/perl/bin/xsubpp
      destination = /u01/app/oracle/product/12.1.0/db_1/perl/bin/xsubpp
      variables = null
      encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/xsubpp'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/perl/bin/xsubpp'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null
      source =
/u01/app/oracle/product/12.1.0/db_1/perl/lib/5.14.1/x86_64-linux-thread-multi/Co
nfig_heavy.pl
      destination =
/u01/app/oracle/product/12.1.0/db_1/perl/lib/5.14.1/x86_64-linux-thread-multi/Co
nfig_heavy.pl
      variables = null
      encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/perl/lib/5.14.1/x86_64-linux-thread-multi/C
onfig_heavy.pl'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/perl/lib/5.14.1/x86_64-linux-thread-multi/C
onfig_heavy.pl'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null
      source =
/u01/app/oracle/product/12.1.0/db_1/perl/lib/5.14.1/x86_64-linux-thread-multi/CO
RE/config.h
      destination =
/u01/app/oracle/product/12.1.0/db_1/perl/lib/5.14.1/x86_64-linux-thread-multi/CO
RE/config.h
      variables = null
      encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/perl/lib/5.14.1/x86_64-linux-thread-multi/C
ORE/config.h'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/perl/lib/5.14.1/x86_64-linux-thread-multi/C
ORE/config.h'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null
      source =
/u01/app/oracle/product/12.1.0/db_1/perl/lib/5.14.1/x86_64-linux-thread-multi/pe
rllocal.pod
      destination =
/u01/app/oracle/product/12.1.0/db_1/perl/lib/5.14.1/x86_64-linux-thread-multi/pe
rllocal.pod
      variables = null
      encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/perl/lib/5.14.1/x86_64-linux-thread-multi/p
```

```
erllocal.pod'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/perl/lib/5.14.1/x86_64-linux-thread-multi/p
erllocal.pod'.
INFO: Setting up 'PL/SQL Embedded Gateway 12.1.0.1.0 '
INFO: Setting up 'PL/SQL Embedded Gateway 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
PL/SQL Embedded Gateway
INFO: Setting up 'OLAP SQL Scripts 12.1.0.1.0 '
INFO: Setting up 'OLAP SQL Scripts 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
OLAP SQL Scripts
INFO: Setting up 'Database SQL Scripts 12.1.0.1.0 '
INFO: Setting up 'Database SQL Scripts 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Database SQL Scripts
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes =
source =
/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/dbssm1.sbs
destination =
/u01/app/oracle/product/12.1.0/db_1/rdbms/admin/dbssm1.sql
variables = null
encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/dbssm1.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/dbssm1.sbs'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes =
source =
/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/initmeta.sbs
destination =
/u01/app/oracle/product/12.1.0/db_1/rdbms/admin/initmeta.sql
variables = null
encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/initmeta.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/sbs/initmeta.sbs'.
INFO: Setting up 'Oracle Globalization Support 12.1.0.1.0 '
INFO: Setting up 'Oracle Globalization Support 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Globalization Support
INFO: Setting up 'Oracle Extended windowing Toolkit 11.1.1.6.0 '
INFO: Setting up 'Oracle Extended windowing Toolkit 11.1.1.6.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Extended windowing Toolkit
INFO: Setting up 'SQL*Plus Files for Instant Client 12.1.0.1.0 '
INFO: Setting up 'SQL*Plus Files for Instant Client 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
SQL*Plus Files for Instant Client
INFO: Setting up 'Required Support Files 12.1.0.1.0 '
INFO: Setting up 'Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Required Support Files
INFO: Setting up 'Oracle ODBC Driver 12.1.0.1.0 '
INFO: Setting up 'Oracle ODBC Driver 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle ODBC Driver
INFO: Setting up 'Precompilers 12.1.0.1.0 '
INFO: Setting up 'Precompilers 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Precompilers
INFO: Setting up 'Precompiler Common Files 12.1.0.1.0 '
INFO: Setting up 'Precompiler Common Files 12.1.0.1.0 '
```

installActions2013-06-29_12-50-04AM.log

INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Precompiler Common Files
INFO: Setting up 'Deinstallation Tool 12.1.0.1.0 '
INFO: Setting up 'Deinstallation Tool 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Deinstallation Tool
INFO: Setting up 'Oracle Recovery Manager 12.1.0.1.0 '
INFO: Setting up 'Oracle Recovery Manager 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Recovery Manager
INFO: Setting up 'Oracle Net Java Required Support Files 12.1.0.1.0 '
INFO: Setting up 'Oracle Net Java Required Support Files 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Net Java Required Support Files
INFO: Setting up 'XML Parser for Java 12.1.0.1.0 '
INFO: Setting up 'XML Parser for Java 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component XML
Parser for Java
INFO: Setting up 'Oracle Security Developer Tools 12.1.0.1.0 '
INFO: Setting up 'Oracle Security Developer Tools 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Security Developer Tools
INFO: Setting up 'Oracle wallet Manager 12.1.0.1.0 '
INFO: Setting up 'Oracle wallet Manager 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle wallet Manager
INFO: Setting up 'Cluster Verification Utility Common Files 12.1.0.1.0 '
INFO: Setting up 'Cluster Verification Utility Common Files 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Cluster Verification Utility Common Files
INFO: Setting up 'Oracle Clusterware RDBMS Files 12.1.0.1.0 '
INFO: Setting up 'Oracle Clusterware RDBMS Files 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Clusterware RDBMS Files
INFO: Setting up 'Oracle Ice Browser 11.1.1.6.0 '
INFO: Setting up 'Oracle Ice Browser 11.1.1.6.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Ice Browser
INFO: Setting up 'Installation Plugin Files 12.1.0.1.0 '
INFO: Setting up 'Installation Plugin Files 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Installation Plugin Files
INFO: Setting up 'Installation Common Files 12.1.0.1.0 '
INFO: Setting up 'Installation Common Files 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Installation Common Files
INFO: Calling Action generalActions10.2.0.9.0 setenv
 selectedNodes =
 name = ORACLE_HOME
 value = /u01/app/oracle/product/12.1.0/db_1
 append = null
 replace = null
 doNotPersistEnv = null

INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

platGroup = UNIX
INFO: Query Returned: true
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
 selectedNodes = null
 source = /u01/app/oracle/product/12.1.0/db_1/deinstall/deinstall
 destination = /u01/app/oracle/product/12.1.0/db_1/deinstall/deinstall
 variables = null
 encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/deinstall/deinstall'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/deinstall/deinstall'.
INFO: Calling Query generalQueries10.2.0.2.1 isCurrentPlatformInGroup

installActions2013-06-29_12-50-04AM.log

```
platGroup = UNIX
INFO: Query Returned: true
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/jdk/jre
INFO: Query Returned: true
INFO: Calling Action SpawnActions10.1.0.3.4 Spawn
      installcommand = /bin/chmod -R 755
/u01/app/oracle/product/12.1.0/db_1/jdk/jre
      deinstallcommand = null
      WaitForCompletion = true

INFO: spawning '/bin/chmod -R 755 /u01/app/oracle/product/12.1.0/db_1/jdk/jre'
INFO: spawning '/bin/chmod -R 755 /u01/app/oracle/product/12.1.0/db_1/jdk/jre'
INFO:

INFO: Start output from spawned process:
INFO: -----
INFO:

INFO: End output from spawned process.
INFO: -----
INFO: Setting up 'Oracle LDAP administration 12.1.0.1.0 '
INFO: Setting up 'Oracle LDAP administration 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle LDAP administration
INFO: Setting up 'Buildtools Common Files 12.1.0.1.0 '
INFO: Setting up 'Buildtools Common Files 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Buildtools Common Files
INFO: Setting up 'Oracle Java Layout Engine 11.0.0.0.0 '
INFO: Setting up 'Oracle Java Layout Engine 11.0.0.0.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Java Layout Engine
INFO: Setting up 'Oracle Database User Interface 11.0.0.0.0 '
INFO: Setting up 'Oracle Database User Interface 11.0.0.0.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Database User Interface
INFO: Setting up 'Oracle Help Share Library 11.1.1.6.0 '
INFO: Setting up 'Oracle Help Share Library 11.1.1.6.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Help Share Library
INFO: Setting up 'Oracle Help for Java 11.1.1.6.0 '
INFO: Setting up 'Oracle Help for Java 11.1.1.6.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Help for Java
INFO: Setting up 'HAS Common Files 12.1.0.1.0 '
INFO: Setting up 'HAS Common Files 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component HAS
Common Files
INFO: component has plugIns in XML: no configlog.xml written
INFO: Setting up 'PL/SQL 12.1.0.1.0 '
INFO: Setting up 'PL/SQL 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
PL/SQL
INFO: Setting up 'Assistant Common Files 12.1.0.1.0 '
INFO: Setting up 'Assistant Common Files 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Assistant Common Files
INFO: Setting up 'Oracle Notification Service 12.1.0.1.0 '
INFO: Setting up 'Oracle Notification Service 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Notification Service
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/opmn/conf/ons.config
INFO: Query Returned: true
```

```

installActions2013-06-29_12-50-04AM.log
INFO: Calling Action fileActions11.2.0.2.0 appendStringToFileEx
      source = /u01/app/oracle/product/12.1.0/db_1/opmn/conf/ons.config
      stringToAppend = localport=6150

INFO: updating '/u01/app/oracle/product/12.1.0/db_1/opmn/conf/ons.config.'
INFO: updating '/u01/app/oracle/product/12.1.0/db_1/opmn/conf/ons.config.'
INFO: Calling Action fileActions11.2.0.2.0 appendStringToFileEx
      source = /u01/app/oracle/product/12.1.0/db_1/opmn/conf/ons.config
      stringToAppend = remoteport=6250

INFO: updating '/u01/app/oracle/product/12.1.0/db_1/opmn/conf/ons.config.'
INFO: updating '/u01/app/oracle/product/12.1.0/db_1/opmn/conf/ons.config.'
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/opmn/bin/onsctli
INFO: Query Returned: true
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null
      source = /u01/app/oracle/product/12.1.0/db_1/opmn/bin/onsctli
      destination = /u01/app/oracle/product/12.1.0/db_1/opmn/bin/onsctli
      variables = null
      encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/opmn/bin/onsctli'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/opmn/bin/onsctli'.
INFO: Calling Action generalActions10.2.0.9.0 changePermissions
      source = /u01/app/oracle/product/12.1.0/db_1/opmn/bin/onsctli
      permissions = 700

INFO: changing permission for
'/u01/app/oracle/product/12.1.0/db_1/opmn/bin/onsctli'
INFO: changing permission for
'/u01/app/oracle/product/12.1.0/db_1/opmn/bin/onsctli'
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/bin/onsctl
INFO: Query Returned: true
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null
      source = /u01/app/oracle/product/12.1.0/db_1/bin/onsctl
      destination = /u01/app/oracle/product/12.1.0/db_1/bin/onsctl
      variables = null
      encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/bin/onsctl'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/bin/onsctl'.
INFO: Calling Action generalActions10.2.0.9.0 changePermissions
      source = /u01/app/oracle/product/12.1.0/db_1/bin/onsctl
      permissions = 700

INFO: changing permission for '/u01/app/oracle/product/12.1.0/db_1/bin/onsctl'
INFO: changing permission for '/u01/app/oracle/product/12.1.0/db_1/bin/onsctl'
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/opmn/bin/onsctl
INFO: Query Returned: true
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null
      source = /u01/app/oracle/product/12.1.0/db_1/opmn/bin/onsctl
      destination = /u01/app/oracle/product/12.1.0/db_1/opmn/bin/onsctl
      variables = null
      encoding = null

INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/opmn/bin/onsctl'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/opmn/bin/onsctl'.
INFO: Calling Action generalActions10.2.0.9.0 changePermissions
      source = /u01/app/oracle/product/12.1.0/db_1/opmn/bin/onsctl
      permissions = 700

```

installActions2013-06-29_12-50-04AM.log

```
INFO: changing permission for
'/u01/app/oracle/product/12.1.0/db_1/opmn/bin/onsctl'
INFO: changing permission for
'/u01/app/oracle/product/12.1.0/db_1/opmn/bin/onsctl'
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/opmn/bin/onsctl
INFO: Query Returned: true
INFO: Setting up 'Oracle Net 12.1.0.1.0 '
INFO: Setting up 'Oracle Net 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Net
INFO: Setting up 'Oracle Database Utilities 12.1.0.1.0 '
INFO: Setting up 'Oracle Database Utilities 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Database Utilities
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename =
/u01/app/oracle/product/12.1.0/db_1/Apache/Apache/conf/oracle_apache.conf
INFO: Query Returned: false
INFO: Calling Action generalActions10.2.0.9.0 addUtilConfigTool
      configToolName = oracle.rdbms.util
      configToolLocation = /u01/app/oracle/product/12.1.0/db_1/install/config

INFO: Setting variable 'ADDL_UTIL_CONFIG_TOOL_NAME' to 'oracle.rdbms.util'.
Received the value from a code block.
INFO: Setting variable 'ADDL_UTIL_CONFIG_TOOL_LOC' to
'/u01/app/oracle/product/12.1.0/db_1/install/config'. Received the value from a
code block.
INFO: Setting up 'Generic Connectivity Common Files 12.1.0.1.0 '
INFO: Setting up 'Generic Connectivity Common Files 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Generic Connectivity Common Files
INFO: Calling Action fileActions11.2.0.2.0 createDirRecurse
      destination = /u01/app/oracle/product/12.1.0/db_1/hs/log
      selectedNodes = null
      permissions = null
      owner = null
      group = null

INFO: Setting up 'Oracle Database Gateway for ODBC 12.1.0.1.0 '
INFO: Setting up 'Oracle Database Gateway for ODBC 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Database Gateway for ODBC
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null
      source =
/u01/app/oracle/product/12.1.0/db_1/hs/admin/listener.ora.sample
      destination =
/u01/app/oracle/product/12.1.0/db_1/hs/admin/listener.ora.sample
      variables = null
      encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/hs/admin/listener.ora.sample'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/hs/admin/listener.ora.sample'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null
      source =
/u01/app/oracle/product/12.1.0/db_1/hs/admin/tnsnames.ora.sample
      destination =
/u01/app/oracle/product/12.1.0/db_1/hs/admin/tnsnames.ora.sample
      variables = null
      encoding = null
```

installActions2013-06-29_12-50-04AM.log

```
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/hs/admin/tnsnames.ora.sample'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/hs/admin/tnsnames.ora.sample'.
INFO: Setting up 'Oracle Programmer 12.1.0.1.0 '
INFO: Setting up 'Oracle Programmer 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Programmer
INFO: Setting up 'Oracle Netca Client 12.1.0.1.0 '
INFO: Setting up 'Oracle Netca Client 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Netca Client
INFO: Setting variable 's_responseFileName' to
'/u01/app/oracle/product/12.1.0/db_1/network/install/netca_typ.rsp'. Received
the value from a code block.
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/network/install/netca_typ.rsp
INFO: Query Returned: true
INFO: Setting variable 's_netCAInstalledProtocols' to 'tcp'. Received the value
from a code block.
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/bin/ntspcxcl
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/bin/ntllsnr
INFO: Query Returned: false
INFO: Calling Query fileQueries10.1.0.3.0 exists

filename = /u01/app/oracle/product/12.1.0/db_1/lib/libntcps9.a
INFO: Query Returned: false
INFO: Setting variable 's_netCA_Args' to '/orahome
/u01/app/oracle/product/12.1.0/db_1 /orahnam OraDB12Home1 /instype typical
/inscomp client,oraclenet,javavm,server,ano /insprtcl tcp /cfg local /authadp
NO_VALUE /responseFile
/u01/app/oracle/product/12.1.0/db_1/network/install/netca_typ.rsp /silent'.
Received the value from a code block.
INFO: component has plugIns in XML: no configlog.xml written
INFO: Setting up 'SQL*Plus 12.1.0.1.0 '
INFO: Setting up 'SQL*Plus 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
SQL*Plus
INFO: Setting up 'Oracle Multimedia Locator 12.1.0.1.0 '
INFO: Setting up 'Oracle Multimedia Locator 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Multimedia Locator
INFO: Setting up 'Oracle Multimedia 12.1.0.1.0 '
INFO: Setting up 'Oracle Multimedia 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Multimedia
INFO: Calling Action fileActions11.2.0.2.0 instantiateFileEx
      source = /u01/app/oracle/product/12.1.0/db_1/ord/im/admin/imimdloc.sql
      destination =
/u01/app/oracle/product/12.1.0/db_1/ord/im/admin/imimdloc.sql
      variables = null
      delimiter = null
      encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/ord/im/admin/imimdloc.sql'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/ord/im/admin/imimdloc.sql'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFileEx
      source = /u01/app/oracle/product/12.1.0/db_1/ord/admin/ordisys.sql
      destination = /u01/app/oracle/product/12.1.0/db_1/ord/admin/ordisys.sql
      variables = null
```



```
installActions2013-06-29_12-50-04AM.log
delimiter = null
encoding = null
```

```
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/ord/admin/ordisys.sql'.
INFO: instantiating '/u01/app/oracle/product/12.1.0/db_1/ord/admin/ordisys.sql'.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFileEx
      source = /u01/app/oracle/product/12.1.0/db_1/ord/im/admin/ordlib.sql
      destination =
/u01/app/oracle/product/12.1.0/db_1/ord/im/admin/ordlib.sql
      variables = null
      delimiter = null
      encoding = null
```

```
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/ord/im/admin/ordlib.sql'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/ord/im/admin/ordlib.sql'.
INFO: Setting up 'Oracle Call Interface (OCI) 12.1.0.1.0 '
INFO: Setting up 'Oracle Call Interface (OCI) 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Call Interface (OCI)
INFO: Setting up 'Oracle XML Development Kit 12.1.0.1.0 '
INFO: Setting up 'Oracle XML Development Kit 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle XML Development Kit
INFO: Setting up 'Database Configuration and Upgrade Assistants 12.1.0.1.0 '
INFO: Setting up 'Database Configuration and Upgrade Assistants 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Database Configuration and Upgrade Assistants
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
      selectedNodes = null
      source = /u01/app/oracle/product/12.1.0/db_1/assistants/dbca/dbca.sbs
      destination = /u01/app/oracle/product/12.1.0/db_1/bin/dbca
      variables = null
      encoding = null
```

```
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/assistants/dbca/dbca.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/assistants/dbca/dbca.sbs'.
INFO: Calling Action fileActions11.2.0.2.0 removeFile
      selectedNodes = null
      source = /u01/app/oracle/product/12.1.0/db_1/assistants/dbca/dbca.sbs
```

```
INFO: deleting '/u01/app/oracle/product/12.1.0/db_1/assistants/dbca/dbca.sbs'
INFO: deleting '/u01/app/oracle/product/12.1.0/db_1/assistants/dbca/dbca.sbs'
INFO: Calling Action unixActions10.2.0.3.0 changePermissions
      source = /u01/app/oracle/product/12.1.0/db_1/bin/dbca
      permissions = 755
```

```
INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/dbca'
INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/dbca'
INFO: Setting variable 's_oratabLocation' to
'/u01/app/oracle/product/12.1.0/db_1/install/oratab'. Received the value from a
code block.
INFO: Calling query fileQueries10.1.0.3.0 exists
```

```
filename = /u01/app/oracle/product/12.1.0/db_1/install/oratab
INFO: Query Returned: false
INFO: Calling Action fileActions11.2.0.2.0 createFile
      source = /u01/app/oracle/product/12.1.0/db_1/install/oratab
      permissions = 755
      owner = null
      group = null
```

```
INFO: Calling Query fileQueries10.1.0.3.0 exists
```

```
filename = /u01/app/oracle/product/12.1.0/db_1/bin/emdwgrd
```

installActions2013-06-29_12-50-04AM.log

```
INFO: Query Returned: true
INFO: Calling Action unixActions10.2.0.3.0 changePermissions
      source = /u01/app/oracle/product/12.1.0/db_1/bin/emdwgrd
      permissions = 755

INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/emdwgrd'
INFO: changing permissions for '/u01/app/oracle/product/12.1.0/db_1/bin/emdwgrd'
INFO: component has plugIns in XML: no configlog.xml written
INFO: Setting up 'Oracle JVM 12.1.0.1.0 '
INFO: Setting up 'Oracle JVM 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle JVM
INFO: Setting up 'Oracle Advanced Security 12.1.0.1.0 '
INFO: Setting up 'Oracle Advanced Security 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Advanced Security
INFO: Setting up 'Oracle Internet Directory Client 12.1.0.1.0 '
INFO: Setting up 'Oracle Internet Directory Client 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Internet Directory Client
INFO: Setting up 'Oracle Net Listener 12.1.0.1.0 '
INFO: Setting up 'Oracle Net Listener 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Net Listener
INFO: Calling Action fileActions11.2.0.2.0 instantiateFileEx
      source =
/u01/app/oracle/product/12.1.0/db_1/network/install/sqlnet/setowner.sh
      destination =
/u01/app/oracle/product/12.1.0/db_1/network/install/sqlnet/setowner.sh
      variables = ORACLE_HOME
      delimiter = null
      encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/network/install/sqlnet/setowner.sh'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/network/install/sqlnet/setowner.sh'.
INFO: Calling Action fileActions11.2.0.2.0 appendStringToFile
      source = /u01/app/oracle/product/12.1.0/db_1/root.sh
      stringToAppend =

#
# Root Actions related to network
#

INFO: updating '/u01/app/oracle/product/12.1.0/db_1/root.sh.
INFO: updating '/u01/app/oracle/product/12.1.0/db_1/root.sh.
INFO: Calling Action fileActions11.2.0.2.0 appendStringToFile
      source = /u01/app/oracle/product/12.1.0/db_1/root.sh
      stringToAppend =
/u01/app/oracle/product/12.1.0/db_1/network/install/sqlnet/setowner.sh

INFO: updating '/u01/app/oracle/product/12.1.0/db_1/root.sh.
INFO: updating '/u01/app/oracle/product/12.1.0/db_1/root.sh.
INFO: Setting up 'HAS Files for DB 12.1.0.1.0 '
INFO: Setting up 'HAS Files for DB 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component HAS
Files for DB
INFO: Calling Action unixActions10.2.0.3.0 touchFile
      source = /u01/app/oracle/product/12.1.0/db_1/bin/ldapbind

INFO: touching '/u01/app/oracle/product/12.1.0/db_1/bin/ldapbind'
INFO: touching '/u01/app/oracle/product/12.1.0/db_1/bin/ldapbind'
INFO: Calling Action unixActions10.2.0.3.0 touchFile
      source = /u01/app/oracle/product/12.1.0/db_1/lib/ldflags

INFO: touching '/u01/app/oracle/product/12.1.0/db_1/lib/ldflags'
INFO: touching '/u01/app/oracle/product/12.1.0/db_1/lib/ldflags'
INFO: Calling Action unixActions10.2.0.3.0 touchFile
```

installActions2013-06-29_12-50-04AM.log
source = /u01/app/oracle/product/12.1.0/db_1/lib/nnfgt.o

INFO: touching '/u01/app/oracle/product/12.1.0/db_1/lib/nnfgt.o'
INFO: touching '/u01/app/oracle/product/12.1.0/db_1/lib/nnfgt.o'
INFO: Calling Action unixActions10.2.0.3.0 touchFile
source = /u01/app/oracle/product/12.1.0/db_1/rdbms/lib/config.o

INFO: touching '/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/config.o'
INFO: touching '/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/config.o'
INFO: Calling Action unixActions10.2.0.3.0 touchFile
source = /u01/app/oracle/product/12.1.0/db_1/rdbms/lib/nmliblist

INFO: touching '/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/nmliblist'
INFO: touching '/u01/app/oracle/product/12.1.0/db_1/rdbms/lib/nmliblist'
INFO: Calling Action unixActions10.2.0.3.0 touchFile
source = /u01/app/oracle/product/12.1.0/db_1/lib/libclntsh.so

INFO: touching '/u01/app/oracle/product/12.1.0/db_1/lib/libclntsh.so'
INFO: touching '/u01/app/oracle/product/12.1.0/db_1/lib/libclntsh.so'
INFO: Calling Action unixActions10.2.0.3.0 touchFile
source = /u01/app/oracle/product/12.1.0/db_1/lib/libclntshcore.so

INFO: touching '/u01/app/oracle/product/12.1.0/db_1/lib/libclntshcore.so'
INFO: touching '/u01/app/oracle/product/12.1.0/db_1/lib/libclntshcore.so'
INFO: Calling Action unixActions10.2.0.3.0 touchFile
source = /u01/app/oracle/product/12.1.0/db_1/precomp/public/BNDDSC.FOR

INFO: touching '/u01/app/oracle/product/12.1.0/db_1/precomp/public/BNDDSC.FOR'
INFO: touching '/u01/app/oracle/product/12.1.0/db_1/precomp/public/BNDDSC.FOR'
INFO: Calling Action unixActions10.2.0.3.0 touchFile
source = /u01/app/oracle/product/12.1.0/db_1/precomp/public/ORACA.COB

INFO: touching '/u01/app/oracle/product/12.1.0/db_1/precomp/public/ORACA.COB'
INFO: touching '/u01/app/oracle/product/12.1.0/db_1/precomp/public/ORACA.COB'
INFO: Calling Action unixActions10.2.0.3.0 touchFile
source = /u01/app/oracle/product/12.1.0/db_1/precomp/public/ORACA.FOR

INFO: touching '/u01/app/oracle/product/12.1.0/db_1/precomp/public/ORACA.FOR'
INFO: touching '/u01/app/oracle/product/12.1.0/db_1/precomp/public/ORACA.FOR'
INFO: Calling Action unixActions10.2.0.3.0 touchFile
source = /u01/app/oracle/product/12.1.0/db_1/precomp/public/ORACA.H

INFO: touching '/u01/app/oracle/product/12.1.0/db_1/precomp/public/ORACA.H'
INFO: touching '/u01/app/oracle/product/12.1.0/db_1/precomp/public/ORACA.H'
INFO: Calling Action unixActions10.2.0.3.0 touchFile
source = /u01/app/oracle/product/12.1.0/db_1/precomp/public/SELDSC.FOR

INFO: touching '/u01/app/oracle/product/12.1.0/db_1/precomp/public/SELDSC.FOR'
INFO: touching '/u01/app/oracle/product/12.1.0/db_1/precomp/public/SELDSC.FOR'
INFO: Calling Action unixActions10.2.0.3.0 touchFile
source = /u01/app/oracle/product/12.1.0/db_1/precomp/public/SQLCA.COB

INFO: touching '/u01/app/oracle/product/12.1.0/db_1/precomp/public/SQLCA.COB'
INFO: touching '/u01/app/oracle/product/12.1.0/db_1/precomp/public/SQLCA.COB'
INFO: Calling Action unixActions10.2.0.3.0 touchFile
source = /u01/app/oracle/product/12.1.0/db_1/precomp/public/SQLCA.FOR

INFO: touching '/u01/app/oracle/product/12.1.0/db_1/precomp/public/SQLCA.FOR'
INFO: touching '/u01/app/oracle/product/12.1.0/db_1/precomp/public/SQLCA.FOR'
INFO: Calling Action unixActions10.2.0.3.0 touchFile
source = /u01/app/oracle/product/12.1.0/db_1/precomp/public/SQLCA.H

INFO: touching '/u01/app/oracle/product/12.1.0/db_1/precomp/public/SQLCA.H'
INFO: touching '/u01/app/oracle/product/12.1.0/db_1/precomp/public/SQLCA.H'
INFO: Calling Action unixActions10.2.0.3.0 touchFile
source = /u01/app/oracle/product/12.1.0/db_1/precomp/public/SQLDA.H

INFO: touching '/u01/app/oracle/product/12.1.0/db_1/precomp/public/SQLDA.H'

```

installActions2013-06-29_12-50-04AM.log
INFO: touching '/u01/app/oracle/product/12.1.0/db_1/precomp/public/SQLDA.H'
INFO: Setting up 'Oracle Text 12.1.0.1.0 '
INFO: Setting up 'Oracle Text 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Text
INFO: Setting up 'Oracle Net Services 12.1.0.1.0 '
INFO: Setting up 'Oracle Net Services 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Net Services
INFO: Setting up 'Oracle Database 12c 12.1.0.1.0 '
INFO: Setting up 'Oracle Database 12c 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Database 12c
INFO: Calling Action fileActions11.2.0.2.0 instantiateFileEx
    source =
/u01/app/oracle/product/12.1.0/db_1/rdbms/install/rootadd_filemap.sh
    destination =
/u01/app/oracle/product/12.1.0/db_1/rdbms/install/rootadd_filemap.sh
    variables = ORACLE_HOME
    delimiter = null
    encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/rootadd_filemap.sh'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/rootadd_filemap.sh'.
INFO: Calling Action fileActions11.2.0.2.0 appendStringToFile
    source = /u01/app/oracle/product/12.1.0/db_1/root.sh
    stringToAppend =
#
# Invoke standalone rootadd_rdbms.sh
#
/u01/app/oracle/product/12.1.0/db_1/rdbms/install/rootadd_rdbms.sh

INFO: updating '/u01/app/oracle/product/12.1.0/db_1/root.sh.
INFO: updating '/u01/app/oracle/product/12.1.0/db_1/root.sh.
INFO: Calling Action fileActions11.2.0.2.0 appendStringToFile
    source = /u01/app/oracle/product/12.1.0/db_1/root.sh
    stringToAppend =
/u01/app/oracle/product/12.1.0/db_1/rdbms/install/rootadd_filemap.sh

INFO: updating '/u01/app/oracle/product/12.1.0/db_1/root.sh.
INFO: updating '/u01/app/oracle/product/12.1.0/db_1/root.sh.
INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
    selectedNodes =
    source =
/u01/app/oracle/product/12.1.0/db_1/rdbms/install/config_filemap.sbs
    destination =
/u01/app/oracle/product/12.1.0/db_1/rdbms/install/filemap.ora
    variables = null
    encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/config_filemap.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/rdbms/install/config_filemap.sbs'.
INFO: Calling Action fileActions11.2.0.2.0 createDir
    selectedNodes =
    destination = /u01/app/oracle/product/12.1.0/db_1/rdbms/audit
    permissions = null
    owner = null
    group = null

INFO: Calling Action fileActions11.2.0.2.0 createDir
    selectedNodes =
    destination = /u01/app/oracle/product/12.1.0/db_1/rdbms/log
    permissions = null

```

installActions2013-06-29_12-50-04AM.log

owner = null
group = null

INFO: Calling Action fileActions11.2.0.2.0 instantiateFile
selectedNodes = null
source = /u01/app/oracle/product/12.1.0/db_1/demo/schema/mk_dir.sql.sbs
destination = /u01/app/oracle/product/12.1.0/db_1/demo/schema/mk_dir.sql
variables = null
encoding = null

INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/demo/schema/mk_dir.sql.sbs'.
INFO: instantiating
'/u01/app/oracle/product/12.1.0/db_1/demo/schema/mk_dir.sql.sbs'.
INFO: Setting up 'Oracle OLAP 12.1.0.1.0 '
INFO: Setting up 'Oracle OLAP 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle OLAP
INFO: Setting up 'Oracle Spatial and Graph 12.1.0.1.0 '
INFO: Setting up 'Oracle Spatial and Graph 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Spatial and Graph
INFO: Setting up 'Oracle Partitioning 12.1.0.1.0 '
INFO: Setting up 'Oracle Partitioning 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Partitioning
INFO: Setting up 'Enterprise Edition Options 12.1.0.1.0 '
INFO: Setting up 'Enterprise Edition Options 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Enterprise Edition Options
INFO: Setting up 'Oracle Database 12c 12.1.0.1.0 '
INFO: Setting up 'Oracle Database 12c 12.1.0.1.0 '
INFO: 6/29/13 12:57:01 AM EDT: Starting install Install Phase 2 of component
Oracle Database 12c
INFO: Calling Action fileActions11.2.0.2.0 createDirRecurse
destination = /u01/app/oracle/product/12.1.0/db_1/oc4j/opmn/lib
selectedNodes = null
permissions = null
owner = null
group = null

INFO: Calling Action unixActions10.2.0.3.0 registerRootsh
rootShLocation = /u01/app/oracle/product/12.1.0/db_1/root.sh
requiredBeforeConfig = false

INFO: Setting variable 'ROOTSH_LOCATION' to
'/u01/app/oracle/product/12.1.0/db_1/root.sh'. Received the value from a code
block.
INFO: Setting variable 'ROOTSH_STATUS' to '1'. Received the value from a code
block.
INFO: InstallProgressMonitor: Completed phase 8
INFO: Install Phase 2 JRE files in Scratch :0
INFO: Checkpoint:Index file written and updated
INFO: InstallProgressMonitor: Starting phase 16
INFO: Saving inventory
INFO: Saving inventory
INFO: OiicSaveInvWCCE:Before saving the inventory. This is a install session.
INFO: OiicSaveInvWCCE:Before saving the inventory. The platform is unix.
INFO: OiicSaveInvWCCE:Before saving the inventory. The root.sh location is
/u01/app/oracle/product/12.1.0/db_1/root.sh
INFO: OiicSaveInvWCCE:Before saving the inventory. The root.sh location exists.
INFO: Initializing OUI save inventory
INFO: Saving global variables for component oracle.server
INFO: Saving global variables completed
INFO: Saving the install inventory which has the access of 1
INFO:

INFO: Start output from spawned process:

installActions2013-06-29_12-50-04AM.log

INFO: -----
INFO:

INFO:

INFO: Start output from spawned process:

INFO: -----
INFO:

INFO: The flags set for this home (/u01/app/oracle/product/12.1.0/db_1)
are:aruID|aruDesc|guid|addedToCI|additionalOHPProps

INFO: Updating XML inventory.

INFO: Saving a backup of inventory for home:/u01/app/oracle/product/12.1.0/db_1
INFO:

INFO: Start output from spawned process:

INFO: -----
INFO:

INFO: Saving comps.xml for /u01/app/oracle/product/12.1.0/db_1

INFO:

INFO: Start output from spawned process:

INFO: -----
INFO:

INFO: Current Inventory:

Oracle Home: OraDB12Home1

Sun JDK 1.6.0.37.0

oracle.swd.oui.core.min 12.1.0.1.0

Installer SDK Component 12.1.0.1.0

Oracle One-Off Patch Installer 12.1.0.1.0

Oracle Universal Installer 12.1.0.1.0

Oracle USM Deconfiguration 12.1.0.1.0

Oracle Configuration Manager Deconfiguration 10.3.1.0.0

Oracle RAC Deconfiguration 12.1.0.1.0

Oracle DBCA Deconfiguration 12.1.0.1.0

12.1.0.1.0 Oracle Database Plugin for Oracle Virtual Assembly Builder

Oracle Configuration Manager Client 10.3.2.1.0

Oracle Configuration Manager 10.3.7.0.3

Oracle ODBC Driverfor Instant Client 12.1.0.1.0

LDAP Required Support Files 12.1.0.1.0

Expat libraries 2.0.1.0.2

Oracle Bali Share 11.1.1.6.0

SSL Required Support Files for InstantClient 12.1.0.1.0

Oracle Net Required Support Files 12.1.0.1.0

Oracle R Enterprise Server Files 12.1.0.1.0

Oracle Real Application Testing 12.1.0.1.0

Oracle Label Security 12.1.0.1.0

Oracle Data Mining RDBMS Files 12.1.0.1.0

Oracle OLAP RDBMS Files 12.1.0.1.0

Oracle OLAP API 12.1.0.1.0

SQL*Plus Required Support Files 12.1.0.1.0

Oracle Database Vault option 12.1.0.1.0

XDK Required Support Files 12.1.0.1.0

Oracle Notification Service for Instant Client 12.1.0.1.0

Platform Required Support Files 12.1.0.1.0

Oracle RAC Required Support Files-HAS 12.1.0.1.0

Oracle JDBC Server Support Package 12.1.0.1.0

Oracle SQL Developer 12.1.0.1.0

Oracle Application Express 12.1.0.1.0

RDBMS Required Support Files Runtime 12.1.0.1.0

RDBMS Required Support Files for Instant Client 12.1.0.1.0

SQLJ Runtime 12.1.0.1.0

Database Workspace Manager 12.1.0.1.0

Precompiler Common Files for Core 12.1.0.1.0

Parser Generator Required Support Files 12.1.0.1.0

installActions2013-06-29_12-50-04AM.log
Oracle Globalization Support 12.1.0.1.0
Oracle Notification Service (eONS) 12.1.0.1.0
Oracle Text ATG Language Support Files 12.1.0.1.0
Oracle Text for Core 12.1.0.1.0
Oracle Text Required Support Files 12.1.0.1.0
Precompiler Required Support Files 12.1.0.1.0
Oracle Database 12c Multimedia Files 12.1.0.1.0
Oracle Multimedia Java Advanced Imaging 12.1.0.1.0
Oracle JDBC/OCI Instant Client 12.1.0.1.0
Oracle Multimedia Locator Java Required Support Files 12.1.0.1.0

Oracle Multimedia Locator RDBMS Files 12.1.0.1.0
Oracle Core Required Support Files for Core DB 12.1.0.1.0
Oracle Core Required Support Files 12.1.0.1.0
Sample Schema Data 12.1.0.1.0
Oracle Starter Database 12.1.0.1.0
Oracle Message Gateway Common Files 12.1.0.1.0
Oracle XML Query 12.1.0.1.0
Oracle Core XML Development Kit 12.1.0.1.0
XML Parser for Oracle JVM 12.1.0.1.0
Oracle JFC Extended windowing Toolkit 11.1.1.6.0
Oracle Globalization Support For Core 12.1.0.1.0
Oracle Database Deconfiguration 12.1.0.1.0
Oracle Quality of Service Management (Client) 12.1.0.1.0
Oracle Locale Builder 12.1.0.1.0
JACcelerator (COMPANION) 12.1.0.1.0
Oracle Containers for Java 12.1.0.1.0
Oracle JVM For Core 12.1.0.1.0
Perl Modules 5.14.1.0.0
RDBMS Required Support Files 12.1.0.1.0
Secure Socket Layer 12.1.0.1.0
Oracle Universal Connection Pool 12.1.0.1.0
Oracle JDBC/THIN Interfaces 12.1.0.1.0
Oracle Multimedia Client Option 12.1.0.1.0
Oracle Java Client 12.1.0.1.0
Database Migration Assistant for Unicode 12.1.0.1.0
Perl Interpreter 5.14.1.0.0
PL/SQL Embedded Gateway 12.1.0.1.0
OLAP SQL Scripts 12.1.0.1.0
Database SQL Scripts 12.1.0.1.0
Oracle Globalization Support 12.1.0.1.0
Oracle Extended windowing Toolkit 11.1.1.6.0
SQL*Plus Files for Instant Client 12.1.0.1.0
Required Support Files 12.1.0.1.0
Oracle ODBC Driver 12.1.0.1.0
Precompilers 12.1.0.1.0
Precompiler Common Files 12.1.0.1.0
Deinstallation Tool 12.1.0.1.0
Oracle Recovery Manager 12.1.0.1.0
Oracle Net Java Required Support Files 12.1.0.1.0
XML Parser for Java 12.1.0.1.0
Oracle Security Developer Tools 12.1.0.1.0
Oracle wallet Manager 12.1.0.1.0
Cluster Verification Utility Common Files 12.1.0.1.0
Oracle Clusterware RDBMS Files 12.1.0.1.0
Oracle Ice Browser 11.1.1.6.0
Installation Plugin Files 12.1.0.1.0
Installation Common Files 12.1.0.1.0
Oracle LDAP administration 12.1.0.1.0
Buildtools Common Files 12.1.0.1.0
Oracle Java Layout Engine 11.0.0.0.0
Oracle Database User Interface 11.0.0.0.0
Oracle Help Share Library 11.1.1.6.0
Oracle Help for Java 11.1.1.6.0
HAS Common Files 12.1.0.1.0
PL/SQL 12.1.0.1.0
Assistant Common Files 12.1.0.1.0
Oracle Notification Service 12.1.0.1.0

```
installActions2013-06-29_12-50-04AM.log
Oracle Net 12.1.0.1.0
Oracle Database Utilities 12.1.0.1.0
Generic Connectivity Common Files 12.1.0.1.0
Oracle Database Gateway for ODBC 12.1.0.1.0
Oracle Programmer 12.1.0.1.0
Oracle Netca Client 12.1.0.1.0
SQL*Plus 12.1.0.1.0
Oracle Multimedia Locator 12.1.0.1.0
Oracle Multimedia 12.1.0.1.0
Oracle Call Interface (OCI) 12.1.0.1.0
Oracle XML Development Kit 12.1.0.1.0
Database Configuration and Upgrade Assistants 12.1.0.1.0
Oracle JVM 12.1.0.1.0
Oracle Advanced Security 12.1.0.1.0
Oracle Internet Directory Client 12.1.0.1.0
Oracle Net Listener 12.1.0.1.0
HAS Files for DB 12.1.0.1.0
Oracle Text 12.1.0.1.0
Oracle Net Services 12.1.0.1.0
Oracle Database 12c 12.1.0.1.0
Oracle OLAP 12.1.0.1.0
Oracle Spatial and Graph 12.1.0.1.0
Oracle Partitioning 12.1.0.1.0
Enterprise Edition Options 12.1.0.1.0
Oracle Database 12c 12.1.0.1.0
```

```
INFO: OiicSaveInvWCCE:After saving the inventory. This is an Install session.
INFO: OiicSaveInvWCCE:After saving the inventory. The platform is unix.
INFO: OiicSaveInvWCCE:After saving the inventory. The location of root.sh is
/u01/app/oracle/product/12.1.0/db_1/root.sh
INFO: OiicSaveInvWCCE:After saving the inventory. The root.sh location exists
INFO:
```

```
INFO: Start output from spawned process:
INFO: -----
INFO:
```

```
INFO: InstallProgressMonitor: Completed phase 16
INFO: SaveInvWCCE JRE files in Scratch :0
INFO: InstallProgressMonitor: Starting phase 64
INFO: Generating configuration aggregates (if any)
INFO: Generating configuration aggregates (if any)
INFO: Aggregate Name as given in the action for additional utility tools:
oracle.rdbms.util
INFO: Aggregate Location as given in the action for additional utility tools:
/u01/app/oracle/product/12.1.0/db_1/install/config
INFO: checking if the file
/u01/app/oracle/product/12.1.0/db_1/install/config/oracle.rdbms.util.xml is
present?
INFO: Can proceed with additional utility processes ? : true
INFO: Copying
/u01/app/oracle/product/12.1.0/db_1/install/config/oracle.rdbms.util.xml to
/u01/app/oracle/product/12.1.0/db_1/inventory/ContentsXML/ConfigXML/oracle.rdbms
.util.1_0_0_0.xml with the permissions og-rwx
INFO: cf session will be created for OH: /u01/app/oracle/product/12.1.0/db_1/
TLAggr: oracle.rdbms.util instancePath: inventory/ContentsXML/ConfigXML/
INFO: cf session for OH: /u01/app/oracle/product/12.1.0/db_1/ TL Aggr:
[oracle.rdbms.util] instancePath: inventory/ContentsXML/ConfigXML/
INFO: No of Tools: 1
INFO: Starting to execute the additional tools
INFO: Executing utility tool: ADR Setup Utility
INFO: Executing utility tool: ADR Setup Utility
INFO: Command = /u01/app/oracle/product/12.1.0/db_1/bin/diagsetup
basedir=/u01/app/oracle oraclehome=/u01/app/oracle/product/12.1.0/db_1
```

```
INFO: Successfully executed utility tool: ADR Setup Utility
INFO: Successfully executed utility tool: ADR Setup Utility
INFO: All the tools have been executed Successfully
```


installActions2013-06-29_12-50-04AM.log

INFO: Complete execution of additional tools
INFO: oracle.installer.installUpdates property is set to false, so skipping the checking of updates
INFO: Config Initialize JRE files in Scratch :0
INFO: stage loc: /tmp/OraInstall2013-06-29_12-50-04AM/
INFO: Copying Aggr XML for: Oracle Configuration Manager
INFO: stage loc: /tmp/OraInstall2013-06-29_12-50-04AM/
INFO: Copying Aggr XML for: Oracle Notification Service for Instant Client
INFO: stage loc: /tmp/OraInstall2013-06-29_12-50-04AM/
INFO: Copying Aggr XML for: HAS Common Files
INFO: stage loc: /tmp/OraInstall2013-06-29_12-50-04AM/
INFO: Copying Aggr XML for: Oracle Netca Client
INFO: stage loc: /tmp/OraInstall2013-06-29_12-50-04AM/
INFO: Copying Aggr XML for: Database Configuration and Upgrade Assistants
INFO: stage loc: /tmp/OraInstall2013-06-29_12-50-04AM/
INFO: Copying Aggr XML for: Oracle Database 12c
INFO: The Top level Aggreage File =
/u01/app/oracle/product/12.1.0/db_1/inventory/ContentsXML/ConfigXML/oracle.server.12_1_0_1_0.xml
INFO: OUI_CAPugin is not found in XML
INFO: cf session will be created for OH: /u01/app/oracle/product/12.1.0/db_1/TLAggr: oracle.server instancePath: inventory/ContentsXML/ConfigXML/
INFO: cf session for OH: /u01/app/oracle/product/12.1.0/db_1/ TL Aggr: [oracle.server] instancePath: inventory/ContentsXML/ConfigXML/
INFO: aggr ref length : 5
INFO: cf session hashcode: 1880825967
INFO: cf session saved with key: OraDB12Home1 oracle.server
INFO: cf session is ok
INFO: created and saved cf session for oh: OraDB12Home1
INFO: passing params to cf
INFO: Handling the storing of variables for aggr name oracle.sysman.ccr
INFO: This variable s_OPSNodeInfoString is not added to the global context map
INFO: This variable java_ccr is not added to the global context map
INFO: This variable b_isUNIX is not added to the global context map
INFO: This variable b_createResponseFile is not added to the global context map
INFO: This variable s_ps is not added to the global context map
INFO: This variable s_oraname is not added to the global context map
INFO: This variable s_ccrJarDestination is not added to the global context map
INFO: This variable b_localInstall is not added to the global context map
INFO: This variable b_doConfigCCR is not added to the global context map
INFO: This variable b_ccrUpgrade is not added to the global context map
INFO: This variable s_rspFilePath is not added to the global context map
INFO: This variable PROD_HOME is not added to the global context map
INFO: for oracle.ons.ic no aggregate found by cf: no configuration
INFO: for oracle.has.common no aggregate found by cf: no configuration
INFO: Handling the storing of variables for aggr name oracle.assistants.netca.client
INFO: This variable s_winServiceUserPasswordFlag is not added to the global context map
INFO: This variable s_swingallName is not added to the global context map
INFO: This variable s_shareName is not added to the global context map
INFO: This variable s_runtimeLib is not added to the global context map
INFO: This variable s_runTimeJar is not added to the global context map
INFO: This variable s_responseFileName is not added to the global context map
INFO: This variable s_operatingSystem is not added to the global context map
INFO: This variable s_netcfgName is not added to the global context map
INFO: This variable s_netcahelpName is not added to the global context map
INFO: This variable s_netcaUpgradeFlag is not added to the global context map
INFO: This variable s_netcaClass is not added to the global context map
INFO: This variable s_netCA_Args is not added to the global context map
INFO: This variable s_netCAInstalledProtocols is not added to the global context map
INFO: This variable s_netAPIName is not added to the global context map
INFO: This variable s_ldapclnt9 is not added to the global context map
INFO: This variable s_ldapclnt12 is not added to the global context map
INFO: This variable s_ldapclnt10 is not added to the global context map
INFO: This variable s_jreLocation is not added to the global context map
INFO: This variable s_jreJarFile is not added to the global context map

installActions2013-06-29_12-50-04AM.log

INFO: This variable s_jreJar is not added to the global context map
INFO: This variable s_jewtName is not added to the global context map
INFO: This variable s_installTypeForLaunchNETCA is not added to the global context map
INFO: This variable s_icebrowserName is not added to the global context map
INFO: This variable s_helpName is not added to the global context map
INFO: This variable s_ewtcompatName is not added to the global context map
INFO: This variable s_ewtName is not added to the global context map
INFO: This variable s_ewtFile is not added to the global context map
INFO: This variable s_ewtCompat is not added to the global context map
INFO: This variable s_cfgMethod is not added to the global context map
INFO: This variable s_caHelpZhTwJar is not added to the global context map
INFO: This variable s_caHelpZhCnJar is not added to the global context map
INFO: This variable s_caHelpPtBRJar is not added to the global context map
INFO: This variable s_caHelpKOJar is not added to the global context map
INFO: This variable s_caHelpJar is not added to the global context map
INFO: This variable s_caHelpJAJar is not added to the global context map
INFO: This variable s_caHelpItJar is not added to the global context map
INFO: This variable s_caHelpFrJar is not added to the global context map
INFO: This variable s_caHelpESJar is not added to the global context map
INFO: This variable s_caHelpDeJar is not added to the global context map
INFO: This variable s_authAdaptors is not added to the global context map
INFO: This variable ps_netCA_Args_OverRide is not added to the global context map
INFO: This variable b_net8ServerInstalling is not added to the global context map
INFO: This variable b_javavmIsInstalling is not added to the global context map
INFO: This variable b_iswindows is not added to the global context map
INFO: This variable b_isUNIX is not added to the global context map
INFO: This variable b_cmanIsInstalling is not added to the global context map
INFO: This variable b_anoIsInstalling is not added to the global context map
INFO: HashMap added with the key oracle.assistants.netca.client and an empty variable Vector
INFO: Adding the variable S_WINSERVICEUSERPASSWORD to the aggregate oracle.assistants.netca.client
INFO: Adding the variable S_WINSERVICEUSERPASSWORD to the global context map for the aggregate oracle.assistants.netca.client
INFO: This variable s_xmlparservLoc is not added to the global context map
INFO: This variable s_skiopharegistrationFlag is not added to the global context map
INFO: This variable s_ouiJlibDir is not added to the global context map
INFO: This variable s_opsmJlib is not added to the global context map
INFO: This variable s_ntwkTools is not added to the global context map
INFO: This variable s_netjlibDir is not added to the global context map
INFO: This variable s_netcahelpLocation is not added to the global context map
INFO: This variable s_netcaJlibDir is not added to the global context map
INFO: This variable s_netcaDocDir is not added to the global context map
INFO: This variable s_netPropertiesFile is not added to the global context map
INFO: This variable s_netCA is not added to the global context map
INFO: This variable s_net8caFileToInstantiate is not added to the global context map
INFO: This variable s_jre15Location is not added to the global context map
INFO: This variable s_jlibDir is not added to the global context map
INFO: This variable s_inventoryPrereqOui is not added to the global context map
INFO: This variable s_emdwLibDir is not added to the global context map
INFO: This variable s_caHelpDir is not added to the global context map
INFO: This variable s_assistantJlibDir is not added to the global context map
INFO: This variable s_JavaFlag is not added to the global context map
INFO: This variable b_isOPS is not added to the global context map
INFO: This variable s_windowsCommandLine is not added to the global context map
INFO: This variable s_srcOracleHome is not added to the global context map
INFO: This variable s_net8caExecutable is not added to the global context map
INFO: This variable s_netcaUserDirArg is not added to the global context map
INFO: This variable s_installTypeForNetCA is not added to the global context map
INFO: This variable s_netcaSilentFlag is not added to the global context map
INFO: This variable s_netCAInstalledProducts is not added to the global context map
INFO: This variable s_netcaClasspath is not added to the global context map

installActions2013-06-29_12-50-04AM.log

INFO: This variable PROD_HOME is not added to the global context map
INFO: ORACLE_HOME is not settable, hence not setting the value
INFO: Handling the storing of variables for aggr name oracle.assistants.server
INFO: This variable s_operatingSystem is not added to the global context map
INFO: This variable s_jreLocation is not added to the global context map
INFO: This variable pn_dboffset is not added to the global context map
INFO: This variable cs_swingName is not added to the global context map
INFO: This variable cs_komodoName is not added to the global context map
INFO: This variable cs_kodiakName is not added to the global context map
INFO: This variable cs_jewtName is not added to the global context map
INFO: This variable cs_iceBrowserName is not added to the global context map
INFO: This variable cs_ewtcompatName is not added to the global context map
INFO: This variable cs_ewtName is not added to the global context map
INFO: This variable cs_balishareName is not added to the global context map
INFO: This variable b_orabaseContainsOrahome is not added to the global context map
INFO: This variable b_isWINDOWS is not added to the global context map
INFO: This variable b_isUNIX is not added to the global context map
INFO: This variable b_crshome is not added to the global context map
INFO: This variable sl_dbmaParameterListForIcon is not added to the global context map
INFO: This variable sl_dbcaParameterListForIcon is not added to the global context map
INFO: This variable s_xmlparservLoc is not added to the global context map
INFO: This variable s_skipHARegistrationFlag is not added to the global context map
INFO: This variable s_ouiJlibLocation is not added to the global context map
INFO: This variable s_oratabLocation is not added to the global context map
INFO: This variable s_opsmLocation is not added to the global context map
INFO: This variable s_dbuaLocation is not added to the global context map
INFO: This variable s_dbcaLocation is not added to the global context map
INFO: This variable s_OracleBinLocation is not added to the global context map
INFO: This variable s_dbcaInstLaunchFile is not added to the global context map
INFO: This variable s_dbcaLaunchFile is not added to the global context map
INFO: This variable s_dbmaLaunchFile is not added to the global context map
INFO: This variable s_dbmaInstLaunchFile is not added to the global context map
INFO: This variable PROD_HOME is not added to the global context map
INFO: ORACLE_HOME is not settable, hence not setting the value
INFO: {Parameter:TOPLEVEL_COMPONENT in {Aggregate:OuiConfigVariables:1.0.0.0.0:common}}: Parameter data type is not compatible with the provided String Array.
INFO: passing params to cf done
INFO: done saving info by cf
INFO: InstallProgressMonitor: Completed phase 64
INFO: This is a shared oracle home or remote nodes are null. No copy required.
INFO: Adding iterator oracle.sysman.oui.oiif.oiifw.OiifwRootShWCDE
INFO: Updating the global context
INFO: Path To 'globalcontext.xml' =
/u01/app/oracle/product/12.1.0/db_1/install/chainedInstall/globalcontext
INFO: Since operation was successful, move the current OiicAPISessionDetails to installed list
INFO: Number of root scripts to be executed = 2
INFO: isSuccessfullInstallation: true
INFO: isSuccessfullRemoteInstallation: true
INFO: Adding ExitStatus SUCCESS to the exit status set
INFO: Completed setting up InstallDB
INFO: Starting 'Prepare for configuration steps'
INFO: Starting 'Prepare for configuration steps'
INFO: Preparing configuration
INFO: Entering ConfigClient.init method
INFO: ConfigClient.init sOracleHomeLoc=/u01/app/oracle/product/12.1.0/db_1, sTopAggId=oracle.server
INFO: Entering ConfigClient.initClientAndSession method
INFO: ConfigClient.initClientAndSession status : connected to the config framework
INFO: ConfigClient.initClientAndSession session begun
oracle.sysman.emCfg.client.CfwSession@1f2e930f
INFO: ConfigClient.initClientAndSession

```

installActions2013-06-29_12-50-04AM.log
m_oAggregate=[Loracle.sysman.emCfg.common.IAggregate;@2ab8cdc7
INFO: Configuration log directory -
/u01/app/oracle/product/12.1.0/db_1/cfgtoollogs
INFO: Exiting ConfigClient.init method
INFO: Calling event ConfigSessionInitialized
INFO: ConfigClient.registerOutErrStream method called
INFO: Updating Transient Parameters in the Aggregates
INFO: Updating Transient Parameters for oracle.server
INFO: Updating Transient Parameters for oracle.assistants.server
INFO: Setting value to transient variable s_pdbadminPasswordFlag
INFO: Setting value to transient variable S_PDBADMINPASSWORD
INFO: Setting value to transient variable s_systemPasswordFlag
INFO: Setting value to transient variable S_DBSNMPPASSWORD
INFO: Setting value to transient variable s_emadminPasswordFlag
INFO: Setting value to transient variable s_asmsnmpPasswordFlag
INFO: Setting value to transient variable S_EMADMINPASSWORD
INFO: Setting value to transient variable s_dbcansmpPasswordFlag
INFO: Setting value to transient variable S_SYSEMPASSWORD
INFO: Setting value to transient variable S_ASMSNMPASSWORD
INFO: Setting value to transient variable windows_commandline_prefix
INFO: Setting value to transient variable s_sysPasswordFlag
INFO: Setting value to transient variable s_dbcaArgsOverride
INFO: Setting value to transient variable S_SYSPASSWORD
INFO: Setting value to transient variable s_dbcaArgs
INFO: Updating Transient Parameters for oracle.assistants.netca.client
INFO: Setting value to transient variable S_WINSERVICEUSERPASSWORD
INFO: Setting value to transient variable s_winServiceUserPasswordFlag
INFO: Updating Transient Parameters for OUIConfigVariables
INFO: Updating Transient Parameters for oracle.sysman.ccr
INFO: Successfully updated Transient Parameters in the Aggregates
INFO: Configuration log directory -
/u01/app/oracle/product/12.1.0/db_1/cfgtoollogs
INFO:
The Runconfig command constructed is
/u01/app/oracle/product/12.1.0/db_1/oui/bin/runConfig.sh
ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1 MODE=perform ACTION=configure
RERUN=true $*
INFO: Created a new file
/u01/app/oracle/product/12.1.0/db_1/cfgtoollogs/configToolAllCommands
INFO: Since the option is to overwrite the existing
/u01/app/oracle/product/12.1.0/db_1/cfgtoollogs/configToolAllCommands file,
backing it up
INFO: The backed up file name is
/u01/app/oracle/product/12.1.0/db_1/cfgtoollogs/configToolAllCommands.bak
INFO: ConfigClient.saveSession method called
INFO: Calling event ConfigSessionEnding
INFO: ConfigClient.endSession method called
INFO: Completed preparation for configuration
INFO: Completed 'Prepare for configuration steps'
INFO: Number of scripts to be executed as root user = 2
INFO: User accepted to run root scripts
INFO: Performing Configuration
INFO: Entering ConfigClient.init method
INFO: ConfigClient.init sOracleHomeLoc=/u01/app/oracle/product/12.1.0/db_1,
sTopAggId=oracle.server
INFO: Entering ConfigClient.initClientAndSession method
INFO: ConfigClient.initClientAndSession status : connected to the config
framework
INFO: ConfigClient.initClientAndSession session begun
oracle.sysman.emCfg.client.CfwSession@724cb162
INFO: ConfigClient.initClientAndSession
m_oAggregate=[Loracle.sysman.emCfg.common.IAggregate;@911d38e
INFO: Configuration log directory -
/u01/app/oracle/product/12.1.0/db_1/cfgtoollogs
INFO: Exiting ConfigClient.init method
INFO: Calling event ConfigSessionInitialized
INFO: ConfigClient.registerOutErrStream method called
INFO: Updating Transient Parameters in the Aggregates

```

installActions2013-06-29_12-50-04AM.log

```
INFO: Updating Transient Parameters for oracle.server
INFO: Updating Transient Parameters for oracle.assistants.server
INFO: Setting value to transient variable s_pdbadminPasswordFlag
INFO: Setting value to transient variable S_PDBADMINPASSWORD
INFO: Setting value to transient variable s_systemPasswordFlag
INFO: Setting value to transient variable S_DBSNMPPASSWORD
INFO: Setting value to transient variable s_emadminPasswordFlag
INFO: Setting value to transient variable s_asmsnmpPasswordFlag
INFO: Setting value to transient variable S_EMADMINPASSWORD
INFO: Setting value to transient variable s_dbsnmpPasswordFlag
INFO: Setting value to transient variable S_SYSPASSWORD
INFO: Setting value to transient variable S_ASMSNMPPASSWORD
INFO: Setting value to transient variable windows_commandline_prefix
INFO: Setting value to transient variable s_sysPasswordFlag
INFO: Setting value to transient variable s_dbcaArgsOverride
INFO: Setting value to transient variable S_SYSPASSWORD
INFO: Setting value to transient variable s_dbcaArgs
INFO: Updating Transient Parameters for oracle.assistants.netca.client
INFO: Setting value to transient variable S_WINSERVICEUSERPASSWORD
INFO: Setting value to transient variable s_winServiceUserPasswordFlag
INFO: Updating Transient Parameters for OUIConfigVariables
INFO: Updating Transient Parameters for oracle.sysman.ccr
INFO: Successfully updated Transient Parameters in the Aggregates
INFO: Entering ConfigClient.getToolsList method
INFO: Created config job for Oracle Net Configuration Assistant
INFO: Created config job for Oracle Database Configuration Assistant
INFO: Configuration log directory -
/u01/app/oracle/product/12.1.0/db_1/cfgtoollogs
INFO:
The Runconfig command constructed is
/u01/app/oracle/product/12.1.0/db_1/oui/bin/runConfig.sh
ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1 MODE=perform ACTION=configure
RERUN=true $*
INFO: Since the option is to overwrite the existing
/u01/app/oracle/product/12.1.0/db_1/cfgtoollogs/configToolAllCommands file,
backing it up
INFO: The backed up file name is
/u01/app/oracle/product/12.1.0/db_1/cfgtoollogs/configToolAllCommands.bak.1
INFO: Entering ConfigClient.executeToolsInAggregate method
INFO: ConfigClient.executeToolsInAggregate
oAggregate=oracle.server:oracle.server:12.1.0.1.0:common
INFO: Entering ConfigClient.assignAction method
INFO: ConfigClient.assignAction
actionref=[Loracle.sysman.emCfg.common.IActionReference;@3af78ba5
INFO: ConfigClient.assignAction action is of type :configuration
INFO: Exiting ConfigClient.assignAction method
INFO: ConfigClient.executeToolsInAggregate action assigned
INFO: Started Plugin named: Oracle Net Configuration Assistant
INFO: Found associated job
INFO: Starting 'Oracle Net Configuration Assistant'
INFO: Starting 'Oracle Net Configuration Assistant'
INFO: NetCAInternalPlugIn: ... adding </ouiinternal>
INFO: Executing NETCA
INFO: Command /u01/app/oracle/product/12.1.0/db_1/bin/netca /orahome
/u01/app/oracle/product/12.1.0/db_1 /orahnam OraDB12Home1 /instype typical
/inscomp client,oraclenet,javavm,server,ano /insprtcl tcp /cfg local /authadp
NO_VALUE /responseFile
/u01/app/oracle/product/12.1.0/db_1/network/install/netca_typ.rsp /silent
/ouiinternal
INFO: ... GenericInternalPlugIn.handleProcess() entered.
INFO: ... GenericInternalPlugIn: getting configAssistantParmas.
INFO: ... GenericInternalPlugIn: checking secretArguments.
INFO: No arguments to pass to stdin
INFO: ... GenericInternalPlugIn: starting read loop.
INFO: Read: UnsatisfiedLinkError exception loading native library: njni12
INFO: Stderr Read: java.lang.UnsatisfiedLinkError:
oracle.net.common.NetGetEnv.jniGetOracleHome()Ljava/lang/String;
INFO: Stderr Read: at oracle.net.common.NetGetEnv.jniGetOracleHome(Native
```

installActions2013-06-29_12-50-04AM.log

```
Method)
INFO: Stderr Read:      at oracle.net.common.NetGetEnv.getOracleHome(Unknown
Source)
INFO: Stderr Read:      at
oracle.net.ca.NetCALogger.getOracleHome(NetCALogger.java:230)
INFO: Stderr Read:      at
oracle.net.ca.NetCALogger.initOracleParameters(NetCALogger.java:215)
INFO: Stderr Read:      at
oracle.net.ca.NetCALogger.initLogger(NetCALogger.java:130)
INFO: Stderr Read:      at oracle.net.ca.NetCA.main(NetCA.java:433)
WARNING: Skipping line: UnsatisfiedLinkError exception loading native library:
njni12
INFO: End of argument passing to stdin
INFO: Read: java.lang.UnsatisfiedLinkError:
/u01/app/oracle/product/12.1.0/db_1/lib/libnjni12.so:
/u01/app/oracle/product/12.1.0/db_1/lib/libcIntsh.so.12.1: file too short
WARNING: Skipping line: java.lang.UnsatisfiedLinkError:
/u01/app/oracle/product/12.1.0/db_1/lib/libnjni12.so:
/u01/app/oracle/product/12.1.0/db_1/lib/libcIntsh.so.12.1: file too short
INFO: Exceeded the number of arguments passed to stdin. CurrentCount:1 Total
args:0
INFO: Read:
WARNING: Skipping line:
INFO: Exceeded the number of arguments passed to stdin. CurrentCount:1 Total
args:0
INFO: Read: Error:
oracle.net.common.NetGetEnv.jniGetOracleHome()Ljava/lang/String;
WARNING: Skipping line: Error:
oracle.net.common.NetGetEnv.jniGetOracleHome()Ljava/lang/String;
INFO: Exceeded the number of arguments passed to stdin. CurrentCount:1 Total
args:0
INFO: Read: Oracle Net Services configuration failed. The exit code is 1
WARNING: Skipping line: Oracle Net Services configuration failed. The exit code
is 1
INFO: Exceeded the number of arguments passed to stdin. CurrentCount:1 Total
args:0
INFO: Completed Plugin named: Oracle Net Configuration Assistant
INFO: Oracle Net Configuration Assistant failed.
INFO: Oracle Net Configuration Assistant failed.
INFO: ConfigClient.executeToolsInAggregate action performed
INFO: Exiting ConfigClient.executeToolsInAggregate method
INFO: Calling event ConfigToolsExecuted
INFO:
The Runconfig command constructed is
/u01/app/oracle/product/12.1.0/db_1/oui/bin/runConfig.sh
ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1 MODE=perform ACTION=configure
RERUN=false $*
INFO: Created a new file
/u01/app/oracle/product/12.1.0/db_1/cfgtoollogs/configToolFailedCommands
INFO: Since the option is to overwrite the existing
/u01/app/oracle/product/12.1.0/db_1/cfgtoollogs/configToolFailedCommands file,
backing it up
INFO: The backed up file name is
/u01/app/oracle/product/12.1.0/db_1/cfgtoollogs/configToolFailedCommands.bak
INFO: Adding ExitStatus SUCCESS_MINUS_RECTOOL to the exit status set
INFO: ConfigClient.saveSession method called
INFO: Calling event ConfigSessionEnding
INFO: ConfigClient.endSession method called
INFO: Completed Configuration
INFO: Shutting down OUIsetupDriver.JobExecutorThread
INFO: Cleaning up, please wait...
INFO: All forked task are completed at state setup
INFO: Completed background operations
INFO: Moved to state <setup>
INFO: Performing Configuration
INFO: Entering ConfigClient.init method
INFO: ConfigClient.init sOracleHomeLoc=/u01/app/oracle/product/12.1.0/db_1,
sTopAggId=oracle.server
```

```

installActions2013-06-29_12-50-04AM.log
INFO: Entering ConfigClient.initClientAndSession method
INFO: ConfigClient.initClientAndSession status : connected to the config
framework
INFO: ConfigClient.initClientAndSession session begun
oracle.sysman.emCfg.client.CfwSession@60d60cd6
INFO: ConfigClient.initClientAndSession
m_oAggregate=[Loracle.sysman.emCfg.common.IAggregate;@4e4e745
INFO: Configuration log directory -
/u01/app/oracle/product/12.1.0/db_1/cfgtoollogs
INFO: Exiting ConfigClient.init method
INFO: Calling event ConfigSessionInitialized
INFO: ConfigClient.registerOutErrStream method called
INFO: Updating Transient Parameters in the Aggregates
INFO: Updating Transient Parameters for oracle.server
INFO: Updating Transient Parameters for oracle.assistants.server
INFO: Setting value to transient variable s_pdbadminPasswordFlag
INFO: Setting value to transient variable S_PDBADMINPASSWORD
INFO: Setting value to transient variable s_systemPasswordFlag
INFO: Setting value to transient variable S_DBSNMPPASSWORD
INFO: Setting value to transient variable s_emadminPasswordFlag
INFO: Setting value to transient variable s_asmsnmpPasswordFlag
INFO: Setting value to transient variable S_EMADMINPASSWORD
INFO: Setting value to transient variable s_dbsnmpPasswordFlag
INFO: Setting value to transient variable S_SYSTEMPASSWORD
INFO: Setting value to transient variable S_ASMSNMPPASSWORD
INFO: Setting value to transient variable windows_commandline_prefix
INFO: Setting value to transient variable s_sysPasswordFlag
INFO: Setting value to transient variable s_dbcaArgsOverride
INFO: Setting value to transient variable S_SYSPASSWORD
INFO: Setting value to transient variable s_dbcaArgs
INFO: Updating Transient Parameters for oracle.assistants.netca.client
INFO: Setting value to transient variable S_WINSERVICEUSERPASSWORD
INFO: Setting value to transient variable s_winServiceUserPasswordFlag
INFO: Updating Transient Parameters for OuiConfigVariables
INFO: Updating Transient Parameters for oracle.sysman.ccr
INFO: Successfully updated Transient Parameters in the Aggregates
INFO: Entering ConfigClient.getToolsList method
INFO: Selecting job named 'Oracle Database Configuration Assistant' for retry
INFO: Configuration log directory -
/u01/app/oracle/product/12.1.0/db_1/cfgtoollogs
INFO:
The Runconfig command constructed is
/u01/app/oracle/product/12.1.0/db_1/oui/bin/runConfig.sh
ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1 MODE=perform ACTION=configure
RERUN=true $*
INFO: Since the option is to overwrite the existing
/u01/app/oracle/product/12.1.0/db_1/cfgtoollogs/configToolAllCommands file,
backing it up
INFO: The backed up file name is
/u01/app/oracle/product/12.1.0/db_1/cfgtoollogs/configToolAllCommands.bak.2
INFO: Entering ConfigClient.executeSelectedToolsInAggregate method
INFO: ConfigClient.executeSelectedToolsInAggregate
oAggregate=oracle.server:oracle.server:12.1.0.1.0:common
INFO: Entering ConfigClient.assignAction method
INFO: ConfigClient.assignAction
actionref=[Loracle.sysman.emCfg.common.IActionReference;@51a84ed6
INFO: ConfigClient.assignAction action is of type :configuration
INFO: Exiting ConfigClient.assignAction method
INFO: ConfigClient.executeSelectedToolsInAggregate action assigned
INFO: Started Plugin named: Oracle Database Configuration Assistant
INFO: Found associated job
INFO: Starting 'Oracle Database Configuration Assistant'
INFO: Starting 'Oracle Database Configuration Assistant'
INFO: Executing DBCA
INFO: Command /u01/app/oracle/product/12.1.0/db_1/bin/dbca -progress_only
-createDatabase -templateName General_Purpose.dbc -createAsContainerDatabase
true -pdbName pdborcl -numberOfPDBs 1 -sid cdb12c -gdbName cdb12c
-emConfiguration DBEXPRESS -storageType FS -datafileDestination

```

```

installActions2013-06-29_12-50-04AM.log
/u01/app/oracle/oradata -datafileJarLocation
/u01/app/oracle/product/12.1.0/db_1/assistants/dbca/templates -responseFile
NO_VALUE -characterset WE8MSWIN1252 -obfuscatedPasswords false -sampleSchema
true -automaticMemoryManagement true -totalMemory 663 -maskPasswords false
-oui_internal
INFO: ... GenericInternalPlugIn.handleProcess() entered.
INFO: ... GenericInternalPlugIn: getting configAssistantParmas.
INFO: ... GenericInternalPlugIn: checking secretArguments.
INFO: ... GenericInternalPlugIn: starting read loop.
INFO: Read: SYS_PASSWORD_PROMPT
INFO: Processing: SYS_PASSWORD_PROMPT for argument tag -sysPassword
INFO: Read: SYSTEM_PASSWORD_PROMPT
INFO: Processing: SYSTEM_PASSWORD_PROMPT for argument tag -systemPassword
INFO: Read: PDB_ADMIN_PASSWORD_PROMPT
INFO: Processing: PDB_ADMIN_PASSWORD_PROMPT for argument tag -pdbAdminPassword
INFO: Read: UnsatisfiedLinkError exception loading native library: njni12
WARNING: Skipping line: UnsatisfiedLinkError exception loading native library:
njni12
INFO: Read: java.lang.UnsatisfiedLinkError:
/u01/app/oracle/product/12.1.0/db_1/lib/libnjni12.so:
/u01/app/oracle/product/12.1.0/db_1/lib/libcIntsh.so.12.1: file too short
WARNING: Skipping line: java.lang.UnsatisfiedLinkError:
/u01/app/oracle/product/12.1.0/db_1/lib/libnjni12.so:
/u01/app/oracle/product/12.1.0/db_1/lib/libcIntsh.so.12.1: file too short
INFO: Stderr Read: Exception in thread "main" java.lang.UnsatisfiedLinkError:
oracle.net.common.NetGetEnv.get(Ljava/lang/String;)Ljava/lang/String;
INFO: Stderr Read:         at oracle.net.common.NetGetEnv.get(Native Method)
INFO: Stderr Read:         at oracle.net.config.Config.getNetDir(Unknown Source)
INFO: Stderr Read:         at oracle.net.config.Config.initConfig(Unknown Source)
INFO: Stderr Read:         at oracle.net.config.Config.<init>(Unknown Source)
INFO: Stderr Read:         at
oracle.sysman.assistants.util.NetworkUtils.<init>(NetworkUtils.java:298)
INFO: Stderr Read:         at
oracle.sysman.assistants.util.step.StepContext.<init>(StepContext.java:371)
INFO: Stderr Read:         at
oracle.sysman.assistants.dbca.backend.Host.<init>(Host.java:941)
INFO: Stderr Read:         at
oracle.sysman.assistants.dbca.wizard.UIHost.<init>(UIHost.java:243)
INFO: Stderr Read:         at
oracle.sysman.assistants.dbca.wizard.ProgressOnlyHost.<init>(ProgressOnlyHost.ja
va:115)
INFO: Stderr Read:         at
oracle.sysman.assistants.dbca.Dbca.getHost(Dbca.java:164)
INFO: Stderr Read:         at
oracle.sysman.assistants.dbca.Dbca.execute(Dbca.java:113)
INFO: Stderr Read:         at
oracle.sysman.assistants.dbca.Dbca.main(Dbca.java:184)
INFO: Completed Plugin named: Oracle Database Configuration Assistant
INFO: Oracle Database Configuration Assistant failed.
INFO: Oracle Database Configuration Assistant failed.
INFO: ConfigClient.executeSelectedToolsInAggregate action performed
INFO: Exiting ConfigClient.executeSelectedToolsInAggregate method
INFO:
The Runconfig command constructed is
/u01/app/oracle/product/12.1.0/db_1/oui/bin/runConfig.sh
ORACLE_HOME=/u01/app/oracle/product/12.1.0/db_1 MODE=perform ACTION=configure
RERUN=false $*
INFO: Since the option is to overwrite the existing
/u01/app/oracle/product/12.1.0/db_1/cfgtoollogs/configToolFailedCommands file,
backing it up
INFO: The backed up file name is
/u01/app/oracle/product/12.1.0/db_1/cfgtoollogs/configToolFailedCommands.bak.1
INFO: Adding ExitStatus SUCCESS_MINUS_RECTOOL to the exit status set
INFO: ConfigClient.saveSession method called
INFO: Calling event ConfigSessionEnding
INFO: ConfigClient.endSession method called
INFO: Completed Configuration
INFO: Waiting for completion of background operations

```


installActions2013-06-29_12-50-04AM.log

INFO: Completed background operations
INFO: Validating view at state <setup>
INFO: Completed validating view at state <setup>
INFO: Validating state <setup>
WARNING: [WARNING] [INS-32091] Software installation was successful. But some configuration assistants failed, were cancelled or skipped.
ACTION: Refer to the logs or contact Oracle Support Services.
INFO: Advice is CONTINUE
INFO: Completed validating state <setup>
INFO: Verifying route success
INFO: Get view named [FinishUI]
INFO: View for [FinishUI] is oracle.install.ivw.db.view.FinishUI@575ec870
INFO: Initializing view <FinishUI> at state <finish>
INFO: Completed initializing view <FinishUI> at state <finish>
INFO: Displaying view <FinishUI> at state <finish>
INFO: Completed displaying view <FinishUI> at state <finish>
INFO: Loading view <FinishUI> at state <finish>
INFO: Install Succeeded: true
INFO: Config Tool Succeeded: false
INFO: Remote Install Succeeded: true
INFO: Completed loading view <FinishUI> at state <finish>
INFO: Localizing view <FinishUI> at state <finish>
INFO: Completed localizing view <FinishUI> at state <finish>
INFO: Waiting for completion of background operations
INFO: Completed background operations
INFO: Executing action at state finish
INFO: FinishAction Actions.execute called
INFO: Completed executing action at state <finish>
INFO: Waiting for completion of background operations
INFO: Completed background operations
INFO: Moved to state <finish>
INFO: Dispose the current Session instance
INFO: Dispose the install area control object
INFO: Update the state machine to STATE_CLEAN
INFO: Adding ExitStatus SUCCESS_WITH_WARNINGS to the exit status set
INFO: Finding the most appropriate exit status for the current application
INFO: Exit Status is 6
INFO: List of warnings encountered in this Application:
INFO: INSTALLATION_WARNING_IGNORED_DURING_SETUP
INFO: PREREQS_FAILED_WITH_WARNING
INFO: Shutdown Oracle Database 12c Release 1 Installer